

UNIVERSITI PUTRA MALAYSIA

DEVELOPMENT OF CHEMICAL SENSOR BASED ON FATTY HYDROXAMIC ACID FOR THE DETERMINATION OF VANADIUM (V) AND IRON (III) IONS

AZIZUL BIN ISHA.

FS 2005 23



DEVELOPMENT OF CHEMICAL SENSOR BASED ON FATTY HYDROXAMIC ACID FOR THE DETERMINATION OF VANADIUM(V) AND IRON(III) IONS

By

AZIZUL BIN ISHA

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Master of Science

April 2005



To my beloved mom and dad, for their understanding and patience with this thesis To my sister and brother in law; to my nephew, Nur Hanis Qistina; and to all the others.

azizul



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

DEVELOPMENT OF CHEMICAL SENSOR BASED ON FATTY HYDROXAMIC ACID FOR THE DETERMINATION OF VANADIUM(V) AND IRON(III) IONS

By

AZIZUL BIN ISHA

April 2005

Chairman: Nor Azah binti Yusof, PhD

Faculty: Science

Chemical sensor based on the use of uv-visible spectrophotometer and optical fibre reflectance spectrometer (OFRS) for the determination of Fe(III) and V(V) ions have been developed in this study. Fatty hydroxamic acid (FHA) was used as a reagent for both metals and shows good properties after characterization using manual batch method. FHA immobilized on poly(vinyl chloride) (PVC) and poly(methyl methacrylate) (PMMA) as sensing membranes were successfully applied for determination of V(V). However, both immobilization processes were not showing any measurable signal in determination of Fe(III).

PMMA membrane immobilized FHA was characterized using uv-visible spectrophotometer. The sensing membrane changed from colorless to dark purple in the presence of V(V) with response time of five minutes. The relative standard deviation (RSD) of the reproducibility were found to be 9.29% and 7.09% for V(V) at concentration of 50 ppm and 200 ppm, respectively.

Interference from foreign ions were studied at 1:1 mole ratio of V(V) to interfering ion. The interference faced by Fe(III) was the greatest when it was compared with other cations, whereas phosphate ion gave the highest anion interferences. The limit of detection of the PMMA membrane immobilized FHA was calculated to be 8.4 ppm.

PVC membrane immobilized FHA was characterized using optical fibre reflectance spectrometer. The sensing membrane changed its color from colorless to purple in the presence of V(V) and with response time of five minutes. The RSD of the reproducibility were found to be 3.91% and 3.85% for V(V) at concentration of 1 ppm and 20 ppm, respectively. Interference from foreign ions were studied at 1:1 mole ratio of V(V) to interfering ion. Fe(III) was found to interfere most compared to other cations, whereas citrate gave the highest anion interferences. The limit of detection of the PVC membrane immobilized FHA was calculated to be 0.1 ppm.

The results obtained from both instruments which have been developed in this study were compared with the well established method of inductively coupled plasma-atomic emission spectroscopy (ICP-AES). The comparison results show an excellent agreement between the developed method and ICP-AES method. This indicates that the results obtained from both methods are comparable.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

PEMBINAAN PENDERIA KIMIA BERASASKAN ASID LEMAK HIDROKSAMIK BAGI PENENTUAN ION VANADIUM(V) DAN FERUM(III)

Oleh

AZIZUL BIN ISHA

April 2005

Pengerusi: Nor Azah binti Yusof, PhD

Fakulti: Sains

Penderia kimia berasaskan penggunaan spektrofotometer ul-nampak dan spektrofotometer gentian optik pantulan (OFRS) bagi penentuan Fe(III) dan V(V) telah dibina dalam kajian ini. Asid lemak hidroksamik (FHA) telah digunakan sebagai reagen bagi kedua-dua jenis logam dan menunjukkan ciriciri yang baik dalam penciriannya menggunakan kaedah bayaan manual. FHA dipegunkan di dalam poli(vinil klorida) (PVC) dan poli(metil metakrilat) (PMMA) sebagai membran penderia telah berjaya di gunakan dalam penentuan V(V). Walaubagaimanapun, kedua-dua kaedah pemegunan tersebut tidak menunjukkan sebarang isyarat yang boleh diukur dalam penentuan Fe(III).

Membran PMMA terpegun FHA telah dicirikan dengan menggunakan spektrofotometer ul-nampak. Membran penderia tersebut telah berubah warna daripada lutsinar kepada ungu gelap dengan kehadiran V(V) dengan masa tindak balas selama lima minit. Sisihan piawai relatif (RSD) bagi



kebolehulangan adalah 9.29% dan 7.09% bagi V(V) pada kepekatan 50 ppm dan 200 ppm, masing-masing.

Gangguan daripada ion luar telah dikaji pada nisbah mol 1:1 bagi V(V) terhadap ion pengganggu. Fe(III) telah menunjukkan gangguan yang paling tinggi berbanding kation lain, manakala fosfat menunjukkan kesan gangguan anion yang paling tinggi. Had pengesanan bagi membran PMMA terpegun FHA yang telah dihitung adalah 8.4 ppm.

Membran PVC terpegun FHA telah dicirikan menggunakan OFRS. Membran penderia tersebut telah berubah warna daripada lutsinar kepada ungu gelap dengan kehadiran V(V) dengan masa tindak balas adalah selama lima minit. RSD bagi kebolehulangan adalah 3.91% dan 3.85% bagi V(V) pada kepekatan 1 ppm dan 20 ppm, masing-masing. Gangguan daripada ion luar telah dikaji pada nisbah mol 1:1 bagi V(V) terhadap ion gangguan. Fe(III) telah menunjukkan kesan gangguan yang paling tinggi berbanding kation lain, manakala sitrat menunjukkan gangguan anion paling tinggi. Had pengesanan membran PVC terpegun FHA yang telah dihitung adalah 0.1 ppm.

Keputusan yang diperoleh daripada kedua-dua penderia yang dibina dalam kajian ini telah dibandingkan dengan kaedah yang telah diiktiraf iaitu spectroskopi plasma gandingan aruhan - pancaran atom (ICP-AES). Keputusan menunjukkan terdapat persetujuan yang sangat baik antara kaedah yang dibina



dan kaedah ICP-AES. Ini menunjukkan keputusan yang didapati daripada kedua-dua kaedah ini adalah sebanding.



ACKNOWLEDGEMENTS

Thanks to Allah the Almighty and the Merciful, who had given me strength and guidance along the way of life. I would like to thank all of the people that have assisted in the fulfillment of this work. I can only hope that I remember everyone who has some way; shape or form facilitated my achievement.

I owe my parents and family much gratitude for their love and support, which has made this possible. I would like to take this opportunity to express my deepest appreciation to my supervisor, Dr Nor Azah binti Yusof, Associate Professor Dr Musa bin Ahmad and Professor Dr Zulkarnain bin Zainal for their invaluable advice, guidance and constructive criticism. Their enthusiastic supports are always in my deepest memory.

The faculty and students in chemistry department (Dedy Suhendra and Kwa Pei Yeen) is by far the most brilliant, demanding and rewarding individuals I've ever had the pleasure of working with. I would like to give a huge thank you to my friends' abang Sanusi, Sufi, Anuar, Shaari, Sheikh, Thahira, kak Salina, Fiona, Teng Jin, Eddy, kak Mazu and Ace for all the moral support.

Finally, I would like to thank all lecturers and the laboratory staff in Universiti Putra Malaysia and Universiti Kebangsaan Malaysia for their help and assistance. The past and present students of the sensor group in UKM (UKMCHEBS) have been great and deserve a thank you as well. I would like to acknowledge the Ministry of Environmental and Science of Malaysia for funding this research through IRPA research grant IRPA 09-02-04-0818-EA001.



TABLE OF CONTENTS

Page

DEDICATIONiABSTRACTiABSTRAKiACKNOWLEDGEMENTSiAPPROVALiDECLARATIONiTABLE OF CONTENTSiLIST OF TABLESiLIST OF FIGURESiLIST OF ABBREVIATIONi		ii iii v viii ix xi xii xv xvi xvi xix
CHAPTER	-	
Ι	INTRODUCTION Heavy Metals Vanadium: The Existence in Nature and Toxicity Iron: The Existence in Nature and Toxicity Optical Chemical sensor Objectives of this Research	1 1 3 5 7 13
II	LITERATURE REVIEW Analytical Methods Determination of V(V) and Fe(III) Review of Chemical Reagents Fatty Hydroxamic Acid (FHA) Immobilization Techniques Supporting Materials Poly(Methyl Methacrylate) (PMMA) Poly(Vinyl Chloride) (PVC)	14 14 21 27 33 35 35 37
III	METHODOLOGY Chemical Reagents Instrumentations Solution Preparation Reagent Metals Spectrophotometric Determination of V(V) Ion by Using Fatty Hydroxamic Acid Spectral Study The Effect of Amount of FHA Kinetic Study The Dynamic Range of Analyte Solution Reproducibility	39 39 41 41 41 42 42 42 42 42 42 43 43 43



Interference Study	44
Validation Study	44
Spectrophotometric Determination of Fe(III) Ion by	45
Using Fatty Hydroxamic Acid	
Spectral Study	45
The Effect of Amount of FHA	45
Kinetic Study	45
The Dynamic Range of Analyte Solution	46
Reproducibility	46
Interference Study	47
Validation Study	47
Development of Chemical Ion Sensor based on	48
Fatty Hydroxamic Acid Immobilized in Poly(Methyl	
Methacrylate) (PMMA)	
Preparation of PMMA Membrane as the Supporting	48
Material	
Characterization of the FHA Immobilized in PMMA	48
Membrane	
Development of Chemical Ion Sensor based on	52
Fatty Hydroxamic Acid Immobilized in Poly(Vinyl	
Chloride) (PVC)	
Preparation of PVC Membrane as the Supporting	52
Material	50
Characterization of the FHA Immobilized in PVC	52
Membrane	
DECHITS AND DISCUSSION	56
Results AND Discussion Spectrophotometric Determination of V(V) Ion by	56
Using Fatty Hydroxamic Acid	50
Snectral Study	56
The Effect of Δ mount of EHA	57
Kinetic Study	58
The Dynamic Range of the Analyte Concentration	59
Reproducibility	61
Interference Study	62
Validation Study	64
Spectrophotometric Determination of Fe(III) Ion by	65
Using Fatty Hydroxamic Acid	02
Spectral Study	65
The Effect of Amount of FHA	66
Kinetic Study	67
The Dynamic Range of the Analyte Concentration	68
Reproducibility	70
Interference Study	71
Validation Study	72
*	

IV



-

	Development of Chemical Ion Sensor based on Fatty Hydroxamic Acid Immobilized in Poly(Methyl Methacrylate)	73
	(PMMA)	
	Spectral Study	73
	Effect of Amount of FHA Used for Immobilization	75
	Kinetic Study	76
	The Dynamic Range of Analyte Concentration	77
	Reproducibility	79
	Interference Study	80
	Photostability Study	82
	Validation Study	83
	Development of Chemical Ion Sensor based on Fatty	84
	Hydroxamic Acid Immobilized in Poly(Vinyl Chloride) (PVC)	
	Reflectance Study	84
	Effect of Amount of FHA Used for Immobilization	86
	Kinetic Study	87
	The Dynamic Range of Analyte Concentration	88
	Reproducibility	90
	Interference Study	91
	Photostability Study	92
	Validation Study	93
V	CONCLUSION	95
	Recommendation for Further Studies	97
BIBLIOGRAPHY APPENDICES		98
		109
BIODATA OF THE AUTHOR 1		127



LIST OF TABLES

Table		Page
2.1	Review of some methods for V(V) determination	17
2.2	Review of some methods for Fe(III) determination	19
2.3	Review of some spectrophotometric reagents for the determination of $V(V)$	22
2.4	Review of some spectrophotometric reagents for the determination of Fe(III)	25
3.1	Chemical used in this study	39
3.2	Instrumentations used in the study	41
4.1	The degree of interference on complex formation of V(V)-FHA at 1:1 mole ratio of foreign ions:V(V)	63
4.2	The validation data of $V(V)$ concentration by the developed method and ICP-AES	64
4.3	The degree of interference on complex formation of Fe(III)-FHA at 1:1 mole ratio of foreign ions:Fe(III)	71
4.4	The validation data of Fe(III) concentration by the developed method and ICP-AES	72
4.5	The degree of interference on complex formation of V(V)-FHA at 1:1 mole ratio of foreign ions:V(V)	81
4.6	The validation data of V(V) concentration by developed method and ICP-AES	83
4.7	The degree of interference on complex formation of $V(V)$ -FHA at 1:1 mole ratio of foreign ions: $V(V)$	92
4.8	The validation data of V(V) concentration by the developed method and ICP-AES	94



LIST OF FIGURES

Figures		Page
1.1	Planar waveguide through optical fibre	8
1.2	Basic principal of optical fibre chemical sensor	10
2.1	Tautomerics form of hydroxamic acid	28
2.2	Proton dissociation of hydroxamic acid in aqueous solution	28
2.3	Hydroxamic metal ion complex	29
2.4	Structure of Fe(III)-FHA complex	29
2.5	Structure of V(V)-FHA complex	30
2.6	Structure of Fe(III)-hydroxamic acid resonance	30
2.7	Structure of Fe(III)-poly(hydroxamic acid)	31
2.8	Structure of oxo-chloro-bis-N-phenylbenzohydroxamato- vanadium complex	31
2.9	Preparation reaction for FHA	32
2.10	PMMA chemical structure	36
2.11	PVC chemical structure	37
3.1	PMMA membrane inside the cuvette	49
4.1	The color of $V(V)$ solution in HCl (A), FHA reagent in methanol (B) and $V(V)$ -FHA complex (C)	56
4.2	Absorbance spectra of 2.0 x 10^3 ppm FHA before (A) and after (B) reaction with 150 ppm V(V)	57
4.3	Effect of FHA concentration on V(V)-FHA complex formation	58
4.4	The kinetic study of V(V)-FHA complex at different concentrations of V(V), i.e. 40 ppm (A), 100 ppm (B) and 200 ppm (C)	59
4.5	The response curve of 2.0 x 10^3 ppm FHA towards different concentrations of V(V)	60

4.6	The linear dynamic range in V(V) determination, where the concentration of FHA was 2.0×10^3 ppm	61
4.7	The reproducibility of V(V) determination at concentration of 40 ppm (A) and 260 ppm (B) with 2.0×10^3 ppm FHA	62
4.8	Absorbance spectra of 4.0×10^3 ppm FHA before (A) and after (B) reaction with 150 ppm Fe(III)	65
4.9	The color of Fe(III) solution in HCl (A), FHA reagent in methanol (B) and Fe(III)-FHA complex (C)	66
4.10	The effect of FHA concentration on the absorbance of the Fe(III)-FHA complex	67
4.11	The kinetic study of Fe(III)-FHA complex at different concentrations of Fe(III), i.e. 100 ppm (A), 200 ppm (B) and 300 ppm (C)	68 [.]
4.12	The response curve of 4.0×10^3 ppm FHA towards different concentration of Fe(III)	69
4.13	The linear dynamic range in Fe(III) determination	69
4.14	The reproducibility of Fe(III) at concentration of 100 ppm (A) and 500 ppm (B) determination with FHA	70
4.15	Absorbance spectra of PMMA immobilized FHA before (A) and after (B) reaction with 200 ppm V(V)	74
4.16	Absorbance spectra of PMMA immobilized FHA before (A) and after (B) reaction with 200 ppm Fe(III)	74
4.17	The effect of the initial FHA amount used on the absorbance of immobilized V(V)-FHA complex	76
4.18	Steady state response of V(V) concentration at 10 ppm (A), 100 ppm (B) and 200 ppm (C) when reacted with immobilized FHA	77
4.19	The response curve of the PMMA immobilized FHA towards different concentration of V(V)	78
4.20	The calibration plot of the PMMA immobilized FHA towards different concentration of $V(V)$	79



4.21	The reproducibility study of the PMMA membrane immobilized reagent in determination of $V(V)$ ion at concentration of 50 ppm (A) and 200 ppm (B)	80
4.22	Photostability study of the PMMA membrane immobilized FHA when exposed to a light source over a period of 11 hours	82
4.23	Reflectance spectra of PVC immobilized FHA before (A) and after (B) reacted with $V(V)$ at concentration of 10 ppm	85
4.24	Reflectance spectra of PVC immobilized FHA before (A) and after (B) reacted with Fe(III) at concentration of 10 ppm	85
4.25	The effect of the initial FHA amount used on the absorbance of immobilized V(V)-FHA complex	87
4.26	Plot of intensity (a.u.) versus time (min) at V(V) concentration of 1 ppm (A), 10 ppm (B) and 20 ppm (C)	88
4.27	The response curve of the PVC membrane immobilized FHA towards different concentration of $V(V)$	89
4.28	The response curve of the PVC membrane immobilized FHA towards different concentration of $V(V)$	90
4.29	The reproducibility study of the PVC membrane immobilized FHA at $V(V)$ concentration of 1 ppm (A) and 20 ppm (B)	91
4.30	The photostability of the PVC membrane immobilized FHA when exposed to a light source over a period of six hours	93



LIST OF ABBREVIATIONS

Α	absorbance
FHA	fatty hydroxamic acid
ICP-AES	inductively coupled plasma-atomic emission spectroscopy
PMMA	poly(methyl methacrylate)
PVC	poly(vinyl chloride)
RSD	relative standard deviation
UV-visible	ultra violet-visible



CHAPTER I

INTRODUCTION

Heavy Metals

Metals are defined chemically as elements which conduct electricity, have a metallic luster, are malleable and ductile, form cations and have basic oxides (Atkins and Jones, 1997). Metals have been used widely for thousands of years. Most of the metals has influenced on the quality of life seriously and also caused environmental problem.

Heavy metal is defined as a group name for metals and semimetals (metalloid) that have been associated with contamination and potential toxicity or ecotoxicity. However, there is no precise definition of heavy metals term in the relevant literature, which reflects inconsistency use even by authoritative body such as IUPAC (Duffus, 2002).

Before 1936, the term of heavy metals was described as "guns or shot of large size" or great ability (Ogilvie, 1884; Williams, 1930). Later, the definition of heavy metals terms is based upon the density of elemental form of the metal (Bjerrum, 1936; Grant and Grant, 1987; Parker, 1989; Lozet and Mathiew, 1991; Morris, 1992; Streit, 1994; Thornton, 1995; Falbe and Regitz, 1996). However, it has been realized that density is not of great of significance in relation to the reactivity of a metal (Duffus, 2002).



Another definition is based on atomic weight or mass, but the mass criterion is still confusing (Bennet, 1986; Lewis, 1993; Rand *et al.*, 1995). Soon, the definition is referred on atomic number which provides a good agreement by several authors (Lyman, 1995; Burrel, 1974).

Other term of the definition is based on other chemical properties such as density for radiation screening, density of crystals and reaction with dithizone. This definition shows that, the term of heavy metals is based vaguely on toxicity (Hodgson *et al.*, 1988).

McIntyre and Mills (1975) described that, toxicology is the scientific discipline which studies toxic or poisonous substances which cause alteration or disturbances in the function of the organism leading to harmful effects of which the most serious is, the death of the organism in question. Toxicity is the property or properties of a material that produces a harmful effect upon a biological system, whereas toxicant is a material that produces this biological effect (Landis and Yu, 1995).

Beside mercury, lead and cadmium, iron and vanadium has been reported as toxic elements that exist in our environment. The sensitive determination of these metal ions is of particular significance in environmental analysis. One of the more promising methods for determination of vanadium is spectrophotometric based chemical sensor, which is presented in this study.



Vanadium: The Existence in Nature and Toxicity.

Vanadium is a common element in lithosphere. It is important for living organism. Its role in physiological systems includes insulin like effect, inhibitory effect on some enzymes and cholesterol synthesis, catalytic effect in oxidation of various amines (Waldron, 1980).

Vanadium is a grayish-silver metal in group V of the periodic table. It is malleable and ductile. Vanadium can exist in oxidation states of +2, +3, +4 and +5, those in the +5 and +4 states being the most stable (Clark, 1968).

Vanadium is found in soil and rocks as minerals such as patronite ($V_2S_5 + nS$), carnotite ($K_2O.2UO_3.V_2O_5.3H_2O$), roscoelite ($2K_2O.2Al_2O_3.(Mg, Fe)O.3V_2O_5$. 10SiO₂.4H₂O), descloizite (4(Pb, Zn)O.V₂O₅.H₂O), cupro-descloizite (4(Cu, Pb)O.(V, As)₂)₅.H₂O and vanadinite (Pb₅(VO₄)₃Cl (Vinogradov, 1959; Waldron, 1980). Crude oil also contains vanadium, which is present as an organometallic complex. The vanadium concentration in crude oils varies greatly, depending on their origin. During the burning of fuel oils, the vanadium is left behind as vanadium pentoxide in the solid residue, soot, boiler scale and fly ash (Merian *et al.*, 1991).

Vanadium is widely used in metallurgical and chemical industries. A major commercial use of vanadium has been in steel production. Ferrovanadium is one of the most common forms in which vanadium is added during steel-



making to give tough, strong and heat resistant. Beside that, it is also a major alloying element in high-strength titanium alloys (Waldron, 1980).

Another important use of vanadium is as a catalyst in the production of chemicals. Vanadium pentoxide is the principal catalyst used in oxidation of sulphur dioxide to sulphur trioxide in the production of sulfuric acid. Vanadium oxychloride, tetrachloride and triacetylacetonate are used as polymerization catalysts for soluble copolymer of ethylene and propylene. In dye manufacture and dyeing, vanadium compounds are used as mordants. Ammonium metavanadate has been used as a catalyst in the dyeing of leather and fur (Merian *et al.*, 1991).

In the recent years, the growth of metallurgical and chemical industries had caused health and environmental problems. Vanadium at ppb level is necessary to normal cell growth but is toxic for living organism at ppm level. Gavasov *et al.* (2000) has reported that, the tolerable level of vanadium in drinking water in Bulgaria is 100 ppb.

Human exposure to vanadium has severe effects on the cell growth, the cardiac muscle, the diuretic kidney function (Gavasov *et al.*, 2000) and the symptoms such as nervous depression, coughing, vomiting, anemia and increased risk of lung cancer, that are sometimes fatal (Ahmed and Banoo, 1999). The neurotoxicity of vanadium can cause somnolence, convulsions, respiratory failure and gastrointestinal irritation with diarrhea (Faulkner-Hudson, 1964).



Acute poisoning of vanadium causes nervous disturbance, paralysis of hind legs, breathing difficulties, convulsion, hemorrhagic enteritis and finally death. Inhalation of toxic doses causes nasal bleeding and acute bronchitis. The symptoms of toxicity from inhalation include severe conjunctivitis with a purulent eye discharge, rhinitis, soreness of the pharynx, bronchitis and a greencoated tongue (Venugopal and Luckey, 1978). Barceloux (1999) reported that, the toxicity of vanadium compounds increases as the valence increases.

Vanadium can enter the aquatic system through leaching of parent rocks and soil and the transport of water (Hilton and Bettger, 1988). Burning of fossil fuels such as crude petroleum, fuel, oils, some coals and lignite had released vanadium into the environment (Ahmed and Banoo, 1999).

Iron: The Existence in Nature and Toxicity.

Iron is the most abundant element in the core of the earth and one of the most abundant in the earth's crust. It plays an essential role in photosynthesis (Merian *et al.*, 1991) and is limiting growth nutrient for phytoplanktons in some parts of the open oceans (Strickland *et al.*, 1965; Hudson and Morel, 1989). Beside that, in the biosphere it acts as an active center of a wide range of proteins such as oxidases, reductases and dehydrases (Cotton and Wilkinson, 1972).

