

α -Tocopherol nanodispersions: Preparation, characterization and stability evaluation.

ABSTRACT

A top down approach based on emulsification–evaporation technique was used to prepare nanodispersion of α -tocopherol. Physicochemical properties of the prepared nanodispersions were investigated under combination of the processing parameters (pressure and cycle) and ratio of aqueous:organic. Storage study was performed for 3 months to evaluate the stability of all the prepared nanodispersions. The results showed that homogenization pressure have significant ($P < 0.05$) influence on the droplet diameter and size distribution. On the contrary, the processing cycle had not significant ($P > 0.05$) effect on the droplet diameter and size distribution of the prepared nanodispersion. Droplet diameters in the range of 90–120 nm were obtained for the prepared α -tocopherol nanodispersions. During storage duration, there were no significant ($P > 0.05$) changes in mean diameters while the concentrations of α -tocopherol were significantly ($P < 0.05$) reduced for all prepared nanodispersions. In general, it is shown that emulsification–evaporation technique can be used as a suitable technique for the production of α -tocopherol nanodispersions with narrow size distribution.

Keyword: α -Tocopherol, Nanodispersion, High-pressure homogenization, Emulsification–evaporation, Physicochemical properties, Storage stability