



UNIVERSITI PUTRA MALAYSIA

**PERFORMANCE OF LIPASE-TRANSESTERIFIED
FRYING SHORTENING FOR FRYING OF BANANA CHIPS**

CBU BOON SEANG

FSMB 2000 18

**PERFORMANCE OF LIPASE-TRANSESTERIFIED
FRYING SHORTENING FOR FRYING OF BANANA CHIPS**

By

CHU BOON SEANG

**Submitted in Fulfilment of the Requirement for the
Degree of Master of Science in the
Faculty of Food Science and Biotechnology
Universiti Putra Malaysia**

November 2000



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science.

**PERFORMANCE OF LIPASE-TRANSESTERIFIED
FRYING SHORTENING FOR FRYING OF BANANA CHIPS**

By

CHU BOON SEANG

November 2000

Chairman : Professor Hasanah Mohd. Ghazali, Ph.D.

Faculty : Food Science and Biotechnology

Palm stearin (POs), the solid fraction of palm oil is a useful hard stock that can substitute the hydrogenated oils, which contain *trans* fatty acids, in the production of plastic frying shortening. This study was initiated to produce a *zero-trans* plastic frying shortening through enzymatic transesterification of POs and palm kernel olein (PKOo) blend.

In the first part of this study, commercial plastic frying shortenings (domestic and imported) in Malaysia were characterised in order to obtain their physical properties which are related to their functionality. The domestic samples were found to have their plastic range at higher temperatures (21°C to 27°C) than the imported ones (15°C to 27°C). They were also more β -tending and generally had a higher slip melting point (SMP, ranging from 44.0°C to 49.7°C) than the imported samples (42.3°C to 43.0°C). Based on the physical properties of the commercial samples, an experimental plastic frying shortening was formulated from POs and PKOo at a ratio of 1:1 (by weight) through enzymatic transesterification, using Lipozyme IM60 lipase (*Rhizomucor miehei*). Transesterification had successfully changed the triacylglycerol composition of the



blend, and consequently altered its physical properties. The SMP of the transesterified POs/PKOo blend was reduced and had a lower solid fat content at all temperatures investigated compared to the control. The transesterified blend was also found to have similar or better product characteristics compared to the domestic samples. The SMP of the transesterified blend fell within the range of the commercial samples' and it had a wider plastic range or better workability compared to the commercial shortenings investigated.

However, transesterification had reduced the antioxidant activity that was naturally present in POs and PKOo. The transesterified blend was more susceptible to oxidation during deep fat frying and storage compared to its control. The banana chips fried with the transesterified blend also showed similar results. Nevertheless, the transesterified blend was still quite stable compared to a selected commercial frying shortening (Sample D) since it had a significantly ($P < 0.05$) lower iodine value (IV = 31.6 g of I₂/100 g of oil) compared to the commercial shortening (IV = 89.4 g of I₂/100g of oil).

The results in this study had provided a better understanding on the functionality of the plastic frying shortening and also serves as a guideline in producing a similar product in the industries.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Master Sains.

**PRESTASI LELEMAK PENGGORENG TERTRANSESTERIFIKASI-LIPASE
UNTUK PENGGORENGAN CIP PISANG**

Oleh

CHU BOON SEANG

November 2000

Pengerusi : Profesor Hasanah Mohd. Ghazali, Ph.D.

Fakulti : Sains Makanan dan Bioteknologi

Lemak stearin kelapa sawit (POs) yang merupakan pecahan pepejal minyak kelapa sawit adalah lemak keras yang berguna. Ia boleh menggantikan minyak terhidrogen yang mengandungi asid lemak berbentuk *trans* dalam penghasilan lelemak penggoreng yang bersifat plastik. Penyelidikan ini bertujuan untuk menghasilkan lelemak penggoreng tanpa *trans* melalui transesterifikasi POs dengan minyak olein isi rung kelapa sawit (PKOo).

Dalam bahagian pertama penyelidikan ini, lelemak penggoreng plastik komersial (tempatan dan import) di Malaysia dikaji untuk meneliti sifat-sifat fizikalnya yang berkaitan dengan tahap kecekapan penggunaannya. Sampel-sampel tempatan didapati mempunyai julat plastik pada suhu yang lebih tinggi (21°C hingga 27°C) daripada sampel-sampel import (15°C hingga 27°C). Sampel tempatan juga lebih cenderung untuk membentuk hablur β dan secara umumnya mempunyai takat lebur (SMP) yang lebih tinggi (44.0°C hingga 49.7°C) berbanding dengan sampel-sampel import (42.3°C hingga 43.0°C). Berdasarkan sifat-sifat fizikal sampel-sampel komersial itu, satu lelemak penggoreng telah dihasilkan daripada POs dan PKOo pada nisbah 1:1 (berat) melalui

transesterifikasi enzim dengan menggunakan lipase Lipozyme IM60 (*Rhizomucor miehei*). Transesterifikasi telah berjaya mengubah sifat-sifat fizikal campuran POs/PKOo itu. SMP campuran POs/PKOo transesterifikasi telah dikurangkan dan ia mempunyai kandungan lemak pejal yang lebih rendah pada semua suhu yang diuji berbanding kawalannya. Campuran lemak transesterifikasi itu juga didapati mempunyai sifat-sifat produk yang sama atau lebih baik berbanding dengan sampel-sampel komersial. SMP campuran transesterifikasi itu jatuh dalam julat SMP sampel-sampel komersial itu dan ia mempunyai julat plastik yang lebih besar berbanding dengan sampel-sampel komersial yang dikaji.

Walau bagaimanapun, transesterifikasi telah menurunkan aktiviti antioksidannya yang wujud secara semulajadi dalam POs dan PKOo. Campuran transesterifikasi itu lebih cenderung dioksidakan semasa penggorengan dan penyimpanan berbanding kawalan. Cip pisang yang digoreng dalam campuran itu juga didapati menunjukkan keadaan yang sama. Walau bagaimanapun, campuran transesterifikasi itu masih agak stabil berbanding sampel komersial kerana ia mempunyai nilai iodin (IV) yang rendah (IV = 31.6 g I₂/100 g minyak) berbanding sampel komersial (IV = 89.4 g I₂/100 g minyak).

Keputusan yang diperolehi dalam penyelidikan ini memberikan kefahaman yang lebih mendalam tentang kecekapan penggunaan lemak penggoreng plastik dan boleh juga digunakan sebagai satu garis panduan untuk menghasilkan produk yang sama di dalam industri.

ACKNOWLEDGEMENTS

I wish to express my deepest gratitude and appreciation to my supervisor, Prof. Dr. Hasanah Mohd. Ghazali of the Department of Biotechnology, Faculty Food Science and Biotechnology for her invaluable guidance, suggestions, encouragement and helps throughout the course of my study. I also would like to express my heartfelt appreciation and thanks to Dr. Lai Oi Ming, one of the supervisory committee members who have helped me in many ways. My grateful thanks also go to Prof. Dr. Yaakob Che Man and Assoc. Prof. Dr. Salmah Yusof. Their insightful comments and suggestions on my study have made me clear about my study. Many thanks also to Dr. Mohd. Suria Affandi Yusoff of Chemistry and Technology Division, Malaysian Palm Oil Board (MPOB), for his technical assistance in deodorising the transesterified blend and suggestions. Acknowledgement also goes to Dr. Chong Chiew Let of MPOB and his staffs for their technical assistance.

Heartfelt thanks and appreciation also go to all the laboratory staffs, technicians, who directly or indirectly help, support and co-operate with me. I also would like to thank my fellow graduate and undergraduate students and friends for their endless cares and concerns and moral supports that they give to me.

Last but not least, I would like to take this opportunity to thank my family for their endless loves, cares and supports.



TABLE OF CONTENTS

	Page
ABSTRACT	ii
ABSTRAK	iv
ACKNOWLEDGEMENTS	vi
APPROVAL SHEETS	vii
DECLARATION FORM	ix
LIST OF TABLES	xiii
LIST OF FIGURES	xvi
LIST OF ABBREVIATIONS	xix
CHAPTER	
I INTRODUCTION	1
II LITERATURE REVIEW	5
Plastic Frying Shortenings	5
Definition	5
Physical Characteristics and Functionality of the Plastic Frying Shortenings	6
Advantages of Frying Fat Versus Frying Oil	8
Malaysian Palm Oil (<i>Elaeis guineensis</i>)	9
Introduction	9
Palm Stearin (POs)	10
Palm Kernel Oil (PKO) and Palm Kernel Olein (PKOo)	14
Lipases	19
Introduction	19
Specificity of Lipases	20
Enzymatic Interesterification	22
Introduction	22
Mechanism of Enzymatic Transterification	24
Effects of Enzymatic Interesterification on the Physical Properties of Fats and Oils	26
Potential Applications of Lipases	28
Deep Fat Frying	29
Introduction	29
Methods and Modes of Frying	30
Mechanism of Deep Far Frying	32
Physical and Chemical Changes of Oil during Frying	35
Quality Determination of Deteriorated Frying Fat	40
Relationship between the Frying Fat and the Quality of Fried Foods	44
Oxidative Stability of Fats and Oils	46
Mechanism of Lipid Oxidation	46
Factors Affecting the Oxidative Stability of Fats and Oils	47
Oxidative Stability Assessment	50



III	MATERIALS AND MATHODS	52
	Materials	52
	Methods	53
	Sampling of Commercial Plastic Frying Shortenings	53
	Extraction of High Melting Glycerides (HMG) from the Commercial Plastic Frying Shortenings	53
	Transesterification of Palm Stearin (POs) and Palm Kernel Olein (PKOo) Blend	54
	Determination of the Hydrolytic Activity	54
	Removal of Free Fatty Acids (FFA)	55
	Extraction of Isopropanol-Solid and High Melting Glycerides (HMG) of Transesterified and Control Blends	56
	Preparation of Transesterified and Control Blends for Frying	57
	Preparation of Banana Chips and the Frying Experiment	58
	Oxidative Stability of Transesterified Blend, Control, Palm Stearin (POs) and Palm Kernel Olein (PKOo)	59
	Oxidative Stability of Fried Banana Chips	59
	Analysis of Commercial Plastic Frying Shortenings	61
	Analysis of Original Fat, Isopropanol-Solid and HMG of the Transesterified and Control Blends	65
	Analysis of Heated Shortening Samples	66
	Sensory Evaluations of Fried Banana Chips	70
	Analysis of Stored Samples	70
	Analysis of Stored Fried Banana Chips	71
	Statistical Analysis	75
IV	RESULTS AND DISCUSSION	76
	Characterisation of the Commercial Plastic Frying Shortenings	76
	Fatty Acid (FA) Composition	76
	Triacylglycerol (TG) Composition	79
	Polymorphic Forms	86
	Iodine Value (IV)	89
	Melting and Cooling Characteristics	89
	Solid Fat Content (SFC)	95
	Colour Index	97
	Physical and Chemical Characteristics of Lipase-Transesterified Palm Stearin (POs) and Palm Kernel Olein (PKOo) Blends	97
	Transesterification Kinetics	99
	Triacylglycerol (TG) Composition	99
	Fatty Acid (FA) Composition	107
	Polymorphic Forms	107
	Melting and Cooling Characteristics and Slip Melting Point (SMP)	111
	Solid Fat Content (SFC)	115
	Comparison between Transesterified Blend and Commercial Plastic Shortenings	117
	Frying Performance of Transesterified Blend, Control and Selected Commercial Plastic Frying Shortenings	119
	Initial Quality of the Frying Fats	119
	Changes in Iodine Value (IV) and Free Fatty Acid (FFA) Content	122

Changes in Peroxide Value (PV) and Thiobarbituric Acid (TBA) Value	125
Changes in <i>p</i> -Anisidine Value (AV) and Total Polar Compounds (TPC)	127
Changes in Fatty Acid (FA) Composition and C18:2/C16:0 Ratio	130
Changes in Specific Extinction, $E_{1\text{cm}}^{1\%}$ at 233 and 269 nm	130
Changes in Polymer Compounds and Viscosity	132
Changes in Colour Index	136
Sensory Evaluation of Fried Banana Chips	138
Oxidative Stability of Transesterified and Control Blends, POs and PKOo	141
Changes in Peroxide Value (PV)	141
Changes in Iodine Value (IV)	143
Changes in Specific Extinction, $E_{1\text{cm}}^{1\%}$ at 233 nm	143
Changes in Fatty Acid (FA) Composition and C18:2/C16:0 Ratio	144
Oxidative Stability of Fried Banana Chips	144
Changes in Thiobarbituric Acid (TBA) Value and Sensory Evaluation	144
 V SUMMARY, CONCLUSION AND RECOMMENDATIONS	149
Summary	149
Conclusion and Recommendations	152
 BIBLIOGRAPHY	154
 APPENDICES	172
 VITA	181
 PUBLICATIONS FROM THE THESIS	182

LIST OF TABLES

TABLE		Page
1	Triacylglycerol (TG) composition (%) of palm stearin (POs).	12
2	Fatty acid (FA) composition (%) of palm stearin (POs).	12
3	Solid fat content (SFC) (%) of crude palm stearin (POs).	13
4	Fatty acid (FA) composition (%) of palm kernel oil (PKO) and palm kernel olein (PKOo).	15
5	Triacylglycerol (TG) composition (%) of palm kernel oil (PKO) and palm kernel olein (PKOo).	16
6	Physical characteristics of palm kernel oil (PKO) and palm kernel olein (PKOo).	18
7	Fatty acid (FA) composition (% peak area) of several commercial plastic frying shortenings and their high melting glycerides (HMG) fractions.	77
8	Triacylglycerol (TG) composition in carbon number (% peak area) of the plastic frying shortenings and the high melting glycerides (HMG) fractions.	85
9	Polymorphic forms of the commercial plastic frying shortenings.	87
10	Iodine value (IV), slip melting point (SMP), melting point determined by differential scanning calorimetry (DSC) (Peak X) and crystallisation temperatures of the commercial plastic shortenings.	90
11	Colour index (mean values) of the commercial plastic frying shortenings.	98

12	Triacylglycerol (TG) composition (% peak area) and iodine value (IV) in the original fat, isopropanol-solid and high melting glycerides (HMG) of the control and transesterified blends.	105
13	Fatty acid (FA) composition (% peak area) of the original fat, isopropanol-solid and high melting glycerides (HMG) of the control and transesterified blends.	108
14	Polymorphic forms, slip melting point (SMP), melting and crystallisation temperatures of palm stearin (POs), palm kernel olein (PKOo), the original fat, isopropanol-solid and high melting glycerides (HMG) of the control and transesterified blends.	109
15	Comparison of some physico-chemical properties of the transesterified blend with the commercial plastic shortenings.	118
16	Characteristics of the control, transesterified blend, and Sample D.	121
17	Changes in iodine value (IV) and free fatty acid (FFA) content during frying in the control, transesterified blend and Sample D.	123
18	Changes in peroxide value (PV) and thiobarbituric acid (TBA) value during frying in the control, transesterified blend and Sample D.	126
19	Changes in <i>p</i> -anisidine value (AV) and total polar compounds (TPC) during frying in the control, transesterified blend and Sample D.	128
20	Changes in fatty acid (FA) composition during frying in the control, transesterified blend and Sample D.	131
21	Changes in specific extinction, $E_{1\text{cm}}^{1\%}$ at 233 and 269 nm during frying in the control, transesterified blend and Sample D.	133
22	Changes in polymer content and viscosity during frying in the control, transesterified blend and Sample D.	134
23	Changes in colours (red and yellow units) during frying in the control, transesterified blend and Sample D.	137

24	Sensory evaluation on the acceptability of the banana chips fried in the control, transesterified blend and Sample D.	139
25	Changes in peroxide value (PV), iodine value (IV) and specific extinction, $E_{1\text{cm}}^{1\%}$ at 233 nm in the control, transesterified blend, palm stearin (POs) and palm kernel olein (PKOo) during storage.	142
26	Changes in fatty acid (FA) composition in the control, transesterified blend, palm stearin (POs) and palm kernel olein (PKOo) during storage.	145
27	Changes in thiobarbituric acid (TBA) value and sensory evaluation on the rancid off-flavour of the banana chips fried in the control, transesterified blend and Sample D.	146



LIST OF FIGURES

FIGURE		Page
1	The Ping-pong Bi-bi mechanism for lipase-catalysed transesterification.	25
2	Schematic diagram of mass transfer occurred during deep fat frying.	34
3	Changes occurring during deep fat frying.	37
4	The stages of oxidation of a fat.	38
5	Frying oil quality curve.	45
6	Oxidation of lipid which is described in term of initiation, propagation and termination processes.	48
7	Flowchart of the frying experiment.	60
8	Standard curve for determining the distillation method of thiobarbituric acid (TBA) value.	74
9	HPLC chromatograms of Sample A (A) and its high melting glycerides (HMG) fraction (B) (M, myristic; P, palmitic; L, linoleic; O, oleic and S, stearic acid).	80
10	HPLC chromatograms of Sample B (A) and its high melting glycerides (HMG) fraction (B) (M, myristic; P, palmitic; L, linoleic; O, oleic and S, stearic acid).	81
11	HPLC chromatograms of Sample C (A) and its high melting glycerides (HMG) fraction (B) (M, myristic; P, palmitic; L, linoleic; O, oleic and S, stearic acid).	82

- 12 HPLC chromatograms of Sample D (A) and its high melting glycerides (HMG) fraction (B) (P, palmitic; L, linoleic; Ln, linolenic; O, oleic and S, stearic acid). 83
- 13 HPLC chromatograms of Sample E (A) and its high melting glycerides (HMG) fraction (B) (P, palmitic; L, linoleic; Ln, linolenic; O, oleic and S, stearic acid). 84
- 14 Differential scanning calorimetry (DSC) heating thermograms of the plastic frying shortenings run at -40°C to 80°C . The heating rate was $5^{\circ}\text{C}/\text{min}$. The endothermic peak at higher temperatures used to determined the melting points were denoted as "X". 91
- 15 Differential scanning calorimetry (DSC) cooling thermograms of the plastic frying shortenings run at 80°C to -40°C . The cooling rate was $-10^{\circ}\text{C}/\text{min}$. 93
- 16 Changes of solid fat content (SFC) of the plastic frying shortenings as a function of temperature ($^{\circ}\text{C}$). 96
- 17 HPLC chromatograms of palm stearin/palm kernel olein (1:1 w/w) mixture before (A) and after (B) transesterification. Triacylglycerols represented by arrows indicate those that increased in concentration after 6 h of transesterification process (Oc, caprylic; La, lauric; D, capric; M, myristic; P, palmitic; O, oleic; L, linoleic and S, stearic acid). 101
- 18 HPLC chromatograms of the isopropanol-solid of the control (A) and the transesterified mixture (B) (La, lauric; D, capric; M, myristic; P, palmitic; O, oleic; L, linoleic and S, stearic acid). 102
- 19 HPLC chromatograms of the high melting glycerides (HMG) of the control (A) and the transesterified mixture (B) (La, lauric; D, capric; M, myristic; P, palmitic; O, oleic; L, linoleic and S, stearic acid). 103
- 20 Differential scanning calorimetry (DSC) heating thermograms of palm stearin/palm kernel olein (1:1 w/w) blend for original transesterified (A), original control (B), isopropanol-solid of transesterified (C), isopropanol-solid of control (D), high melting glycerides (HMG) of transesterified (E) and HMG of control (F) at heating rates of $5^{\circ}\text{C}/\text{min}$. All of the thermograms are shown in the same scale. 112

21	Differential scanning calorimetry (DSC) cooling thermograms of palm stearin/palm kernel olein (1:1 w/w) blend for original transesterified (A), original control (B), isopropanol-solid of transesterified (C), isopropanol-solid of control (D), high melting glycerides (HMG) of transesterified (E) and HMG of control (F) at cooling rates of $-10^{\circ}\text{C}/\text{min}$. All of the thermograms are shown in the same scale.	114
22	Changes of solid fat content (SFC) of palm stearin/palm kernel olein (1:1 w/w) blend for original transesterified blend (■), original control (□), isopropanol-solid of transesterified blend (▲), isopropanol-solid of control (Δ), high melting glycerides (HMG) of transesterified blend (●) and HMG of control (○) as a function of temperature.	116
23	Sensory evaluation form used for screening.	173
24	Sensory form for the first training session. The same form was used for all the following sessions.	175
25	Sensory evaluation form for the oxidative stability of the banana chips fried in different systems.	177
26	Sensory evaluation form for the preference test on fried banana chips.	178
27	GC chromatogram (fatty acid compositions) of the transesterified palm stearin/palm kernel olein blend.	179
28	GC chromatogram (fatty acid compositions) of Samples E. <i>c</i> , <i>t</i> and <i>i</i> denote <i>cis</i> , <i>trans</i> and positional isomers of the fatty acids, respectively.	180

LIST OF ABBREVIATIONS

ANOVA	Analysis of Variance
AOCS	American Oil Chemists' Society
AOM	Active Oxygen Method
AV	<i>p</i> -anisidine value
BHA	butylated hydroxyanisole
β	beta
β'	beta prime
<i>c</i>	<i>cis</i>
C6:0	caproic acid
C8:0	caprylic acid
C10:0	capric acid
C12:0	lauric acid
C14:0	myristic acid
C16:0	palmitic acid
C16:1	palmitoleic acid
C18:0	stearic acid
C18:1	oleic acid
C18:2	linoleic acid
C18:3	linolenic acid
C20:0	eicosanoic acid
D	capric acid
DSC	differential scanning calorimetry
$E^{1\%}_{1\text{cm}}$	Specific extinction



FA	fatty acid(s)
FFA	free fatty acid(s)
FOS	food oil sensor
IV	iodine value
HMG	high melting glycerides
HPLC	high performance liquid chromatography
L	linoleic acid
La	lauric acid
Ln	linolenic acid
M	myristic acid
MPOB	Malaysian Palm Oil Board
NVDP	non-volatile decomposition products
O	oleic acid
Oc	caprylic acid
OOSI	Omnion oxidative stability instrument
P	palmitic acid
PKO	palm kernel oil
PKOo	palm kernel olein
PORIM	Palm Oil Research Institute of Malaysia
POs	palm stearin
PV	peroxide value
QDA	Quantitative Descriptive Analysis
r^2	correlation coefficient
S	stearic acid
SAS	Statistical Analysis System

SFC	solid fat content
SFI	solid fat index
SMP	slip melting point
sp.	species
<i>t</i>	<i>trans</i>
TBA	thiobarbituric acid value
TBARS	thiobarbituric acid responsive substances
TBHQ	tertiary butylhydroxyquinone
TEP	1,1,3,3-tetraethoxypropane
TG	triacylglycerol(s)
[TGL _t]	concentration of triacylglycerols that increase in value at reaction time, t
[TGL ₀]	concentration of triacylglycerols that increase in value at the start of reaction
TPC	total polar compounds
VDP	volatile decomposition products
v/w	volume/volume
v/v	volume/weight
w/w	weight/weight
X	rate of transesterification

CHAPTER 1

INTRODUCTION

Although the term “shortenings” initially refers to naturally occurring solid fats like lard and butter in baked products, it has now become virtually synonymous with fats and oils including those designed for purposes other than baking (O’Brien, 1998). Shortenings are used in the preparation of many foods such as cooking, baking, frying and also as an ingredient in fillings, icings and many other food systems.

Frying shortenings exert a tenderising effect on crusts formed on the surfaces of fried foods, as well as contributing to flavour, crispiness and pleasant eating characteristics (O’Brien, 1998). Solid or plastic frying shortenings are normally formulated from hydrogenated fats (Scavone, 1995). Even though hydrogenation is a cheap process on an industrial scale, it produces *trans* fatty acid (FA) which was reported to cause several coronary heart problems such as thrombogenesis (Zock and Katan, 1992; Willett *et al.*, 1993; Ray and Bhattacharyya, 1996). As a result of public awareness on the effects of *trans* FA on health, interest has grown to produce *zero-trans* shortenings using transesterification (Bloomer *et al.*, 1990; Chang *et al.*, 1990; Zeitoun *et al.*, 1993; Ghazali *et al.*, 1995a, 1995b; List *et al.*, 1995; Lai *et al.*, 1998a, 1998b, 1998c, 1999).

Rearrangement of acyl groups among triacylglycerols (TG) during transesterification process changes the original TG profile of a fat or oil. This is followed



by changes in the physical properties of the fat or oil such as the slip melting point (SMP), solid fat content (SFC), polymorphic forms and also stability over heating and storage time (Bloomer *et al.*, 1990; Forssell *et al.*, 1992; Foglia *et al.*, 1993; List *et al.*, 1995; Lai *et al.*, 1998a, 1998b). Through transesterification, a desired new fat product can be produced by controlling the fat/oil type and their ratio. Much research has been done to obtain new fat products or improve the quality of existing fat products (Bloomer *et al.*, 1990; Linko *et al.*, 1994; List *et al.*, 1995; Lai *et al.*, 1998a, 1998b, 1998c, 1999).

Plastic frying shortenings are composed of a hard stock which is mixed in judicious proportions with a base stock or oil to give a desirable requirement for packing, handling and composition. Palm stearin (POs), with a SMP ranging between 44 and 56°C (Chong, 1994) is a good natural source of hard stock in producing shortenings (Berger, 1981; Kheiri, 1985; Tan, 1989). Palm kernel olein (PKOo) which is quite saturated (iodine value, IV about 24 g of I₂/100 g of oil) and appears as liquid oil at room temperature (SMP is 26°C), is a potential base stock for frying shortenings. PKOo as a lauric oil has a good withstand toward the rigours of high heat frying (Crosby, 1993). Incorporation of POs and PKOo may give a blend that is suitable for deep fat frying.

Deep fat frying is a universal and traditional method of cooking in households and in restaurants. Frying can generate desirable texture and flavour in foods (Wu and Nawar, 1986). The frying fat or oil act as a heat transferring medium at high frying temperatures (about 180°C). However, exposure to high temperatures and oxygen accelerates the hydrolysis and oxidation of the fat or oil and produces a range of volatile and non-volatile decomposition products such as free fatty acids (FFA), peroxides,

ketones, aldehydes, dimers, cyclic compounds, etc. (Fritsch, 1981; Melton *et al.*, 1994; Orthoefer *et al.*, 1996), and hence causes the fat or oil to become unstable, gives rancid off-flavour and becomes deteriorated in quality. A deteriorated frying medium not only reduces the organoleptic quality of the fried foods, but also causes growth retardation, damage to the liver, thymus and testes (Alexander *et al.*, 1987) and alteration of the production of vascular eicosanoids (Giani *et al.*, 1985). Therefore, inspection on the quality of the frying fats or oils during frying is very important.

The autoxidative stability of the fat/oil during storage time is also an important attribute that should be of concern. Autoxidation is a natural process that takes place between molecular atmospheric oxygen and the unsaturated FA. Autoxidation of the unsaturated FA occurs *via* a free radical chain mechanism. This reaction causes disagreeable alterations in the flavour of the fat/oil and may produce potentially toxic compounds (Tautorus and McCurdy, 1992).

In this study, the physical and chemical properties of some Malaysian commercial plastic frying shortenings were analysed. Based on the information collected, an experimental plastic frying shortening was produced from POs and PKOo through enzymatic transesterification. POs and PKOo were mixed in the ratio of 1:1 (by weight) and then transesterified using Lipozyme IM60 lipase (from *Rhizomucor miehei*) as the biocatalyst. The product was used as a deep fat frying medium for the production of banana crisps. The effect of the shortening on the quality of the banana crisps as well as the stability of the shortening during frying were objectively monitored and evaluated. Therefore, the objectives of this study were: