

Food court hygiene assessment and food safety knowledge, attitudes and practices of food handlers in Putrajaya

¹*Mohd. Firdaus Siau, A., ²Son, R., ²Mohhidin, O., ³Toh, P.S. and ⁴Chai, L.C.

¹NEHAP Seksyen, Engineering Service Division, Ministry of Health Malaysia,
62590 Putrajaya, Malaysia

²Faculty of Food Science and Technology, Universiti Putra Malaysia,
43400 Serdang, Selangor, Malaysia

³ Faculty of Hotel and Tourism Management, Universiti Teknologi MARA,
40000 Shah Alam, Selangor, Malaysia

⁴Faculty of Biomedical, Universiti Malaya, 50603 Kuala Lumpur, Malaysia

Article history

Received: 29 January 2015

Received in revised form:

4 May 2015

Accepted: 4 May 2015

Abstract

This cross sectional study aimed to explore the pattern of socio-demographic distribution, to assess the level of KAP of food safety; and the relationship with the level of premise cleanliness in the food courts at Putrajaya. Distribution of food handlers socio-demographic profile was Malaysian (62.0%), male (70.4%), working experienced in food industry (82.0%) and attended food handler training (85.0%). The mean age was 28.7 years and 85.4% having income not less than RM 1,500 monthly. 78.5% of the food handlers at educational level were found as primary/secondary school. 15.0% of the respondents had not attended the food sanitation training. The findings reveal that food handlers' KAP were high with a mean percentage score more than 79.0%. The majority of the food courts in Putrajaya had consistently moderate level of cleanliness (63.5%) with the mean of 83.03%. Only 27.4% of the food courts were in the level of clean situation (>89% of premise cleanliness score) and 9.1% were not in the clean condition (<70% of premise cleanliness score).

Keywords

Food hygiene

Food safety

Food handler

© All Rights Reserved

Introduction

KAP study was conducted to investigate a certain topic to identify what people know (Knowledge), how they feel (Attitude) and what they do (Practice) related to human behaviour. A KAP survey is a representative study to collect information on what is known, believed and done in relation to a particular topic of a specific population (Wood and Tsu, 2008).

According to a survey conducted to uncover out-of-home dining habits of consumers by The Nielsen Company in 2010 (MIFB, 2010) discovers that 67% of Malaysians dine at restaurants at least once a week. Consumers would have less time to prepare their food, instead they will opt to eat away from home (Shazali and Dayang, 2006).

Food and tourism are inextricably linked (Boniface, 2003; Hall and Mitchell, 2000; Hjalanger and Richards, 2002; Long, 2004) and eating is a physical necessity for every tourist which generates substantial revenues (Au and Law, 2002). Most outbreaks of food poisoning have been implicated to human handling errors (Greig *et al.*, 2007).

Malaysia has been known as the Food Heaven. Food safety issue had become priority with the

changed of Malaysians lifestyle eating outside and the increasing number of tourists coming in Malaysia. The image of Putrajaya will be ruined if foods provided are not safe and dirty food premises are operating as usual without any effort to change it.

Food illness cases are on the rise in Malaysia, despite various attempts made by the Malaysian government through the National Food Safety Policy. The incidence rate of 46.1 cases per 100,000 populations was reported in 2011 and an increasing 2.8 cases per 100,000 from the previous year (MOH, 2013).

It is important to have an understanding of the interaction on prevailing food safety KAP of food handlers in order to minimize the occurrence of foodborne illness.

Material and Methods

Samples

The total numbers of food stalls located at those six food courts were 64 stalls and total amount of food handlers were 286. All the food stalls and food handlers were selected as the sample in this study. Only 274 respondents were correctly filled, retrieved

*Corresponding author.

Email: firdauskt@yahoo.com

and analyzed of the 286 questionnaires distributed to food handlers with the response rate of 95.8%.

Survey Instrument

A modified self-administered questionnaire was prepared for the study based on the previous research conducted by Nurul Huda (2008). The questionnaire consisted of four parts of modified questionnaires and a 3-point rating scale was used to indicate the frequency of food safety.

Data Analyses

A cross-sectional survey was administered to explain the relationship between knowledge and attitudes, knowledge and practices, association between socio-demographic profile related to KAP in food safety and the relationship of KAP on the food premises cleanliness level.

Validity and Reliability

The reliability of the food safety questionnaires designed was also determined by a pilot study on 30 food handlers at food court. By using the Cronbach Alfa test, the reliability coefficient test for knowledge, attitudes and practices were 0.714, 0.780 and 0.764 respectively. A minimum standard of 0.7 indicated acceptable internal consistency for each questionnaire (Santos, 1999).

Results and Discussion

Sample Characteristics

A visual inspection of their histograms and normal Q-Q plots showed that the data of KAP collected were approximately normally distributed.

Respondents' Demographic Profile

Table 1 presents the distribution of socio-demographic profile data for 274 food handlers at Putrajaya Food Courts were collected in the categories of nationality, gender, age, monthly income, educational level, working experience and attended food handler training.

Knowledge

In general the level of food handlers' knowledge was high with a mean percentage score of 84.1%. Food handlers demonstrated excellent knowledge in the categories of food storage temperatures, storage of foods, self-hygienic and high risk foods. Based on Table 2, all of the food handlers (100.0%) agreed that improper storage of foods may cause a health hazard to customers.

Seven topics score more than 75%. In this study,

food safety knowledge of the food handlers were poor in two subjects regarding reheating food (52.9%) and safe temperature of cooked food (52.2%). This study demonstrates that although food handlers may be aware of the need for personal hygiene but they do not comprehend crucial aspects link to temperature values with cooking temperature needed for the control of microbiological hazards.

There was considerable confusion concerning the effect of temperature during cooking of foods which have an influence on bacterial growth. The poor understanding of temperature treatment is the main critical control point in a process of food preparation and a major hindrance to the effectiveness in the implementation of food safety program.

Two factors significantly influencing the knowledge of food handlers in Putrajaya were the age of respondent ($p < 0.05$) and attended food handler training ($p < 0.001$). A Turkey post hoc test revealed that the level of knowledge depended on the age groups. There is a significant difference in knowledge between the aged group of 18-28 years and the aged group of 39-48 years ($p < 0.05$) and as well as the aged group of 18-28 years and the aged group of more than 48 years ($p < 0.05$). However, there were no differences between the aged groups of 18-28 years and the age group of 29-38 years ($p > 0.05$).

The age group of 18-28 years have the mean level of knowledge of 7.33 ± 2.2 compared to the age group 29-38 years (9.17 ± 1.8), 39-48 years (9.55 ± 1.6) and the age group > 48 years (9.31 ± 1.7). The result shown that the level of knowledge increase accordingly to the level of age group and decreasing when it reached the age group > 48 years. The level of food safety knowledge and food safety handling among young food handlers a low and similar findings were reported by Byrd-Bredbenner *et al.*, (2007). Earlier studies shown that the food safety knowledge and practice tends to increase with age. Additional food safety education should be given to younger respondents (Albert 1995; Rimal *et al.*, 2001).

Result shown that there is a significant difference in knowledge between the food handlers attended food handler training and not attended food handler training. The mean of the knowledge for food handlers attended food handler training (9.43 ± 1.7) was higher compared to those who were not attended food handler training (8.2 ± 1.9). Training for food handlers may result in improved food safety knowledge, practices and hygienic awareness (Thompson *et al.*, 2005). Medeiros *et al.*, (2011) found improving food safety knowledge and belief through training had a positive effect on food handling practices. Training is essential to ensure that workers have the

Table 1: Descriptive socio-demographic profile characteristics of the food handlers (n=274)

Characteristic	Demographic characteristics	Number (%)
Nationality	Malaysian	170 (62.0%)
	Non Malaysian	104 (38.0%)
Gender	Male	193 (70.4%)
	Female	81 (29.6%)
Age	≤28	206 (75.2%)
	29-38	61 (22.3%)
	≥39	7 (2.6%)
	500-999	62 (22.6%)
Monthly Income	1000-1499	172 (62.8%)
	1500-1999	29 (10.6%)
	2000-3999	10 (3.6%)
	>4000	1 (0.4%)
Education Level	No formal education	15 (5.5%)
	Primary/Secondary School	215 (78.5%)
	Diploma or equivalent, including Degree	44 (16.1%)
Working experience	Yes	225 (82.1%)
	No	49 (17.9%)
Attended training	Yes	233 (85.0%)
	No	41 (15.0%)

awareness and knowledge necessary to comply with food hygiene demands, although these do not always result in a positive change in food handling behaviour (Clayton *et al.*, 2002; Seaman and Eves, 2006).

Attitudes

Table 3 shown that majority of the respondents reported positive attitudes in food safety handling. 67.9% of the respondents agreed that defrosted food should not be refrozen. Twelve topics score more than >78%.

Overall the attitudes of the food handlers toward food safety were at the high level of satisfaction except topic related to refrozen of defrosted food. The attitudes of defrosted and refrozen foods are still low among food handlers. Refreezing food that has been completely thawed can pose a risk, as this process will cause bacteria to multiply and increased their growth. Freezing food merely slows pathogens growth and it does not kill food pathogens (Julie, 2012).

The education level of food handlers ($p < 0.05$) significantly influencing the attitudes of food handlers. there is a significant difference in attitudes between the primary/secondary school group and the no formal education group ($p < 0.05$) and as well as

the primary/secondary school group and the diploma or equivalent, including a degree group ($p < 0.05$). However, there were no significant differences between the no formal education groups and the diploma or equivalent, including a degree group ($p > 0.05$).

The mean level of attitudes increase accordingly to the level of education which shown that the mean for no formal education was 9.07 ± 3.2 , Primary/Secondary school was 10.55 ± 2.2 and Diploma or equivalent, including a degree was 11.50 ± 1.6 . Study shows that a positive link occurred between the education and the attitude scores of food handlers by demonstrating better attitudes with those having upper education compared to food handlers with no formal education and with primary/secondary.

Toh and Birchenough (2000) affirmed that education as an important link to the two variables (knowledge and attitudes; culture and environment). According to the Theory of Planned Behavior (Ajzen, 2002), measuring food safety attitudes is important since people act in accordance with their intentions which influenced by attitudes. The Constructivism Theory states that the learner builds new ideas based upon past knowledge and past experiences (Bush, 2006).

Table 2: Respondent's food safety knowledge (n=274)

Topics	Correct (%)	Wrong (%)	Not Sure (%)
1. Improper storage of foods may cause health hazard to customers.	274 (100%)	0 (0.0%)	0 (0.0%)
2. The importance to know the temperature of the refrigerator/freezer to reduce the risk of food spoilage.	268 (97.8%)	2 (0.7%)	4 (1.5%)
3. The use of cap, masks, protective gloves and adequate clothing can reduce the risk of food contamination.	273 (99.6%)	0 (0.0%)	1 (0.4%)
4. Wearing gloves while handling food reduce the risk of transmitting infection to consumers and staff.	260 (94.9%)	11 (4.0%)	3 (1.1%)
5. Washing hands before handling food reduce the risk of contamination.	273 (99.6%)	1 (0.4%)	0 (0.0%)
6. Preparation of food in advance is more likely to contribute to food poisoning.	223 (81.4%)	25 (9.1%)	26 (9.5%)
7. Reheating food is more likely to contribute to food contamination.	145 (52.9%)	66 (24.1%)	63 (23.0%)
8. An incorrect application of cleaning and sanitization procedures for equipments (refrigerator, slicing machine and mincer) increase the risk of food borne disease to consumers.	234 (85.4%)	16 (5.8%)	24 (8.8%)
9. Cross contamination is the main factor contributed to food poisoning.	206 (75.2%)	1 (0.4%)	67 (24.5%)
10. The safe temperature of cooked food is >141°F or <40°F (>63°C or <-5°C).	143 (52.2%)	6 (2.2%)	125 (45.6%)
11. Typhim-V1 Vaccination can prevent from typhoid infection.	234 (85.4%)	1 (0.4%)	39 (14.2%)

Practices

The response of food handlers to the practice questions on food safety is presented in Table 4. All the respondent (100.0%) cleans the work area before start work and seven topics score more than 74%. 64.6% of respondents never use apron as a towel to clean hand, 62.4% of respondents never use the same towel to clean many places, 59.9% of respondents never touch food that does not wrapped up with bare hand, only 48.2% of respondents never refreeze defrosted foods and the most disappointed practices was all of the respondents (100.0%) rub their hands on face, hair etc. while working.

Based on the above results, five aspects of personal hygiene is not practiced properly by the majority of food handlers in Putrajaya which related to use of apron as a towel to clean hand, use the same towel to clean many place, touch food that does not wrapped up with bare hand, refreeze defrosted foods and rub their hands on face, hair etc. while working. The main strategies to increase food safety knowledge and practices are food handler training and education.

Few studies suggested that lack of knowledge may result in poor hygiene practices among food handlers (Lambiri *et al.*, 1995; Cakiroglu and Ucar, 2008). However, in the previous study, there was considerable evidence that 63% of food handlers with knowledge of food safety actions did not

conduct behavior in favor of food safety (Clayton *et al.*, 2002). This proved that food handlers might not practice food safety when handling foods although most of the food handlers in this survey gave positive answers. Hence, motivation, initiative, and training, should be provided to encourage food handlers practicing appropriate attitudes and procedures during food preparation (Nurul Huda, 2008).

Results shown that two factors significantly influencing food handlers practices were the nationality of food handler ($p < 0.05$) and education level ($p < 0.05$).

Non-Malaysian have a higher level of practices compared to Malaysian. The mean of the practices for non-Malaysian was 10.88 ± 1.5 compared to Malaysian was 10.01 ± 2.6 . Usually our society have a negative view that non-Malaysian food handlers have poor self-hygiene compared to the local food handlers, but the results showed otherwise in Putrajaya. This situation may occur due to the compliance of existing regulations among non-Malaysian food handlers.

There is a significant difference in practices between the no formal education group and the primary/secondary school group ($p < 0.05$). However, there were no significant differences between the no formal education groups and the diploma or equivalent, including a degree group ($p > 0.05$). The mean level of practices was higher among food handlers with education compared to food handlers

Table 3: Respondent's food safety attitudes (n=274)

Topics	Agree (%)	Not Agree (%)	Not Sure (%)
1. Food should not be touched with wounded hand.	267 (97.2%)	6 (2.2%)	1 (0.4%)
2. Defrosted food should not be refrozen.	186 (67.9%)	68 (24.8%)	20 (7.3%)
3. Separate kitchen utensils must be used to prepare raw and cooked food.	249 (90.9%)	9 (3.3%)	16 (5.8%)
4. Raw food and cooked food not necessarily to be separated.	47 (17.2%)	219 (79.9%)	8 (2.9%)
5. The same towel can be used to clean many places.	24 (8.8%)	244 (89.1%)	6(2.2%)
6. Jewellery (including wedding ring) and a watch can be worn while handling food.	50 (18.2%)	215 (78.5%)	9 (3.3%)
7. We should not rub our hands on face, hair, etc. while working.	268 (97.8%)	6 (2.2%)	0 (0.0%)
8. We should not smoke while working.	266 (97.1%)	8 (2.9%)	0 (0.0%)
9. Apron can be used as a towel to clean hand.	18 (6.6%)	253 (93.3%)	3 (1.1%)
10. We must cover our mouth and nose when coughing or sneezing.	268 (97.8%)	5 (1.8%)	1 (0.4%)
11. We must cover our mouth and nose when coughing or sneezing.	274 (100%)	0 (0.0%)	0 (0.0%)
12. Working with dirty hands should be avoided.	274 (100%)	0 (0.0%)	0 (0.0%)
13. Hands should be washed before start working.	274 (100%)	0 (0.0%)	0 (0.0%)

without formal education and the average scores increased with the education level.

Food Safety Knowledge, Attitudes and Practices of the Food Handlers

There were 11 items to assess the respondents' knowledge of food safety and hygiene practice and 13 items each to assess the attitudes and practices. One mark was given for correct answer; zero mark was given for wrong answer.

Analysis of relationship using Pearson bivariate correlation showed positive relationships between knowledge and attitude ($r=0.233$, $p<0.01$) and between attitudes and practices ($r=0.217$, $p<0.05$).

Previous study reported that improved knowledge will lead to behavioral changes involving improved practices, and also suggested that other factors, including staff attitudes, can limit the improvements of practices among staff (Griffith, 2005). Furthermore based on Toh and Birchenough (2000), there were strong correlation between knowledge and food handling practices. Most researchers agree that intervention in food safety by providing knowledge to food handlers with the expectation those workers will translate this knowledge into practice (Green *et al.*, 2008). The majority of studies support knowledge as a prerequisite to safe food handling practices (Daniels *et al.*, 2001; Lin *et al.*, 2004).

In general, the food handlers' knowledge and attitudes were high with a mean percentage

score more than 80.0%. The food safety practices (79.5%) of food handlers were lower compared to the knowledge (84.1%) and attitudes (91.4%). Previous research shown that food service managers and employees receiving training on proper food handling practices and obtaining adequate food safety knowledge does not always translate into improved behaviours (Robert *et al.*, 2008). Clayton *et al.*, (2002) pointed out that food handlers may be aware of the need to carry out certain practices but without the provision of adequate resources these practices become difficult, if not possible to implement.

All the individual items of KAP were analyzed and divided into three categories namely poor (<50%), moderate (50%-79%) and good (>79%). Only minority of the food handlers in Putrajaya had consistently poor knowledge (3.6%), attitudes (0.4%) and practices (6.9%). The food safety attitudes (84.4%) among food handlers were high compared to knowledge (73.3%) and practices (58.5%). This study revealed a discrepancy between stated knowledge and practices for routine protective measures, suggesting that knowledge alone is probably insufficient to promote positive attitudes and safe practices.

Previous studies have shown that increasing the level of knowledge through training does not necessarily lead to changes in the attitude and behaviour of food handlers (Ansari-Lari *et al.*, 2010; Angelillo *et al.*, 2000; Clayton *et al.*, 2002; Ehiri *et al.*, 1997). There were other factors, which

Table 4: Respondent's food safety practices (n=274)

Topics	Every time (%)	Sometime (%)	Never (%)
1. I touch food that does not wrapped up with bare hand.	2 (0.7%)	108 (39.4%)	164 (59.9%)
2. I refreeze defrosted foods.	27 (9.9%)	115 (42.0%)	132 (48.2%)
3. I use separate kitchen utensils to prepare raw and cooked food.	266(97.1%)	7 (2.6%)	1 (0.4%)
4. I do not separate the storage of raw food with cooked food.	10 (3.6%)	61 (22.3%)	203 (74.1%)
5. I use the same towel to clean many places.	15 (5.5%)	88 (32.1%)	171 (62.4%)
6. I use jewellery and a watch while working.	1 (0.4%)	33 (12.0%)	240 (87.6%)
7. I rub my hands on my face, hair, etc. while working.	54 (19.7%)	220 (80.3%)	0 (0.0%)
8. I smoke while working.	1 (0.4%)	17 (6.2%)	256 (93.4%)
9. I clean the work area before start work.	274 (100%)	0 (0.0%)	0 (0.0%)
10. I use my apron as a towel to clean my hand.	0 (0.0%)	97 (35.4%)	177 (64.6%)
11. I chew gum while working.	0 (0.0%)	24 (8.8%)	250 (91.2%)
12. I wash my hands before start work.	271 (98.8%)	2 (0.7%)	1 (0.4%)
13. I use a tissue when I am coughing or sneezing.	208 (75.8%)	63 (23.0%)	3 (1.1%)

have a significant impact on employers' behaviour are correlated with organizational climate in the company, level of job satisfaction and labour conditions; and with relations between employees and their supervisors.

The result shown that more effort still need to be carry out by the food authorities to improve the level of practices in food safety among food handlers in Putrajaya.

The Cleanliness Status of Food Courts

The cleanliness of the food courts score were analyzed using factor analysis and ranked into three categories namely not clean (inspection score <70%), moderate clean (70%-89%) and clean (>89%). Majority of the food courts in Putrajaya had consistently moderate level of cleanliness (63.5%) with the mean of 83.03%. Only 27.4% of the food courts were in the level of clean situation and 9.1% were in the condition of not clean. This situation can be related to the low level of food safety practices among food handlers in Putrajaya as shown in Figures 1.

The knowledge, attitudes and practices significantly influencing the cleanliness of food courts in Putrajaya ($p < 0.05$). This result shown that it

is important to improve the KAP of the food handlers in order to increase the level of food safety and cleanliness of food courts in Putrajaya.




Figure 1: The cleanliness scores of food courts in Putrajaya

Conclusions

This study provides information and reveals many critical issues about the KAP in food safety of food handlers in food courts at Putrajaya.

In summary, this study provides information and reveals many issues about the food safety KAP of food handlers and the cleanliness of food courts in Putrajaya. Result from this study shown that

food handlers' knowledge and attitudes level can be categorized as high with the mean score of 84.1% and 91.4%. However, knowledge and attitudes were not turned into safe practices with the mean score of 79.5%. Previous study shown that food handlers might be aware of the food safety attitudes they should have, but 63.0% of their respondents admitted that they seldom practice such positive attitudes (Clayton, 2002). This proved that although most of the food handlers in this survey gave positive answers but they might not practice it when handling foods. In another study conducted in school food service, it was established that the food safety knowledge was high but the safe food handling was not practiced during food preparation (Henroid and Sneed, 2004). It seems that although food handlers knowledge is sufficient but physical facilities might be an obstacle in guaranteeing that proper food safety practices.

In spite of having some years of experience, 15.0% of the food-handlers in food courts at Putrajaya had never attended any food safety training. Although the present of Food Hygiene Regulation 2009 required every person employed in a food service establishment should be attended food handler training at the time of joining work and at least once during their employment period. The findings of the previous studies highlight the importance of incorporating regular training among food handlers in food safety and personal hygiene (Githiri *et al.*, 2009; Muinde and Kuria, 2005). Study reported that improved knowledge will lead to behavioural changes involving better practices in handling of food and also suggested that other factors including staff attitudes can limit the improvements of staff practices in food safety (Griffith and Clayto, 2005).

This study shown that the level of cleanliness in food courts at Putrajaya still needs to be improve as Putrajaya is well known as one of cleanest city in Malaysia. The majority of the food courts in Putrajaya had consistently moderate level of cleanliness (63.5%) with the mean of 83.03%. Only 27.4% of the food courts were in the level of clean situation and 9.1% were not in the clean condition.

As the lack of food safety practices among food handlers and unhygienic premises in Putrajaya will pose a health risk to consumers, it is important to carry out the continuous research, food safety surveillance and risk assessment on the KAP of food handlers and the cleanliness of food courts. Besides, the enforcement of existing laws on food safety should be carry out frequently at food courts as well as to establish control measures and to understand the interaction between KAP food handlers and cleanliness of food courts. By this, the safety of foods

serve at the food courts can be ensured.

Finally, the responsibility of having positive attitude towards food safety lie on the shoulder of the management team and food handlers. Managers should develop methods to motivate their food handlers to practice food safety and not only be content with their attainment of structural design requirement for hygiene practice. Food handlers should take their own initiatives to enhance their knowledge in food hygienes and profiling themselves to be more positive towards food safety practices. A chain of personal, social and workplace factors influences the practices of the food handler, and these factors need to be investigated in order for a change in behaviour to take place (Green *et al.*, 2007).

References

- Ajzen, I. 2002. Perceived behavioral control, self-efficacy, locus of control, and the theory of planned behavior. *Journal of Applied Social Psychology*, 32(4): 665-683
- Albert, J. A. 1995. Food safety knowledge and practices of consumers in the USA. *Journal of Consumer Studies and Home Economics*, 19: 119-134.
- Altekruse, S. F. and Swerdlow D. L. 2005. Emerging food borne diseases: Nutrition counselling. *Journal of Nutrition*, 3(3): 285-293.
- Altman, D. G. and Bland, J. M. 1995. Statistics notes: the normal distribution. *British Medical Journal*, 310(6975):298.
- Anant, A. T. and Anjali, P. K. 2011. Assessment of personal hygiene of canteen workers of government medical college and hospital. *National Journal of Community Medicine*, 2(3): 448-451.
- Angelillo, I. F., Foresta, M.R., Scozzafava, C. and Pavia, M. 2001. Consumers and foodborne diseases: knowledge, attitudes and reported behaviour in one region of Italy. *International Journal of Food Microbiology*, 64(1-2): 161-166.
- Angelillo, I. F., Viggiani, N. M. A., Rizzo, L. and Bianco, A. 2000. Food handlers and foodborne diseases: knowledge, attitude, and reported behaviour in Italy. *Journal of Food Protection*, 63(3): 381-385.
- Ansari-Lari, M., Soodbakhsh, S. and Lakzadeh, L. 2010. Knowledge, attitudes and practices of workers on food hygienic practices in meat processing plants in Fars, Iran. *Food Control*, 21(3): 260-263.
- Askarian, M., Kabir, G., Aminbaig, M., Ziad, A., Memish, Z. A. and Jafari, P. 2004. Knowledge, attitudes, and practices of food service staff regarding food hygiene in shiraz, Iran. *Infection Control and Hospital Epidemiology*, 25(1): 16-20.
- Au, N. and Law, R. 2002. Categorical classification of tourism dining. *Annals of Tourism Research*, 29(3): 819-833.
- Bas, M., Ersun, A.S. and Kivanc, G. 2006. The evaluation of food hygiene knowledge, attitudes, and practices of food handlers' in food business in Turkey. *Food*

- Control, 17(4): 317-322.
- Bazer, J. 2004. Experiences in Denmark with the publication of inspection reports on the internet and the evaluation of business using a Smiley system. Paper presented at the FSA Seminar 'Learning from other'. Warwick, United Kingdom.
- Bernama, 2012, August 22. Putrajaya to become prime tourism and administrative centre. *New Strait Times*.
- Bolton, D.J., Meally, A., Blair, I. S., McDowell, D. A. and Cowan, C. 2008. Food safety knowledge of head chefs and catering managers in Ireland. *Food Control*, 19(3): 291-300.
- Boniface, P. 2003. *Tasting tourism: Travelling for food and drink*. Burlington: Ashgate.
- Borders, K. S. and Abbott, B. B. 2008. *Research design and methods: a process approach (7th Ed.)*. McGraw-Hill, Boston.
- Buccheri, C., Mammina, C., Giammanco, S., Giammanco, M., La Guardia, M. and Casuccio, A. 2010. Knowledge, attitudes and self-reported practices of food service staff in nursing homes and long-term care facilities. *Food Control*, 21:1367-1373.
- Burns, A. C. and Bush, R. F. 2000. *Marketing research*. Prentice Hall International, Incorporated, New Jersey.
- Bush, G. 2006. Learning about learning: from theories to trends. *Teacher Librarian*, 34(2): 14- 19.
- Byrd-Bredbenner, C., Maurer, J., Wheatley, V., Schaffner, D., Bruhn, C. and Blalock, L. 2007. Food safety self-reported behaviors and cognitions of young adults: Results of a national study. *Journal of Food Protection*, 70(8): 1917-1926.
- Cakiroglu, F. P. and Ucar, A. 2008. Employees' perception of hygiene in the catering industry in Ankara (Turkey). *Food Control*, 19(1): 9-15.
- Cavalli, S.B. and Salay, R. 2004. Food quality and safety control activities in commercial foodservice in the cities of Campinas and Porto Alegre, Brazil. *Foodservice Research International*, 14(4): 223-241.
- Clayton, D. A., Griffith, C. J., Price, P. and Peters, A. C. 2002. Food handlers' beliefs and self-reported practices. *International Journal of Environmental Health Research*, 12(1): 25-39.
- Clayton, D.A. and Griffith, C. J. 2004. Observation of food safety practices in catering using notational analysis. *British Food Journal*, 106(2/3): 211-227.
- Clayton, D.A. and Griffith, C. J. 2005. Ireland: Food Safety Knowledge, Attitudes and Practices of Caterer in the United Kingdom. *Restaurant and Catering Food Safety*, Dublin.
- Coakes, S. J., Steed, L. and Price, J. 2008. *SPSS Version 15.0 for Windows: Analysis without anguish*. John Wiley and Sons, Brisbane, Australia.
- Coleman, P., Griffith, C. and Botterill, D. 2000. Welsh caterers: an exploratory study of attitudes towards safe food handling in the hospitality industry. *International Journal of Hospitality Management*, 19(2): 145-157.
- Costello, C., Gaddis, T., Tamplin, M. and Morris, W. 1997. Evaluating the Effectiveness of Two Instructional Techniques for Teaching Four Food Safety Principles to Quick Service Employees. *Journal of Foodservice Systems*, 10(1): 41-50.
- Cramer, D. 1998. *Fundamental statistics for social researcher*. Routledge, London.
- Cramer, D. and Howitt, D. 2004. *The SAGE Dictionary of Statistics*. London: Sage.
- Daniels, R.W., Daniels, B. L., Gilmet, P. and Noonan, D. 2001. 2000 Home food safety study report. *Food Safety Magazine*, 7(2): 1-4.
- Doane, D. P., and Seward, L. E. 2011. Measuring Skewness. *Journal of Statistics Education*, 19(2): 1-18.
- Douglas, A.P., Casey, J.J. and Benjamin, J.C. 2011. Enhancing food safety culture to reduce rates of foodborne illness. *Food Control*, 22(6): 817-822.
- EFSA 2010. The Community Summary Report on trends and sources of zoonosis, zoonotic agents and food-borne outbreaks in the European Union in 2008. *The European Food Safety Authority Journal*, 8(1): 4101-496.
- Egan, M.B., Raats, M. M., Grubb, S. M., Evens, A., Lumbers, M. L, Dean, M.S. and Adams, M. R. 2007. A review of food safety and food hygiene training studies in the commercial sector. *Food Control*, 18: 1180-1190.
- Ehiri, E., Morris, G. P. and McEwen, J. 1997. Evaluation of a Food Hygiene Training Course in Scotland. *Food Control*, 8(2): 137-147.
- FAO/WHO 2002. *Global forum of food safety regulators. Food and Agriculture Organisation and World Health Organization*, Geneva.
- FAO/WHO 2003a. *Assuring food safety and quality: Guidelines for strengthening national food control systems*. Food and Agriculture Organisation and World Health Organization, Geneva.
- FAO/WHO 2003b. *Recommended International Code Of Practice General Principles of Food Hygiene*. Food and Agriculture Organisation and World Health Organization, Geneva.
- FAO/WHO 2004. *Technical workshop on residues of veterinary drugs without ADI/MRL*. Food and Agriculture Organisation and World Health Organization, Geneva.
- FDA 2006. *Food and Drug Administration, Managing Food safety: A Regulator's Manual for Applying HACCP Principles to Risk-base Retail and Food Service Inspections and Evaluation Voluntary Food Safety Management System*. Paint Branch Parkway College Park, Maryland, USA.
- Finch, C. and Daniel, E. 2005. Food Safety Knowledge and Behaviour of Emergency Food Relief Organization Workers: Effects of Food Safety Training Intervention. *Journal of Environmental Health*, 67(9): 30-34.
- Friedman, C., Hoekstra, M., Samuel, R., Marcus, J. and Bender, B. 2004. Emerging Infections Program Food-Net Working Group. Risk factors for sporadic *Campylobacter* infection in the United States: FoodNet sites. *Clinical Infectious Diseases*, 38(3): 285-296.
- Fox, R. 2007. Reinventing the gastronomic identity of Croatian tourist destinations. *International Journal of*

- Hospitality Management, 26(3): 546-559.
- Githiri, M., Okemo, P. and Kiminywe, J. 2009. Hygiene practices and occurrence of coliform and staphylococcus on food at a public hospital in Kenya. *Journal of Applied Biosciences*, 27: 1727 - 1731.
- Glanz, K., Lewis, F. M. and Rimer, B. K. 2002. *Health Behaviour and Health Education: Theory Research and Practice*. Wiley and Sons, San Francisco.
- Gomes, N., Araujo, A. C., Ramos, E. and Cardoso, C. S. 2013. Food handling: comparative analysis of general knowledge and practice in three relevant groups in Portugal. *Food Control*, 18(6): 707-712.
- Green, L. R., Radke, V., Mason, R., Bushnell, L., Reimann, D. W. and Mack, J. C. 2007. Factors related to food worker hand hygiene practices. *Journal of Food Protection*. 70(3): 661-666.
- Green, L. R. and Selman, C. 2005. Factors impacting food workers' and managers' safe food preparation practices: a qualitative study. *Food Protection Trends*. 25(12): 981-990.
- Greig, J. D., Todd, E.C., Bartleson, C.A. and Michaels, B. S. 2007. Outbreak where food workers have been implicated in the spread of foodborne disease. Part 1. Description of the problem, methods and agents involved. *Journal of Food Protection*, 70(7): 1752-1761.
- Griffith, C. J. 2000. Food safety in catering establishments. J.M. Farber and E.C. Todd (Eds.). *Safe Handling of Foods*, 235-256.
- Griffith, C. J. 2005. Are we making the most of food safety inspections? A glimpse into the future. *British Food Journal*, 107:132-139.
- Gumucio, S., Merica, M., Luhmann, N., Fauvel, G., Zompi, S., Ronsse, A., Courcaud, A., Bouchon, M., Trehin, C., Schapman, S., Cheminat, O., Ranchel, H., Simon, S. and Monde, M. D. 2011. *Data Collection Quantitative Methods, the KAP Survey Model (Knowledge, Attitude and Practices)*. IGC communigraphie: Saint Etienne. France, p. 4-7.
- Hair, J., Black, W., Babin, B., Anderson, R. and Tatham, R. 2006. *Multivariate data analysis* (6th ed.). Pearson Prentice Hall. Upper Saddle River, New Jersey.
- Hall, C. M. 2003. *Wine, Foodland Tourism Marketing*. Hawort Hospitality Press, New York
- Hall, C.M. and Mitchell, R. 2000. We are what we eat: food, tourism and globalization. *Tourism, Culture and Communication*, 2(1): 29-37.
- Hall, C.M., Sharples, L., Mitchell, R., Macionis, N. and Cambourne, B. 2003. *Food tourism around the World. Development, Management and Market*. Butterworth-Heinemann, Oxford.
- Haryani, Y., Noorzaleha, A. S., Fatimah, A. B., Noorjahan, B. A., Patrick, G. B., Shamsinar, A. T., Laila, R. A. S and Son, R. 2007. Incidence of Klebsiella pneumonia in street foods sold in Malaysia and their characterization by antibiotic resistance, plasmid profiling, and RAPD-PCR analysis. *Food Control*, 18(7): 847-853.
- Hausmann-Muela, S. R. J. and Nyamongo, I. 2003. Health-seeking behaviour and the health system's response. *Disease Control Priority Project Working Paper No. 14*.
- Henroid, D. and Sneed, J. 2004. Readiness to implement hazard analysis and critical control point (HACCP) systems in Iowa schools. *Journal of American Dietetic Association*. 104(2): 180-185.
- Hjalanger, A. M. and Richards, G. 2002. *Tourism and Gastronomy*. Routledge, London.
- Ho, C. S. 2006. The paper is to be presented at Expert group conference at Sung Kyun Kwan University Seoul on 16 Nov 2006. Putrajaya –Administrative Centre of Malaysia -Planning Concept and Implementation. Sustainable urban development and Governance conference at Sung Kyun Kwan University Seoul, Seoul, Korea.
- Howells, A.D., Roberts, K. R., Shanklin, C.W., Pilling, V. K., Brannon, L. A. and Barrett, B.B. 2008. Restaurant employees' perceptions of barriers to three food safety practices. *Journal of American Dietetic Association*, 108(8): 1345-1349.
- Huang, S.Y. 1995. A Study of Food and Beverage Employees' Food Sanitation Knowledge, Attitude and Behavior in Taiwan. *Fu Jen Journal of Human Ecology*, 1(1): 53-71.
- Ibrahim, M. F. and Shalabi, S. 2009. 'The Prevalence of parasitic infections among food handlers in Cairo. *The Egypt Journal of Community Medicine*, 5(1): 11-17.
- Jacob, C., Mathiasen, L. and Powell, D. 2010. Designing effective messages for microbial food safety hazards. *Food Control*, 21(1): 1-6.
- Jaykus, L. A. 2007. Options for control of viral and parasitic food borne disease. *Emerging Infectious Diseases*, 3(4): 412-227.
- Jevsnič, M., Hlebec, V. and Raspor, P. 2008. Food safety knowledge and practices among food handlers in Slovenia. *Food Control*, 19(12): 1107-1118.
- Julie, G. R. 2012. *Food Safety Basics. A Reference Guide for Foodservices Operators*, 1: 5-6.
- Kaliyaperumal, K. 2004. *Guideline for Conducting a Knowledge, Attitude and Practice (KAP) Study*. *Community Ophthalmology*, 4(1): 7-9.
- Kassem, N.O. and Lee, J.W. 2003. Modeste, N.N. and Johnston, P.K. Understanding soft drink consumption among female adolescents using the Theory of Planned Behaviour. *Health Education Research*, 18(3): 278-291.
- Keller, J. 1998. *Attitude is Everything*. International Network Training Institute, New York
- Kerr, M. K. and Churchill, G. A. 2001. Boot strapping cluster analysis: assessing the reliability of conclusions from micro array experiments. *Proceedings of The National Academy of Sciences*, 98:8961–8965.
- Khair, J. 1998. *Makanan: Keracunan dan Keselamatan* (Ed. Pertama). Dewan Bahasa dan Pustaka, Kuala Lumpur.
- Kowalski, K. M. and Vaught, C. 2002. *Principles of adult learning: application for mine trainers*. National Institute for Occupational Safety and Health Information Circular, 9463: 3-8.
- Lambiri, M., Mavridou, A. and Papadakis, J. 1995. The application of hazard analysis critical control point

- (HACCP) in a flight catering establishment improved bacteriological quality of meats. *Journal of The Royal Society of Health*, 115(1): 26-30.
- Lin, J. R. and Chen, S. Y. 2004. Study of the Knowledge, Attitudes, and Practices of Food Hygiene by Cooks in Daycare Centers in the Tainan Area. *Nutrition Science Journal*, 29(1): 83-96.
- Long, L. M. 2004. *Culinary Tourism*. The University of Kentucky Press, Lexington.
- Martins, R. B., Hogg, T. and Otero, J. G. 2012. Food handler's knowledge on food hygiene: the case of a catering company in Portugal. *Food Control*, 23(1): 184-190.
- McIntosh, W. A., Christensen, L. B. and Acuff, G. R. 1994. Perceptions of risks of eating undercooked meat and willingness to change cooking practices. *Appetite*, 22(1): 83-96.
- McIntyre, L., Vallaster, L., Wilcott, L., Henderson, S. and Kosatsky, T. 2013. Evaluation of food safety knowledge, attitudes and self-reported hand washing practices in FOODSAFE trained and untrained food handlers in British Columbia, Canada. *Food Control*, 30(1): 150-156.
- Malaysia International Food and Beverage Trade Fair [MIFB] 2010, July 22-24. Putra World Trade Centre (PWTC), Kuala Lumpur. Retrieved Mac 14, 2013 from <http://www.mifb.com.my>
- Medeiros, C., Cavalli, S., Salay, E. and Proenca, R. 2011. Assessment of the methodological strategies adopted by food safety training programmes for food service workers: a systemic review. *Food Control*, 22(8): 1136-1144.
- Ministry of Health Malaysia [MOH], 2013a. Health Fact 2012. Planning Division, Health Informatics Centre, Putrajaya.
- Ministry of Health Malaysia [MOH], 2013b. Isu Kebersihan Premis Makanan. Kenyataan Akhbar Menteri Kesihatan Malaysia. Putrajaya. Retrieved Ogos 28, 2013 from http://www.moh.gov.my/index.php/database_stores/store_view/22
- Mitchell, R.E., Fraser, A. M. and Bearon, L.B. 2007. Preventing food-borne illness in food service establishments: Broadening the framework for intervention and research on safe food handling behaviors. *International Journal of Environmental Health Research*, 17(1): 9-24.
- Moy, G. G. 2001. Healthy market places: An approach for ensuring food safety and environmental health. *Food Control*, 12(8): 499-504.
- Muinde, O. K. and Kuria, E. 2005. Hygiene and sanitary practices of vendors of street food in Nairobi, Kenya. *African Journal of Food Agriculture Nutrition and Development*, 5(1): 1-14.
- Mulugeta, K. and Bayeh, A. 2012. The sanitary conditions of food service establishments and food safety knowledge and practices of food handlers in Bahir Dar town. *Ethiopian Journal Health Science*, 22(1): 27-35.
- Nesbary, D. K. 2000. Survey Research and the World Wide Web. Allyn and Bacon Press, Massachusetts.
- Niode, O., Bruhn, C. and Simonne, A. H. 2011. Insight into Asian and Hispanic restaurant manager needs for safe food handling. *Food Control*, 22(1): 34-42.
- Noraziah, A. and Mohd, A. A. 2012. The food consumption and eating behaviour of Malaysian urbanites: Issues and concerns. *Malaysia Journal of Society*, 8(6): 157 - 165.
- Nurul Huda, H. 2008. Tahap pengetahuan, sikap dan amalan kebersihan dan keselamatan makanan di kalangan pengendali makanan di hospital. MSc Thesis. Universiti Kebangsaan Malaysia, Bangi.
- Oliveira F. A., Frazzon A. P. G., Brandelli A. and Tondo E.C. 2007. Use of PCR-ribotyping, RAPD, and antimicrobial resistance for typing of Salmonella enteritidis involved in food-borne outbreaks in Southern Brazil. *Journal of Infection In Developing Countries*, 1:170-176.
- Othman, N. M. 2007. Food safety in Southeast Asia: Challenges Facing the Region. *Asian Journal of Agriculture and Development*, 4:1-9.
- Oztuna, D., Elhan, A. H. and Tuccar, E. 2006. Investigation of four different normality tests in terms of type 1 error rate and power under different distributions. *Turkish Journal of Medical Sciences*. 36(3):171-6.
- Patil, S. R., Cates, S. and Morales, R. 2005. Consumer food safety knowledge, practices, and demographic differences: findings from a meta-analysis. *Journal of Food Protection*, 68(9): 1884-1894.
- Park, S.H., Kwak, T. K. and Chang, H. J. 2010. Evaluation of the food safety training for food handlers in restaurants operations. *Nutrition Research and Practices*, 4(1): 58-68.
- Percetakan Nasional Malaysia Bhd. 2006. Food Act 1983. Kuala Lumpur, Malaysia.
- Percetakan Nasional Malaysia Bhd. 2010. Food Hygiene Regulation 2009. Kuala Lumpur, Malaysia.
- Performance Management and Delivery Unit (PEMANDU) 2010. Economy Transformation Programme: The roadmap for Malaysia a special report. Prime Minister's Office, Putrajaya.
- Pilling, V. K., Brannon, L. A. , Shanklin, C.W., Howells, A.D. and Roberts, K.R. 2008. Identifying specific beliefs to target to improve restaurant employees' intentions for performing three important food safety behaviors. *Journal of The American Dietetics Association*, 108(6): 991-997.
- Quan, S. and Wang, N. 2004. Towards a structural model of tourist experience: an illustration from food experiences in tourism. *Tourism Management*, 25(3):297-305.
- Quine, L., Rutter, D. R. and Arnold, L. 2002. Increasing cycle helmet use in school-age cyclists: an intervention based on the Theory of Planned Behaviour. In Rutter, D. and Quine, L. (eds), *Changing Health Behaviour*. Open University Press, Buckingham, pp. 172-192.
- Rasool, B. A. H. 2012. Importance of Personal Hygiene. *Pharmaceutica Analytica Acta Journal*, 3(8): 126.
- Redmond, E. C. and Griffith, C. J. 2003. Consumer food handling in the home: A review of food safety studies. *Journal of Food Protection*, 66(1): 130-161.
- Roberts, K. R. 2008. Using the theory of planned behavior

- to explore restaurant manager's support for employee food safety training (Doctoral dissertation, Kansas State University, 2008), Kansas State Research Exchange.
- Roberts, K. R. and Barret, B. B. 2009. Behavioral, normative, and control beliefs impacts on the intention to offer food safety training to employees. *Food Protection Trends*, 29(1): 21-30.
- Roberts, K. R., Barrett, B. B., Howells, A. D., Shanklin, C. W., Pilling, V. K. and Brannon, L. A. 2008. Food Safety Training and Foodservice Employees' Knowledge and Behavior. *Food Protection Trends*, 28(4): 252-260.
- Rocourt, J., Moy, G., Vierk, K. and Schlundt, J. 2003. The present state of foodborne disease in OECD countries. World Health Organisation, Geneva.
- Rennie, D. M. 1995. Health Education Models and Food Hygiene Education. *Journal of Royal Social Health*, 115(1): 75-79.
- Rimal, A., Fletcher, S. M., McWatters, K. H., Misra, S. K. and Deodhar, S. 2001. Perception of food safety and changes in food consumption habits: a consumer analysis. *International Journal of Consumer Studies*, 25(1): 43-52.
- Santos, J., R., A. 1999. Cronbach's Alpha: A tool for assessing the reliability scale. *Journal of Extension*, 37(2): 34-36.
- Sazili, A.S. 2011, January 29. 39 Premis kotor diarah tutup. KOSMO, pp 16.
- Schwartz, N. E. 1975. Nutrition Knowledge, Attitude, and Practices of High School Graduates. *Journal of American Dietetic Association*, 66(1): 28-31.
- Seaman, P. 2010. Food hygiene training: Introducing the Food Hygiene Training Model. *Food Control*, 21(4): 381-387.
- Seaman, P. and Eves, A. 2006. The management of food safety-the role of food hygiene training in the UK service sector. *Hospitality Management*, 25(2): 278-296.
- Selamat, J., Hassan, Z. 2007. Food safety in Malaysia: challenges for the next millennium. In: Fatimah, M.A., Nik, M.R.A, Bisant, K., Amin, M.A. (Eds.), *50 Years of Malaysia Agriculture: Transformational Issues and Challenges*. Penerbit Universiti Putra Malaysia. Serdang, pp. 192-127.
- Sharif, L. and Al-Malki, T. 2010. Knowledge, attitude and practice of Taif University students on food poisoning. *Food Control*, 21(1): 55-60.
- Shazali, A. M. and Dayang, A. M. 2006. Demand Analysis of FAFH Homes' in Malaysia Alias Radam. Universiti Putra Malaysia, Malaysia.
- Silver, D. 2006. Top food borne diseases risk factors pinpointed. *Journal of Food Protection*, 110(28): 118-119.
- Simelane, N. B. 2005. HIV/AIDS Knowledge, Attitudes and Risky Sexual Behaviours of College Students at Nazarene Teacher Training College in Swaziland: A Descriptive Study. (Unpublished Thesis). University of The Western Cape, South Africa.
- Siow, O. N. and Norrakiah, A. S. 2011. Assessment of Knowledge, Attitudes and Practices (KAP) Among Food Handlers at Residential College and Canteen Regarding Food Safety. *Sains Malaysian*, 40(4): 403-410.
- Soares, L. S., Almeida, R. C.C., Cerqueira, E.S., Carvalho, J. S. and Nunes, I. L. 2012. Knowledge, attitudes and practices in food safety and the presence of coagulase-positive Staphylococci on hands of food handlers in the schools of Camacari, Brazil. *Food Control*, 27(1): 206-213.
- Soon, J. M., Singh, H. and Baines, R. 2011. Food borne diseases in Malaysia. *Food Control*, 22(6): 823-830.
- The American Heritage Dictionary of the English Language, Fourth Edition. Retrieved May 22, 2013, from <http://www.answers.com/topic/food-court>
- Tokuc, B., Ekuklu, G., Berberoglu, U., Bilge, E. and Dedeler, H. 2009. Knowledge, attitudes and self-reported practice of food service staff regarding food hygiene in Edirne, Turkey. *Food Control*, 20(6): 565-568.
- Thompson, S., R., De-Burger and Kadri, O. 2005. The Toronto Food Inspection and Disclosure System: A Case Study. *British Food Journal*, 107(2): 140-149.
- Toh, P.S. and Birchenough, A. 2000. Food safety knowledge and attitudes: Culture and environment impact on hawkers in Malaysia. Knowledge and attitudes are key attributes of concern in hawker food handling practices and outbreak of food poisoning and their prevention. *Food Control*, 11(6): 447-452.
- Tokuc, B., Ekuklu, G., Berberoglu, U., Bilge, E. and Dedeler, H. 2009. Knowledge, attitudes and self-reported practice of food service staff regarding food hygiene in Edirne, Turkey. *Food Control*, 20(6): 565-568.
- Universiti Teknologi MARA (UiTM). 2011. Future Directions and Challenges in Food Science and Technology. Shah Alam, Selangor.
- Unusan, N. 2007. Consumer food safety knowledge and practice in the home in Turkey. *Food Control*, 18(1): 45-51.
- Van, T. I., Lues J. F. R. and Theron, M. M. 2007. The Personal and General Hygiene Practices of Food Handlers in the Delicatessen Sections of Retail Outlets in South Africa. *Journal of Environmental Health*, 70(4): 33-8.
- Walker, E., Pritchard, C. and Forsythe, S. 2003. Food handlers' hygiene knowledge in small food businesses. *Food Control*, 14(5): 339-343.
- WHO 2000. Foodborne Disease: Focus on Health Education. World Health Organization, Geneva.
- WHO 2002. WHO global strategy for food safety. Food Safety Department, World Health Organisation, Geneva.
- WHO 2007. Food Safety and Foodborne Illness. Fact sheets No. 237. World Health Organization, Geneva.
- WHO 2008. A guide to developing knowledge, attitudes and practices survey. World Health Organization, Geneva.
- Will, M. and Guenther, D., 2007. Food Quality and Safety Standards. 2nd edition. A practitioner's Reference

Book, Germany.

- Wood, S. and Tsu, V. 2008. Advocacy, communication and socio mobilization for TB control: a guide to developing knowledge, attitude and practice survey, World Health Organization, Geneva.
- World Tourism Organization 2013, UNWTO Tourism Highlights, Malaysia Country Report, UNWTO 25th CAP_CSA and UNWTO Conference on Sustainable Tourism Development, Hyderabad, India.
- Zain, M. M. and Naing, N. N. 2002. Socio-demographic characteristics of food handlers and their knowledge, attitude and practice towards food sanitation: A preliminary report. *Southeast Asian Journal Tropical Medicine and Public Health*, 33(2): 410-417.