



UNIVERSITI PUTRA MALAYSIA

**EFFECTS OF PALM OIL MILL EFFLUENT APPLICATION
ON PHYSICAL AND PHYSICO-CHEMICAL
PROPERTIES OF SOILS**

MD. ABDUL HAI MAJUMDER

FP 1987 2



EFFECTS OF PALM OIL MILL EFFLUENT APPLICATION
ON PHYSICAL AND PHYSICO-CHEMICAL
PROPERTIES OF SOILS

by

Md. Abdul Hai Majumder

A thesis submitted in partial fulfilment of the requirements
for the degree of Doctor of Philosophy in the Dept. of Soil
Science, Faculty of Agriculture, Universiti Pertanian Malaysia,
Serdang, Selangor.

December, 1987



DEDICATION

To my late parents
and other close ones
who could not wait
to see my success



ACKNOWLEDGEMENTS

The contributions of various individuals and institutions towards the realization of this thesis are to be greatly acknowledged.

First and foremost, I wish to express my sincere appreciation and gratitude to my Chief Supervisor Dr. Haji Wan Sulaiman Wan Harun for his invaluable guidance and advice throughout the course of this study. My research projects which involved a lot of work outside the campus would have been impossible if not his personality, expertise and efforts.

I am also greatly indebted to my Supervisor Dr. Haji Mohd. Mokhtaruddin A. Manan for his constructive criticism, advice and help in both research and personal affairs.

Then, I am most grateful to:

Universiti Pertanian Malaysia (UPM) for accepting me as a student and providing me with the facilities to undertake the study.

The Chairman, Directors and Project Director (Rubber) of Bangladesh Forest Industries Development Corporation (BFIDC) for nominating me for this scholarship,



All officers, colleagues, staffs and workers of BFIDC Head Office and Rubber Planting Project for their unlimited help and enthusiasm which became a great source of inspiration for me, The Ministry of Finance (External Education Planning Branch of External Resources Division), The Ministry of Agriculture and The Ministry of Education of Bangladesh for selecting me, and extending their kind help and co-operation in particular, Dr. Mohiuddin Khan Alamgir (Joint Secretary, Ministry of Finance) for generous assistance,

Commonwealth Fund For Technical Co-operation (CFTC) for the scholarship award that enabled me to undertake this study; Mr. J.T. Houston and others of CFTC for their kind help and understanding;

The Bangladesh High Commissioner, Counsellor, First Secretary and others for their immense help and encouragement,

The Head and other members of the Department of Soil Science (UPM) for a variety of help and advice from time to time,

The Head of the Department of Agriculture Engineering (UPM) for allowing me to use the Soil Mechanics Laboratory,

Former graduate studies Dean Prof. Dr. A. Manap, present graduate Dean Dr. Alang Perang, Assistant Registrar Mr. Abdul Aziz Bahsir and others for their unceasing help and co-operation.

Acknowledgement is also due to Palm Oil Research Institute of Malaysia and EBOR Research of Sime Darby Plantations Limited for allowing me to use their facilities.

I owe special thanks to Mr. Mohd. Tayeb bin Dolmat (Research Co-ordinator) and others of PORIM Research Station, Kluang, Johore for their kind help and co-operation, Dr. Peter Lim Kim Huan (Agronomist) of EBOR Research for kind help and valuable advice, Managers and staffs of Bukit Raja and CEP Rengam Estates for allowing me to work in their fields and various other help and Mr. Mohd. Mazalan Kamis, Assistant Manager who was then in charge of the "Effluent Trial Area" in CEP Rengam Estate for his interest, friendly help and co-operation.

A note of thanks is also extended to Mr. Mokhtar of Soil Science Department (UPM) for helping me to take field samples, Mr. Ramli Yusof, Ibrahim Shamsudin and other technicians for various technical help, Miss Salmah, Mrs. Jalinah and Rabidah Ayob who have painstakingly typed this manuscript.

It would not have been possible to complete this work without my numerous friends from inside and outside the campus whose names I could not mention here. They had helped me in one way or another and I extend to them my heartfelt thanks.



My regards to my father-in-law Mr. Tofazzal Hossain who passed away on 27th January, 1986, and my mother-in-law Mrs. Kohinoor Begum for taking care of my family in my absence, My brothers, sisters and other relatives for their help, encouragement and blessings and all others who have blessed me with their teachings and preachings.

My fullest measure of love and gratitude go to my wife Mrs. Nasreen Akhter and our son Mohd. Faisal Salauddin (Mahin) for depriving them of my love and affection and patiently sharing the noble cause of my undertaking here.

Finally, I tender my total submission to Almighty Allah Who is kind and merciful. All praises to Him Who has made this humble piece of work possible. Ameen.

Author



TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS.....	iii
TABLE OF CONTENTS.....	vii
LIST OF TABLES.....	xiv
LIST OF FIGURES.....	xvii
LIST OF PLATES.....	xx
LIST OF APPENDICES.....	xxi
LIST OF ABBREVIATIONS.....	xxvi
ABSTRACT.....	xxvii
ABSTRAK.....	xxxii
CHAPTER 1 GENERAL INTRODUCTION.....	1
CHAPTER 2 LITERATURE REVIEW.....	8
Introduction.....	8
Effluent Problems in Malaysia.....	9
EFFECTS OF EFFLUENT AND SLUDGE ON PHYSICO-CHEMICAL PROPERTIES OF SOIL:.....	12
Soil Aggregation, Bulk Density, Porosity and Water Holding Capacity.....	12
Wettability of Soil.....	18
Flow Properties of Soil.....	25
Effects on Cation Exchange Capacity (CEC) and Exchangeable Bases of Soil.....	43
EFFECTS OF EFFLUENT AND SLUDGE APPLICATION ON CROP PERFORMANCE:.....	43
Perennial Crops.....	43
Annual Crops.....	51



	Page
EFFECTS ON NUTRIENT MOVEMENT AND UNDERGROUND WATER QUALITY:..	55
CHAPTER 3 HYPOTHESES.....	62
CHAPTER 4 MATERIALS AND METHODS.....	65
MATERIALS.....	65
Effluents.....	65
Soil.....	76
EXPERIMENTAL SITES AND METHODS:.....	80
Project 1 (Bukit Raja Flatbed).....	80
Project 2 (CEP Rengam Project).....	84
Project 3 (Bukit Raja Longbed Project)....	85
Project 4 (Soil Column Studies).....	90
(i) Long Glass Column.....	90
(ii) Short PVC Column.....	91
SAMPLING METHODS:.....	92
Undisturbed Soil Samples.....	93
Disturbed Soil Samples.....	93
Collection of Underground Water Samples (Project 3).....	94
Leachate Collection From Glass Columns (Project 4).....	94
Leachate Collection From PVC Columns (Project 4).....	95
ANALYSIS AND CALCULATION:.....	95
Saturated Hydraulic Conductivity (K_s).....	95
Root Density.....	98
Bulk Density, Porosity and Soil Moisture Characteristics.....	98



	Page
Horizontal Infiltration and Penetrability...	100
Contact Angle	100
Aggregate Stability.....	104
pH, N and P of Liquid Samples.....	106
Concentration of Cations in Liquid Samples.....	107
CEC and Exchangeable Bases.	107
Soil Organic Matter.....	110
Soil pH.....	111
Mechanical Analysis of Soil.....	111
Mineralogical Analyses of Soil.....	112
CHAPTER 5 RESULTS	113
PROJECT 1	
EFFECT OF POME SUPERNATANT APPLICATION USING FLATBED SYSTEM ON SOME PHYSICAL AND CHEMICAL PROPERTIES OF SERDANG SERIES SOIL AND CROP YIELD.....	113
Introduction.....	113
Saturated Hydraulic Conductivity (Ks).....	113
Penetrability.....	124
Total Porosity and Bulk Density.....	120
Soil Moisture Characteristics.....	123
Contact Angles.....	128
Aggregation and Aggregate Stability.....	131
Soil Organic Matter.....	135



	Page
Soil pH.....	137
Cation Exchange Capacity (CEC).....	139
Exchangeable Bases.....	141
Crop Yield.....	141
 PROJECT 2	
EFFECT OF DIGESTED AND RAW POME APPLICATION USING FLATBED SYSTEM ON SOME PHYSICAL AND CHEMICAL PROPERTIES OF RENGAM SERIES SOIL (TYPIC PALUDULT) AND CROP PERFORMANCE.....	145
Introduction.....	145
Saturated Hydraulic Conductivity (Ks).....	145
Penetrability of Soil.....	150
Total Porosity.....	155
Soil Moisture Characteristics.....	159
Contact Angle and Wettability.....	165
Aggregation and Aggregate Stability.....	170
Soil Organic Matter.....	175
Soil pH.....	180
Cation Exchange Capacity (CEC).....	182



	Page
Calcium.....	214
Magnesium.....	216
Aggregation and Aggregate Stability.....	218
Wettability.....	220
Organic Matter Content.....	222
Acidity.....	222
Cation Exchange Capacity (CEC) and Exchangeable Bases.....	223
CHAPTER 6 DISCUSSION.....	225
PROJECT 1	
Physical Properties of Soil.....	225
Chemical Properties of Soil.....	227
Crop Yield.....	228
Conclusion.....	228
PROJECT 2	
Physical Properties of Soil.....	229
Chemical Properties	232
Crop Performance.....	232
Conclusion.....	234
PROJECT 3.....	235
PROJECT 4	
Physico-chemical Properties of Soil.....	237
Nutrient Movement.....	238
Conclusion.....	240
DISCUSSION (GENERAL).....	241



	Page
CHAPTER 7 SUMMARY AND CONCLUSION.....	253
Summary.....	253
Conclusion.....	260
Recommendations for Further Studies.....	263
BIBLIOGRAPHY.....	265
APPENDICES.....	283



LIST OF TABLES

Table		Page
4.1	POME and Water Analyses.	74
4.2	Chemical Analysis of the Three Soils.	78
4.3	Mechanical and Mineralogical Analyses of the Three Soils.	79
5.1	Average Saturated Hydraulic Conductivity in Serdang Series Soil After POME Supernatant Application.	114
5.2	Penetrability in Serdang Series Soil After POME Supernatant Application.	118
5.3	Average Total Porosity in Serdang Series Soil After POME Supernatant Application.	121
5.4	Distribution of Pores in Serdang Series Soil After POME Supernatant Application.	125
5.5	Contact Angle in First (1) and Second (2) Batch Samples of Serdang Series Soil After POME Supernatant Application.	129
5.6	Average Instability and Stability Indices of Serdang Series Soil After POME Supernatant Application.	132
5.7	Organic Carbon in Second Batch of Serdang Series Soil Samples After POME Supernatant Application.	136
5.8	Cation Exchange Capacity (CEC) of Second Batch of Serdang Series Soil Samples.	140
5.9	Mean Values for Exchangeable Bases of Serdang Series Soil.	142



Table	Page
5.10 Average Saturated Hydraulic Conductivity (Ks) of Rengam Soil Samples (Project 2) After POME Application	146
5.11 Penetrability of Rengam Series Soil (Typic Paleudult) Following POME Application	152
5.12 Average Total Porosity of Rengam Series Soil After POME Application.	156
5.13 Distribution of Pores in Rengam Series Soil after POME Application.	163
5.14 Average Contact Angle of Rengam Series Soil After POME Application.	166
5.15 Average Aggregate Instability and Stability Indices of Rengam Series Soil Samples After POME Application.	171
5.16 Average % Organic Carbon in Rengam Series Soil After POME Application.	176
5.17 Organic Matter Content and Other Physical Properties of Important Treatments in Rengam Series Soil.	179
5.18 Average Cation Exchange Capacity (CEC) in Rengam Series Soil After POME Application.	183
5.19 Mean Exchangeable Bases of Rengam Series Soil and Digested Sludges.	186
5.20 Average Root Density in Rengam Series Soil After POME Application.	188
5.21 Mean Values of Field Leachates Analysis for Three Important Treatments.	196
5.22 Physical and Chemical Properties of Tongkang Series Soil Used for Laboratory Columns.	204
5.23 Mean Values of Leachate Analyses from Undisturbed Short Soil Column of Tongkang Series (Project 4).	208

Table	Page	
5.24	Aggregate Instability and Stability Indices of Laboratory Glass Column Soil After POME Supernatant Application.	219
5.25	Some Physical and Chemical Properties of Laboratory Glass Column Soil (Tongkang Series) After POME Supernatant Application.	221
5.26	Mean Values of Exchangeable Bases of Tongkang Series Soil.	224
6.1	Multi-linear Correlations (R) Among Different Parameters of Serdang Series Soil Following Digested POME Supernatant Application in Project 1.	243
6.2	Multi-linear Correlations (R) Among Different Parameters of Rengam Series Soil Following Digested POME Application in Project 2.	244
6.3	Multi-linear Correlations (R) Among Different Parameters of Rengam Series Soil Following Raw POME Application in Project 2.	245



LIST OF FIGURES

Figure		Page
4.1	Palm Oil Mill Effluent (POME) Production	68
5.1	Saturated Hydraulic Conductivity at Different Time Intervals after POME Supernatant Application to Flatbeds on Serdang Series Soil in Project 1.	115
5.2	Distance of Wetting front Against Square Root of Time for Horizontal Infiltration (Penetrability) in Serdang Series Soil.	119
5.3	Total Porosity at Different Time Intervals after POME Supernatant Application on Serdang Series Soil in Project 1.	122
5.4	Moisture Characteristics of Serdang Series Soil after POME Supernatant Application in Project 1.	124
5.5	Available Water at Different Times of Sampling after POME Supernatant Application in Rengam Series Soil.	127
5.6	Aggregate Instability Index at Different Time Intervals After POME Supernatant Application on Serdang Series Soil in Project 1.	133
5.7	Soil pH in distilled H ₂ O and 1N KC1 soln. Versus Rates of POME Supernatant Application on Serdang Series Soil in Project 1.	138
5.8	Annual FFB Yields (tons.ha ⁻¹) for Serdang Series Soil following POME Supernatant Application.	143
5.9	Saturated Hydraulic Conductivity at Different Time Intervals after POME Application on Rengam Series Soil in Project 2.	149



Figure	Page	
5.10	Distance of Wetting fronts Against Square Root of time for Horizontal Infiltration (Penetrability) in Rengam Series Soil.	151
5.11	Total Porosity at Different Time Intervals after POME Application on Rengam Series Soil in Project 2.	158
5.12	Moisture Characteristic Curves of Rengam Series Soil following Digested POME Application in Project 2.	160
5.13	Moisture Characteristic Curves of Rengam Series Soil following Raw POME Application in Project 2.	161
5.14	Percentage Available Water at Different Times after POME Application on Rengam Series Soil (Project 2).	164
5.15	Contact Angles after Different Time Intervals following POME Application on Rengam Series Soil in Project 2.	169
5.16	Aggregate Instability Index at Different Time Intervals after POME Application on Rengam Series Soil in Project 2.	174
5.17	pH in Water and 1N Solution for KCl Different Rates of POME Application on Rengam Series Soil in Project 2.	181
5.18	Root Density at Different Times after POME Application on Rengam Series Soil in Project 2.	190
5.19	Annual FFB Yields (t.ha ⁻¹) on Rengam Series Soil between 1982-'85 Following POME Application.	192
5.20	Half Yearly FFB Yields (t.ha ⁻¹) on Tongkang Series Soil for 1984-'85 following POME Supernatant Application.	201



Figure		Page
5.21	pH of the Leachates Collected from Glass Columns Packed with Tongkang Series Soil.	205
5.22	Ammonium - N Concentration of Leachates at Different Depths in Glass Columns Uniformly Packed with Tongkang Series Soil.	209
5.23	Nitrate + Nitrite - N Concentration of Leachates at different Depths in Glass Columns Uniformly Packed with Tongkang Series Soil.	210
5.24	Potassium Concentration of Leachates at Different Depths in Glass Columns Uniformly Packed with Tongkang Series Soil.	213
5.25	Calcium Concentration of Leachates at Different Depths in Glass Columns Uniformly Packed with Tongkang Series Soil.	215
5.26	Magnesium Concentration of Leachates at Different Depths in Glass Columns Uniformly Packed with Tongkang Series Soil.	217



LIST OF PLATES

Plate		Page
I	Palm Oil Mill Effluent (POME).	67
II	Accumulation of Raw Palm Oil Mill Effluent (POME).	69
III	Accumulation of Block Rubber Factory Effluent Before Discharging into Digestion Pond.	70
IV	Discharging Raw Effluent into Digestion Pond No. 1.	71
V	Application of Digested Effluent Supernatant to the Fields from the 7th Pond.	72
VI	Digested POME Supernatant was Applied to the Flatbeds of Serdang Series Soil (Project 1).	82
VII	Flatbeds which Received 20 cm rey of Supernatant in Project 1.	83
VIII	Application of Digested Supernatant to the Long Beds of Tongkang Series Soil (Project 3).	87
IX	Water Sampler(s) in the Long Beds of Tongkang Series Soil (Project 3).	89
X	Determination of Saturated Hydraulic Conductivity (Ks) as per Constant Head Method of Klute (1965).	96
XI	Capillary Rise of Distilled Water and Ethyl Alcohol in Rengam Series Soil.	101
XII	Leaching of Rengam Series Soil (4th Batch Samples) for the Determination of Exchangeable Bases And Cation Exchange Capacity (CEC).	108
XIII	Scanning Electron Microscope (SEM) Micrographs of Soil Pores of Rengam Series.	157
XIV	Raw POME Accumulation Pit in CEP Rengam Estate.	158



Appendix	Page	
11	Saturated Hydraulic Conductivity in 3rd Batch of Rengam Soil Samples (Project 2) after POME Application.	301
12	Saturated Hydraulic Conductivity in 4th Batch of Rengam Soil Samples (Project 2) after POME Application.	303
13	Saturated Hydraulic Conductivity in 5th Batch of Rengam Soil Samples (Project 2) after POME Application.	305
14	Advancing Wetting Front in Rengam Series Soil after POME Application (Horizontal Infiltration)	307
15	Bulk Density of 2nd Batch of Rengam Series Soil in Project 2 after POME Application.	308
16	Bulk Density of 3rd Batch of Rengam Series Soil in Project 2 after POME Application.	310
17	Bulk Density of 4th Batch of Rengam Series Soil in Project 2 after POME Application.	312
18	Bulk Density of 5th Batch of Rengam Series Soil in Project 2 after POME Application.	314
19	Total Porosity (%) of 2nd Batch of Rengam Soil in Project 2 after POME Application.	316
20	Total Porosity (%) of 3rd Batch of Rengam Series Soil in Project 2 after POME Application.	318
21	Total Porosity (%) of 4th Batch of Rengam Series Soil in Project 2 after POME Application.	320
22	Total Porosity (%) of 5th Batch of Rengam Series Soil in Project 2 after POME Application.	322

