



UNIVERSITI PUTRA MALAYSIA

**PATHOGENICITY OF *PASTEURELLA MULTOCIDA* SEROTYPES
A: 3, D: 1 AND D: 3 IN RABBITS**

MUTHAFAR HUSSAIN AL-HADDAWI

FPV 1999 9

**PATHOGENICITY OF *Pasteurella multocida* SEROTYPES A:3, D:1 AND D:3
IN RABBITS**

MUTHAFAR HUSSAIN AL-HADDAWI

**DOCTOR OF PHILOSOPHY
UNIVERSITI PUTRA MALAYSIA**

1999



**PATHOGENICITY OF *Pasteurella multocida* SEROTYPES A:3, D:1 AND D:3
IN RABBITS**

BY

MUTHAFAR HUSSAIN AL-HADDAWI

**Thesis Submitted in Fulfilment of the Requirements for the degree of Doctor of
Philosophy in the Faculty of Veterinary Medicine
Universiti Putra Malaysia**

August 1999



DEDICATION

TO THE MEMORY OF MY FATHER

**TO MY MOTHER, AUNTIE NAZIK AND UNCLE DR. RAJIH AL-
HADDAWI FOR THEIR MORAL SUPPORT AND ENCOURAGEMENT.**



ACKNOWLEDGEMENTS

All praise to Almighty Allah, the Merciful and the Benevolent. Had it not been due to His will and favour, the completion of this study would not have been possible.

I would like to express my sincere gratefulness and appreciation to my supervisor, Dr. Jasni Sabri, who has devoted much of his time for invaluable guidance, advice, supervision, and support throughout the course of this study.

I wish to express my sincere gratitude to the Dean of the Faculty of Veterinary Medicine who is also my co-supervisor, Professor Dr. Sheikh Omar Abdul Rahman for his invaluable advice, support and continuous encouragement towards the completion of this work.

Sincere thanks are also due to my other co-supervisors, Associate Professor Dr. Mohamad Zamri Saad, Dr. Abdul Rahim Mutalib and Dr. Son Radu who have provided advice and helpful discussion that have enlightened and improved this study.

I would like to express my gratitude to Professor Dr. Abd Rani Bahaman and Dr. Daud Ahmad Israf Ali who have provided facilities in their laboratories during



the course of this study. I wish to thank Dr. Ungku Chulan Ungku Mohsin for his assistance and advice during the course of my study and Dr. Noordin Mohamad Mustapha for his resourceful comments and suggestions to provide a thesis of highly quality.

I would also like to express my heartfelt gratitude to Dr. T. G. Wijewardana from the Veterinary Research Institute, Sri Lanka for her assistance in serotyping the isolates.

I would like to thank Dr. Maria E. Klut from the Pulmonary Research Laboratory, University of British Columbia, Canada, Dr. Richard A. Nunamaker and Dr. Scott Lonning from USDA, Agricultural Service, USA for their helpful advice and constructive suggestions in the Electron Microscopy. I am also indebted to Dr. D. J. Weilgama from the Faculty of Veterinary Medicine, University of Peradeniya, Sri Lanka for his kind assistance in RAPD technique.

I have also been very fortunate in receiving assistance from a number of my colleagues and friends. Many of them went out of their way to assist me and it would not be possible to name all of them. However, I would like to thank Puan Zunita Zakaria, Dr. Karim S. Ali, Mr. Mohad Ghrissi, Dr. Karim Alwan, Dr. Thamir Ahmed, Dr. Isam Mohamad Ali, Dr. Md Sabri Mohd. Yusoff, Dr. Mohd. Effendy Abd Wahid, Puan Hartina Khan, and Samuel Lihan.



I would like to thank the staff members of the post-mortem laboratory, Mr. Ghazali Md. Yusof, Mr. Noraziman Suliman and Mr. S. Apparao. I wish to thank Mr. Ho Oi Kuan, Ms Azilah Ab Jalil, and Puan Aminah Jusoh from the Electron Microscope Unit, Bioscience Institutes, UPM, for their kind assistance.

I am deeply indebted to Mr. Basri Kasim, Mr. Hajaraih Salamat, Mr. Mohd Noh Manaf, Mr. Mohd Jamil Samad and Mr. R. Kumar who were most helpful and generous with their time. I am very grateful to Mr. Zaid Othman, Mr. Fauzi Che Yusof and Mr. Mohd Isnain and to those who were involved either directly or indirectly in sharing their knowledge and skilled and assistance during this study.

Continuos moral supports and engorgement from my sister, brothers and brother in law Dr. Reyad Kamel during my study are deeply appreciated.

Grateful thanks are also conveyed to my supportive wife, Thouraya Ali Dragh and children Zeinab, Hussain and Ridah who have long put up with my late nights and weekends at the office so that I could complete this work.



TABLE OF CONTENTS

ACKNOWLEDGEMENTS	ii
LIST OF TABLES.....	ix
LIST OF FIGURES.....	xii
LIST OF PLATES	xiii
ABSTRACT.....	xxviii
ABSTRAK.....	xxxii
 CHAPTER	
I INTRODUCTION.....	1
II LITERATURE REVIEW.....	5
<i>Pasteurella multocida</i>	5
Bacterial Isolation and Identification.....	6
Isolation and Selective Media.....	6
Identification.....	7
Antigenic and Molecular Characteristics.....	9
Serotyping System.....	9
Molecular Characteristics	11
Prevalence.....	13
Antimicrobial Sensitivity.....	14
Virulence Factors and Pathogenicity.....	15
Clinical and Pathological Manifestations.....	18
Upper Respiratory Tract Infections.....	19
Lower Respiratory Tract Infections.....	22
Non-Respiratory Tract Infections.....	24
Pathogenesis	25
Host Response	27
Diagnosis	29
Bacterial Isolation	29
Serological Diagnosis.....	29
Control and Treatment	31
Barrier Housing to Prevent Exposure	31
Resistant Breed	31
Vaccination	32
Prophylaxis with Antimicrobial	33
Pasteurellosis in Malaysia	35
III ISOLATION, IDENTIFICATION AND SEROTYPING OF <i>Pasteurella multocida</i> FROM RABBITS	
Introduction.....	37
Materials and Methods.....	37
Bacterial Isolates.....	40
Bacterial Isolation.....	40



	Identification of <i>Pasteurella multocida</i>	41
	Capsular Typing.....	43
	Somatic Serotyping.....	43
	Sensitivity to Antimicrobial Agents.....	44
	Results	44
	Bacterial Isolates.....	44
	Correlation of <i>Pasteurella multocida</i> Isolation and the Age of Rabbits.....	45
	Correlation of <i>Pasteurella multocida</i> Capsular Types and Health Status of Rabbits.....	45
	Correlation of <i>Pasteurella multocida</i> Somatic Serotype and Health Status of Rabbits.....	46
	Sensitivity to Antimicrobial Agents.....	47
	Discussion.....	48
IV	MOLECULAR CHARACTERISATION OF <i>Pasteurella multocida</i> ISOLATES FROM RABBITS	
	Introduction.....	53
	Materials and Methods.....	57
	Bacteria.....	57
	Purification of Plasmids DNA.....	58
	Agarose Gel Electrophoresis of Plasmids DNA.....	59
	Preparation of Whole Cell Protein Samples.	59
	Polyacrylamide Gel Electrophoresis	60
	Random Amplified Polymorphic DNA (RAPD) Fingerprinting.....	61
	Extraction of Genomic DNA	61
	Polymerase Chain Reaction (PCR)	62
	Gel Electrophoresis of Amplification Products.....	63
	Results.....	64
	Plasmid DNA.....	64
	Protein Profiles.....	65
	RAPD Fingerprinting.....	71
	Discussion.....	76
V	PATHOGENICITY OF <i>Pasteurella multocida</i> SEROTYPE A:3 IN HYDROCORTISONE-TREATED AND NON-TREATED RABBITS	
	Introduction.....	83
	Materials and Methods	84
	Animals	84
	<i>Pasteurella multocida</i> Inoculum	85
	Experimental Design.....	85
	Pathology.....	86
	Enzyme Linked Immunosorbent Assay (ELISA)	89
	Statistics	90
	Results	91



	Clinical Signs	91
	Bacterial Isolation.....	91
	Gross Pathology.....	94
	Histopathological Findings.....	100
	Electron Microscopy	111
	Scanning Electron Microscopy	111
	Transmission Electron Microscopy	118
	ELISA.....	139
	Discussion.....	140
VI	PATHOGENICITY OF <i>Pasteurella multocida</i> SEROTYPES D:1 and D:3 IN HYDROCORTISONE-TREATED AND NON-TREATED RABBITS	
	Introduction.....	154
	Materials and Methods.....	155
	Animals.....	155
	<i>Pasteurella multocida</i> Serotypes D:1 and D:3 Inocula.....	156
	Detection of Dermonecrotic Toxin (DNT).....	156
	Experimental Design.....	157
	Pathology	159
	Results.....	159
	Results of Experimental Infection with Serotype D:1.....	159
	Dermonecrotic Toxin Production.....	159
	Clinical Signs	160
	Bacterial Isolation.....	161
	Gross Pathology.....	165
	Histopathology.....	168
	Results of Experimental Infection with Serotyp D:3	189
	Dermonecrotic Toxin Production	189
	Clinical Signs.....	189
	Bacterial Isolation	192
	Gross Pathology.....	193
	Histopathology.....	197
	Electron Microscopy.....	208
	Scanning Electron Microscopy	208
	Transmission Electron Microscopy	213
	Discussion.....	232
VII	IN VITRO STUDY OF <i>Pasteurella multocida</i> ADHESION TO TRACHEA, LUNG AND AORTA OF RABBITS	
	Introduction.....	245
	Materials and Methods.....	247
	Bacterial Strains.....	247
	Capsule Staining.....	247
	Haemagglutination Test.....	248
	Detection of Dermonecrotic Toxin.	249
	Detection of Fimbriae.....	249

<i>In Vitro</i> Adhesion of <i>P. multocida</i> to the Tissues.....	249
<i>Pasteurella multocida</i> Inoculum.....	250
Scoring	250
Statistic Analysis.....	251
Results	251
Adhesion to Trachea Explants.....	252
Adhesion to Lung Explants.....	255
Adhesion to Aorta Explants.....	257
Discussion	260
VIII GENERAL DISCUSSION	267
BIBLIOGRAPHY.....	285
PUBLICATIONS.....	312
APPENDIXES.....	314
A: Laboratory Reagents and Methods for Bacteriology and Molecular Biology.....	315
B: ELISA and Protein Estimation	321
C: Light- and Electron-Microscopy	325
D: Bacterial Isolation.	329
VITA.....	333



LIST OF TABLES

Table	Page	
3.1	Distribution of <i>Pasteurella multocida</i> Isolated from Healthy Rabbits and Diseased Rabbits (Rhinitis and Post-mortem Cases) According to age.....	46
3.2	<i>Pasteurella multocida</i> Capsular Types Isolated from Rabbits with Different Health Status.....	46
3.3	Distribution of <i>Pasteurella multocida</i> According to Serotypes and Health Status.....	47
3.4	<i>In Vitro</i> Antimicrobial Sensitivity of 82 <i>Pasteurella multocida</i> Isolates from Rabbits.....	48
4.1	Correlation Between the Plasmids Size with Serotype of <i>Pasteurella multocida</i> , Anatomical Sites of Isolation, and Health Status of Rabbits.....	64
4.2	Differences in Protein Profiles of <i>Pasteurella multocida</i> Isolates of Rabbits.....	69
4.3	Distribution of <i>Pasteurella multocida</i> Isolates According to the RAPD-PCR Fingerprinting Profiles with Primer 1.....	73
4.4	Distribution of <i>Pasteurella multocida</i> Isolates According to the RAPD-PCR Fingerprinting Profiles with Primer 2.....	73
4.5	Relationship Between Capsular Type of <i>Pasteurella multocida</i> and RAPD-PCR Fingerprinting Profiles with Primer 2.....	74
4.6	Relationship Between Serotypes of <i>Pasteurella multocida</i> and RAPD-PCR Fingerprinting Profiles with Primer 2.....	75
5.1	Lesion Score of the Gross Lung Lesions.....	87
5.2	Lesion Score of Microscopic Lung Lesions.....	88
5.3	Body Weight (Kg) of Experimentally Infected Rabbits with <i>Pasteurella multocida</i> type A:3 and Control Rabbits.....	92
5.4	Rectal Temperature of <i>Pasteurella multocida</i> Type A:3 Infected Rabbits Treated and Non-Treated with Hydrocortisone and Control Rabbits.....	93



5.5	<i>Pasteurella multocida</i> Isolation From Organs of Rabbits (Hydrocortisone Treated and Non-treated) Infected with <i>P. multocida</i> Type A:3.....	94
5.6	Types of Rhinitis in Infected Rabbits Among Groups.....	103
5.7	Distribution and Type of Lungs Lesions in Infected Rabbits Among groups.....	108
5.8	Gross and Histological Group Lesion Indices of Rabbits (Hydrocortisone-treated and Non- treated) Infected with <i>P. multocida</i> Serotype A:3	109
6.1	Body Weight (Kg) of Experimentally Infected Rabbits with <i>Pasteurella multocida</i> Type D:1 and Control Rabbits.....	162
6.2	Rectal Temperature of <i>Pasteurella multocida</i> Type D:1 Infected Rabbits Treated and Non-treated with Hydrocortisone and Control Rabbits.....	163
6.3	Isolation of <i>Pasteurella multocida</i> at Post-mortem from Different Organs of Rabbits Experimentally Infected with <i>P. multocida</i> Type D:1.....	164
6.4	A Summary of Pulmonary Lesions Produced in Rabbits Experimentally Infected with <i>Pasteurella multocida</i> Type D:1.....	176
6.5	Non-pulmonary Lesions Produced in Rabbits Experimentally Infected with <i>Pasteurella multocida</i> D:1.....	188
6.6	Rectal Temperature of <i>Pasteurella multocida</i> Type D:3 Infected Rabbits Treated and Non-treated with Hydrocortisone and Control Rabbits.....	190
6.7	Body Weight (Kg) of Experimentally Infected Rabbits with <i>Pasteurella multocida</i> Type D:3 and Control Rabbits.....	191
6.8	Isolation of <i>Pasteurella multocida</i> at Post-mortem from Different Organs of Rabbits Experimentally Infected with <i>P. multocida</i> Type D3	193
6.9	Pulmonary Lesions Produced in Rabbits Experimentally Infected with <i>Pasteurella multocida</i> Type D:3	203



6.10	Non-Pulmonary Lesions Produced in Rabbits Experimentally Infected with <i>Pasteurella multocida</i> D:3.....	207
7.1	Virulence Attributes of Three Different <i>Pasteurella multocida</i> Strains Isolated from Rabbits.....	252
7.2	Adherence of Different Serotypes (A:3 and D:1) of <i>Pasteurella multocida</i> to Rabbits Tracheal Explant at Different Post-inoculation Times Expressed as Mean.....	253
7.3	Adherence of Different Serotypes (A:3 and D:1) of <i>Pasteurella multocida</i> to Rabbits Lung Explant at Different Post-inoculation Times Expressed as Mean.....	257
7.4	Adherence of Different Serotypes (A:3 and D:1) of <i>Pasteurella multocida</i> to Rabbits Aorta Explant at Different Post-inoculation Times Expressed as Mean deviation.....	258



LIST OF FIGURES

Figure		Page
5.1	Serum IgG responses in rabbits against <i>P. multocida</i> following experimental nasal infection with <i>P. multocida</i>	140
7.1	Adherence of <i>Pasteurella multocida</i> serotypes A:3 and D:1 to a rabbit tracheal explant at different post-inoculation time...	253
7.2	Adherence of <i>Pasteurella multocida</i> serotypes A:3 and D:1 to a rabbit lung explant at different post-inoculation time.....	255
7.3	Adherence of <i>Pasteurella multocida</i> serotypes A:3 and D:1 to a rabbit aorta explant at different post-inoculation time....	258



LIST OF PLATES

Plate		Page
Plate 4.1	Agarose (0.7%) gel electrophoresis of plasmid DNA from <i>P. multocida</i> isolated from healthy and diseased rabbits. Plasmid molecular weights were determined by comparison with <i>Escherichia coli</i> V 517 marker plasmids of known molecular weights. Lanes 1 and 8 are molecular weight markers (in megadalton, Mda). Lanes 2-4 are of type A isolated from diseased rabbits. Lane 5 is of type A isolated from healthy rabbit. Lanes 6 and 7 are of type D isolated from diseased rabbits.....	65
Plate 4.2	Protein profiles of various <i>Pasteurella multocida</i> isolates analysed by SDS-PAGE. Lane 1, low molecular weight marker kilodalton kDa); lanes 2-5 (type D); lanes 6-11 (type A); lane 12 (type D) and lane 13, high molecular weight marker (kDa).....	67
Plate 4.3	Protein profiles of various <i>Pasteurella multocida</i> isolates type A analysed by SDS-PAGE. Lane 1, low molecular weight marker (kDa), and lane 13, high molecular weight marker (kDa).....	67
Plate 4.4	Protein profiles of various <i>Pasteurella multocida</i> isolates type A analysed by SDS-PAGE. Lane 1, low molecular weight marker (kDa), and lane 13, high molecular weight marker (kDa).....	68
Plate 4.5	Protein profiles of various <i>Pasteurella multocida</i> isolates analysed by SDS-PAGE. Lane 1, low molecular weight marker (kDa); lanes 2-3 (type D); lane 4 (type A); lane 5 (type D), and lane 6, high molecular weight marker (kDa).....	68
Plate 4.6	Fingerprinting obtained by RAPD with primer 1: lane 1, molecular size markers, lambda DNA digested by <i>EcoR</i> I and <i>Hind</i> III. lanes 2 and 12; profile 1, lane 3; profile 2, lanes 4 and 11; profile 3, lane 5; profile 4, lane 6 and 13; profile 5, and lanes 7, 8, and 9; profile 6. Lane 10, molecular size marker 1 kb.....	72
Plate 4.7	Plate 4.7: Fingerprinting obtained by RAPD with primer 2: lane 1, molecular size marker, lambda DNA digested by <i>EcoR</i> I and <i>Hind</i> III; the lanes from 2 to 17 represent the 15 different profiles. Lane 18, molecular weights size marker 1 kb.....	72



Plate 5.1	Photograph. Sagittal section of the head of a rabbit from Group 1 with rhinitis killed 14 days p.i.. Mucopurulent exudate (arrow) is adhering to the nasal turbinate.....	95
Plate 5.2	Photograph. Lung of a rabbit from Group 1 killed 14 days p.i. with large areas of consolidation in the left and right cardiac lobes and left apical lobe. Note also haemorrhages on the right and left apical and diaphragmatic lobes.....	97
Plate 5.3	Photograph. Lung of a rabbit from Group 1 killed 21 days p.i. with consolidated areas on the right apical and cardiac lobes with yellowish white firm nodules.....	97
Plate 5.4	Photograph. Liver of a rabbit from group 1 killed 14 days p.i.. Note the congested and swollen liver with multifocal yellowish white depressed areas on the surface.....	99
Plate 5.5	Photograph. Liver of a rabbit from Group 2 killed 21 days p.i. with a large gray focal area of necrosis in one hepatic lobe.....	99
Plate 5.6	Photomicrograph. Nasal mucosa section of a rabbit from Group 1 killed 14 days p.i.. Congestion of blood vessels in lamina propria with deposition of eosinophilic material in the wall of blood vessels. Heterophils are infiltrating the lamina propria and the necrotic surface epithelium. H&E X 350.....	101
Plate 5.7	Photomicrograph. Nasal mucosa section of a rabbit from Group 2 killed 21 days p.i.. Hyperplasia of goblet cells and infiltration of mononuclear cells in the lamina propria. H&E X 700.....	101
Plate 5.8	Photomicrograph. Nasal mucosa section of a rabbit from Group 2 killed 21 days p.i.. Ulceration of the surface epithelium and infiltration of mononuclear cells, predominantly macrophages, few lymphocytes and plasma cells with fibrosis in lamina propria. H&E X 180.....	102
Plate 5.9	Photomicrograph. Lung section of a rabbit from Group 1 killed 14 days p.i. Note fibrin deposition in the alveolar lumen with infiltration of heterophils, macrophages and plasma cells. H&E X 350.....	105
Plate 5.10	Photomicrograph. Lung section of a rabbit from Group 1 killed 21 days p.i.. Lung abscess surrounded by fibrous connective tissue infiltrated with mononuclear cells (predominantly macrophages and lymphocytes). H&E X 140.....	105

Plate 5.11	Photomicrograph. Lung section of a rabbit from Group 2 killed 21 days p.i.. Thickening of alveolar septae and pleura due to infiltration of heterophils and proliferation of fibroblasts. H&E X 350.....	107
Plate 5.12	Photomicrograph. Lung section of a rabbit from Group 2 killed 21 days p.i.. Hyperplasia of bronchial associated lymphoid tissue with infiltration of macrophages in the alveolar and bronchial lumina. H&E X 170.....	107
Plate 5-13	Photomicrograph. Liver section of a rabbit from Group 1 killed 14 days p.i.. Multifocal areas of necrosis with calcium deposition. Multinucleated giant cells surrounding the necrotic areas with degeneration of adjacent hepatocytes. H&E X 140...	110
Plate 5.14	Photomicrograph. Higher magnification of the previous section. Note necrosis of hepatocytes with calcium deposition. Multinucleated giant cells surrounding the necrotic areas with degeneration of adjacent hepatocytes. H&E X 350.....	111
Plate 5.15	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note severe loss of cilia of the nasal epithelium and presence of free red blood cells. SEM. Bar 10 μm	112
Plate 5.16	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 21 days p.i.. Note severely damaged mucosa and infiltration of leukocytes. SEM. Bar 10 μm	113
Plate 5.17	Electron micrograph. Nasal mucosa of a rabbit from Group 2 killed 14 days p.i.. Note hyperplasia of goblet cells and excessive secretion of mucus. SEM. Bar 10 μm	113
Plate 5.18	Electron micrograph. Trachea of a rabbit from Group 1 killed 14 days p.i.. Excessive mucus secretion. SEM. Bar 10 μm	114
Plate 5.19	Electron micrograph. Trachea of a rabbit from Group 1 killed 21 days p.i.. Note mucus secretion (arrows)and complete loss of cilia (arrow heads). SEM. Bar 10 μm	115
Plate 5.20	Electron micrograph. Trachea of a rabbit from Group 2 killed 21 days p.i.. Note focal loss of cilia and secretion of mucus. SEM. Bar 100 μm	115



Plate 5.21: Electron micrograph. Trachea of a rabbit from Group 3 killed 21 days p.i.. Normal ciliated epithelial cells with normal cilia. SEM. Bar 10 μm	116
Plate 5. 22 Electron micrograph. Lung of a rabbit from Group 1 killed 14 days p.i.. Note the thickening of alveolar wall due to hyperplasia of pneumocytes and infiltration of leukocytes. SEM. Bar 10 μm	117
Plate 5.23 Electron micrograph. Lung of a rabbit from Group 2 killed 21 days p.i.. Note bacterial colony attached on the pleural surface with infiltration of leukocytes and free red blood cells. SEM. Bar 10 μm	117
Plate 5.24: Electron micrograph. Lung of a rabbit from Group 3 killed 14 days p.i.. Note normal thin alveolar wall (arrow head) and empty alveolar lumens. SEM. Bar 10 μm	118
Plate 5. 25 Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i. loss of cilia, shortened microvilli (arrow head) and swelling of mitochondria (m), which has absence, disorganised or ballooned cristae (arrow). Note also the presence of opaque particles (op) in the mitochondrial matrix. Lead citrate & uranyl acetate TEM X 10,500.....	119
Plate 5.26 Electron micrograph: Nasal mucosa of a rabbit from Group 2 killed 14 days p.i.. Severely swollen epithelial cells with swollen mitochondria (m), dilated rough endoplasmic reticulum (Er), irregular nuclear membrane (arrow head) and distended nuclear space. Lead citrate & uranyl acetate TEM X 7,500.....	119
Plate 5.27 Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Bacterial cell (arrow heads) within membrane bound vacuoles inside the cytoplasm of degenerated epithelial cell. Note that mitochondria closely adhered to these vacuoles. Lead citrate & uranyl acetate TEM X 11,200....	121
Plate 5.28 Electron micrograph: Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note presence of balloon-like (B) structure on the lateral aspects of cilia containing a multilayered hemisphere structure. Lead citrate & uranyl acetate TEM X 86,500.....	122

Plate 5.29	Electron micrograph. Nasal mucosa of a rabbit from Group 2 killed 14 days p.i.. Note attachment (arrow) of the bacteria to the deformed cilia (dc). The bacterial outer membrane appeared fused to the membrane of the deformed cilia. Lead citrate & uranyl acetate TEM X 136,000.....	122
Plate 5.30	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i. Presence of bacteria (B) adjacent to the deformed microvilli. Lead citrate & uranyl acetate TEM X 133,000.	123
Plate 5.31	Electron micrograph: Nasal mucosa of a rabbit from Group 2 killed 14 days p.i.. Note degenerated epithelial cell with dilated rough endoplasmic reticulum (Er) and swelling of mitochondria (m) with loss of their cristae. Note infiltration of heterophils (H) between the degenerated epithelial cell. Lead citrate & uranyl acetate TEM X 7,500.....	123
Plate 5-32	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 21 days p.i .. Note eosinophil has large crystalloid cytoplasmic granules (arrows) which infiltrated the lamina propria adjacent to plasma cells (P). Lead citrate & uranyl acetate TEM X 15,000.....	124
Plate 5.33	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note intravascular fibrin (F) deposition adjacent to the endothelial cell (E). The endothelial cell is swollen and has dilated mitochondria (m). Lead citrate & uranyl acetate TEM X 10,000.....	124
Plate 5.34	Electron Micrograph. Nasal mucosa of a rabbit from Group 2 killed 21 days p.i.. Elongation of goblet cell which contains many vacuoles with mucus (M) toward the nasal cavity. Lead citrate & uranyl acetate TEM X 9,600.....	125
Plate 5.35	Electron micrograph. Nasal mucosa of a rabbit from Group 2 killed 21 days p.i.. Note secretory plasma cells contain extensive rough endoplasmic reticulum and globulin laden granules (arrow heads) inside the cytoplasm. Lead citrate & uranyl acetate TEM X 9,000.....	126
Plate 5.36	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note the blebbing (b) in cell membrane of the mucosal gland epithelium and disorganised mitochondria (arrow head). Lead citrate & uranyl acetate TEM X 12,500....	127



Plate 5.37	Electron micrograph. Nasal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note the thickening of capillary wall due to the deposition of electron-opaque material (op) under the endothelial cell and within the basement membrane. Lead citrate & uranyl acetate TEM X 15,700.....	127
Plate 5.38	Electron micrograph. Higher magnification of the previous section. Note the deposition of electron-opaque (op) structureless material. Lead citrate & uranyl acetate TEM X 34,000.....	128
Plate 5.39:	Electron micrograph. Nasal mucosa of a rabbit from Group 3 killed 14 days p.i.. Note the normal structure of epithelial cells (E), cilia (arrow heads) and organelles (arrows). Lead citrate & uranyl acetate. TEM X 2,900.	128
Plate 5.40	Electron micrograph. Tracheal mucosa of a rabbit from Group 1 killed 14 days p.i.. Note the swelling of the epithelial cells and severe vacuolation of their cytoplasm. The organelles are scattered inside the vacuolated cytoplasm. Lead citrate & uranyl acetate TEM X 2,250.....	130
Plate 5.41	Electron micrograph. Tracheal mucosa of a rabbit from Group 1 killed 14 days p.i.. Focal ballooning of microvilli tip. The ballooned microvilli have multilayered membrane and contained an oval multilayered structure with homogenous electron-lucent material (arrow head). Note that microvilli adjacent to this deformed micorvilli is club-shaped. Lead citrate & uranyl acetate TEM X 77,000.....	131
Plate 5.42	Electron micrograph. Lung of a rabbit from Group 1 killed 14 days p.i.. The intracellular vacuoles (V) in the pneumocytes type II are dilated and coalesced to each other. The dense-lamellar material is disrupted and reduced in density. Lead citrate & uranyl acetate TEM X 5,500.....	132
Plate 5.43	Electron micrograph. Lung of a rabbit from Group 1 killed 21 days p.i.. Note eosinophil (E) infiltration in the interstitial tissue beside heterophil (H) and plasma (P) cell. Lead citrate & uranyl acetate TEM X 4,670.....	133
Plate 5.44	Electron micrograph. Higher magnification of the previous section. Note the crystalloid intracytoplasmic granules (arrow heads) of an eosinophil. Lead citrate & uranyl acetate TEM X 8.750.....	133



Plate 5.45	Electron micrograph. Lung of a rabbit from Group 2 killed 14 days p.i.. Note the alveolar macrophage (AM) laden with remnant of degenerated heterophils (arrow head). Lead citrate & uranyl acetate TEM X 5,300.....	134
Plate 5.46	Electron micrograph: Lung of a rabbit from Group 2 killed 21 days p.i.. Note the phagosomes (arrow heads) inside the cytoplasm of an alveolar macrophage. Lead citrate & uranyl acetate TEM X 8,600.....	134
Plate 5.47	Electron micrograph. Lung of a rabbit from Group 1 killed 21 days p.i. Note the intravascular fibrin (f) deposition and some being engulfed by pulmonary macrophages (Pm). Lead citrate & uranyl acetate TEM X 10,000.....	135
Plate 5.48	Electron micrograph. Lung of a rabbit from Group 1 killed 21 days p.i.. Note the fibrin (f) deposition in the alveolar lumen. Lead citrate & uranyl acetate TEM X 16,400.....	136
Plate 5.49	Electron micrograph. Lung of a rabbit from Group 1 killed 14 days p.i. Note the swelling of pneumocytes type I with dilatation of their mitochondria (m) and containing intracytoplasmic bacterial cells (arrow heads) within vacuoles. The cell is protruding and appeared about to detach into the alveolar lumen. Lead citrate & uranyl acetate TEM X 8,260.....	136
Plate 5.50	Electron micrograph. Lung of a rabbit from Group 2 killed 21 days p.i.. Note a cluster of hyperplastic pneumocytes (Pn) type II on the basement membrane with infiltration of heterophils. Lead citrate & uranyl acetate TEM X 4,770.....	137
Plate 5.51	Electron micrograph. Lung of a rabbit from Group 2 killed 14 days p.i.. Note the sloughed necrotic pneumocyte (np) type II inside the alveolar lumen with infiltration of a heterophil (H) adjacent the degenerated pneumocytes. Lead citrate & uranyl acetate TEM X 5,900.....	137
Plate 5.52	Electron micrograph. Lung of a rabbit from Group 1 killed 21 days p.i.. Note fibroblast and collagen fibre (CF) production in the interstitium beside heterophils (h) infiltration. Lead citrate & uranyl acetate TEM X 8,400.	138
Plate 5.53:	Electron micrograph. Lung of a rabbit from Group 3 killed 21 days p.i.. Note thin interalveolar septae (arrow), flat pneumocytes (arrow heads) and alveolar macrophages (AM). Lead citrate & uranyl acetate TEM X 8,400.	139

Plate 6.1	Photograph. Skin of a guinea pig injected intradermally with infiltrate of two different <i>Pasteurella multocida</i> strains. Note the zone of necrosis with adjacent red and swollen skin lesion 48 hrs p.i. at the site of type D:3 injection (arrow). The negative zone showed no cutaneous reaction (arrow head).....	160
Plate 6.2	Photograph. Lungs and heart of rabbit from Group 1 that died 6 days p.i. Fibrin deposition on the pleura and pericardium.....	166
Plate 6.3	Photograph. Head of a rabbit from Group 1 that died 19 days p.i.. Submandibular firm white mass surrounded by a thick fibrous capsule with ulceration.....	167
Plate 6.4	Photograph. A firm mass was removed from the submandibular region of a rabbit from Group 1 that died 19 days p.i. consists of yellowish creamy abscess tinged with blood.....	167
Plate 6.5	Photomicrograph. Nasal mucosa of a rabbit from Group 1 that died 12 days p.i.. Haemorrhage and fibrin deposition on the surface epithelium with sloughing of epithelial cells. Infiltration of heterophils and mononuclear cells in the lamina propria. H&E X 140.....	169
Plate 6.6	Photomicrograph. Nasal mucosa at higher magnification of the above section. Note the fibrin threads mixed with free red blood cells and few heterophils. Oedema and mononuclear cell infiltration are also observed in lamina propria. H&E X 350....	169
Plate 6.7	Photomicrograph. Trachea of a rabbit from Group 1 died 7 days p.i.. Note the congestion of mucosal blood vessels, oedema and mild infiltration of heterophils and mononuclear cells in the lamina propria. H&E X 350.....	171
Plate 6.8	Photomicrograph. Trachea of a rabbit from Group 1 died 19 days p.i.. Note the aggregation of degenerated heterophils mixed with necrotic debris and bacterial colonies on the serosal layer of trachea surrounded by fibrous connective tissue capsule with infiltration of mononuclear cells. H&E X 140.	172
Plate 6.9	Photomicrograph. Lung of a rabbit from Group 1 died 7 days p.i.. Severe congestion of pulmonary artery and interalveolar capillaries with precipitation of acidophilic proteinaceous exudate in the interstitium and alveolar lumen. Infiltration of few heterophils and lymphocytes. H&E X 140.....	173

Plate 6.10	Photomicrograph. Higher magnification of the above section showing engorged interalveolar capillaries and oedema inside alveolar lumens. H&E X 350.....	173
Plate 6.11:	Photomicrograph. Lung of a rabbit from Group 1 that died 12 days p.i.. Note fibrin threads deposition in the alveolar lumen and infiltration of mononuclear cells predominantly macrophages and lymphocytes. Note also presence of bacterial colonies in alveolar lumina. H&E X 350.	175
Plate 6.12	Photomicrograph. Lung of a rabbit from Group 1 killed 14 days p.i.. Note aggregation of degenerated heterophils in the alveolar lumen and interstitium. H&E X 140.....	175
Plate 6.13	Photomicrograph. Kidney of a rabbit from Group 1 died 7 days p.i.. Congestion of intertubular capillaries and sloughing of necrotic epithelial lining of renal tubules. H&E X 350.	178
Plate 6.14	Photomicrograph. Liver of a rabbit from Group 1 killed 14 days p.i.. Note congestion of central vein and sinusoidal capillaries. Vacuolation of hepatocytes and disarrangement of sinusoids. H&E X 350.....	179
Plate 6.15	Photomicrograph. Heart of a rabbit from Group 1 died 12 days p.i.. Subepicardial haemorrhage with thickening of pericardium due o fibrin deposition. H&E X 350.:.....	181
Plate 6.16	Photomicrograph. Heart of a rabbit from Group 1 that killed 19 days p.i.. Note the oedematous separation between muscle bundles and vacuolation of the sarcoplasm of muscle fibers. H&E X 700.	181
Plate 6.17	Photomicrograph. Myocardium of a rabbit from Group 2 that died 3 days p.i.. Note infiltration of heterophils and mononuclear cells with oedematous separation between the degenerated muscle fibers. H&E X 350.....	182
Plate 6.18	Photomicrograph. Heart of a rabbit from Group 2 that died 3 days p.i.. Note the thickening of pericardium due to infiltration of heterophils and mononuclear cells. Free red blood cells mixed with bacterial colonies are also observed. H&E X 350....	182
Plate 6.19	Photomicrograph. Brain of a rabbit from Group 1 that died 12 days p.i.. Note congestion of capillaries in meninges and brain matrix with presence of bacterial colonies inside blood capillaries. Microgliosis is also seen in the brain matrix. H&E X 350.....	184

Plate 6.20	Photomicrograph. Brain of a rabbit from Group 1 that died 12 days p.i.. Focal aggregation of heterophils in the brain matrix. H&E X 350.....	184
Plate 6.21	Photomicrograph. Brain of a rabbit from Group 2 that killed 21 days p.i.. Severe infiltration of heterophils and few mononuclear cells in the meninges and brain matrix. H&E X 350.	185
Plate 6.22	Photomicrograph. Subcutaneous tissue of a rabbit from Group 1 died 19 days p.i.. Note necrosis of skeletal muscle with calcium deposition. Infiltration of degenerated heterophils, mononuclear cells and proliferation of fibroblast are also observed. H&E X 350.....	186
Plate 6.23	Photomicrograph. Salivary gland of a rabbit from Group 1 died 19 days p.i.. Note necrosis of glandular epithelium with infiltration of the degenerated heterophils and mononuclear cells in the glandular tissue. H&E X 350.....	189
Plate 6. 24	Photograph. Sagittal section of a head of a rabbit from Group 2 died 2 days p.i.. Note congestion of the nasal mucosa and haemorrhage in the nasal cavity.	194
Plate 6.25	Photograph Lung of a rabbit from Group 1 died 5 days p.i.. Note congestion of lungs and deposition of fibrin on the pleura.....	196
Plate 6.26	Photograph. Kidneys of a rabbit from Group 2 died 4 days p.i.. Longitudinal section of congested and oedematous kidney.	196
Plate 6.27	Photomicrograph. Nasal mucosa of a rabbit from Group 1 died 5 days p.i.. Note congestion of mucosal blood vessels with the presence of bacterial colonies inside the blood vessels. Mononuclear cell infiltration in the lamina propria. H&E X 350.	198
Plate 6.28	Photomicrograph. Trachea of a rabbit from Group 2 died 3 days p.i.. Note haemorrhage on the surface epithelium and congestion of the mucosal and submucosal blood vessels. H&E X 350.....	199
Plate 6.29	Photomicrograph. Lungs of a rabbit from Group 1 died 4 days p.i.. Severe congestion of the pulmonary artery and interalveolar capillaries with haemorrhages. Proteinaceous material is also observed in the alveolar lumen beside thickening of pleura as a result of fibrin deposition and mononuclear cells infiltration. H&E X 140.....	201

