



UNIVERSITI PUTRA MALAYSIA

A STUDY ON THE BIOLOGY AND STATUS OF THREADFIN BREAM
(FAMILY: NEMIPTERIDAE) WITH SPECIAL REFERENCE TO
N. PERONII CAUGHT IN WATERS OFF THE
TERENGGANU COAST

MOHD ZAKI MOHD SAID

FPSS 1988 1

A STUDY ON THE BIOLOGY AND STATUS OF THREADFIN BREAM
(FAMILY: NEMIPTERIDAE) WITH SPECIAL REFERENCE TO N. PERONII
CAUGHT IN WATERS OFF THE TERENGGANU COAST

by

MOHD ZAKI MOHD SAID

A thesis submitted in partial fulfilment of the
requirements for the degree of Doctor of Philosophy
in the Faculty of Fisheries and Marine Science,
Universiti Pertanian Malaysia

May, 1988



Dedication

This work is dedicated to all the members in my family



ACKNOWLEDGEMENT

I would like to express my greatest appreciation to Dr. Abu Khair Mohammad Mohsin who has been very patient in the supervision of this study. I am also indebted to Dr. Mohd. Azmi Ambak, the Dean of the Faculty of Fisheries and Marine Science, for his comments and suggestions.

I wish to express my gratitude to Nelson Marshall of the University of Rhode Island for his advice on the scope of the study and to Dr. John Munro of ICLARM for securing funds from FAO for Length-Frequency analysis at ICLARM.

I am also expressing my thanks to Dr. Daniel Pauly for his help and advice in data analysis during my visit to ICLARM. Thanks also go to Dr. Harlem Lampe for his advice on some statistical analysis.

Thanks are also due to all the staff of the Faculty of Fisheries and Marine Science both in Serdang and Kuala Terengganu who have given support for the success of this study.

Finally, my thanks to UPM for the research funding and facilities for carrying out the research.

TABLE OF CONTENTS

| | Page |
|--|--------|
| ACKNOWLEDGEMENTS..... | iii |
| TABLE OF CONTENTS..... | iv |
| LIST OF TABLES..... | xiii |
| LIST OF FIGURES..... | xvii |
| LIST OF PLATES..... | xxii |
| LIST OF APPENDICES..... | xxiii |
| LIST OF ABBREVIATIONS..... | xxiv |
| ABSTRACT..... | xxv |
| ABSTRAK..... | xxviii |
| CHAPTER 1 – INTRODUCTION..... | 1 |
| INTRODUCTION TO THE MALAYSIAN FISHERIES..... | 1 |
| STATUS OF MALAYSIAN FISHERIES..... | 5 |
| TRAWL FISHERY..... | 8 |
| STATE OF THE FISHERY RESOURCES..... | 10 |
| RESEARCH..... | 12 |
| OBJECTIVES..... | 13 |
| CHAPTER 2 – LITERATURE REVIEW..... | 15 |
| IDENTIFICATION AND DISTRIBUTION..... | 16 |
| Geographical Distribution..... | 16 |
| Spatial Distribution..... | 19 |
| FOOD AND FEEDING HABITS..... | 21 |
| LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR..... | 24 |

| | Page |
|---|------|
| REPRODUCTION..... | 29 |
| Stage I (immature ova):..... | 33 |
| Stage II (maturing ova):..... | 33 |
| Stage III (maturing ova):..... | 33 |
| Stage IV (mature ova):..... | 33 |
| Stage V (fully matured):..... | 34 |
| Stage VI (ripe):..... | 34 |
| AGE, GROWTH AND MORTALITY..... | 36 |
| FISHERY..... | 44 |
| CHAPTER 3 – THE STUDY AREA..... | 50 |
| INTRODUCTION..... | 50 |
| DESCRIPTION OF THE SUBAREAS..... | 51 |
| Inshore Region (Subarea I)..... | 51 |
| Middle Region (Subarea II)..... | 53 |
| Offshore Region (Subarea III)..... | 55 |
| WEATHER AND SEA CONDITION..... | 56 |
| STATUS OF FISHERY INDUSTRY AROUND THE STUDY AREA. | 57 |
| CHAPTER 4 – MATERIALS AND METHODS..... | 64 |
| INSHORE REGION (Subarea I)..... | 64 |
| MIDDLE REGION (Subarea II)..... | 66 |
| OFFSHORE REGION (Subarea III)..... | 66 |
| TAXONOMY AND SYSTEMATICS..... | 68 |
| LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR.. | 72 |

| | Page |
|--|--------|
| FOOD AND FEEDING HABITS OF <u>N. PERONII</u> | 72 |
| REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u> | 73 |
| POPULATION DYNAMICS..... | 74 |
| FISHERY..... | 75 |
| CHAPTER 5 – TAXONOMY AND SYSTEMATICS..... | 76 |
| INTRODUCTION..... | 76 |
| MATERIALS AND METHODS..... | 79 |
| Collection of Specimens..... | 79 |
| Measurement and Count..... | 80 |
| Key to the Species of <u>Nemipterus</u> | 80 |
| The Description of the Species..... | 80 |
| The Morphometric and Meristic Characters..... | 81 |
| Variations in Growth of Morphometric Characters | 85 |
| Variations among Dominant Species..... | 86 |
| RESULTS AND DISCUSSION..... | 88 |
| General Description of the Genus, <u>Nemipterus</u> (Swainson), 1839..... | 88 |
| Key to the Species of <u>Nemipterus</u> Found off the Terengganu Coast..... | 89 |
| THE DESCRIPTION..... | 93 |
| <u>Nemipterus tolu</u> | 93 |
| Synonyms:..... | 93 |
| General Characters:..... | 94 |
| Live Colour:..... | 96 |

| | Page |
|---|------|
| <u>Nemipterus peronii</u> | 97 |
| Synonyms:..... | 97 |
| General Characters:..... | 98 |
| Live Colour:..... | 99 |
| <u>Nemipterus marginatus</u> | 100 |
| Synonyms:..... | 100 |
| General Characters:..... | 100 |
| Live Colour:..... | 102 |
| <u>Nemipterus delagoe</u> Smith..... | 103 |
| Synonyms:..... | 103 |
| General Characters:..... | 103 |
| Live Colour:..... | 104 |
| <u>Nemipterus hexodon</u> (Quoy & Gaimard)..... | 105 |
| Synonyms:..... | 105 |
| General Characters:..... | 106 |
| Live Colour:..... | 107 |
| <u>Nemipterus tambuloides</u> | 109 |
| Synonyms:..... | 109 |
| General Characters:..... | 110 |
| Live Colour:..... | 111 |
| <u>Nemipterus japonicus</u> | 114 |
| Synonyms:..... | 114 |
| General Characters:..... | 115 |
| Live Colour:..... | 116 |

| | Page |
|---|------|
| <u>Nemipterus nemurus</u> | 117 |
| Synonyms:..... | 117 |
| General Characters:..... | 118 |
| Live Colour:..... | 119 |
| <u>Nemipterus mesoprion</u> | 121 |
| Synonyms:..... | 121 |
| General Characters:..... | 122 |
| Live Colour:..... | 123 |
| <u>Nemipterus bathybus</u> | 124 |
| Synonyms:..... | 124 |
| General Characters:..... | 124 |
| Live Colour:..... | 126 |
| SUMMARY..... | 126 |
| VARIATION IN GROWTH OF MORPHOMETRIC CHARACTERS... | 129 |
| VARIATION AMONG DOMINANT SPECIES..... | 136 |
| MERISTIC CHARACTERS..... | 142 |
| CHAPTER 6 – LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR..... | |
| INTRODUCTION..... | 149 |
| MATERIALS AND METHODS..... | 152 |
| Length-weight Measurements..... | 152 |
| Treatment of the Data..... | 154 |
| Relationship of Various Lengths..... | 155 |
| Statistical Test..... | 155 |

| | Page |
|---|------|
| RESULTS AND DISCUSSION..... | 158 |
| Length-weight Relationship of <u>N. peronii</u> | 158 |
| Length-weight Relationship of <u>N. nemurus</u> | 165 |
| Length-weight Relationship of <u>N. marginatus</u> ... | 167 |
| Length-weight Relationship of <u>N. tambuloides</u> .. | 169 |
| Length-weight Relationship of <u>N. nematophorus</u> . | 171 |
| Length-weight Relationship of <u>N. bathybus</u> | 173 |
| Condition Factor of <u>N. peronii</u> | 176 |
| Relationship of Various Lengths..... | 178 |
| Middle Region..... | 178 |
| Inshore Region..... | 178 |
| Offshore Region..... | 178 |
| CHAPTER 7 - FOOD AND FEEDING HABITS OF <u>N. PERONII</u> .. | 181 |
| INTRODUCTION..... | 181 |
| MATERIALS AND METHODS..... | 184 |
| Collection of Specimens..... | 184 |
| Analysis of Food Items..... | 185 |
| Frequency of Occurance..... | 185 |
| RESULTS AND DISCUSSION..... | 187 |
| Food Composition..... | 187 |
| Food by Months..... | 189 |
| Food by Seasons..... | 203 |
| Food by Length Classes..... | 211 |
| Food by Sex..... | 220 |

| | Page |
|--|------|
| CHAPTER 8 – REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u> | 227 |
| INTRODUCTION..... | 227 |
| MATERIALS AND METHODS..... | 230 |
| Sex Ratio..... | 230 |
| Fecundity..... | 231 |
| Time of Spawning..... | 232 |
| RESULTS AND DISCUSSION..... | 232 |
| Sex Ratio..... | 232 |
| Fecundity..... | 237 |
| Time of Spawning..... | 244 |
| Occurrence of Mature Females..... | 246 |
| CHAPTER 9 – POPULATION DYNAMICS..... | 248 |
| INTRODUCTION..... | 248 |
| MATERIALS AND METHODS..... | 250 |
| <u>N. PERONII</u> | 250 |
| Estimation of Growth Parameters from Length Frequency Data..... | 251 |
| Estimation of Mortality..... | 259 |
| Selection Patterns..... | 262 |
| Recruitment Patterns..... | 263 |
| <u>N. NEMURUS</u> , <u>N. MARGINATURS</u> AND <u>N. TAMBULOIDES</u> | 264 |
| RESULTS AND DISCUSSION..... | 265 |
| <u>N. PERONII</u> | 265 |
| Growth..... | 265 |

| | Page |
|--|------|
| Mortality..... | 271 |
| Selection Patterns..... | 277 |
| Recruitment Patterns..... | 281 |
| <u>N. NEMURUS</u> , <u>N. MARGINATIUS</u> AND <u>N. TAMBULOIDES</u> | 281 |
| CHAPTER 10 – FISHERY FOR NEMIPTERIDAE..... | 292 |
| INTRODUCTION..... | 292 |
| MATERIALS AND METHODS..... | 296 |
| Middle Region..... | 296 |
| Inshore Region..... | 297 |
| Offshore Region..... | 297 |
| RESULTS AND DISCUSSION..... | 298 |
| Middle Region..... | 298 |
| Catch Per Unit Effort (CPUE)..... | 298 |
| Catch Composition of Threadfin Bream..... | 300 |
| Seasonal Variation in Catch..... | 302 |
| Percentage Composition of <u>N. Peronii</u> | 305 |
| Size Range of <u>N. Peronii</u> | 306 |
| Inshore Region..... | 306 |
| Composition and Catch Per Unit Effort (CPUE).. | 310 |
| Offshore Region..... | 310 |
| Catch Per Unit Effort (CPUE)..... | 312 |
| Size Range of Nemipterus Species..... | 314 |
| Catch Composition of Threadfin Bream..... | 322 |
| Species Distribution..... | 323 |

| | Page |
|---|------|
| Species Occurrence..... | 325 |
| CHAPTER 11 – GENERAL DISCUSSION..... | 328 |
| TAXONOMY AND SYSTEMATIC..... | 328 |
| LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR.. | 333 |
| FOOD AND FEEDING HABITS..... | 335 |
| REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u> | 338 |
| POPULATION DYNAMICS..... | 340 |
| FISHERY..... | 344 |
| CHAPTER 12 – SUMMARY..... | 348 |
| BIBLIOGRAPHY..... | 352 |
| APPENDICES..... | 362 |

LIST OF TABLES

| Table | Description | Page |
|-------|---|------|
| 1 | Parameters of the length-weight relationship in <u>Nemipterus</u> species taken from different localities..... | 30 |
| 2 | Summary of the spawning period (months) by species from different localities..... | 37 |
| 3 | Parameters of the von Bertalanffy growth formula (VBGF) for different <u>Nemipterus</u> species..... | 43 |
| 4 | Average catch per hour for 22 pelagic trawl hauls taken in the east coast of Peninsular Malaysia, 10th - 25th June, 1980..... | 60 |
| 5 | Average catch rates of dominant families in different depths taken in the east coast of Peninsular Malaysia, 10th - 25th, June, 1980..... | 61 |
| 6 | Weight and percentage of the total catch of major species of fish caught in the offshore region..... | 63 |
| 7 | Relevant statistics of the canonical discriminant functions..... | 137 |
| 8 | Standardized canonical discriminant function coefficients..... | 139 |
| 9 | Variation in some meristic characters of <u>N. bathybus</u> | 143 |
| 10 | Variation in some meristic characters of <u>N. tambuloides</u> | 144 |
| 11 | Variation in some meristic characters of <u>N. marginatus</u> | 145 |
| 12 | Variation in some meristic characters of <u>N. nematophorus</u> | 146 |
| 13 | Variation in some meristic characters of <u>N. nemurus</u> | 147 |

| Table | Description | Page |
|-------|---|------|
| 14 | Variation in some meristic characters of <u>N. peronii</u> | 148 |
| 15 | Analysis of covariance between males and females <u>N. peronii</u> sampled from Middle Region (Redang group of islands)..... | 156 |
| 16 | The monthly condition factor of males and females <u>N. peronii</u> during the study period, April 1982 to March 1983..... | 177 |
| 17 | Monthly frequency of occurrence of various food items in the stomach of <u>N. peronii</u> during the study period..... | 190 |
| 18 | Monthly occurrence of various food items by weight in the stomach of <u>N. peronii</u> during the study period..... | 193 |
| 19 | Monthly occurrence of various food items by number in the stomach of <u>N. peronii</u> during the study period..... | 196 |
| 20 | Monthly stomach fullness of <u>N. peronii</u> during the study period..... | 200 |
| 21 | Index of relative importance of the common food items in the diets of <u>N. peronii</u> during the study period..... | 202 |
| 22 | Index of relative importance of the common food items in the diets of <u>N. peronii</u> by seasons..... | 210 |
| 23 | The frequency of occurrence of various food items in stomachs of different length classes of <u>N. peronii</u> | 212 |
| 24 | The stomach fullness and the percentage of empty stomachs in different length classes of <u>N. peronii</u> | 218 |
| 25 | Index of relative importance of the common food item in the diet of <u>N. peronii</u> by length classes..... | 219 |
| 26 | The frequency of occurrence (%) of various food items in the stomachs of males, females and indeterminate <u>N. peronii</u> | 221 |

| Table | Description | Page |
|-------|--|------|
| 27 | The percentage weight composition of various food items in the stomachs of males, females and indeterminates <u>N. peronii</u> | 221 |
| 28 | The composition by number (%) of various food items in the stomach of males, females and indeterminates <u>N. peronii</u> . | 221 |
| 29 | Index of relative importance of the common food items in the diets of <u>N. peronii</u> by sex..... | 225 |
| 30 | Monthly sex ratio of threadfin fish, <u>N. peronii</u> sampled from May 1982 to April 1983 off the Terengganu Coast..... | 233 |
| 31 | Sex ratio of threadfin fish, <u>N. peronii</u> in various length classes (midlengths), sampled from May 1982 to April 1983 off the Terengganu Coast..... | 235 |
| 32 | Fecundity of <u>N. peronii</u> in relation to standard length, body weight and ovary weight..... | 238 |
| 33 | The parameters of the relationship between total fecundity (F) and body weight (BW), standard length (SL) and ovary weight (OW) in <u>N. peronii</u> collected off the Terengganu Coast..... | 242 |
| 34 | Length-frequency data of combined samples of <u>N. peronii</u> sampled from March 1982 to April 1983..... | 252 |
| 35 | Length-frequency data of male samples of <u>N. peronii</u> sampled from March 1982 to April 1983 in Redang group of islands..... | 253 |
| 36 | Length-frequency data of female samples <u>N. peronii</u> sampled from March 1982 to April 1983 in Redang group of islands..... | 254 |
| 37 | ELEFEN 1 runs of female samples of <u>N. peronii</u> | 256 |
| 38 | ELEFEN 1 runs of male samples of <u>N. peronii</u> | 257 |

| Table | Description | Page |
|-------|---|------|
| 39 | ELEFAN 1 runs of combined samples of <u>N. peronii</u> | 258 |
| 40 | Growth parameter values and related 'ELEFEN 1' outputs taken from length-frequency samples of <u>N. peronii</u> | 266 |
| 41 | Mean length of the different age groups of threadfin bream from the Offshore Region as determined from probility paper..... | 289 |
| 42 | The von Bertalanffy growth constant of threadfin bream from the Offshore Region... | 289 |
| 43 | Catch per trawl (kg/3-Hour) of the threadfin bream for 12-month study period from March 1982 to February 1983 from Redang group of islands (Middle Region)... | 299 |
| 44 | The percentage in the overall catch and the catch per unit effort of the threadfin bream caught in the inshore area during April to September 1983..... | 311 |
| 45 | Diurnal catch composition of <u>Nemipterus spp</u> | 313 |
| 46 | Range of sizes of <u>Nemipterus</u> species from Terengganu coast..... | 315 |
| 47 | Catch composition by number and weight of <u>Nemipterus</u> species caught in the Offshore Region..... | 324 |
| 48 | Distribution of <u>Nemipterus</u> species in the survey area according to sampling stations..... | 326 |
| 49 | The table showing the locations and the number of species in the area..... | 330 |

LIST OF FIGURES

| Figure | Description | Page |
|--------|--|------|
| 1 | Map showing Peninsular Malaysia, Sabah and Sarawak and adjacent seas..... | 2 |
| 2 | Map showing the study area S1=Subarea I, S2=Subarea II, S3 = Subarea III..... | 52 |
| 3 | Map showing Redang group of islands - Middle Region - Subarea II..... | 54 |
| 4 | Design of the trawl net used in Inshore Region..... | 65 |
| 5 | Design of the trawl net used in Middle Region..... | 67 |
| 6 | Design of the trawl net used in Offshore Region..... | 69 |
| 7 | Map showing the sampling stations in Subarea III (Offshore Region)..... | 70 |
| 8 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. peronii</u> | 130 |
| 9 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. nemurus</u> | 131 |
| 10 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. bathybus</u> | 132 |
| 11 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. marginatus</u> | 133 |
| 12 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. tambulooides</u> | 134 |

| Figure | Description | Page |
|--------|--|------|
| 13 | Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. nematophorus</u> | 135 |
| 14 | Territorial map showing the relationship between five species of <u>Nemipterus</u> | 141 |
| 15 | The relationship of length and weight of male <u>N. peronii</u> taken from the Middle Region..... | 159 |
| 16 | The relationship of length and weight of female <u>N. peronii</u> taken from the Middle Region..... | 161 |
| 17 | The relationship of length and weight of <u>N. peronii</u> taken from the Inshore Region.. | 164 |
| 18 | The relationship of length and weight of <u>N. peronii</u> from Offshore Region..... | 166 |
| 19 | The relationship of length and weight of <u>N. nemurus</u> from the Offshore Region..... | 168 |
| 20 | The relationship of length and weight of <u>N. marginatus</u> from the Offshore Region.... | 170 |
| 21 | The relationship of length and weight of <u>N. tambuloides</u> from the Offshore Region... | 172 |
| 22 | The relationship of length and weight of <u>N. nematophorus</u> from the Offshore Region.. | 174 |
| 23 | The relationship of length and weight of <u>N. bathybus</u> from the Offshore Region. | 175 |
| 24 | Monthly frequency of occurrence of the various food items in the stomach of <u>N. peronii</u> during the study period..... | 192 |
| 25 | Monthly occurrence of various food items by weight for <u>N. peronii</u> expressed in percentge..... | 195 |
| 26 | Monthly occurrence of various food items by number for <u>N. peronii</u> expressed in percentage..... | 197 |

| Figure | Description | Page |
|--------|--|------|
| 27 | Montly variation of the percentage of empty stomachs in <u>N. peronii</u> | 199 |
| 28 | Stomach fullness of <u>N. peronii</u> during the study period..... | 201 |
| 29 | The percentage frequency of occurrence of various food items in <u>N. peronii</u> during the monsoon and non-monsoon period..... | 204 |
| 30 | Weight composition of various items in the stomachs of <u>N. peronii</u> during monsoon and non-monsoon period..... | 206 |
| 31 | The percentage by number of various items in the stomachs of <u>N. peronii</u> during monsoon and non-monsoon period..... | 207 |
| 32 | Feeding intensity (%) of <u>N. peronii</u> during monsoon and post-monsoon period..... | 209 |
| 33 | The weight composition (%) of various food items in different length classes of <u>N. peronii</u> | 214 |
| 34 | The percentage by number of various food itemd in different length classes of <u>N. peronii</u> | 215 |
| 35 | Feeding intensity of juveniles males, females <u>N. peronii</u> | 224 |
| 36 | Relationship between fecundity and standard length of <u>N. peronii</u> | 239 |
| 37 | Relationship between fecundity and body weight of <u>N. peronii</u> | 240 |
| 38 | Relationship between fecundity and ovary weight of <u>N. peronii</u> | 241 |
| 39 | Graph showing the changes in the gonado-somatic index of the female fish during the study period..... | 245 |
| 40 | The percentage of mature females of <u>N. peronii</u> in vrious months during the study period..... | 247 |

| Figure | Description | Page |
|--------|---|------|
| 41 | A restructured length frequency data of male <u>N. peronii</u> fitted with growth curve. | 267 |
| 42 | A restructured length frequency data of female <u>N. peronii</u> fitted with growth curve..... | 268 |
| 43 | A restructured length frequency data of combined samples of <u>N. peronii</u> fitted with growth curve..... | 269 |
| 44 | A length-converted catch curve of male <u>N. peronii</u> | 274 |
| 45 | A length-converted catch curve of female <u>N. peronii</u> | 275 |
| 46 | A length-converted catch curve of combined samples of threadfin for <u>N. peronii</u> | 276 |
| 47 | Selection pattern for male <u>N. peronii</u> | 278 |
| 48 | Selection pattern for female <u>N. peronii</u> ... | 279 |
| 49 | Selection patterns for combined samples of <u>N. peronii</u> | 280 |
| 50 | Patterns of recruitment of male <u>N. peronii</u> | 282 |
| 51 | Patterns of recruitment of female <u>N. peronii</u> | 283 |
| 52 | Patterns of recruitment of combined samples of <u>N. peronii</u> | 284 |
| 53 | Length-frequency and probability paper analysis of <u>N. nemurus</u> | 285 |
| 54 | Length-frequency and probability paper analysis of <u>N. marginatus</u> | 286 |
| 55 | Length-frequency and probility paper ananlysis of <u>N. tambuloides</u> | 287 |
| 56 | Percentage of <u>N. peronii</u> in the nemipterid catch and percentage of nemipterids in total catch..... | 301 |

| Figure | Description | Page |
|--------|---|------|
| 57 | Monthly variation in percentage of threadfin fish in total catch of marine fishes for five-year period (1979–1983)... | 303 |
| 58 | Monthly variation in percentage of threadfin fish in total catch during the study period..... | 304 |
| 59 | Length-frequency distribution males of <u>N. peronii</u> sampled from Redang Group of Islands (Middle Region)..... | 307 |
| 60 | Length-frequency distribution of females <u>N. peronii</u> sampled from Redang Group of Islands (Middle Region)..... | 308 |
| 61 | Length-frequency distribution of combined samples <u>N. Peronii</u> sampled from Redang Group of Islands (Middle Region)..... | 309 |
| 62 | Length-frequency distribution of <u>N. nematophorus</u> sampled from Offshore Area... | 316 |
| 63 | Length-frequency distribution of <u>N. bathybus</u> sampled from Offshore Area..... | 317 |
| 64 | Length-frequency distribution of <u>N. nemurus</u> sampled from Offshore Area..... | 318 |
| 65 | Length-frequency distribution of <u>N. peronii</u> sampled from Offshore Area..... | 319 |
| 66 | Length-frequency distribution of <u>N. marginatus</u> sampled from Offshore Area..... | 320 |
| 67 | Length-frequency distribution of <u>N. tambuloides</u> sampled from Offshore Area.... | 321 |
| 68 | The probable phylogenetic lineage for nemipterids species..... | 332 |