

Consideration of Financial and Environmental Concerns in the Life Cycle Costing of Higher Education's Facilities and Services: A Systematic Review of One Decade

Wafaurahman Wafa^{1,3}, Amir Hamzah Sharaai^{1*}, Nitanan Koshy a/I Matthew¹, Noor Ahmad Akhundzada²

¹Department of Environment, Faculty of Forestry and Environment, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia, ²Department of Natural Resources and the Environment, Cornell University, Ithaca New York, USA, ³Department of Environmental Science, Faculty of Environment, Kabul University, Jamal Mena, PD 4, Kabul, Afghanistan
Corresponding Author Email: amirsharaai@upm.edu.my

To Link this Article: <http://dx.doi.org/10.6007/IJAREMS/v13-i4/23705> DOI:10.6007/IJAREMS/v13-i4/23705

Published Online: 20 December 2024

Abstract

The lack of life cycle costing (LCC) studies in higher education is knowledge gap and literature. This paper aimed to review the components that made up the life cycle cost for higher education. This systematic review focused on LCC of Higher Education, where review articles and research articles were collected from Springer-Link, Science-Direct, Scopus, and Google-Scholar online databases. Considering the PRISMA statement and guideline for systematic review in conservation and environmental management. The literature reviewed systematically and bibliometric analysis of co-authorship and concurrence of keywords were analyzed by VOSviewer software. The result shows that there is various studies written about LCC of products, and a deficit of studies in the application of LCC in higher education. Furthermore, there are some studies that used the LCC in construction that were calculated based on the NPV in educational buildings. The most cost element and components were the constructions, operations, maintenances, and demolition. Furthermore, the environmental LCC was used alongside LCA. LCA mostly focused on environmental externalities cost for supporting sustainability. The LCC of higher education is needed to be calculated, involving the total cost of a university as well as construction, operation, safety, externalities, and services costs. However, the education services, facilities and students' costs calculations were not used in the literature. Therefore, it is recommended to establish a comprehensive method to estimate the cost of services and facilities of higher education altogether to contribute in sustainability.

Keywords: Life Cycle Costing, Higher Education, Net Present Value, Method, Service, Cost Data, Sustainability

Introduction

The natural environment has to face various disorders, for example, air, water, soil and noise pollution, global warming, and ozone depletion. Furthermore, anthropogenic interference makes the global environment more fragile, in turn, posing highly dangerous risks for human health (Singh & Singh, 2017). However, a human being still uses natural resources without considering the negative impacts. Therefore, since humans interact with the environment, yielding a very close relationship and mutually affecting each other, the environmental problems caused by irresponsible anthropogenic activities. This study is motivated by the crucial need to understand and optimize the financial and environmental elements of higher education infrastructure and services. Despite universities' important role in sustainable development, there is a noticeable absence of comprehensive life cycle costing (LCC) research in the higher education sector. This study contributes to closing this information gap by conducting a thorough review of the components that comprise the higher education life cycle cost. This study intends to provide significant insights to higher education decision-makers, perhaps leading to more cost-effective and environmentally friendly practices in university operations and management. Consequently, rapid urbanization will affect widespread and adverse impacts on the environment (Peña & Rovira-Val, 2020).

Universities work as facilitators for sustainable development; therefore, universities and their buildings are numerous studied on the diverse aspects of environment and sustainability. For example, energy consumption, carbon footprint, transportation, heating, and cooling systems, and constructions are determined as the hotspots for environmental impacts (Huang et al., 2018). All type of manufacturers and other stockholders are dependent on universities for the skilled workforce demands. Meanwhile communities also demanded from universities to teach their youths and educate the society by intellectual and scientific knowledge (Tasdemir & Gazo, 2020). Higher education is one of the more critical services to produce human capital. The lack of life cycle cost study in higher education is worrying, especially since it designates the cost of higher education.

Education plays a dynamic role in attaining sustainable development goals. Sustainable development demarcates three dimensions: environment, economics, and society. Life cycle assessment (LCA) evaluates environmental impacts (Li et al., 2022; Soni et al., 2016). Life cycle costing assesses the cost of the products or processes during the entire life span, together with LCA (Costa et al., 2019). However, S-LCA is a powerful tool that influences, evaluates, and supports organizations' future and upcoming policies (Kalvani et al., 2022; Sining et al., 2022).

Life cycle assessment is a systematic procedure that assesses a product's lifecycle to analyze the extent of its environmental impact contribution. LCA is a systematic procedure to identify the significant adverse environmental effects of processes and products (Amir Sharaai. Noor, Zalina. Mahmood and Abdul, Halim, Sulaiman, 2014; Muhammad et al., 2019) by measuring the energy and material released into the ecological stream throughout the whole life cycle. LCA has been considered the most vital instrument of the new industrial sectors' environmental management system (Barros et al., 2020). "Life cycle assessment contains four stages: (a) goal & scope definition; (b) life cycle inventory analysis; (c) impact assessment; and (d) interpretation" (Sharaai et al., 2010). The LCA evaluates environmental effects of products or processes over its whole life span; and provides the environmental profile of a system or

course based on the appraisal of massive input and output data, and the significant impacts that contribute to the environmental categories: global warming, ozone depletion, eutrophication, eco-toxicity freshwater, and acidification. The LCA study results belong to the quality and credibility data, especially in the stage of LCIA, which will give the expected results for the emission into air, water, and soil (Kaewunruen et al., 2020; Sharaai et al., 2010).

The social life cycle assessment is a social impact estimation methodology. Social life cycle assessment (S-LCA) aimed to measure the socio-economic features of a product or process and to horizontally analyze the negative and positive impacts of the product's whole life cycle on society (Kalvani et al., 2021). Furthermore, it includes the extraction and other procedures of raw resources, industrialization, delivery, usage, maintenance, recycling, and dumping of product wastes (Muhammad et al., 2019). Since the S-LCA deliberates the social impacts that influence and affect the stockholders throughout the product's life cycle (Sharaai et al., 2020), this definition discriminates the S-LCA from the social effects that concentrate on the product or service and involve the company's behavior and socioeconomic standpoint. Additionally, the S-LCA definition is essentially similar to the methodology of the LCA, which emphasizes the environment. At the same time, the S-LCA concentrates on social aspects (Sharaai et al., 2019).

The life cycle costing (LCC) analyzes the cost of products, services, or processes in the whole life span (Omran et al., 2021; Soni et al., 2016). Furthermore, LCC estimates the cost of all stages: risk, investment, operation, maintenance and demolition (Ma et al., n.d.; Sajid & Bicer, 2021). Finally, the LCC delivers potential facts about the total cost of the product, service, or process throughout the entire life cycle to assist the decision-making process (Liu et al., 2020). The life cycle costing is enormously crucial for facilities management, especially for the higher education institutions, universities, and schools, because those facilities have numerous buildings and related fittings (Kimoto et al., 2013). LCC is a widely used technique in different industries for economic assessment (Peña & Rovira-Val, 2020).

This paper aimed to review the elements and components that made up the life cycle cost for higher education. The literature was reviewed systematically to analyze the LCC studies related to higher education. This paper should answer these questions: what is the current state of the art on LCC for higher education from 2009 to 2020? Which methods are used for the life cycle costing to estimate the overall costs of higher education? Which components and elements are used to calculate LCC in higher education?

Alongside the introduction, the paper is structured as follows: the second part of the paper describes the background, the third part addresses the method used in this review article, the fourth section includes the results and discussions, and the last part delivers the review's conclusion.

Life Cycle Cost (LCC)

Life cycle costing (LCC) is a decision-making tool to estimate the overall cost of a product or service throughout its entire life cycle from production to disposal (Ma et al., 2023). It is a methodology, which systematically estimates economic value throughout the approved scope. LCC is extensively considered as a cost-managing instrument (Zhang et al., 2019). LCC aims to forecast cash flow and to give the assessment of choices for decision-makers

(Samsuddin, 2019). It contains four initial steps: a) definition for analysis, b) problem analysis, c) conducting calculation, and d) result validations and interpretations (RICS, 2016). UNEP has published guidelines for LCC in 2009 and exemplified the different methods in detail. Typically, LCC is used for valuing the cost to economically estimate the effectiveness of a product or process and advise the options; for example, to estimate the effective energy system or product based on its all life cycle costs (Hoogmartens et al., 2014).

The US Department of defense used LCC for the first time in 1933 for the maintenance and operations costs, and in 1981 for the procurement of military goods and equipment to calculate the total cost of products, considering the high costs for warfare equipment like tanks and fighter planes (Hoogmartens et al., 2014). Therefore, it was established by the Department of Defense of the United States by the 1960s. European countries used the LCC method since the 70s as a policy and business decision making tool (Hoogmartens et al., 2014).

Life cycle costing is used to understand the entire life cost of a product and the monetary flow in a targeted product's life cycle. The essential cost is calculated, including the operational, maintenance, and end of life or disposal costs, to give decision-makers suitable options. Therefore, LCC is used continuously as a calculation tool to compare the options. Moreover, LCC defines ISO as "a technique which enables comparative cost assessments to be made over a specified time, taking into account all relevant economic factors both in terms of initial costs and future operational costs." Additionally, LCC has been defined in the ISO 15686 standard as "the cost of an asset or its parts throughout its life cycle, which comprises all stages from construction, operation, and maintenance to end-of-life." The LCC for buildings include construction, maintenance, operation, and end of life costs (Li et al., 2020).

LCC has three different types: conventional life cycle costing (CLCC), environmental life cycle costing (ELCC), and societal life cycle costing (SLCC). ELCC estimates the economic cost of product or service concerning environmental conservation. The environmental life cycle costing is used simultaneously with the life cycle assessment (LCA) to focus on the environmental externalities cost to support sustainability (Wafa et al., 2022). Studied the three dimension of sustainability Environmental, economic, and social aspects for product sustainability. Therefore, rapid industrial growth causes environmental pollutions and ecological disorders. However, sustainability is considered a priority in today's world. The environmental life cycle costing is estimated as direct and indirect costs of environmental damages in the entire life cycle of product [58]. Base on Kaewunruen, Sresakoolchai, & Peng (2020) the life cycle cost involves five steps, 1) defining the objective, 2) selecting parameters, 3) collecting data, 4) performing the assessment, and 5) examining the result.

Materials and Methods

This review was conducted based on systematic manners, considering Moher et al. (2009) PRISMA statement "Preferred Reporting Items for Systematic Reviews and Meta-Analyses," the in-depth guideline, and from the Pullin & Stewart. (2006) "guideline for systematic review in conservation and environmental management" in which three steps for preparing a systematic review were followed: 1) planning a review, 2) conducting a review, and 3) dissemination and reporting of the review. The review also adopted the method used by Matthew, Shuib, Ramachandran, & Afandi, (2019) to analyze which element of the cost was

used in the literature. According to Costa et al. (2019), there are no systematic review databases in the environmental field to reduce the bias systematic review in the mentioned subject area.

Planning the Review

Moher et al. (2009) and Pullin & Stewart. (2006) explained that this step defined or developed the research questions. The authors have identified the review questions and established the review protocol. The research questions that have been described by the reviewers to be addressed are as follows:

- What is the current state of art at the life cycle costing in higher education from 2009 to 2020?
- Which methods are used for the life cycle costing to estimate the overall costs of higher education?
- Which elements and components will be used to calculate LCC in higher education?

Conducting the Review

Systematic Literature search

In this step, we have developed a systematic literature search strategy to recognize the related articles. This strategy was tailored to four online databases: Springer Link, Science Direct, Scopus, and Google Scholar. In the review, the protocol revised the search terms in the title, abstract, and keyword to search for "Life Cycle Costing Education," and "Life Cycle Costing Higher Education", and its abbreviation "LCC education" while considering the PRISMA guideline Moher et al. (2009)) for the period from 2009 to 2020. The literature and articles comprised of published and waiting in the press materials. According to Pullin & Stewart. (2006) and Moher et al. (2009) setting the inclusion and exclusion criterion would avoid unnecessary and prolonged list of articles. The sources have been selected based on the inclusion and exclusion criterion. The search mostly focused on mapping the existing literature for LCC in higher education within the environmental science, social science, engineering and economics. The inclusion criterion set included "life cycle costing", "life cycle economic assessment", "life cycle cost analysis", and "economic cost estimation". According to the brief analysis of the articles, the abstracts of the chosen articles were reviewed to focus on the life cycle costing of various products, yielding 137 relevant articles that were included for the review. Duplicated papers, articles dissimilar to the study scope, and articles not written in English, totaling to 111 articles, were excluded from the review. This method would enhance the quality and reliability of the review. The data have been extracted based on a qualitative approach from the articles, which have been chosen for the review. Finally, 58 papers were selected to be intensely reviewed and the data were synthesized to prepare the report for the higher education life cycle costing. Table 1 shows the amount of papers searched from the early mentioned databases and the quantity of inclusion and exclusion strategy.

*Table 1**The Total Number of Searched Papers in the Databases*

Database	Total	Included	Excluded
Springer Link	104	50	54
ScienceDirect	88	50	38
Scopus	30	12	18
Google Scholar	27	26	1
Grand Total	248	137	111

Based on Fig1 the literature review framework explains the review conducted based and explained the search strategy in four steps. In the first step the key words has defined, the total article 248 were searched, based on including and excluding the documents the total of 111 article were excluded after reading the title, and 53 more article were excluded after reading the abstract of the articles in step 3, and 58 article were chosen to be reviewed as full text. Finally, in the 4th step total of 10 article were found to integrated for developing calculation components for higher education services and facilities.




Figure 1: Literature Review Flow Chart

Visual Maps of LCC

According to Van Eck & Waltman (2010) Using the VOSviewer software two visual map were created, the ultimate selection in Mendeley software was exported in RIS format, which was used to generate the visual figures, One is determined by co-authorship, and the other is determined by keyword co-occurrence. Based on Ramos Huarachi, Piekarski, Puglieri, & de Francisco (2020) the setting for VOSviewer program analysing has created in Table 2 as below:

Table 2

Digital Map Settings in the VOSviewer Program

Setting	Visual map of co-authorship	Visual map of co-occurrence
Type of inquiry	Co-authorship	Co-occurrence
Method of counting	Full counting	Full counting
Analyzing units	Authors	Keywords
Minimum number of occurrences	3 occurrences	2 occurrences

Both maps are shown would use an overlay visualization to explain trends to use the pattern of purple, blue, green and yellow colors that vary by years, purple for older years, and yellow for the latter years.

Dissemination and Reporting of the Review

The outcomes and results of the review, and the inclusion and exclusion were presented qualitatively, and the selected articles were descriptively analyzed. From these 58 papers included for review, 10 papers most interrelated were targeted and analyzed for enhancing the LCC technique for higher education's LCC. The chosen articles mostly used the buildings' LCC in their studies, and thus, the team made some changes to improve the LCC technique for the objects calculated in these papers.

Results and Discussion

The systematic literature search in Springer link, Science Direct, Scopus, and Google scholar databases considered the PRISMA Guideline from the year 2009 to 2020 Moher et al. (2009). Therefore, the answer to the first question found that numerous articles were written on the life cycle costing of different products, especially of the building of educational institutions. However, no article mentioned about the education or higher education services in the literature. The authors mostly calculated the education buildings' life cycle costs in their studies.

Publication trend on LCC in Literature

Goh and Sun (2016) has explained chronologically to estimate the article published on buildings and green buildings by counting the reviewed articles. Table 3 shows the articles, which were reviewed and synthesized based on the scope of the research and product types, and classified based on chronology and scope of research.

Table 3

Chronological Analysis of the Total Numbers of Publications in LCC Based on Subject Area

Years	Publications	Authors	Scope of Research
2009	1	(Lee et al., 2009)	Energy
2010	2	(Al-Karaghoul & Kazmerski, 2010)	Health Clinic PV System
		(Kneifel, 2010)	Energy
2011	2	(Massarutto et al., 2011)	Energy
		(Uygunoğlu & Keçebaş, 2011)	Energy
2012	3	(T. Hong et al., 2012)	School Building Energy
		(C. S. Li & Guo, 2012)	University Building
		(Wang et al., 2012)	School
2013	2	(Ding et al., 2013)	Pavement Maintenance
		(Kimoto et al., 2013)	Education Facilities
2014	4	(Cuéllar-Franca & Azapagic, 2014)	House Stock
		(Bull et al., 2014)	School Building
		(de Jong & Arkesteijn, 2014)	School Building
		(Han et al., 2014)	Building Energy
2015	4	(Seo et al., 2015)	Carbon Liquefaction
		(Galle et al., 2015)	Process
		(Spickova & Myskova, 2015)	Students Residence
		(Tabrizi & Sanguinetti, 2015)	General
2016	8	(Cartelle Barros et al., 2016)	Students Residence
		(J. Kim et al., 2016)	Power Plant
		(Bengtsson & Kurdve, 2016)	hydrate inhibitor injection
		(Ayub. M. F. & Abdul Rashid. K, 2016)	Machining Equipment
		(Goh & Sun, 2016).	General
		(Corona et al., 2016)	Building
		(Martinez-Sanchez et al., 2016)	Solar Energy
		(Erling Salicath, 2016)	Food Waste Management
2017	11	(He et al., 2017)	Public Assets - School
		(Sun et al., 2017)	Electrical Vehicle
		(Daşdemir et al., 2017)	Hydrogen Station
		(Yang et al., 2017)	Pipeline
		(Xu et al., 2017)	Cement Manufacturing
		(Haque et al., 2019)	LID- BMP
		(Fouche & Crawford, 2017)	submersible pumps energy
		(Biolek et al., 2017)	Building
		(Max & Mi, 2017)	Construction
		(Bhochhibhoya et al., 2017)	Energy
		(Trigaux et al., 2017)	Lodging
2018	5	(Edwards et al., 2018)	Lead refining
		(L. Huang et al., 2018a)	municipal food waste
		(De Menna et al., 2018)	university dormitories
		(Shan et al., 2018)	food waste
		(Teshnizi et al., 2018)	Students Well Being in Building

			University	residential
			towers	
			General	
			Solid Waste Management	
			Ammonium & Tinplate	
			Sanitary ware	
			biogas	
			energy	
			Manufacturing Technology	
			Residential Building	
			Municipal Solid Waste	
			Water Sources	
			Building	
			University	building
			Electricity	
			Carbon emissions	
			Campus Building	
			Electricity Generation	
			High-speed railway	
2019	10	(Zhang et al., 2019) (J. Li et al., 2019) (Albuquerque et al., 2019) (Lv et al., 2019) (Xiao et al., 2019) (Lai et al., 2019) (Kianian et al., 2019) (Z. Huang et al., 2019) (Francini et al., 2019) (Mahbub & Sharma, 2019)		
2020	6	(S. Li et al., 2020) (Shea et al., 2020) (Liu et al., 2020) (Xue et al., 2020) (Barros et al., 2020b) (Kaewunruen et al., 2020)		
Total	58			

Based on the literature, (Fig2) quantifies the chronological contribution of the published articles on LCC, specifically for higher education, in different journals according to the year of publication. The year 2017 had the highest contribution with 11 related papers, 2019 with 10 articles, 2016 with 8 papers, the 2020 with 6 articles , 2018 with 5 papers each year, 2015 and 2014 with 4 papers, 2012 with 3 papers, 2010, 2011, and 2013 with 2 papers per each year, and 2009 with one related paper.




Figure 2. The Chronological contribution of papers by years

Here is still confusion according to the methodology of life cycle costing; no product or service-specific method for life cycle costing was shown. However, there were general

guidelines for constructions, such as ISO 15686-5 (Schau et al., 2011). Nevertheless, some of the authors practiced and adopted their methods in line with the life cycle assessment methodology (Cuéllar-Franca & Azapagic, 2014). LCC is a crucial estimation technique that evaluates the cost of product or service throughout the entire life span. It is dependent on authors to use the methods for cost calculations. Some articles utilized the ISO 2006 (ISO, 2006) standards. Others used specific standards for building constructions like the British standards while for bridge construction, BS 5400 was extensively used in Malaysia (Ayub. M. F. & Abdul Rashid. K, 2016). There was no evidence of consensus or a proper method for cost calculation. The most used approach was the net present value (NPV) for calculating the total cost of the products and services. For example, for building's life cycle costing, the NPV estimated the costs in design phases, construction period, maintenance and repair costs, replacement cost, energy cost, and enduring cost (Kneifel, 2010; Li et al., 2020).

LCC itself is a widely confirmed and accepted method in researches involving buildings and other sectors. Applying the LCC, the practitioners must consider the various foundations of uncertainties, like life period, running costs in the future, discount rate, remaining costs and others (Li et al., 2020). Table 4 describes the classifications of life cycle costing in the current literature, which used diverse methods.

Table 4

The Classifications for life cycle costing methods used and techniques

Life Cycle Cost Used Methods	Authors
1 Net Present Value Approach	(Bhochhibhoya et al., 2017; Biolek et al., 2017; Bull et al., 2014; Corona et al., 2016; Daşdemir et al., 2017; Han et al., 2014; Haque et al., 2017, 2019; Huang et al., 2019; Kianian et al., 2019; Lee et al., 2009; Li et al., 2019; Li et al., 2020; Liu et al., 2020; Mahbub & Sharma, 2019; Max & Mi, 2017; Shan et al., 2018; Shea et al., 2020; Spickova & Myskova, 2015; Sun et al., 2017; Teshnizi et al., 2018; Xiao et al., 2019)
2 Using Life Cycle Assessment Approaches	(Barros et al., 2020; Fouche & Crawford, 2017; Hong et al., 2012; Huang et al., 2018; Kaewunruen et al., 2020; Lv et al., 2019; Martinez-Sanchez et al., 2016; Trigaux et al., 2017; Xue et al., 2020; Yang et al., 2017).
3 LCA & NPV	(Bhochhibhoya et al., 2017; Francini et al., 2019; He et al., 2017; Li et al., 2020; Teshnizi et al., 2018; Xiao et al., 2019; Xu et al., 2017).
4 Case Studies	(Albuquerque et al., 2019; Bengtsson & Kurdve, 2016; de Jong & Arkesteijn, 2014; Erling Salicath, 2016; Han et al., 2014; Hong et al., 2012; Hoogmartens, Van Passel, Van Acker, & Dubois, 2014; Kim et al., 2016; Kneifel, 2010; Li & Guo, 2012).
5 LCC as Approach	(De Menna et al., 2018; Fouche & Crawford, 2017; Massarutto et al., 2011; Xue et al., 2020).
6 CBA	(Ding et al., 2013; Huang et al., 2019; Xue et al., 2020).
7 Other	(Al-Karaghoul & Kazmerski, 2010; Cartelle Barros et al., 2016; Cuéllar-Franca & Azapagic, 2014; Edwards et al., 2018; Galle et al., 2015; Kimoto et al., 2013; Seo et al., 2015; Tabrizi & Sanguinetti, 2015; Uygunoğlu & Keçebaş, 2011; Wang et al., 2012; Zhang et al., 2019).

Based on Table 3, most of the studies used the NPV for the life cycle costing. NPV is an investigative index investigates for future investment. However, some of the authors used the life cycle assessment approaches ISO 14040 (ISO, 2006) to calculate the total cost. A small

number of authors used the LCA and NPV mixed method to calculate the life cycle cost, several papers used the case study and LCC as a costing approach, and a large number of articles used different methods for their calculations. According to literature, cost-benefit analysis (CBA) was widely used for calculating the cost of the product or process as a decision-making tool (Ding et al., 2013; Hoogmartens et al., 2014; Z. Huang et al., 2019). In some studies, CBA was a valuation method used for life cycle costing (Huang et al., 2019).

Visual Map

Co- Authorship

The number of articles is represented by the size of each circle or frame in the visual maps; for example, the tiny circles or frames means three articles per author; as the circle or frame gets larger, it often showed a high quantity of articles by an author. The circle or frame color depict the typical year of publications; the color of yellow denotes a relatively new theme, while the purple color denotes the oldest. Fig 3 demonstrates the sum of authors who have written at least three publications about LCC is 19. Matthias Finkbeiner published the highest numbers of articles 17, zamagni, alessandra 7, Martínez-Blanco Julia 6, Berger Markus, Inaba Atsushi 4 articles, Sharaai Amir Hamzah and sonnemann, guido 5, berger, markus, inaba, atsushi, kurian, Mathew, matsuno, yasunari, traverso, marzia 4, ciroth, andreas, guinée, jeroen, reinout, hunkeler, david, kara, sami, klöpffer, walter, lehmann, annkatrin, reddy, v ratna, ren, jingzheng authors publish at least 3 articles respectively.




Figure 3: Co-Authorship

The visual map indicate the biggest the circle is the highest of the number co-authorship of publications by authors and the smaller circle is the low number of publications during the period, the smaller circle is at least indicate the 3 article published by authors. Here is strong network among the authors that published the article with co-authors, here is no single author that publish and article in LCC alone. The yellow color is indicate the newest publication and the blue is the eldest of the articles.

Co-Occurrence of keywords

Based on VOSviewer software analyzed in recognize in Figure 4 the 92 keywords by three occurrences. Moreover, the most used key is “Life Cycle Assessment” 24 occurrence followed by “Life Cycle Cost” 22 and “Life Cycle Costing” 18 occurrences, “LCA” 11 occurrences, “LCC” 10 occurrences, “Life Cycle Costing (LCC)”, Sustainability, “Life Cycle Costs”, “Education” 6 occurrences, “Life Cycle Sustainability Assessment”, “Life Cycle Analysis”, “energy efficiency” 5 occurrence, and “life-cycle costing”, “life-cycle cost”, “life-cycle assessment”, “green building” 4 occurrence, and the rest is 3 occurrences respectively. However, eight keywords seem to be very used recently, for example “Green Manufacturing”, “Life Cycle Costing (LCC)”, “Social Life Cycle Assessment”, “Energy”, and “Bioenergy” were mostly published in recent years in literatures. However, Figure 4 reveal that high number of article were published around 2015 in light green color. However, some keywords are very useful and shows the importance, the net present value is one keyword, which is using for calculating the life cycle costing. The word is sustainability is also used importantly, which have three pillars, economic, social, and environment. Base on life cycle sustainability assessment which is mostly defined by Klöpffer (Costa et al., 2019), the life cycle costing is one important pillar to be studies alongside with LCA and SLCA.




Figure 4: Co-Occurrence of Keywords

This visual map explains the biggest the frame is the highest of the number co-occurrence of keywords and the smaller frame is the low number of keywords' co-occurrence.

Cost Data

While the reviewed articles calculated the life cycle cost using their methods, there were some elements and components that must be calculated based on the nature of the study. According to Han, Srebric and Enache-Pommer, (2014), calculating the life cycle cost of a

house or building includes three main phases based on NPV Equation 1: construction, yearly operation, and maintenance costs.

(Eq.1)

$$NPV(i, N) = \sum_{t=1}^N \frac{C_t}{(1+r)^t}$$

Where NPV is the present value, t is the time of the flow of cash, N is the system's life span, C_t is net cash flow at the specific time (t), and t and r represent the discount rate.

Huang et al. (2018) calculated the life cycle cost in Fuzhou university town for the university dormitory and did not include the installation instruments in their estimation. While the cost of pre-construction was estimated, the land cost was not included in the calculation process. The LCC was calculated based on Equation 2:

(Eq.2)

$$C_{tot} = \sum (C_p + C_c + C_o + C_m + C_d + C_e)$$

Where C_{tot} is the total cost, C_p is cost of preconstruction, C_c is cost of construction, C_o is cost of operation, C_m is cost of maintenance, C_d is cost of demolition or deconstruction and C_e is cost of end of life, dealing with wastes of demolition.

Usually, during the preconstruction stage, it is necessary to calculate the cost of design and planning. Furthermore, some studies calculated the constructions' material cost such as bricks, cement, concrete, ceramic, stone, glass, gravel and sand, lime, clay, roof, slag, rubber, PVCs, chemicals, paints, windows, doors, bitumen, textiles, wood, metal, steel, fuel, wood, water, electricity, machinery, and tools, and others [60]. However, in the maintenance stage, the authors calculated the construction materials such as glasses, PVCs, chemicals, paints, windows, doors, bitumen, metal, steel, and wood. Besides that, the phase of operation, including water and electricity, was calculated. Additionally, during the demolition stage, most of the studies calculated the element of the estimated fuel cost (Huang et al., 2018; Huang et al., 2019; Li et al., 2020; Shea et al., 2020; Śnierzyński, Hernes, Bytniewski, Krzywonos, & Sobieska-Karpińska, 2019; Stevanovic, Allacker, & Vermeulen, 2019; Xu et al., 2017)

The cost of the construction phase contained the costs associated to the construction efforts. Operation cost comprised of habitation like water, energy, cleaning, security, management, replacing of equipment, upkeep or maintenance, and reparation costs like installations, sanitary and plumbing (Li et al., 2020). The elements calculated were a composition of components (Galle et al., 2015). The average of the building costs was calculated differently in different studies; however, Bromilow & Pawsey, (1987) calculated the average year of Melbourne University building to be 100 years old. The university buildings were comprised of lecture halls, auditoriums, offices, laboratories, libraries, study rooms, cafeterias, sports complexes, parking areas, residential dormitories, activities halls, and others. Additionally, in some articles, the replacement cost was calculated under the maintenance cost. However, for buildings, the replacement cost was calculated separately because it estimated the entire building replacement cost rather than the facilities replacement cost, and mostly used the

Bromilow and Pawsey. (1987) model of Czech construction's sector for the building's LCC (Biolek et al., 2017).

Anticipated Adjustment in Life Cycle Costing Technique for Higher Education

Practicing life cycle costing in higher education is limited, and no study has used the LCC method for education services. We have found a few studies that estimated the LCC for university buildings (Bromilow & Pawsey, 1987; Huang et al., 2018; Kimoto et al., 2013; Li & Guo, 2012; Xue et al., 2020), university's accommodation and dormitories (Huang et al., 2018; Teshnizi et al., 2018), and schools (Bull et al., 2014; Erling Salicath, 2016). The lack of studies has encouraged the authors to conduct the current review to adopt a method for life cycle costing in higher education. For university buildings, the LCC is significantly used to recognize and choose the best option of costs based on several strategies, such as energy efficiency and others (Tabrizi & Sanguinetti, 2015). The value of the university facilities is challenging to calculate due to its maintenance and operations rather than commercial assets (Bromilow & Pawsey, 1987). Additionally, Kim, Kim and Lee. (2014) calculated the initial construction, operation and maintenance, and demolition costs.

Consequently, there is no method to calculate higher education life cycle costing, which comprehensively includes the total cost of higher education, building, services and operations. Therefore, it is imperative to develop some indicators for education services and facilities, especially the university's assets, such as university buildings, libraries, laboratories, auditoriums, classrooms, dormitories, cafeterias, and offices. Furthermore, it is necessary to calculate the cost of the services provided by universities.

Additionally, Kimoto, Yoshizaki and Ikeda. (2013) explained that LCC was delineated in three stages as follows: preliminary costs are the primary and initial expenditures, yearly costs are the cost calculated for twelve months, considering that the yearly cost is the same every year, and incidental costs are estimated in periodic manners. Moreover, they calculated the education facilities based on university outline as ground product (m^2), floor area (m^2), number of teachers and staff, number of students and number of buildings. However, the repainting and renovation cost was estimated in the maintenance cost, yet eventually, these elements and components were estimated separately for university buildings (Kimoto et al., 2013). Based on BS ISO 15686-5, Ayub & Abdul Rashid. (2016) have divided the life cycle costing process into three main phases: input of the data, conversion, and output, Shan, Melina and Yang. (2018) have calculated the tutorial classroom in Singapore. Table 5 shows the components and elements for the education life cycle cost, which comprehensively explains the education cost. Some of the authors calculated the different elements and components based on their own nature of research.

Table 5

Elements Calculated for Building, Especially for Education Building in the Literature

Elements	Domain	Component s Calculated	(Huang et al., 2018)	(Kimoto et al., 2013)	(Śnierzyński, et al., 2019)	Cuéllar-Franca & Azapagic, 2014)	(Li et al., 2020)	(Xu et al., 2017)	(Huang et al., 2019)	(Bromilow & Pawsey, 1987)	(Bromilow & Pawsev. 1987)
Construction	Preconstruction	Plan, design		√					√	√	√
	Construction	Wages	√		√	√		√	√	√	√
		Transportation	√					√		√	
		Energy		√		√	√	√	√		√
Operation	Maintenance	Raw Materials		√				√	√	√	√
		Maintenance		√	√	√		√	√	√	√
		Renovation & Replacement		√		√	√			√	√
		Labor cost				√		√	√		√
	Consumption	Energy	√								√
		Water			√		√				√
		Electricity	√	√	√				√	√	√
		Waste	√		√		√			√	√
Demolition	Demolition	Salaries			√						√
		Demolition	√					√			
		Labor	√			√		√	√		
		Energy	√			√					
		transportation							√		
Safety & Externalities	Costs related to safety	Recycling				√					
		Landfilling	√			√				√	
		Fire Safety		√		√	√			√	

	Pollutions	Air pollution					√	
		Water pollution	√				√	
		Soil pollution					√	
Services	Staff cost	Salary,		√		√		√
		Utility cost	√		√	√	√	√
		Room service cost	√				√	√
	Lab Cost	Laboratory fittings					√	
Student Costs	Facilities costs	Tuition fee		√				
		Transportation		√				
		Communication			√			

Based on Table 5, the literature shows that in the context of higher education, there is no comprehensive method identified to calculate higher education LCC, which would have included the all elements and components of higher education. We have determined some elements calculated in other LCC studies for education facilities especially buildings as it was needed to calculate the overall costs of higher education. However, in Table 4, different articles focused on some components which were calculated in their studies, but there was no article that calculated all the components in higher education facilities and services. The next studies should calculate the higher education life cycle costing other than the components and elements listed in Table 4, including the risk mitigation, building safety and externalities, insurance and staff retirement, lab and chemicals risks in laboratory, and stationary costs.

Conclusion

LCC is most useful tool contributing in Life cycle sustainability assessment. Higher education is one of the important services to produce graduates who will contribute to the communities as human capitals. Therefore, the LCC is a vital management tool to estimate the cost of products or services during the entire life span. Furthermore, two visual maps were created to characterize the authors and keywords based on research patterns. In this regard, 77 authors have written and published three articles on Life Cycle Costing, with Mathias Finkbeiner the highest publication 32 on top, the altman, douglas g, liberati, alessandro, moher, david, tetzlaff, Jennifer leading the way with 10 articles each. Based on VOSviewer software analyzed in recognize the 75 keywords by three occurrences were analyzed, the most used key is "Life Cycle Assessment" 34 occurrence followed by "Life Cycle Costing" and "Life Cycle Cost" 23 occurrence, "LCA" 15 occurrence, "LCC" 12 occurrence, and "Life Cycle Costing (LCC)" 8 occurrence.

Based on the findings, there were numerous life cycle costing studies in the literature on the products. However, there has yet a study on the higher education services. Some studies calculated the higher education facilities, especially the dormitories and building life cycle

cost. However, the education services and facilities calculations were not used in the literature related to the LCC of higher education. Based on the review of methods, there was no comprehensive method used for the higher education or other services. Hence, it is important to adopt a method for the higher education life cycle costing. Consequently, we aimed to adopt the methods that used the existing calculations in the literature. According to the literature search, there were some articles that calculated the university residential or non-residential buildings' LCC using different elements in their studies. Finally, based on this review, finding a specific method required for the higher education life cycle costing would involve modification and development of the method in combination with the building life cycle elements and components, such as facilities, services, operations, constructions, lab facilities, safety, and student costs to insure the sustainability of higher education services in sustainable manners.

Acknowledgment

We acknowledge the Higher Education Development Program (HEDP) in the Ministry of Higher Education in Afghanistan for the opportunity. We thanks to Universiti Putra Malaysia (UPM) for providing us their resources for conducting this review.

References

- Al-Karaghoul, A., & Kazmerski, L. L. (2010). Optimization and life-cycle cost of health clinic PV system for a rural area in southern Iraq using HOMER software. *Solar Energy*, 84(4), 710–714. <https://doi.org/10.1016/j.solener.2010.01.024>
- Albuquerque, T. L. M., Mattos, C. A., Scur, G., & Kissimoto, K. (2019). Life cycle costing and externalities to analyze circular economy strategy: Comparison between aluminum packaging and tinplate. *Journal of Cleaner Production*, 234, 477–486. <https://doi.org/https://doi.org/10.1016/j.jclepro.2019.06.091>
- Arpke, A., & Strong, K. (2006). A comparison of life cycle cost analyses for a typical college dormitory using subsidized versus full-cost pricing of water. *Ecological Economics*, 58(1), 66–78. <https://doi.org/https://doi.org/10.1016/j.ecolecon.2005.05.019>
- Ayub, M. F. & Abdul Rashid, K. (2016). Review of methodology designed to investigate quality of cost data input in life cycle cost. *Malaysian Construction Research Journal (MCRJ)*, 18(1), 105–121.
- Barros, M. V., Salvador, R., Piekarski, C. M., de Francisco, A. C., & Freire, F. M. C. S. (2020a). Correction to: Life cycle assessment of electricity generation: a review of the characteristics of existing literature. *The International Journal of Life Cycle Assessment*, 25(1), 55–56. <https://doi.org/10.1007/s11367-019-01661-3>
- Barros, M. V., Salvador, R., Piekarski, C. M., de Francisco, A. C., & Freire, F. M. C. S. (2020b). Life cycle assessment of electricity generation: a review of the characteristics of existing literature. *The International Journal of Life Cycle Assessment*, 25(1), 36–54. <https://doi.org/10.1007/s11367-019-01652-4>
- Bengtsson, M., & Kurdve, M. (2016). Machining Equipment Life Cycle Costing Model with Dynamic Maintenance Cost. *Procedia CIRP*, 48, 102–107. <https://doi.org/https://doi.org/10.1016/j.procir.2016.03.110>
- Bhochhibhoya, S., Pizzol, M., Achten, W. M. J., Maskey, R. K., Zanetti, M., & Cavalli, R. (2017). Comparative life cycle assessment and life cycle costing of lodging in the Himalaya. *The International Journal of Life Cycle Assessment*, 22(11), 1851–1863. <https://doi.org/10.1007/s11367-016-1212-8>

- Biolek, V., Hanák, T., & Marović, I. (2017). Data Flow in Relation to Life-Cycle Costing of Construction Projects in the Czech Republic. *IOP Conference Series: Materials Science and Engineering*, 245(7). <https://doi.org/10.1088/1757-899X/245/7/072032>
- Bromilow, F. J., & Pawsey, M. R. (1987). Life cycle cost of university buildings. *Construction Management and Economics*, 5(4), S3–S22. <https://doi.org/10.1080/01446193.1987.10462089>
- Bull, J., Gupta, A., Mumovic, D., & Kimpian, J. (2014). Life cycle cost and carbon footprint of energy efficient refurbishments to 20th century UK school buildings. *International Journal of Sustainable Built Environment*, 3(1), 1–17. <https://doi.org/https://doi.org/10.1016/j.ijbsbe.2014.07.002>
- Cartelle Barros, J. J., Lara Coira, M., de la Cruz López, M. P., & del Caño Gochi, A. (2016). Probabilistic life-cycle cost analysis for renewable and non-renewable power plants. *Energy*, 112, 774–787. <https://doi.org/https://doi.org/10.1016/j.energy.2016.06.098>
- Corona, B., Cerrajero, E., López, D., & San Miguel, G. (2016). Full environmental life cycle cost analysis of concentrating solar power technology: Contribution of externalities to overall energy costs. *Solar Energy*, 135, 758–768. <https://doi.org/10.1016/j.solener.2016.06.059>
- Costa, D., Quinteiro, P., & Dias, A. C. (2019). A systematic review of life cycle sustainability assessment: Current state, methodological challenges, and implementation issues. *Science of the Total Environment*, 686, 774–787. <https://doi.org/10.1016/j.scitotenv.2019.05.435>
- Cuéllar-Franca, R. M., & Azapagic, A. (2014). Life cycle cost analysis of the UK housing stock. *The International Journal of Life Cycle Assessment*, 19(1), 174–193. <https://doi.org/10.1007/s11367-013-0610-4>
- Daşdemir, A., Ertürk, M., Keçebaş, A., & Demircan, C. (2017). Effects of air gap on insulation thickness and life cycle costs for different pipe diameters in pipeline. *Energy*, 122, 492–504. <https://doi.org/https://doi.org/10.1016/j.energy.2017.01.125>
- de Jong, P., & Arkesteijn, M. (2014). Life cycle costs of Dutch school buildings. *Journal of Corporate Real Estate*, 16(3), 220–234. <https://doi.org/10.1108/JCRE-08-2013-0019>
- De Menna, F., Dietershagen, J., Loubiere, M., & Vittuari, M. (2018). Life cycle costing of food waste: A review of methodological approaches. *Waste Management*, 73, 1–13. <https://doi.org/10.1016/j.wasman.2017.12.032>
- Ding, T., Sun, L., & Chen, Z. (2013). Optimal Strategy of Pavement Preventive Maintenance Considering Life-cycle Cost Analysis. *Procedia - Social and Behavioral Sciences*, 96, 1679–1685. <https://doi.org/https://doi.org/10.1016/j.sbspro.2013.08.190>
- Edwards, J., Burn, S., Crossin, E., & Othman, M. (2018). Life cycle costing of municipal food waste management systems: The effect of environmental externalities and transfer costs using local government case studies. *Resources, Conservation and Recycling*, 138, 118–129. <https://doi.org/https://doi.org/10.1016/j.resconrec.2018.06.018>
- Erling Salicath, J. P. L. and D. F. (2016). *Proceedings of the 10th World Congress on Engineering Asset Management (WCEAM 2015)*. Wceam 2012, 287–296. <https://doi.org/10.1007/978-3-319-27064-7>
- Fouche, M., & Crawford, R. H. (2017). Towards an Integrated Approach for Evaluating both the Life Cycle Environmental and Financial Performance of a Building: A Review. *Procedia Engineering*, 180, 118–127. <https://doi.org/https://doi.org/10.1016/j.proeng.2017.04.171>
- Francini, G., Lombardi, L., Freire, F., Pecorini, I., & Marques, P. (2019). Environmental and Cost

- Life Cycle Analysis of Different Recovery Processes of Organic Fraction of Municipal Solid Waste and Sewage Sludge. *Waste and Biomass Valorization*, 10(12), 3613–3634. <https://doi.org/10.1007/s12649-019-00687-w>
- Galle, W., Vandenbroucke, M., & De Temmerman, N. (2015). Life Cycle Costing as an Early Stage Feasibility Analysis: The Adaptable Transformation of Willy Van Der Meeren's Student Residences. *Procedia Economics and Finance*, 21, 14–22. [https://doi.org/https://doi.org/10.1016/S2212-5671\(15\)00145-8](https://doi.org/https://doi.org/10.1016/S2212-5671(15)00145-8)
- Goh, B. H., & Sun, Y. (2016). The development of life-cycle costing for buildings. *Building Research and Information*, 44(3), 319–333. <https://doi.org/10.1080/09613218.2014.993566>
- Han, G., Srebric, J., & Enache-Pommer, E. (2014). Variability of optimal solutions for building components based on comprehensive life cycle cost analysis. *Energy and Buildings*, 79, 223–231. <https://doi.org/https://doi.org/10.1016/j.enbuild.2013.10.036>
- Haque, M. E., Islam, M. S., Islam, M. R., Haniu, H., & Akhter, M. S. (2019). Energy efficiency improvement of submersible pumps using in barind area of Bangladesh. *Energy Procedia*, 160, 123–130. <https://doi.org/https://doi.org/10.1016/j.egypro.2019.02.127>
- Haque, M. E., Islam, M. S. R., Islam, M. S. R., Haniu, H., & Akhter, M. S. (2017). Life Cycle Cost and Energy Consumption Behavior of Submersible Pumps Using in the Barind Area of Bangladesh. *Energy Procedia*, 110, 479–485. <https://doi.org/https://doi.org/10.1016/j.egypro.2017.03.172>
- He, Y., Zhang, Q., & Pang, Y. (2017). The development pattern design of Chinese electric vehicles based on the analysis of the critical price of the life cycle cost. *Energy Policy*, 109, 382–388. <https://doi.org/https://doi.org/10.1016/j.enpol.2017.07.015>
- Heijungs, R., Huppes, G., & Guinée, J. B. (2010). Life cycle assessment and sustainability analysis of products, materials and technologies. Toward a scientific framework for sustainability life cycle analysis. *Polymer Degradation and Stability*, 95(3), 422–428. <https://doi.org/https://doi.org/10.1016/j.polymdegradstab.2009.11.010>
- Hong, J., Yu, Z., Shi, W., Hong, J., Qi, C., & Ye, L. (2017). Life cycle environmental and economic assessment of lead refining in China. *The International Journal of Life Cycle Assessment*, 22(6), 909–918. <https://doi.org/10.1007/s11367-016-1209-3>
- Hong, T., Kim, J., & Koo, C. (2012). LCC and LCCO2 analysis of green roofs in elementary schools with energy saving measures. *Energy and Buildings*, 45, 229–239. <https://doi.org/https://doi.org/10.1016/j.enbuild.2011.11.006>
- Hoogmartens, R., Van Passel, S., Van Acker, K., & Dubois, M. (2014). Bridging the gap between LCA, LCC and CBA as sustainability assessment tools. *Environmental Impact Assessment Review*, 48, 27–33. <https://doi.org/https://doi.org/10.1016/j.eiar.2014.05.001>
- Huang, L., Liu, Y., Krigsvoll, G., & Johansen, F. (2018a). Life cycle assessment and life cycle cost of university dormitories in the southeast China: Case study of the university town of Fuzhou. *Journal of Cleaner Production*, 173, 151–159. <https://doi.org/https://doi.org/10.1016/j.jclepro.2017.06.021>
- Huang, L., Liu, Y., Krigsvoll, G., & Johansen, F. (2018b). Life cycle assessment and life cycle cost of university dormitories in the southeast China: Case study of the university town of Fuzhou. *Journal of Cleaner Production*, 173, 151–159. <https://doi.org/https://doi.org/10.1016/j.jclepro.2017.06.021>
- Huang, Z., Lu, Y., Wong, N. H., & Poh, C. H. (2019). The true cost of “greening” a building: Life cycle cost analysis of vertical greenery systems (VGS) in tropical climate. *Journal of Cleaner Production*, 228, 437–454. <https://doi.org/10.1016/j.jclepro.2019.04.275>

- ISO. (2006). *Environmental Management: Life Cycle Assessment; Principles and Framework* (Issue 2006). ISO.
- Kaewunruen, S., Sresakoolchai, J., & Peng, J. (2020). Life cycle cost, energy and carbon assessments of Beijing-Shanghai high-speed railway. *Sustainability (Switzerland)*, 12(1). <https://doi.org/10.3390/SU12010206>
- Kalvani, S. R., Sharaai, A. H., Abdullahi, I. K., Rezaei Kalvani, S., Sharaai, A. H., & Abdullahi, I. K. (2021). Social Consideration in Product Life Cycle for Product Social Sustainability. *Sustainability*, 13(20). <https://doi.org/10.3390/su132011292>
- Kalvani, S. R., Sharaai, A. H., Masri, M. F., Yunus, N. F. M., Afendi, M. R., & Uchechukwu, O. B. (2022). Social impact and social performance of paddy rice production in Iran and Malaysia. *International Journal of Life Cycle Assessment*, 27(8), 1092–1105. <https://doi.org/10.1007/s11367-022-02083-4>
- Kianian, B., Kurdve, M., & Andersson, C. (2019). Comparing life cycle costing and performance part costing in assessing acquisition and operational cost of new manufacturing technologies. *Procedia CIRP*, 80, 428–433. <https://doi.org/10.1016/j.procir.2019.01.025>
- Kim, J., Noh, Y., Ryu, J., Seo, Y., & Chang, D. (2016). Determination of hydrate inhibitor injection rate based on the life-cycle cost of the injection facility and mitigating measures. *Journal of Natural Gas Science and Engineering*, 34, 552–562. <https://doi.org/https://doi.org/10.1016/j.jngse.2016.07.030>
- Kim, S., Kim, G. H., & Lee, Y. Do. (2014). Sustainability life cycle cost analysis of roof waterproofing methods considering LCCO2. *Sustainability (Switzerland)*, 6(1), 158–174. <https://doi.org/10.3390/su6010158>
- Kimoto, K., Yoshizaki, Y., & Ikeda, T. (2013). Life cycle cost analysis on educational facilities in Japan. *International Journal of Project Organisation and Management*, 5(1–2), 91–110. <https://doi.org/10.1504/IJPOM.2013.053156>
- Kneifel, J. (2010). Life-cycle carbon and cost analysis of energy efficiency measures in new commercial buildings. *Energy and Buildings*, 42(3), 333–340. <https://doi.org/https://doi.org/10.1016/j.enbuild.2009.09.011>
- Lai, C. S., Locatelli, G., Pimm, A., Li, X., & Lai, L. L. (2019). Levelized cost of electricity considering electrochemical energy storage cycle-life degradations. *Energy Procedia*, 158, 3308–3313. <https://doi.org/https://doi.org/10.1016/j.egypro.2019.01.975>
- Lee, J.-Y., Yoo, M., Cha, K., Lim, T. W., & Hur, T. (2009). Life cycle cost analysis to examine the economical feasibility of hydrogen as an alternative fuel. *International Journal of Hydrogen Energy*, 34(10), 4243–4255. <https://doi.org/https://doi.org/10.1016/j.ijhydene.2009.03.012>
- Li, C. S., & Guo, S. J. (2012). Life cycle cost analysis of maintenance costs and budgets for university buildings in Taiwan. *Journal of Asian Architecture and Building Engineering*, 11(1), 87–94. <https://doi.org/10.3130/jaabe.11.87>
- Li, J., Xiao, F., Zhang, L., & Amirkhanian, S. N. (2019). Life cycle assessment and life cycle cost analysis of recycled solid waste materials in highway pavement: A review. *Journal of Cleaner Production*, 233, 1182–1206. <https://doi.org/10.1016/j.jclepro.2019.06.061>
- Li, S., Lu, Y., Kua, H. W., & Chang, R. (2020). The economics of green buildings: A life cycle cost analysis of non-residential buildings in tropic climates. *Journal of Cleaner Production*, 252, 119771. <https://doi.org/https://doi.org/10.1016/j.jclepro.2019.119771>
- Li, Y., Sharaai, A. H., Ma, S., Wafa, W., He, Z., & Ghani, L. A. (2022). Quantification of Carbon Emission and Solid Waste from Pottery Production by Using Life-Cycle Assessment (LCA) Method in Yunnan, China. In *Processes* (Vol. 10, Issue 5).

<https://doi.org/10.3390/pr10050926>

- Liu, J., Huang, Z., & Wang, X. (2020). Economic and environmental assessment of carbon emissions from demolition waste based on LCA and LCC. *Sustainability (Switzerland)*, 12(16). <https://doi.org/10.3390/su12166683>
- Lv, J., Gu, F., Zhang, W., & Guo, J. (2019). Life cycle assessment and life cycle costing of sanitary ware manufacturing: A case study in China. *Journal of Cleaner Production*, 238, 117938. <https://doi.org/https://doi.org/10.1016/j.jclepro.2019.117938>
- Ma, S., Sharaai, A. H., He, Z., Matthew, N. K., Zainordin, N. S., & Wafa, W. (2023). Exploring the Research Frontier of Life Cycle Sustainability Assessment—A Systematic Literature Review of Applied Bibliometric Analysis. *Chemical Engineering Transactions*, 106, 547-552 SE-Research Articles. <https://doi.org/10.3303/CET23106092>
- Ma, S., Sharaai, A. H., & Zainordin, N. S. (n.d.). Lcc Analysis of Electric Vehicle Adoption in Cold Climates: Heilongjiang Province, China. *Nitanan Koshy a/I and Zainordin, Nazatul Syadia, Lcc Analysis of Electric Vehicle Adoption in Cold Climates: Heilongjiang Province, China*.
- Mahbub, P., & Sharma, A. (2019). Investigation of alternative water sources for fish farming using life cycle costing approach: A case study in North West Tasmania. *Journal of Hydrology*, 579(October), 124–215. <https://doi.org/10.1016/j.jhydrol.2019.124215>
- Martinez-Sanchez, V., Tonini, D., Møller, F., & Astrup, T. F. (2016). Life-Cycle Costing of Food Waste Management in Denmark: Importance of Indirect Effects. *Environmental Science and Technology*, 50(8), 4513–4523. <https://doi.org/10.1021/acs.est.5b03536>
- Massarutto, A., Carli, A. de, & Graffi, M. (2011). Material and energy recovery in integrated waste management systems: A life-cycle costing approach. *Waste Management*, 31(9), 2102–2111. <https://doi.org/https://doi.org/10.1016/j.wasman.2011.05.017>
- Matthew, N. K., Shuib, A., Ramachandran, S., Afandi, S. H. M., Herman, S., Afandi, M., Matthew, N. K., Shuib, A., Ramachandran, S., & Afandi, S. H. M. (2019). Total economic value of ecosystem services in Malaysia: A review. *Journal of Sustainability Science and Management*, 14(5), 148–163.
- Max, M., & Mi, B. (2017). Life cycle cost analysis of energy-efficient buildings subjected to earthquakes. *Energy & Buildings*, 154, 581–589. <https://doi.org/10.1016/j.enbuild.2017.08.056>
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & Group, and the P. (2009). Reprint—Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *Physical Therapy*, 89(9), 873–880. <https://doi.org/10.1093/ptj/89.9.873>
- Morrissey, J., & Horne, R. E. (2011). Life cycle cost implications of energy efficiency measures in new residential buildings. *Energy and Buildings*, 43(4), 915–924. <https://doi.org/https://doi.org/10.1016/j.enbuild.2010.12.013>
- Muhammad, K. I., Sharaai, A. H., Ismail, M. M., Harun, R., & Yien, W. S. (2019). Social implications of palm oil production through social life cycle perspectives in Johor, Malaysia. *The International Journal of Life Cycle Assessment*, 24(5), 935–944. <https://doi.org/10.1007/s11367-018-1540-y>
- Omran, N., Sharaai, A. H., & Hashim, A. H. (2021). *Visualization of the Sustainability Level of Crude Palm Oil Production : A Life Cycle Approach*. 1–16.
- Peña, A., & Rovira-Val, M. R. (2020). A longitudinal literature review of life cycle costing applied to urban agriculture. *International Journal of Life Cycle Assessment, Baud 2000*. <https://doi.org/10.1007/s11367-020-01768-y>
- Pullin, A. S., & Stewart, G. B. (2006). Guidelines for Systematic Review in Conservation and Environmental Management. *Conservation Biology*, 20(6), 1647–1656.

- <https://doi.org/10.1111/j.1523-1739.2006.00485.x>
- Ramos Huarachi, D. A., Piekarski, C. M., Puglieri, F. N., & de Francisco, A. C. (2020). Past and future of Social Life Cycle Assessment: Historical evolution and research trends. *Journal of Cleaner Production*, 264, 121506. <https://doi.org/10.1016/j.jclepro.2020.121506>
- RICS. (2016). Life cycle costing Life cycle costing. *RICS Guidance Note, UK, 1st Edition, April*.
- Sajid, M. U., & Bicer, Y. (2021). Comparative life cycle cost analysis of various solar energy-based integrated systems for self-sufficient greenhouses. *Sustainable Production and Consumption*, 27, 141–156. <https://doi.org/10.1016/j.spc.2020.10.025>
- Samsuddin, N. S. B. (2019). *Performance of A State Farmers' Organization on Broiler Supply Chain Based on Environmental Life Cycle Costing In Johor, Malaysia*. Universiti Putra Malaysia Seri Kembangan, Malaysia.
- Schau, E. M., Traverso, M., Lehmannann, A., & Finkbeiner, M. (2011). Life cycle costing in sustainability assessment-A case study of remanufactured alternators. *Sustainability*, 3(11), 2268–2288. <https://doi.org/10.3390/su3112268>
- Seo, Y., You, H., Lee, S., Huh, C., & Chang, D. (2015). Evaluation of CO₂ liquefaction processes for ship-based carbon capture and storage (CCS) in terms of life cycle cost (LCC) considering availability. *International Journal of Greenhouse Gas Control*, 35, 1–12. <https://doi.org/10.1016/j.ijggc.2015.01.006>
- Shan, X., Melina, A. N., & Yang, E.-H. (2018). Impact of indoor environmental quality on students' wellbeing and performance in educational building through life cycle costing perspective. *Journal of Cleaner Production*, 204, 298–309. <https://doi.org/10.1016/j.jclepro.2018.09.002>
- Sharaai, A. H., Muhammad, K. I., & Wah, Y. G. (2019). SOCIAL IMPACT EVALUATION OF TEA PRODUCTION USING SOCIAL LIFE CYCLE ASSESSMENT (S-LCA) METHOD IN CAMERON HIGHLANDS, PAHANG, MALAYSIA. *PLANNING MALAYSIA*, 17(10).
- Sharaai, A. H., Zulkipli, L., Harun, A. H., & Hui, A. Y. (2020). Social life cycle assessment (S-LCA) of cocoa production on local community and workers in Pahang, Malaysia. *International Journal of Advanced Science and Technology*, 29(9).
- Shea, R. P., Worsham, M. O., Chiasson, A. D., Kissock, J. K., & McCall, B. J. (2020). A lifecycle cost analysis of transitioning to a fully-electrified , renewably powered , and carbon-neutral campus at the University of Dayton Intergovernmental Panel on Climate Change. *Sustainable Energy Technologies and Assessments*, 37(November 2019), 100576. <https://doi.org/10.1016/j.seta.2019.100576>
- Singh, R. L., & Singh, P. K. (2017). *Global Environmental Problems BT - Principles and Applications of Environmental Biotechnology for a Sustainable Future* (R. L. Singh (ed.); pp. 13–41). Springer Singapore. https://doi.org/10.1007/978-981-10-1866-4_2
- Sining, M., Sharaai, A. H., & Wafa, W. (2022). A study of social well-being among university students. *International Journal of Life Cycle Assessment*, 27(3), 492–504. <https://doi.org/10.1007/s11367-022-02029-w>
- Śnierzyński Hernes, M., Bytniewski, A., Krzywonos, M., & Sobieska-Karpińska, J., M. (2019). Data Sources for Environmental Life Cycle Costing in Network Organizations. In *An International Conference on Computational Collective Intelligence: Vol. 11684 LNAI*. Springer link. https://doi.org/10.1007/978-3-030-28374-2_29
- Soni, V., Singh, S. P., & Banwet, D. K. (2016). Sustainable coal consumption and energy production in India using life cycle costing and real options analysis. *Sustainable Production and Consumption*, 6(December 2015), 26–37.

- <https://doi.org/https://doi.org/10.1016/j.spc.2015.12.002>
- Spickova, M., & Myskova, R. (2015). Costs Efficiency Evaluation using Life Cycle Costing as Strategic Method. *Procedia Economics and Finance*, 34(15), 337–343. [https://doi.org/10.1016/s2212-5671\(15\)01638-x](https://doi.org/10.1016/s2212-5671(15)01638-x)
- Stevanovic, M., Allacker, K., & Vermeulen, S. (2019). Development of an approach to assess the life cycle environmental impacts and costs of general hospitals through the analysis of a belgian case. *Sustainability (Switzerland)*, 11(3). <https://doi.org/10.3390/su11030856>
- Sun, H., He, C., Wang, H., Zhang, Y., Lv, S., & Xu, Y. (2017). Hydrogen station siting optimization based on multi-source hydrogen supply and life cycle cost. *International Journal of Hydrogen Energy*, 42(38), 23952–23965. <https://doi.org/https://doi.org/10.1016/j.ijhydene.2017.07.191>
- Tabrizi, A., & Sanguinetti, P. (2015). Life-cycle cost assessment and energy performance evaluation of NZEB enhancement for LEED-rated educational facilities. *Advances in Building Energy Research*, 9(2), 267–279. <https://doi.org/10.1080/17512549.2015.1014841>
- Tasdemir, C., & Gazo, R. (2020). Integrating sustainability into higher education curriculum through a transdisciplinary perspective. *Journal of Cleaner Production*, 265, 121759. <https://doi.org/https://doi.org/10.1016/j.jclepro.2020.121759>
- Teshnizi, Z., Pilon, A., Storey, S., Lopez, D., & Froese, T. M. (2018). Lessons Learned from Life Cycle Assessment and Life Cycle Costing of Two Residential Towers at the University of British Columbia. *Procedia CIRP*, 69, 172–177. <https://doi.org/https://doi.org/10.1016/j.procir.2017.11.121>
- Trigaux, D., Wijnants, L., De Troyer, F., & Allacker, K. (2017). Life cycle assessment and life cycle costing of road infrastructure in residential neighbourhoods. *The International Journal of Life Cycle Assessment*, 22(6), 938–951. <https://doi.org/10.1007/s11367-016-1190-x>
- Uygunoğlu, T., & Keçebaş, A. (2011). LCC analysis for energy-saving in residential buildings with different types of construction masonry blocks. *Energy and Buildings*, 43(9), 2077–2085. <https://doi.org/https://doi.org/10.1016/j.enbuild.2011.04.011>
- Van Eck, N. J., & Waltman, L. (2010). Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*, 84(2), 523–538.
- Wafa, W., Sharaai, A. H., Matthew, N. K., Ho, S. A. J., & Akhundzada, N. A. (2022). Organizational Life Cycle Sustainability Assessment (OLCSA) for a Higher Education Institution as an Organization: A Systematic Review and Bibliometric Analysis. *Sustainability* 2022, Vol. 14, Page 2616, 14(5), 2616. <https://doi.org/10.3390/SU14052616>
- Wang, N., Chang, Y.-C., & El-Sheikh, A. A. (2012). Monte Carlo simulation approach to life cycle cost management. *Structure and Infrastructure Engineering*, 8(8), 739–746. <https://doi.org/10.1080/15732479.2010.481304>
- Xiao, C., Fu, Q., Liao, Q., Huang, Y., Xia, A., Chen, H., & Zhu, X. (2019). Life cycle and economic assessments of biogas production from microalgae biomass with hydrothermal pretreatment via anaerobic digestion. *Renewable Energy*. <https://doi.org/https://doi.org/10.1016/j.renene.2019.10.145>
- Xu, C., Hong, J., Jia, H., Liang, S., & Xu, T. (2017). Life cycle environmental and economic assessment of a LID-BMP treatment train system: A case study in China. *Journal of Cleaner Production*, 149, 227–237. <https://doi.org/10.1016/j.jclepro.2017.02.086>

- Xue, Z., Liu, H., Zhang, Q., Wang, J., Fan, J., & Zhou, X. (2020). The Impact Assessment of Campus Buildings Based on a Life Cycle Assessment–Life Cycle Cost Integrated Model. *Sustainability*, 12(1), 1–24. <https://doi.org/10.3390/su12010294>
- Yang, D., Fan, L., Shi, F., Liu, Q., & Wang, Y. (2017). Comparative study of cement manufacturing with different strength grades using the coupled LCA and partial LCC methods—A case study in China. *Resources, Conservation and Recycling*, 119, 60–68. <https://doi.org/https://doi.org/10.1016/j.resconrec.2016.06.017>
- Zhang, X., Zhou, Y., & Han, Q. (2019). Game theory-based environmental LCC control behavior analysis. *Journal of Cleaner Production*, 211, 1527–1533. <https://doi.org/https://doi.org/10.1016/j.jclepro.2018.11.237>