



UNIVERSITI PUTRA MALAYSIA

**CHARACTERIZATION OF PALM-BASED BINARY
FAT BLENDS AND DEVELOPMENT OF
MARGARINE FROM THE BLENDS**

SAMI SAADI

FSTM 2010 16

**CHARACTERIZATION OF PALM-BASED BINARY
FAT BLENDS AND DEVELOPMENT OF
MARGARINE FROM THE BLENDS**

SAMI SAADI

**MASTER OF SCIENCE
UNIVERSITI PUTRA MALAYSIA**

2010



**CHARACTERIZATION OF PALM-BASED BINARY FAT BLENDS AND
DEVELOPMENT OF MARGARINE FROM THE BLENDS**

By
SAMI SAADI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia in
Fulfilment of the Requirements for the Degree of Master of Science**

December 2010



DEDICATION

This thesis is dedicated to my beloved parents, brothers, and sisters; to all members of my big family SAADI. It also goes to teachers, scientists, researchers, and all seekers for knowledge.



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of
the requirement for the Degree of Master of Science

**CHARACTERIZATION OF PALM-BASED BINARY FAT BLENDS AND
DEVELOPMENT OF MARGARINE FROM THE BLENDS**

By

SAMI SAADI

December 2010

Chairman : Associate Professor Abdul Azis Ariffin, PhD

Faculty : Food Science and Technology

The main objectives of this study were: (1) to determine the effect of stearin excess and small dose of monoacylglycerol (an emulsifier) on thermal behavior, solid fat content and microstructure properties of PO based margarine fats, and (2) to assess the changes in the physicochemical and rheological properties of water-in-oil (w/o) emulsion systems during the storage time taking *multipurpose margarine* (MPM) as an example.

The ability of palm oil (PO) to crystallize as beta prime polymorph has made it as an attractive option for the production of margarine fat (MF). Palm stearin (POs) expresses similar crystallization behavior, and is considered one of the best substitutes of hydrogenated oils due to its capability to impart the required level of plasticity and body to the finished product. Normally, POs is blended with PO to reduce the melting point at



body temperature (37°C), Lipid phase, formulated by PO and POs in different ratios, were subjected to an emulsification process and the following analyses were done: triacylglycerol (TAG), solid fat content (SFC) and thermal behavior. In addition, iodine value (IV), fatty acid composition (FAC) and rheological properties including viscosity (η) and shear stress (τ) were determined in before emulsification process (BEP), while the microstructure properties including size and number of crystals were also determined for experimental and commercial margarine fats (EMF and CMF) after emulsification process (AEP).

Results showed that blending and emulsification at POs level over 40% (w/w) were significantly changed the physicochemical and microstructure properties of EMF as compared to CMF, resulting in a desirable PPO/POP% of less than 36.1%. SFC at 37°C , crystal size, crystal number, crystallization and melting enthalpies (ΔH) were 15%, $5.37\mu\text{m}$, $1425 \text{ crystal}/\mu\text{m}^2$, 17.25 J/g and 57.69 J/g , respectively. Differential scanning calorimetry (DSC) analysis of blends indicated significant effect on temperature transition; peak sharpness and enthalpy at POs level more than 40% (w/w). The continuous incorporation of POs in the fat matrix system of lipid phase of BEP and AEP showed the apparition of new peaks at high temperature level ranging from 50 to 56°C . These peaks were attributed to the higher melting compounds of TAGs and the occurrence of polymorphic transition. The pNMR showed the formation of eutectic systems at POs over 40% (w/w), resulting in low level of SFC of less than 15% at body temperature (37°C). All data reported indicate that the formation of granular crystals in margarine fat was dominated by high melting TAG namely PPO/POP, whilst the small

dose of monoacylglycerol that is used as emulsifier slowed the emergence of undesirable polymorph in EMF as compared to CMF.

The assessment of binary blend behavior of PO/POs based water-in-oil (w/o) emulsions during the storage time showed significant changes for total physicochemical and rheological properties of (w/o) emulsion types, resulting in SFC at 28 °C, consistency, softness and storage modulus (G') of less than 25%, 16 Kg f/cm², 30 mm ease of cone penetration and 15×10^4 Pa, respectively. These data provide an indication on the weakness structure network and low workability force of the MPM models over 40% (w/w) of POs. Examination microscopy of the images revealed that the incorporation of PS levels more than 40% (wt./wt.) have the ability to readily transform beta prime polymorph (β') to beta (β), while the reduction of PS over 40% (wt./wt.) slowed down the emergence of β polymorph. Meanwhile, PV and FFA of 2 Meq O₂/Kg and 0.35% respectively, screened excellent oxidative stability and high resistance against acidity and rancidity of multipurpose margarine (MPM). This oxidative stability in MPM models during the storage time may explain by the presence of an optimal average of saturated bonds that made them to be chemically more stable against oxidative deterioration.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai
memenuhi keperluan untuk ijazah master sains

**PENCIRIAN CAMPURAN LEMAK BERASASKAN KELAPA SAWIT SECARA
DEDUA DAN PENGHASILAN MARJERIN DARIPADA CAMPURAN
TERSEBUT**

Oleh
SAMI SAADI

Dicember 2010

Pengerusi : Profesor Madya Abdul Azis Ariffin, PhD

Falkuti : Sains dan Teknologi Makanan

Objektif utama kajian ini adalah untuk: (1) menentukan kesan dos stearin berlebihan dan dos monoasigliserol (pengemulsi) yang sedikit terhadap perilaku terma, kandungan lemak pepejal dan sifat struktur mikro sistem yang berasaskan PO (lemak mentega), dan (2) menentukan perubahan sifat fisikokimia sistem emulsi air-dalam-minyak (w/o) sepanjang waktu simpanan (*Contoh: mentega serbaguna*).

Keupayaan PO untuk menghablur membentuk polimorf beta primer telah menjadikannya sebagai pilihan yang menarik untuk penghasilan lemak marjerin (MF). POs menunjukkan sifat penghabluran yang sama, dan ini dianggap sebagai salah satu pengganti minyak terhidrogen yang terbaik disebabkan keupayaannya untuk memberikan tahap kekenyalan beserta bentuk jasad yang dikehendaki kepada produk

akhir. Biasanya, POs diadun dengan PO untuk mengurangkan takat lebur kepada suhu badan (37°C), Fasa lipid, dirumuskan dari nisbah PO dan POs yang berbeza, akan melalui proses emulsi. Analisis sebelum dan selepas proses pengemulsian dijalankan seperti berikut: TAG, SFC, perilaku terma. Sebagai tambahan, nilai iodin (IV), komposisi asid lemak (FAC), dan sifat reologi termasuk kadar kelikatan(η) dan juga daya tekanan selari (τ) telah ditentukan sebelum proses emulsi (BEP), manakala keadaan struktur mikro termasuk saiz dan jumlah kristal juga telah ditentukan untuk marjerin kajian (EMF) dan marjerin komersial (CMF) selepas proses emulsi (AEP).

Keputusan kajian menunjukkan bahawa pencampuran dan pengemulsian pada kadar PS yang melebihi daripada 40% (w/w), secara signifikannya mengubah sifat fisikokimia dan mikro EMF berbanding dengan CMF, menyebabkan kandungan PPO/POP yang diperlukan, SFC pada 37°C , saiz kristal, kuantiti kristal, kristalisasi dan peleburan entalpi (ΔH) yang kurang daripada 36.1%, 15%, $5.37 \mu\text{m}$, $1425 \text{kristal}/\mu\text{m}^2$, 17.25J/g dan 57.69 J/g , secara masing-masing. Kesan sebaliknya diperoleh apabila kadar PS melebihi 40% (w/w). Analisis Kalorimetri Pengimbasan Kebezaan (DSC) menunjukkan kesan campuran yang signifikan ($p < 0.05$) terhadap suhu peralihan; ketajaman puncak dan entalpi pada aras PS yang melebihi 40% (w/w). Penggunaan PS yang berterusan dalam sistem matrik lemak bagi fasa lipid BEP dan AEP telah menunjukkan kewujudan puncak baru pada suhu tinggi antara $50\text{-}56^{\circ}\text{C}$. Puncak ini boleh dikaitkan dengan takat lebur kompaun TAG yang lebih tinggi serta kejadian transisi polimorfik. Keputusan pNMR pula menunjukkan pembentukan sistem eutektik pada PS/POs melebihi 40% (w/w), yang seterusnya menghasilkan kadar SFC yang rendah iaitu kurang daripada 15%

pada suhu badan (37°C). Keputusan resonansi magnetik nukleans berdenyut (pNMR) menunjukkan penurunan signifikan kepada SFC bagi adunan yang mengandungi PS kurang daripada 40% (w/w), menjadikan kandungan SFC yang rendah kurang daripada 15% pada suhu badan (37°C). Semua data ini telah menunjukkan bahawa pembentukan kristal granular dalam lemak marjerin adalah didominasi oleh TAG bertakat lebur tinggi iaitu PPO/POP, sedangkan dos kecil monoasiglicerol digunakan sebagai pengemulsi agar melambatkan kadar kelajuan penghabluran.

Penilaian untuk perilaku campuran dedua PO/POs bagi emulsi minyak dalam air (w/o) sepanjang masa simpanan telah menunjukkan perubahan signifikan ($p < 0.05$) pada keseluruhan sifat fisikokimia dan reologi bagi jenis emulsi (w/o) dengan penghasilan SFC pada 28°C , konsistensi, kelembutan dan modulus penyimpanan (G') yang kurang daripada 25%, 16Kg f/cm^2 dan 30 mm kemudahan bagi penyerapan kon dan $15 \times 10^4 \text{ Pa}$, masing-masing. Data ini telah menunjukkan jaringan struktur yang lemah dan daya tenaga yang kurang bagi model MPM yang melebihi 40% (w/w) PS/POs. Pemeriksaan di bawah mikroskop terhadap imej-imej menunjukkan bahawa penambahan POs yang lebih daripada 40% (wt./wt.) mempunyai keupayaan untuk menukar polimorf beta prima (β') kepada beta (β), manakala pengurangan POs lebih daripada 40% (w/w) akan melambatkan ketulenan polimorf β . Sementara itu, PV dan FFA daripada 2 Meq O_2/Kg dan 0.35% masing-masing, menggambarkan kestabilan oksidatif dan ketahanan yang tinggi terhadap keasidan dan ketengikan MPM sewaktu penyimpanan. Kestabilan oksidatif dalam model MPM sewaktu proses penyimpanan ini boleh diterangkan oleh kehadiran purata ikatan tenu optimal yang membuatkan ia lebih stabil secara kimia dari kerosakan oksidatif.

ACKNOWLEDGEMENTS

First, all my thanks and praise to Allah (SWT), the Most Gracious and Merciful, for giving me the power, strength, attitude, and patience to complete this thesis, without any obstacles or problems during my master study, particularly during my research work. I would like to express my sincere gratitude to my supervisor, Assoc. Prof. Dr. Abdul Azis Ariffin, for kindly accepting me as his student. For his unlimited guidance, advice, I am very thankful.

I would like also to thank all my supervisory committee, including Professor Dr. Hasanah Mohd Ghazali for her guidance and for kindly assisting me in solving DSC, and GC problems, through the using of laboratory of biotechnology and enzyme, and for her constructive comments during my project. Dr. Miskandar Mat Sahri for his guidance, and helping me in solving the problems of NMR and Microscopy in MPOB. Assoc. Prof. Dr. Abdulkarin Sabo Mohamed, for his guidance me in many things especially, the methodology of writing scientific papers, as well as to his constructive comments. My appreciation is extended to the Assoc. Prof. Dr. Boo Huey Chern, thank you for teaching me a lot of things, especially in understanding the statistical techniques. I also wish to thank my labmates at the laboratory of biotechnology and enzyme, especially Ms Myat and Sarah. Not to forget Ms Nasoi in MPOB for her technical assistance in performing part of the experiments (NMR analysis). Special thanks go to all my friends for their helpful suggestions, encouragement and courtesy. Last but not least, I would like to convey my deepest thanks to my parents and family for their love, support and never ending prayers.

I certify that a Thesis Examination Committee has met on 3 December 2010 to conduct the final examination of Sami Saadi on his thesis entitled "Characterization of Palm-Based Binary Fat Blends and Development of Margarine from the Blends" in accordance with the Universities and University Colleges Act 1971 and the constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Jamilah bt Bakar, PhD

Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Chairman)

Tan Chin Ping, PhD

Associate Professor

Faculty of Food Science and Technology

University Putra Malaysia

(Internal examiner)

Yaakob bin Che Man, PhD

Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Internal Examiner)

Mamot Said, PhD

Associate Professor

Faculty of Science and Technology

Universiti Kebangsaan Malaysia

(External examiner)

BUJANG KIM HUAT, PhD

Professor and Deputy Dean

School of Graduate Studies

Universiti Putra Malaysia

Date: 22 February 2011

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of Supervisory Committee were as follows:

Abdul Azis Ariffin, PhD

Associate Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Chairman)

Hasanah Mohd Ghazali, PhD

Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Member)

Abdulkarim Sabo Mohamed, PhD

Associate Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Member)

Boo Huey Chern, PhD

Associate Professor

Faculty of Food Science and Technology

Universiti Putra Malaysia

(Member)

Miskandar Mat Sahri, PhD

Principal Research Officer

Malaysian Palm Oil Board (MPOB)

(Member)

HASANAH MOHD GHAZALI, PhD

Professor and Dean

School of Graduate Studies

Universiti Putra Malaysia

Date:



DECLARATION

I declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.

SAMI SAADI

Date: 3 December 2010



TABLE OF CONTENTS

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	vi
ACKNOWLEDGEMENTS	ix
APPROVAL	x
DECLARATION	xii
LIST OF TABLES	xv
LIST OF FIGURES	xvi
LIST OF ABBREVIATIONS	xvii
CHAPTER	
1 GENERAL INTRODUCTION	1
2 LITERATURE REVIEW	4
2.1 Margarine description	4
2.1.2 Other ingredients of formulated margarine	6
2.1.3 Margarine preparation	9
2.1.4 Margarine types	10
2.1.5 Physical properties of margarine	12
2.2 Oils and Fats: Technique and analysis	13
2.2.1 Blending technique of oils and fats	13
2.2.2 Physical characteristics of fats and oils	13
DSC in the analysis of thermal behaviour	13
NMR in the analysis of solid fat content (SFC)	14
Analysis of consistency and plasticity	15
Analysis of the viscosity	15
2.2.3 Chemical characteristics of oils and fats	16
Determination of iodine value (IV)	16
Analysis of fatty acid composition (FAC)	16
Analysis of triacylglycerols composition (TAG)	17
Determination of peroxide value (PV)	17
Determination of free fatty acid (FFA)	18
2.3 Emulsifiers and emulsions	18
2.3.1 Mono- and diacylglycerols emulsifiers	18
2.3.2 Emulsifiers functionality	19
Effect of emulsifiers on emulsion stability	19
Effect of emulsifiers on crystallization	20
2.3.3 Emulsions	23
2.3.4 Description and classification	23

3	EFFECT OF BLINDING AND EMULSIFICATION ON THERMAL BEHAVIOR, SOLID FAT CONTENT AND MICROSTRUCTURAL PROPERTIES OF PALM OIL/PALM STEARIN ADMIXTURES FOR EXPERIMENTAL MARGARINE FAT	25
	3.1 Introduction	25
	3.2 Materials and methods	27
	Materials	27
	Methods	28
	Physicochemical analysis	28
	Microstructure analysis	33
	Statistical analysis	34
	3.3 Results and discussion	35
	Changes in FAC and IV in BEP	35
	Changes in viscosity and shear stress in BEP	38
	Changes in TAGs composition of BEP/AEP.	40
	Changes in crystallization properties of BEP/AEP.	46
	Changes in melting properties of BEP/AEP.	51
	Changes in SFC profile of BEP/AEP.	55
	Changes in microstructure of EMF and CMF	58
	3.4 Conclusion	61
4	CHANGES IN THE PHYSICOCHEMICAL AND RHEOLOGICAL PROPERTIES OF WATER-IN-OIL (W/O) EMULSION SYSTEMS DURING THE STORAGE TIME	62
	4.1 Introduction	62
	4.2 Materials and methods	64
	Materials	64
	Methods	64
	Physicochemical analysis	65
	Microstructure analysis	66
	Viscoelasticity analysis	67
	Statistical analysis	68
	4.3 Results and discussion	69
	Changes in solid fat content	69
	Changes in consistency and softness	71
	Changes in microstructure and polymorphism	73
	Changes in storage modulus (G')	76
	Changes in peroxide value and free fatty acid	78
	4.4 Conclusion	80
5	GENERAL CONCLUSION AND RECOMMENDATION	81
	REFERENCES	83
	APPENDICES	92
	BIODATA OF STUDENT	94
	PUBLICATIONS	95