



**UNIVERSITI PUTRA MALAYSIA**

**PREVALENCE OF MUSCULOSKELETAL SYMPTOMS  
AND ASSOCIATED RISK FACTORS AMONG WORKERS  
IN THE PRINTING INDUSTRY**

**FOONG MAY CHI**

**FPSK(m) 2012 16**

**PREVALENCE OF MUSCULOSKELETAL SYMPTOMS  
AND ASSOCIATED RISK FACTORS AMONG WORKERS  
IN THE PRINTING INDUSTRY**



**By**

**FOONG MAY CHI**

**This thesis submitted to the School of Graduate Studies, Universiti Putra Malaysia, in  
Fulfillment of the Requirements for the Degree of Master of Science**

**May 2012**

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Master of Science

**PREVALENCE OF MUSCULOSKELETAL SYMPTOMS AND ASSOCIATED RISK FACTORS AMONG WORKERS IN THE PRINTING INDUSTRY**

**By**

**Foong May Chi**

**May 2012**

**Chairman: Ahmad Azuhairi Ariffin, MD**

**Faculty: Medicine and Health Sciences**

**Introduction:** Musculoskeletal disorders (MSD) continue to be a major occupational safety and health issue in most industrialized countries and are a main cause of work-related disability and lost-time illnesses. Multiple risk factors could cause MSD. The relationship between occupational factors and MSD has been widely reported in different studies. The activities in the workplace such as repetitive movements, forceful exertion and prolonged standing or sitting posture known to be important MSD risk factors. In printing manufacturing, workers are directly exposed to the production process with job tasks requires heavy load lifting, carrying, pushing and the maintenance of awkward postures. For these reason, workers has a high probability associated with musculoskeletal symptom (MSS). In Malaysia, the printing industry is among the oldest and the top five largest industries in the manufacturing sectors. However, there is little information about the magnitude of the musculoskeletal problems and lack of assessment of working posture among the study population. **Objective:** This study aimed to identify the

prevalence of musculoskeletal symptom (MSS) by body parts and to determine the relationship between socio-demographic, individual and occupational factors with MSS among printing production line workers. **Method:** A cross-sectional study was carried out at printing manufacturing company in Klang Valley, Malaysia. Respondents were randomly selected and a total of 250 workers who met the inclusion criteria participated in this study. The socio-demographic information and MSS were obtained through Standardized Nordic Questionnaire (SNQ). The posture analysis was performed using Rapid Upper Limb Assessment (RULA) method. The data was analyzed by using Statistical Package of Social Science (SPSS) version 19.0. **Result:** The overall prevalence of MSS was 79.6% and the highest prevalence by body parts were the lower back (48.0%). 70.0% of workers recorded RULA score above 5. There were significant association between MSS with age ( $p=0.017$ ), gender ( $p=0.030$ ), job duration ( $p=0.020$ ) and RULA scores ( $p<0.05$ ). Multiple logistic regression analysis showed that the significant risk factors for MSS were gender (2.88, 95% CI 1.66-8.16), job duration (1.06, 95% CI 1.01-1.12), RULA score 3 (6.00, 95% CI 1.37-27.09), RULA score 4 (8.20, 95% CI 1.55-43.43), RULA score 5 (9.10, 95% CI 1.97-42.07), RULA score 6 (14.38, 95% CI 3.09-66.99) and RULA score 7 (25.85, 95% CI 5.07-131.91). **Conclusion:** The overall prevalence of MSS was relatively high in the printing industry population. Age, gender, job duration and RULA scores were associated with MSS. Effective prevention strategies are required to address MSD in this population in order to minimize the risk for MSD.

**Keywords:** Musculoskeletal symptom (MSS), printing workers, Rapid Upper-Limb Assessment (RULA), Standardized Nordic Questionnaire (SNQ)

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai keperluan untuk memenuhi ijazah Sarjana Sains

**PREVALENS GEJALA MASALAH GANGGUAN OTOT RANGKA DAN  
PERHUBUNGAN ANTARA FAKTOR RISIKO DI KALANGAN PEKERJA-PEKERJA  
INDUSTRI PENCETAKAN**

Oleh

Foong May Chi

Mei 2012

**Pengerusi: Ahmad Azuhairi Ariffin, MD**

**Fakulti: Perubatan dan Sains Kesihatan**

**Pengenalan:** Masalah gangguan otot rangka terus menjadi penyebab utama dalam kecederaan pekerjaan di negara-negara perindustrian maju dan yang sedang membangun. Ia merupakan punca utama yang berkait dengan kerja hilang upaya di kalangan pekerja. Terdapat banyak faktor yang menyumbang kepada masalah gangguan otot rangka pada asalnya. Perhubungan antara faktor-faktor pekerjaan dan masalah gangguan otot rangka banyak dilaporkan dalam kajian sebelum ini. Aktiviti-aktiviti di tempat kerja seperti pergerakan berulang-ulang, melakukan kerja secara paksa, dan berkepanjangan berdiri atau duduk diketahui sebagai faktor risiko yang penting. Dalam industri percetakan, pekerja-pekerja terdedah secara langsung kepada proses pengeluaran yang melibatkan kerja mengangkat, membawa atau menolak beban berat dan mengekalkan postur canggung untuk tempoh masa yang lama. Oleh itu, pekerja mempunyai kebarangkalian yang tinggi untuk melaporkan aduan masalah gangguan pada otot rangka. Di Malaysia, industri percetakan merupakan industri yang ke-lima terbesar dalam sektor pembuatan. Walau bagaimanapun, maklumat tentang masalah gangguan otot rangka adalah terhad dan kurangnya penilaian postur kerja di kalangan populasi kajian. **Objektif:** Tujuan kajian adalah

untuk mengenalpasti prevalen gejala masalah gangguan otot rangka serta untuk menentukan hubungan antara masalah gangguan otot rangka dengan faktor-faktor socio-demografi, individu dan pekerjaan di kalangan pekerja percetakan. **Kaedah:** Satu kajian keratan rentas telah dijalankan di beberapa kilang percetakan komersil di Lembah Klang, Malaysia. Pekerja dipilih secara rawak berdasarkan kriteria inklusi dan sebanyak 250 pekerja terlibat dalam kajian. Sesi temuramah dengan setiap pekerja dilakukan untuk mendapatkan maklumat gejala masalah gangguan otot rangka dengan menggunakan borang soal selidik *Standardized Nordic Questionnaire (SNQ)* dan taksiran postur kerja melalui *Rapid-Upper Limb Assessment (RULA)*. **Hasil kajian:** Prevalens gejala masalah otot rangka di kalangan pekerja percetakan adalah 79.6%. Gejala masalah otot rangka yang paling umum pada anggota badan adalah bahagian belakang bawah (48.0%). 70.0% pekerja mencatat skor RULA 5 dan ke atas. Terdapat hubungan yang signifikan antara masalah gangguan otot rangka dengan umur ( $p=0.017$ ), jantina ( $p=0.030$ ), tempoh pekerjaan ( $p=0.020$ ) dan skor RULA ( $p<0.05$ ). Analisis regresi logistic ganda menunjukkan bahawa faktor risiko yang signifikan dengan masalah gangguan otot rangka adalah jantina (2.88, 95% CI 1.66-8.16), tempoh pekerjaan (1.06, 95% CI 1.01-1.12), skor RULA 3 (6.00, 95% CI 1.37-27.09), skor RULA 4 (8.20, 95% CI 1.55-43.43), skor RULA 5 (9.10, 95% CI 1.97-42.07), skor RULA 6 (14.38, 95% CI 3.09-66.99) dan skor RULA 7 (25.85, 95% CI 5.07-131.91). **Kesimpulan:** Prevalens gejala masalah gangguan otot rangka di kalangan pekerja industri percetakan adalah tinggi. Usia, jantina, tempoh pekerjaan dan skor RULA dikaitkan dengan gejala masalah gangguan otot rangka. Strategi pencegahan yang efektif diperlukan untuk mengatasi dan mengurangkan masalah gangguan otot rangka pada populasi ini.

**Kata kunci:** Masalah gangguan otot rangka, pekerja percetakan, Rapid Upper-Limb Assessment (RULA), Standardized Nordic Questionnaire (SNQ)

## ACKNOWLEDGEMENTS

I am acknowledging the people who had helped me with the completion of this project. Any endeavor of this type cannot be completed without their help and guidance. A special thank to Dr. Ahmad Azuhairi Ariffin, my supervisor who had contributed substantially to the content of this thesis especially with the data analysis of the project and careful evaluation of this thesis for accuracy, clarity, and relevance. He had always been there to support and help in every way he could during the times I was working on this project.

I am grateful to Dr. Mohd Rafee Baharudin and Associate Professor Dr Mohd Yusoff Adon who is members of my supervisor committee, for his constantly took times to listen and discuss every figure with me.

I am greatly appreciate the cooperation given by the representatives of the company for allowing access to printing factory and provided helps in facilitating data collection process. Besides, I am grateful to all workers for their willingness to participate in this study.

Special thanks to the financial contribution from Universiti Putra Malaysia (UPM) under the Research University Grant Scheme (RUGS). Finally, my love and gratitude go to my family and friends for their patience and understanding, continuously morally encouragements and guidance me. I am blessed and strengthen by their unconditional support.

I certify that an Examination Committee has met on date of viva voce to conduct the final examination of Foong May Chi on her Master of Science thesis entitled “prevalence of musculoskeletal symptom and its associated risk factors among workers in printing industry” in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The committee recommends that the

student be awarded the Master Science. Members of the Examination Committee were as follows:

**Huda Binti Zainuddin, PhD**

Faculty Medicine and Health Science  
Universiti Putra Malaysia  
(Chairman)

**Anita Binti Abdul Rahman, PhD**

Faculty Medicine and Health Science  
Universiti Putra Malaysia  
(Internal Examiner)

**Shamsul Bahri Bin Hj. Mohd Tamrin, PhD**

Faculty Medicine and Health Science  
Universiti Putra Malaysia  
(Internal Examiner)

**Shamsul Azhar Shah, PhD**

Associate Professor  
Medical Centre  
Universiti Kebangsaan Malaysia  
(External Examiner)

---

**SEOW HENG FONG, PhD**

Professor and Deputy Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date: 23 July 2012

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master Sciences. The members of the Supervisory Committee were as follows:



**Ahmad Azuhairi Bin Ariffin, MD**  
Medical Lecturer  
Faculty of Medicine and Health Sciences  
Universiti Putra Malaysia  
(Chairman)

**Mohd. Rafee Bin Baharudin, PhD**  
Lecturer  
Faculty of Medicine and Health Sciences  
Universiti Putra Malaysia  
(Member)

**Mohd. Yusoff Bin Adon, MD**  
Associate Professor  
Institute for Medical Research  
Ministry of Health  
(Member)

---

**BUJANG BIN KIM HUAT, PhD**  
Professor and Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date:

**DECLARATION**

I declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.

---

**FOONG MAY CHI**

Date: 14 May 2012

**TABLE OF CONTENT**

	<b>Page</b>
<b>ABSTRACT</b>	ii
<b>ABSTRAK</b>	iv
<b>ACKNOWLEDGEMENT</b>	vii
<b>APPROVAL</b>	viii
<b>DECLARATION</b>	x
<b>LIST OF TABLES</b>	
<b>LIST OF FIGURES</b>	
<b>LIST OF ABBREVIATIONS</b>	
<b>CHAPTER</b>	
<b>1. INTRODUCTION</b>	
1.1 Printing process	1
1.2 Occupational hazard in printing industry	2
1.2.1 Chemical hazard	2
1.2.2 Physical hazard	2
1.2.3 Psychosocial hazard	3
1.2.4 Ergonomic hazard	4
1.3 Musculoskeletal Disorder (MSD)	4
1.3.1 Pathomechanisms of MSD	5
1.3.2 Risk factors of MSD	6
1.3.3 MSD in a printing production line	7

1.3.4	Measurement of MSD	8
1.4	Problem statement	9
1.5	Research justification	11
1.6	Conceptual framework	12
1.6.1	Dependent variable	12
1.6.2	Independent variable	12
1.7	Research objective	14
1.7.1	General objective	14
1.7.2	Specific objectives	14
1.8	Research hypothesis	15
1.9	Definition of terms	15
1.9.1	Prevalence	15
1.9.2	Musculoskeletal symptom	16
1.9.3	Socio-demographic factors	16
1.9.4	Individual factors	16
1.9.5	Occupational factors	16
1.9.6	Body mass index	17
<b>2</b>	<b>LITERATURE REVIEWS</b>	
2.1	Manufacturing activities	18
2.2	Law and regulations	19
2.3	Prevalence rate of MSS	20
2.4	Risk factors of MSS	21
2.4.1	Socio-demographic factors	21
2.4.1.1	Age	22
2.4.1.2	Gender	24
2.4.1.3	Marital status	25
2.4.1.4	Education level	25
2.4.2	Individual factors	26
2.4.2.1	Weight	26
2.4.2.2	Height	27
2.4.2.3	Body mass index	28
2.4.3	Lifestyle factors	29
2.4.3.1	Smoking	29
2.4.3.2	Alcohol consumption	29
2.4.4	Occupational factors	30
2.4.4.1	Job duration	30
2.4.4.2	Awkward posture	32
2.4.4.3	Repetition of movement	35

2.4.4.4	Forceful exertion	36
2.4.4.5	Vibration	37
2.5	Rapid upper limb assessment (RULA)	38
2.6	Standardized nordic questionnaire (SNQ)	41

### **3 METHODOLOGY**

3.1	Study design	43
3.2	Study location	43
3.3	Study population	44
3.4	Study duration	44
3.5	Sampling	44
3.5.1	Sample population	44
3.5.2	Sample size	44
3.5.3	Sampling frame	45
3.5.4	Sampling unit	46
3.5.4.1	Inclusive criteria	46
3.5.4.2	Exclusive criteria	46
3.5.5	Sampling method	46
3.6	Instrumentation for data collection	47
3.6.1	Standardized Nordic Questionnaire (SNQ)	47
3.6.2	RULA method	48
3.6.3	Tanita weighing scale	49
3.6.4	Seca 206 body meter	50
3.7	Validity and reliability of SNQ and RULA	50
3.8	Statistical analysis	53
3.9	Ethical issues	53

### **4 RESULT**

4.1	Response rate	54
4.2	Socio-demographic characteristics of respondents	54
4.3	Individual characteristics of respondents	55
4.4	Occupational characteristics of respondents	56
4.5	Prevalence of musculoskeletal symptom (MSS)	56
4.6	Prevalence of MSS in different body parts	57
4.7	RULA score of respondents	57
4.8	Association between independent variable with overall MSS	58
4.9	Association between independent variable with lower back MSS	60
4.10	Association between independent variable with shoulder MSS	62
4.11	Association between independent variable with knee MSS	64
4.12	Comparison of risk factor for overall MSS and selected body part	66

## MSS

### 5 DISCUSSION

5.1	Prevalence of MSS	67
5.2	Prevalence of MSS in different body parts	69
5.2.1	Lower back MSS	69
5.2.2	Shoulder MSS	70
5.2.3	Knee MSS	71
5.3	Association between independent variable with overall MSS	72
5.3.1	Age with MSS	72
5.3.2	Gender with MSS	73
5.3.3	Job duration with MSS	74
5.3.4	RULA score with MSS	75
5.3.5	Multiple logistic regression analysis	77
5.4	Association between independent variable with lower back MSS	78
5.4.1	Gender with lower back MSS	78
5.4.2	Weight with lower back MSS	79
5.4.3	BMI with lower back MSS	79
5.4.4	RULA score with lower back MSS	80
5.4.5	Multiple logistic regression analysis	81

### 6 CONCLUSION AND RECOMMENDATIONS

6.1	Conclusion	82
6.2	Recommendations	83
6.2.1	Engineering control	84
6.2.2	Administrative control	84
6.3	Limitation of the study	85
6.4	Recommendation for future research	86

<b>REFERENCES</b>	88
-------------------	----

<b>APPENDICE</b>	103
------------------	-----

<b>BIODATA OF STUDENT</b>	
---------------------------	--