



UNIVERSITI PUTRA MALAYSIA

**EFFECTS OF LOW INTENSITY AEROBIC DANCE
EXERCISE ON PHYSIOLOGICAL AND PSYCHOLOGICAL
WELL-BEING AMONG WORKING WOMEN**

MASTURA JOHAR

FPP 2012 31

**EFFECTS OF LOW INTENSITY AEROBIC DANCE
EXERCISE ON PHYSIOLOGICAL AND
PSYCHOLOGICAL WELL-BEING AMONG WORKING
WOMEN**



MASTURA JOHAR

**DOCTOR OF PHILOSOPHY
UNIVERSITI PUTRA MALAYSIA**

2012

**EFFECTS OF LOW INTENSITY AEROBIC DANCE EXERCISE ON
PHYSIOLOGICAL AND PSYCHOLOGICAL WELL-BEING AMONG WORKING
WOMEN**

By

MASTURA JOHAR

**Thesis Submitted to the School of Graduate Studies, University Putra Malaysia, in
Fulfillment of the Requirements for the Degree of Doctor of Philosophy.**

February 2012

DEDICATION

**To all my beloved children: Mohammad Khuzairee Ibrahim, Muhammad Syafiq
Ibrahim and Farah Nadhirah Ibrahim.**

Thank you for the support and your patience.



Abstract of thesis presented to the Senate of University Putra Malaysia in fulfillment of the requirement for the degree of Doctor of Philosophy.

**EFFECTS OF LOW INTENSITY AEROBIC DANCE EXERCISE ON
PHYSIOLOGICAL AND PSYCHOLOGICAL WELL-BEING AMONG
WORKING WOMEN**

By

MASTURA JOHAR

February 2012

Chairman: Associate Professor Mohd Sofian Omar Fauzee, PhD

Faculty: Educational Studies

The purpose of this investigation was to evaluate the effect of a 12-week low intensity aerobics dance exercise intervention in the treatment of physiological and psychological well-being among sedentary overweight employed women. Forty subjects were recruited from both the government and private sectors of Putrajaya, Bangi, Serdang and the surrounding community. Subjects were between the ages of 40 and 55 years, had a diagnosis of total stress score above the mean, were not enrolled in any exercise program over the period of one year (sedentary), overweight (Body Mass Index 25 and above) and had a cardiovascular endurance score below the mean. Subjects were randomly either assigned to a 12-week low intensity aerobics dance exercise intervention ("SenamSeri") or a conventional aerobics dance exercise as the control group. A

pretest-posttest control research design was utilized. Both groups met for 50 minutes, three times a week (36 sessions). The Transactional Approach Multidimensional (Derogatis Stress Profile) examined Total Stress Score while Rosenberg's Scale measured self-esteem; both were to assess changes in the psychological well-being. Additionally, physical fitness for health related components (ACSM) which included body composition, flexibility, muscle strength & endurance, cardiovascular endurance and the selected health parameters namely body mass index, resting heart rate and blood pressure were used to assess changes in the physiological well-being, respectively, as a result of the intervention at one, eight and 12-weeks. Statistical analysis included (group \times time) repeated measures ANOVA and MANOVA to determine between and within group mean differences. The hypotheses of the thesis received significant support. When the results for physiological well-being variables were considered separately, the only difference to reach statistical significance, using a Bonferroni adjusted alpha level of 0.01, was body composition, $F(1, 38) = 6.65, p < .01, \eta^2 = .149$, and Flexibility $F(1, 38) = 13.72, p < .01, \eta^2 = .265$. An inspection of the mean scores indicated that the treatment group reported an improvement for body composition ($M = 27.85, SD = 1.15$) and for flexibility ($M = 49.85, SD = 1.63$) compared to the control group which reported body composition of ($M = 27.85, SD = 1.14$) and flexibility of ($M = 49.85, SD = 1.63$). Interestingly, the most obvious finding to emerge from this thesis was that the intervention group benefited significantly

in terms of psychologically well-being, total stress score, $F(1, 38) = 4.69, p < .05$, eta square = .11, and self-esteem $F(1, 38) = 4.27, p < .05$, eta square = .10. An inspection of the mean scores indicated that the treatment group "SenamSeri" reported lower levels of stress after 12 weeks ($M = 39.00, SD = 2.36$) and improvement in self-esteem ($M = 34.45, SD = 1.18$) than the control group which underwent the conventional aerobics dance exercise and charted a higher total stress level ($M = 40.75, SD = 1.94$) and lower self-esteem ($M = 30.50, SD = 2.36$). It is concluded that low intensity aerobics dance exercise intervention of "SenamSeri" had contributed greatly to the positive findings concerning the physiological and psychological well-being among sedentary overweight employed women.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai keperluan ijazah Doktor Falsafah.

**KESAN TARIAN SENAMAN AEROBIK BERINTENSITI RENDAH
TERHADAP KESEJAHTERAAN FISILOGI DAN PSIKOLOGI DI
KALANGAN WANITA BEKERJA.**

Oleh

MASTURA JOHAR

Februari 2012

Pengerusi: Professor Madya Mohd Sofian Omar Fauzee, PhD

Faculti: Pengajian Pendidikan

Kajian ini adalah untuk menilai kesan senaman 12 minggu terhadap intervensi tarian aerobik berintensiti rendah dalam rawatan terhadap kesejahteraan fisiologi dan psikologi di kalangan wanita bekerja yang berlebihan berat badan dan mengamalkan gaya hidup sedentari. Sejumlah empat puluh subjek telah dilatih dan subjek merupakan wanita yang bekerja dan berumur di antara 40 hingga 55 tahun yang mengalami diagnosis skor jumlah tekanan melebihi mean, skor komponen ketahanan jantung pula di bawah mean dan tidak terlibat dalam sebarang program senaman lebih dari setahun serta berlebihan berat badan (Indeks Jisim Badan 25 dan ke atas). Subjek secara rawak mendaftar sama ada kumpulan senaman berintensiti rendah bagi tempoh 12 minggu ataupun kumpulan kawalan bagi senaman tarian aerobik konvensional dan

menggunakan kaedah kajian kawalan, iaitu ujian pra dan pasca (*pretest and posttest*). Kedua-dua kumpulan ini mengadakan perjumpaan selama 50 minit, tiga kali seminggu (36 sesi). Pendekatan Multidimensi Transactional (Derogatis Stress Profil - DSP) digunakan untuk menguji Skor Jumlah Tekanan sementara Skala Rosenberg diguna untuk mengukur penghargaan sendiri; kedua-duanya adalah untuk mendapatkan perubahan dalam kesejahteraan psikologi. Komponen kecergasan fizikal untuk kesihatan melibatkan komposisi badan, fleksibiliti, kekuatan otot dan ketahanan, ketahanan kardiovaskular dan angkuabah kesihatan terpilih seperti indeks jisim badan, kadar denyutan jantung semasa berehat dan tekanan darah telah juga digunakan bagi mendapat perubahan dalam kesejahteraan fisiologi dan psikologi. Selain dari analisis statistik deskriptif, statistik ulangan ukuran ANOVA dan MANOVA juga diaplikasikan bagi menentukan keberkesanan dalam peningkatan perbezaan mean bagi kedua-dua kumpulan kajian. Keputusan menunjukkan bahawa subjek dalam kedua-dua kumpulan intervensi dan kawalan mengalami peningkatan yang positif dalam ketiga-tiga objektif kajian. Menariknya, dari lima komponen kesejahteraan fisiologi, hanya dua menunjukkan perbezaan yang signifikan iaitu komponen flesibiliti $F(1, 38) = 13.72, p < .01, \eta^2 = .265$ dan komposisi badan $F(1, 38) = 6.65, p < .01, \eta^2 = .149$ setelah tahap alpha Bonferroni 0.01 di ambilkira, dengan perbezaan peningkatan kumpulan intervensi, iaitu komposisi badan ($M = 27.85, SD = 1.15$) dan flesibiliti ($M = 49.85, SD = 1.63$) berbanding kumpulan kawalan komposisi badan ($M =$

27.85, SD = 1.14) dan fleksibiliti (M = 49.85, SD = 1.63). Kesejahteraan psikologi telah mempamerkan kesan yang signifikan dengan skor jumlah tekanan F (1, 38) = 4.69, $p < .05$, eta square = .11, dan penghargaan sendiri F (1, 38) = 4.27, $p < .05$, eta square = .10. Pemeriksaan skor mean menunjukkan kumpulan intervensi "SenamSeri" mengalami penurunan skor jumlah tekanan selepas 12 minggu (M = 39.00, SD = 2.36) dan peningkatan penghargaan sendiri (M = 34.45, SD = 1.18) berbanding kumpulan kawalan skor jumlah tekanan lebih tinggi (M = 40.75, SD = 1.94) dan penghargaan sendiri lebih rendah (M = 30.50, SD = 2.36). Kesimpulannya, kumpulan intervensi iaitu "SenamSeri" senaman aerobik berintensiti rendah telah menyumbang dapatan yang positif terhadap kesejahteraan fisiologi dan psikologi di kalangan wanita berkerja yang sedentari dan berlebihan berat.

ACKNOWLEDGEMENTS

In The name of Allah, The Most Beneficent, The Most Gracious

Praise and glory be to Allah. My deepest heartfelt gratitude and thanks to Allah for giving me wisdom, grace, and perseverance in completing my PhD research and thesis.

My sincere gratitude and appreciation to members of my supervisory committee: Professor Dr Mohd Sofian Omar Fauzee, Associate Professor Dr Bahaman Abu Samah, and Professor Muhammad Nazrul Hakim Abdullah for their professional guidance and valuable advice which have contributed to my success of this study.

My sincere appreciation to all the participants involved in this experimental study. Without their cooperation, this research could not have been possible. My utmost appreciation goes to Mr Mohd Arff Ahmad Tarmizi Dean College of Foundation & General Studies UNITEN, Mr Zulfakar, Miss Normaliza, Miss Nor Hayuni, Dr Mardian Shah Omar, Dr Marniyati, Dr Hayder Salman, Mr Tu, Miss Roszini, and Miss Norshila Abdullah who edited my English language and other individuals for their moral and practical support. Thanks to all my friends who have helped me in one way or another. My deepest appreciation also goes to my brothers and sisters for their concern, encouragement, and continuous support during the darkest days of my life.

Finally yet importantly, my gratitude and love to my children, Mohammad Khuzairee, Muhammad Syafiq, Farah Nadhirah and my daughter in law Norsyareena for having patience in my struggle to complete this doctoral thesis for the past four years. May Allah bless us.

I certify that a Thesis Examination Committee has met on **9.2.2012** to conduct the final examination of Mastura Johar on her thesis entitled **“Effects of Low Intensity Aerobic Dance Exercise on Physiological and Psychological Well-Being among Working Women”** in accordance with Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U. (A) 106] 15 March 1998. The Committee recommends that the student be awarded the **(Doctor of Philosophy)**.

Members of the Examination Committee are as follows:

Kok Lian Yee, PhD

Senior Lecturer
Faculty Education Studies
Universiti Putra Malaysia
(Chairman)

Samsilah Roslan, PhD

(Associate Professor)
Pejabat Timbalan Naib Canselor (Penyelidikan & Inovasi)
Universiti Putra Malaysia
(Internal Examiner)

Soh Kim Geok, PhD

(Associate Professor)
Faculty Education Studies
Universiti Putra Malaysia
(Internal Examiner)

Name of External Examiner, PhD

(Professor)
Sports Department
Sheffield Hallam University)
United Kingdom
(External Examiner)

SEOW HENG FONG, PhD
Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

This thesis was submitted to the Senate of University Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Doctor of Philosophy. The members of the supervisory Committee were as follows:

Mohd Sofian Omar Fauzee, PhD

Associate Professor
Faculty Educational Studies
Universiti Putra Malaysia
(Chaiman)

Bahaman Abu Samah, PhD

Associate Professor
Faculty Educational Studies
Universiti Putra Malaysia
(Members)

Muhammad Nazrul Hakim Abdullah, PhD

Professor
Faculty of Medicine and Health Sciences
Universiti Putra Malaysia
(Members)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
University Putra Malaysia.

Date:

DECLARATION

I declare that the thesis is my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at University Putra Malaysia or at any other institutions.

MASTURA JOHAR

Date: 9 February 2012

TABLES OF CONTENT

		Page
ABSTRACT		ii
ABSTRAK		v
ACKNOWLEDGEMENTS		viii
APPROVAL		ix
DECLARATION		xi
LIST OF TABLES		xvii
LIST OF FIGURES		xix
LIST OF ABBREVIATIONS		xxi
CHAPTER		
1	INTRODUCTION	
1.1	Background of the Study	1
1.2	Statement of Problems	12
1.3	Research Objectives	16
1.4	Research Questions	16
1.5	Research Hypotheses	17
1.6	Definition of Terms	19
1.6.1	Physiological Well-being	20
1.6.2	Aerobics Exercise	20
1.6.3	Low Impact Aerobics Dance Exercise	21
1.6.4	Body mass Index (BMI)	23
1.6.5	Heart Rate	23
1.6.6	Blood Pressure	24
1.6.7	Health	24
1.6.8	Health Related Fitness	24
	1.6.8.1 Body Composition	25
	1.6.8.2 Flexibility	25
	1.6.8.3 Muscular Strength	25
	1.6.8.4 Muscular Endurance	26
	1.6.8.5 Cardiovascular Endurance (Heart Endurance)	26
1.6.9	Physiological wellbeing	26
	1.6.9.1 Stress	26

1.6.9.2	General Self-Esteem	27
1.6.10	Working Women	28
1.7	Significance of Research	28
1.8	Limitation and Delimitation of the Study	32
1.8.1	Limitation	32
1.8.2	Delimitation	34
2	LITERATURE REVIEW	
2.1	Introduction	36
2.2	Theoretical Approaches of Physiological Well-being	36
2.2.1	The Relationship between Physical Activities Physical Fitness and Health	37
2.2.2	Health Related Fitness	38
2.2.3	Low Intensity Aerobic Group Dance Intervention	39
2.3	Theoretical Approaches of Psychological Well-being	47
2.3.1	Stress Theory	48
2.3.1.1	Response Approach	49
2.3.1.2	Stimulus Approach	51
2.3.1.3	Transactional Approach	54
2.3.2	Self-Esteem Theory	61
2.4	Aerobics Dance Exercise on Health Effect	62
2.4.1	Body Mass Index	63
2.4.2	Blood Pressure	65
2.4.3	Resting Heart Rate	71
2.5	Aerobics Dance on Physiological Effect	74
2.5.1	Physical Fitness Components (Health Related)	75
2.6	Aerobics Dance on Psychological Effects	82
2.6.1	Aerobics Exercise on Stress Effect	89
2.6.2	Aerobics Exercise and General Self - Esteem	96
2.7	Aerobics Exercise on Music Effect	101
2.8	Theoretical Framework	104
2.9	Summary and Conclusion	108
3	METHODOLOGY	
3.1	Introduction	111
3.2	Research Designs	111
3.3	Conceptual Framework	114
3.4	Subjects of Study and Sampling	118
3.5	Instrumentation	120
3.5.1	Selected Health Parameters - BMI, RHR and BP	121
3.5.1.1	Body Mass Index (BMI)	121
3.5.1.2	Blood Pressure (BP)	123
3.5.1.3	Resting Heart Rate (RHR)	124

3.5.2	Physiological Well-Being	125
3.5.2.1	The Physical Activity Readiness Questionnaire (PAR-Q) and Test	125
3.5.2.2	Health-Related Fitness Test	125
3.5.2.3	Cardiovascular Endurance (Test - 1 mile walk test)	126
3.5.2.4	Flexibility Test (Modified Sit and Reach Test)	128
3.5.2.5	Muscular Strength Test (5 Levels Abdominal Test)	129
3.5.2.6	Muscular Endurance (Abdominal Crunches)	130
3.5.2.7	Body Composition	131
3.5.3	Psychological Well-being	132
3.5.3.1	Derogatis Stress Profile (DSP)	133
3.5.3.2	General Self- Esteem	135
3.6	Data Collection Procedures	137
3.7	Control of Extraneous Variables and Treats to Internal Validity	138
3.8	Low Impact Dance Intervention Routine	141
3.9	Phases in the Intervention Routine	142
3.9.1	Phase 1 - Warm-up	142
3.9.2	Phase 2 - Cardiovascular Endurance	143
3.9.3	Phase 3 - Muscle Conditioning	146
3.9.4	Phase 4 - Cooling Down	146
3.10	Control Group - Conventional Aerobics Dance Routine	148
3.11	Pilot Study	150
3.12	Data Analysis (Statistic Tests)	151
3.12.1	Descriptive Statistics	152
3.12.2	Analysis of Variance (ANOVA)	153
3.12.3	Multivariate Analysis of Variance (MANOVA)	154
3.12.4	Exploratory Data Analysis	156
3.12.5	Descriptive Data Analysis	161
3.13	Conclusion	165
4	RESULTS AND DISCUSSION	
4.1	Introduction	167
4.2	Statistic Data Analysis	168
4.2.1	Selected Health Parameters	168
4.2.1.1	Resting Heart Rate	168
4.2.1.2	Body Mass Index	172
4.2.1.3	Blood Pressure	176
4.2.1.4	Overall Selected Health Parameters	182

4.3	Discussion on Selected Health Parameters Effect	184
4.3.1	Body Mass Index Effect	185
4.3.2	Resting Heart Rate Effect	188
4.3.3	Blood Pressure Effect	189
4.4	Physiological Well-being (Physical Fitness)	192
4.4.1	Body Composition	192
4.4.2	Flexibility	196
4.4.3	Cardiovascular Endurance	200
4.4.4	Muscular Endurance	204
4.4.5	Muscular Strength	208
4.4.6	Overall Physical Fitness Components	212
4.5	Discussion on Overall Physical Fitness Components	216
4.5.1	Body Composition Effect	218
4.5.2	Flexibility Effect	221
4.6	Psychological Well-being	224
4.6.1	Total Stress Score	224
4.6.2	General Self-esteem	231
4.6.3	Overall Psychological Well-Being	233
4.7	Discussion on Psychological Well-being Effect	235
4.8	Low Intensity Aerobic Dance Intervention Effect	239
4.9	Dance and Music effect	241
4.10	Intensity and Timing Effect	247
4.11	Conclusion	250
5	SUMMARY, CONCLUSION, AND RECOMMENDATIONS FOR FUTURE STUDIES	
5.1	Introduction	253
5.2	Summary of the Results	254
5.2.1.	Selected Health Parameters	258
5.2.2.	Physiological Well-being	259
5.2.3.	Psychological Well-being	262
5.3	Conclusion	265
5.4	Recommendations for Future Research	269
	BIBLIOGRAPHY	273
	APPENDIXES	
A1	PAR-Q Questionnaire	
A2	Derogatis Stress Profile (DSP)	
A3	Payment for Purchasing Derogatis Stress Profile (DSP)	
A4	Rosenberg Self-Esteem Scale	
A5	Request for Fitness Test Expert from Sports Academy UPM	
A6	The Physiology Well-being Fitness Profile	

- B1 Reviewed & verification of “SenamSeri” Module for Treatment Group
- B2 Payment Composed new music for treatment group
- B3 The comparison between intervention and control groups on aerobic dance routine and protocol
- C1 Histogram Normality Graph: Selected Health Parameters
- C2 Histogram Normality Graph: Physiological Well-Being
- C3 Histogram Normality Graph: Psychological Well-Being

**BIODATA OF STUDENT
PUBLICATION & CONFERENCES**

