




UNIVERSITI PUTRA MALAYSIA

***NEW FUNCTIONAL SIZE CONVERTIBILITY MODELS
IN FPA AND COSMIC MEASUREMENT METHODS***

ABEDALLAH ZAID AHMAD ABUALKISHIK

FSKTM 2012 24

**NEW FUNCTIONAL SIZE CONVERTIBILITY MODELS IN FPA AND
COSMIC MEASUREMENT METHODS**



BY

ABEDALLAH ZAID AHMAD ABUALKISHIK

**Thesis submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirement for the degree of Doctor of Philosophy**

September 2012

DEDICATION

To my parents
for their love.



Abstract of thesis to the Senate of Universiti Putra Malaysia, in fulfillment of the requirement for the degree of Doctor of Philosophy

NEW FUNCTIONAL SIZE CONVERTIBILITY MODELS IN FPA AND COSMIC MEASUREMENT METHODS

By

ABEDALLAH ZAID AHMAD ABUALKISHIK

September 2012

Chairman: Assoc Prof Mohd. Hasan Selamat

Faculty: Computer Science and Information Technology

Software functional size measurement is highly demanded and has gained wide adoption and acceptance in software organizations due to its benefits and wide applications in software project management. Function point analysis is the first method proposed by Albrecht, and has been maintained by the international function point user group. Function point analysis method is the most used measurement method globally. COSMIC method has been known as a second generation functional size measurement due to its novel design. The method was designed to size a wider scope of functional domains, in particular, to measure real time systems and to alleviate the existing limitations of previous proposed methods.

The need for conversion is driven by a method's unsuitability for the task at hand, or its limitations, or it might be necessary because of the need to use the benchmark set of a particular domain. This is mainly, because function point analysis cannot size as many software functional domains as COSMIC, and because of some limitations surrounding function point analysis. The main problem with this change is to

maintain the software organization's ability to accurately convert their historical data measured by function point analysis to the corresponding value in COSMIC method.

This thesis proposes a new theoretical model that converts the functional size measured by function point analysis to its corresponding COSMIC measures, at the level of base functional components of both methods, using the principles of probability based on in depth analysis of the type of transaction functions and its primary intent, processing logic forms and COSMIC method rules. The model was found to adequately convert all the tested applications precisely, in which it converts 97.7% of the whole dataset elementary processes into the estimated interval accurately.

Most convertibility studies between the two methods undertook to convert the unadjusted function point to COSMIC size statistically. Two studies used the transaction functions size to obtain the corresponding COSMIC size, and found it more accurate than the type that uses the unadjusted size to obtain COSMIC measures. Accordingly, this thesis examines the accuracy of the two common statistical conversion types as well as the effect of function point analysis weighting tables and structural problems on its accuracy. Moreover, it proposes a new statistical conversion type that uses the number of files referenced by the whole elementary processes in a single application as a unit for prediction to estimate the corresponding COSMIC measures.

Basically, two regression models have been used to compare the accuracy of the two statistical conversion types with the proposed type, based on the accuracy of fitting

measures that uses the leave one out cross validation technique applied on one dataset. Also, four datasets from previous studies were used to further emphasize the obtained results. The two conversion types most often used were found to generate non-linear, inaccurate and violate the principle of measurement theory as scales transformation. The proposed statistical conversion type avoids the problems inherent in the other two types but not the non-linearity problem, and produced valid and highly accurate results over the tested datasets.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**MODEL BAHARU FUNGSI PENUKARAN SAIZ ANTARA FPA DAN
KAEDAH PENGUKURAN COSMIC**

Oleh

ABEDALLAH ZAID AHMAD ABUALKISHIK

September 2012

Pengerusi: Profesor Madya Mohd. Hasan Selamat

Fakulti: Sains Komputer dan Teknologi Maklumat

Pengiraan saiz bagi fungsi perisian menerima permintaan yang sangat tinggi di mana ianya telah diterima dan digunapakai secara meluas di kalangan organisasi perisian. Ini disebabkan oleh kelebihan dan penggunaannya di dalam perisian bagi pengurusan projek. FAP merupakan kaedah pertama yang dicadangkan oleh Albrecht dan diselenggarakan oleh kumpulan pengguna takat fungsi antarabangsa. Kaedah FAP ini merupakan kaedah pengiraan yang banyak digunakan secara global. Kaedah COSMIC pula dikenali sebagai generasi kedua bagi pengiraan fungsi saiz disebabkan oleh pendekatan baharu di dalam rekabentuk. Kaedah ini direkabentuk bagi memenuhi skop domain fungsi yang lebih besar bagi mengukur sistem masa nyata dan juga mengeneipkan had-had yang terdapat di dalam kaedah sebelumnya.

Keperluan pengubahan ini didorong oleh ketidaksesuaian kaedah ini semasa pelaksanaan, had-had penggunaan, atau berkemungkinan disebabkan oleh

keperluannya di dalam domain tertentu sebagai set penanda aras. Ini disebabkan oleh FAP tidak mampu mengukur sebagaimana domain fungsi perisian seperti COSMIC dan juga beberapa had yang terdapat di dalam analisis ini. Walau bagaimanapun, masalah utama perubahan ini adalah untuk mengekalkan keupayaan dan ketepatan organisasi perisian di dalam mengubah data-data lama yang menggunakan kaedah FAP kepada kaedah COSMIC.

Tesis ini mencadangkan satu model teoritikal yang baharu bagi mengubah saiz fungsi yang menggunakan FAP kepada COSMIC di peringkat asas bagi kedua-dua kaedah. Proses ini dilakukan dengan menggunakan prinsip kebarangkalian berdasarkan kepada analisis secara terperinci bagi jenis fungsi transaksi dan isi kandungannya, bentuk logik pemrosesan, dan peraturan kaedah COSMIC. Model ini telah diuji ke atas aplikasi-aplikasi dan terbukti mampu mengubah secara menyeluruh di mana 97.7% berjaya ditukar dari kesemua proses asas set data kepada selang anggaran dengan tepat.

Kebanyakan kajian yang dijalankan di antara kedua-dua kaedah adalah menukar takat fungsi yang tidak dilaraskan kepada saiz COSMIC secara statistik. Antaranya, dua kajian telah menggunakan saiz fungsi transaksi bagi mendapatkan saiz COSMIC yang sepadan dan mendapati ianya adalah tepat berbanding kajian yang menggunakan saiz yang tidak dilaraskan bagi ukuran saiz COSMIC. Sewajarnya, kajian ini mencadangkan jenis perubahan yang baharu secara statistik di mana penggunaan nombor rujukan fail bagi keseluruhan proses asas di dalam aplikasi tunggal sebagai satu unit ramalan. Ini adalah untuk menganggarkan ukuran COSMIC yang sepadan.

Secara dasarnya, dua model regresi telah digunakan untuk membandingkan ketepatan dua jenis pengubahan secara statistik seperti yang dicadangkan. Ianya adalah berdasarkan kepada ketepatan ukuran yang sepatutnya iaitu dengan menggunakan teknik meninggalkan satu validasi lintang ke atas satu set data. Selanjutnya, empat set data dari kajian terdahulu digunakan bagi membuktikan keputusan yang diperolehi. Didapati dua jenis pengubahan yang selalu digunakan menghasilkan keputusan tidak linear, tidak tepat dan melanggar prinsip teori pengukuran sebagai skala transformasi. Oleh itu, jenis pengubahan statistik yang dicadangkan dapat menghalang masalah-masalah yang wujud dalam dua jenis yang lain tetapi bukan dari segi masalah tidak linear. Sebaliknya dapat menghasilkan keputusan yang sah dan tepat ke atas set-set data yang diuji.

ACKNOWLEDGEMENT

This thesis would not have been possible without the help of several individuals. I would like to express my ultimate gratitude and deepest appreciation to my supervisor, Associate Prof. Hasan Selamat for his kindness and very helpful mentoring all the time and for offering his guidance and insightful comments for the development of this thesis. I would also like to thank my supervisory committee members, Prof. Dr. Abdul Azim Abdul Ghani, for his support and his insightful comments in revising my thesis, and Dr. Rodziah Attan for her advices, in addition to Dr. Adel Khelifi from Alhoson university (Abu Dhabi) for his help, comments, support and communications all the times.

I would like to express my utmost appreciation to Prof. Jean-Marc Desharnais from École de Technologie Supérieure (Canada) for providing me the data needed to carry out my research, and for his constructive comments toward developing my research papers, and for revising my thesis.

I would also like to express my deepest appreciation to Prof. Luigi Lavazza from the University of Insubria in Varese, Italy, for his efforts and for his constructive criticisms in revising my research papers of this thesis. I would like to thank him for his communications as well.

I am more than thankful to Dr. Cigdem Gencel from the Free University of Bozen-Bolzano, Italy, for her help, and her constructive suggestions on one of my research paper and for revising my thesis. Also, I am thankful to Mr. Charles Symons, the founder of MK II function point for his effort and his constructive and helpful

criticisms in revising my thesis. Moreover, I would like to express my thanks to Luca Santillo the current president of the COSMIC consortium for his time in revising my thesis.

My thanks also go to my supervisor and the Ministry of Science, Technology & Innovation, Malaysia, for partially sponsoring my PhD through the Special Graduate Research Assistant (SGRA) scheme, under project name: Software Project Sizing Metrics for an Object Oriented Environment, Project Number 01-01-04:SF0845.

I would like to thank my lab mates: Anas Bassam Za'al Al-Badareen, Ibrahim Ahmed Ahmed Al-Baltah, Reza Meimandi Parizi, Majdi Abdellatief, and Abdul Mone'm Ali Khalaf Al-Kharusi for their help and encouragement through my study. Special thank goes to Dr. Tareef Alshaibi from Bagdad University for his advices and recommendations.

APPROVAL

I certify that a Thesis Examination Committee has met on 27 December 2012 to conduct the final examination of Abedallah Zaid Ahmad Abualkishik on his thesis entitled “New Functional Size Convertibility Models in FPA and Cosmic Measurement Methods” in accordance with the Universities and University College Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A)] 106) 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Mohamed bin Othman, PhD

Professor

Faculty of Computer Science and Information Technology

Universiti Putra Malaysia

(Chairman)

Abu Bakar bin Md. Sultan, PhD

Associate Professor

Faculty of Computer Science and Information Technology

Universiti Putra Malaysia

(Internal Examiner)

Rusli bin Hj Abdullah, PhD

Associate Professor

Faculty of Computer Science and Information Technology

Universiti Putra Malaysia

(Internal Examiner)

Alain Abran, PhD

Professor

École de Technologie Supérieure (ETS)

(External Examiner)

SEOW HENG FONG, PhD

Professor and Deputy Dean

School Of Graduate Studies

Universiti Putra Malaysia

Date: 19 December 2012

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Mohd Hasan Selamat

Associate Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Chairperson)

Abdul Azim Abd Ghani, PhD

Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

Rodziah Atan, PhD

Associate Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

Adel Khelifi, PhD

Associate Professor
Software Engineering Department
Alhoson University, Abu Dhabi, United Arab Emirates
(Member)

BUJANG BIN KIM HUAT, PhD
Professor and Dean School of Graduate
Studies
Universiti Putra Malaysia

Date:

DECLARATION

I here by declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently submitted for any other degree at Universiti Putra Malaysia or other institution.

ABEDALLAH ZAID AHMAD ABUALKISHIK

Date: 27 September 2012



TABLE OF CONTENTS

Page

DEDICATION	II
ABSTRACT	III
ABSTRAK	VI
ACKNOWLEDGEMENT	XI
APPROVAL	XI
DECLARATION	XIII
TABLE OF CONTENTS	XIV
LIST OF TABLES	XVI
LIST OF FIGURES	XVII
LIST OF ABBREVIATIONS	XVIII

CHAPTER

1	INTRODUCTION	1
	1.1 Overview	1
	1.2 Background	1
	1.3 Problem Statement	8
	1.4 Research Objectives	11
	1.5 Scope of the Study	12
	1.6 Organization of the Thesis	13
2	LITRATURE REVIEW	15
	2.1 Introduction	15
	2.2 Software Measurement	15
	2.3 Measurement Theory	16
	2.3.1 Measurement Methods	17
	2.3.2 Software Metrics	19
	2.3.3 Measurement Scales	21
	2.3.4 Software Size Measures	23
	2.4 Functional Size Measurement (FSM)	26
	2.4.1 ISO/IEC 14143 Standard for FSM	27
	2.4.2 A Generalized Representation of FSM	28
	2.4.3 IFPUG Function Point Analysis	30
	2.4.4 COSMIC Measurement Method	35
	2.4.5 IFPUG FPA and COSMIC Limitations	39
	2.4.6 Comparison between FPA and COSMIC	42
	2.4.7 Applications of Functional Size Measurement	50
	2.5 Related Work on Conversion	52
	2.5.1 Conversion Taxonomy	52
	2.5.2 Conversion Types	53
	2.5.3 Conversion Studies in the Literature	58
	2.6 Summary	70
3	RESEARCH METHODOLOGY	74
	3.1 Introduction	74
	3.2 Literature Review Study	76
	3.3 Data Preparation	77

3.3.1	Software Requirements Documentation Evaluation	78
3.3.2	Datasets	79
3.4	Theoretical Conversion Type	87
3.5	Evaluating the Accuracy of the Theoretical Convertibility Model	87
3.6	Statistical Systematic Conversion Approach	88
3.7	Analyzing and Evaluating Statistical of Conversion Types.	89
4	A NEW THEORETICAL PROPOSED CONVERTIBILITY MODEL	92
4.1	Introduction	92
4.2	FPA TFs Analysis According to COSMIC Viewpoints	93
4.3	New Proposed Theoretical Convertibility Model	95
4.3.1	Minimum and Maximum Equations	96
4.3.2	Probabilistic Minimum and Maximum Equations	100
4.4	Validation of the Proposed Model	106
4.4.1	Direct Validation	107
4.4.3	Statistical Validation	110
4.5	Direct Evaluation Results between Cuadrado-Gallego et al. Model and the Proposed Model	112
4.6	Limitations and Threats to Validity	114
4.7	Discussion	117
4.8	Conclusions	119
5	A NEW PROPOSED STATISTICAL CONVERTIBILITY TYPE	120
5.1	Introduction	120
5.2	The Proposed Conversion Type	121
5.3	Analysis and Results	123
5.3.1	The Dataset Analysis	123
5.4	Datasets from the Literature	128
5.4.1	Analysis of the Abran et al. Dataset, 2005	129
5.4.2	Analysis of the Cuadrado-Gallego et al. Dataset, 2007	130
5.4.3	Analysis of the Cuadrado-Gallego et al. Dataset, 2008	132
5.4.4	Dataset Investigation Summary	135
5.5	Discussion	136
5.6	Threats to Validity	140
5.6.1	Internal Validity	140
5.6.2	External Validity	141
5.6.3	Conclusion Validity	142
5.7	Conclusions	142
6	CONCLUSION AND FUTURE WORK	144
6.1	Conclusions	144
6.2	Future Work	146
	REFERENCES	147
	APPENDICES	156
	APPENDIX A	156
	APPENDIX B	158
	BIODATA OF STUDENT	178