

Pteridophyte Flora of Ayer Hitam Forest Reserve, Selangor, Peninsular Malaysia

HAJA MAIDEEN¹, A. DAMANHURI¹, R. JAMAN¹ and G. RUSEA²

¹*School of Environment and Natural Resources Sciences, Faculty of Science and Technology,
Universiti Kebangsaan Malaysia, 43600 Bangi, Selangor, Malaysia*

²*Faculty of Science and Environmental Studies, Universiti Putra Malaysia,
43400 UPM Serdang, Selangor, Malaysia*

Keywords : Pteridophyte flora, Ayer Hitam Forest Reserve

ABSTRAK

Sebanyak 39 spesies tumbuhan pteridofit yang tergolong dalam 22 genus dan 15 famili telah direkodkan di Hutan Simpan Ayer Hitam, Puchong, Selangor. Senarai spesies yang disediakan ini berasaskan koleksi di kawasan kajian dan data yang tersedia sebelumnya. Kepelbagaian spesies yang rendah ini adalah bersesuaian dengan kedudukan hutan ini sebagai hutan sekunder.

ABSTRACT

A total of 39 species of pteridophyte in 22 genera and 15 families has been recorded in Ayer Hitam Forest Reserve, Puchong, Selangor. The list of species prepared was based on collections in study area and previous available data. The diversity of species is low and consistent with the nature of the forest as a secondary forest.

INTRODUCTION

Ayer Hitam Forest Reserve is a lowland dipterocarp forest situated at about 3° 0' N to 3° 02. 20' N and 101°37.90' E to 101°40.00' E, approximately 20 kilometers southwest of Kuala Lumpur. The forest is about 1248 hectares in size and is divided into six compartments (Compartment 1, 2, 12, 13, 14 and 15). Each compartment was logged at different times in the past. To date a small number of pteridophytes was collected and reported (Faridah Hanum 1999). This expedition aims to complement the previous data and provide a checklist of pteridophytes for Ayer Hitam Forest Reserve.

METHODS

Specimens were collected along the vicinity of the base camp and both sides along the major streams. All voucher specimens were prepared as herbarium specimens and are deposited at UKMB and UPM.

RESULTS

Checklist of ferns and fern-allies collected in Ayer Hitam Forest Reserve (AHFR).

Ferns Allies

Lycopodiaceae

Lycopodium cernuum (L.) Pic Sem

AHFR: 1999, Nurulhuda & Faridah Hanum UDA 80 [UPM]; 1999, Faridah Hanum & Nurulhuda UDA 62 [UPM].

Selaginellaceae

Selaginella ascendens Alderw.

AHFR: 15/9/98, Nasir Abdul Rachman NAR 26 [UPM].

S. ciliaris (Retz.) Spring

AHFR: 3/5/00, Ahmed Zainudin *et al.* AZ 6696 [UKMB].

S. intermedia (Blume) Spring

AHFR: 15/8/98, Nasir Abdul Rachman NAR 8 [UPM]; 3/5/00, Ahmed Zainudin *et al.* AZ 6722 [UKMB].

S. stipulata (Blume) Spring

AHFR: 30/9/98, Nasir Abdul Rachman NAR 39 [UPM].

S. wallichii (Hook & Grev.) Spring
AHFR: 15/8/98, Nasir Abdul Rachman NAR 5 [UPM]; 4/5/00, Ahmed Zainudin *et al.* AZ 6736 [UKMB].

S. willdenowii (Desv.) Baker
AHFR: 4/5/00, Ahmed Zainudin *et al.* AZ 6688 [UKMB].

Ferns

Adiantaceae

Cheilanthes tenuifolia (Burm.f.) Sw. subsp. *tenuifolia*
AHFR: 19/10/99, Nurulhuda UDA 82[UPM].

Syngamma wallichii (Hook.) Bedd.
AHFR: 4/5/00 Ahmed Zainudin *et al.* AZ 6738 [UKMB].

Taenitis blechnoides (Willd.) Sw,
AHFR: 14/9/98, Nurulhuda UDA 41[UPM]; 3/5/00, Ahmed Zainudin *et al.* AZ 6688[UKMB].

Aspleniaceae

Asplenium nidus L.
AHFR: 13/10/98, Nasir Abdul Rachman NAR 50 [UPM]; 15/8/99, Nurulhuda UDA 5[UPM].

Blechnaceae

Blechnum orientale L.
AHFR: 30/8/98, Nasir Abdul Rachman NAR 20 [UPM]; 14/9/98, Nurulhuda UDA 42[UPM]; 3/5/00, Ahmed Zainudin *et al.* AZ 6689[UKMB].

Cyatheaceae

Cyathea latebrosa (Wall. ex Hook.) Copel.
AHFR: 15/8/98, Nasir Abdul Rachman NAR 1, NAR 4, NAR 13; 30/8/98, NAR 23, NAR 38; 5/10/98, NAR 43; 13/10/98, NAR 49 [UPM].

C. moluccana R. Br.
AHFR: 30/8/98, Nasir Abdul Rachman NAR 21; 15/9/98, NAR 28; 13/10/98, NAR 59 [UPM]; 3/5/00, Ahmed Zainudin *et al.* AZ 6718 [UKMB].

Dennstaedtiaceae

Lindsaea ensifolia Sw.
AHFR: 3/5/00, Ahmed Zainudin *et al.* AZ 6707 [UKMB].

Dryopteridaceae

Tectaria barberi (Hook.) Copel
AHFR: 2001, Rusea *et al.*

T. crenata Cav.
AHFR: 3/5/00, Ahmed Zainudin *et al.* AZ 6715 [UKMB].

T. singaporeana (Wall. ex Hook & Grev.) Copel.
AHFR: 30/8/98, Nasir Abdul Rachman NAR 11 [UPM].

T. vasta (Blume) Copel.
AHFR: 2001, Rusea *et al.*

Gleicheniaceae

Dicranopteris linearis (Burm.f.) Underw.
AHFR: 30/8/98, Nasir Abdul Rachman NAR 19 [UPM].

Nephrolepidaceae

Nephrolepsis auriculata (L.) Trimen
AHFR: 30/8/98, Nasir Abdul Rachman NAR 10 [UPM]

Ophioglossaceae

Helmintostachys zeylanica (L.) Hook.
AHFR: 17/9/99, Nurulhuda UDA 61[UPM]

Ophioglossum pendulum L.
AHFR: 1999, Nurulhuda & Faridah Hanum UDA 75 [UPM]; 1999, Nurulhuda & Faridah Hanum UDA 39 [UPM].

Polypodiaceae

Lecanopteris sinuosa (Wall. ex Hook.) Copel.
AHFR: 4/5/00, Ahmed Zainudin *et al.* AZ 6745 [UKMB].

Platynerium coronarium (J.King) Desv.
AHFR: 1999, Nurulhuda & Faridah Hanum UDA 43 [UPM].

Pyrosia nummulariifolia (Sw.) Ching
AHFR: 1999, Nurulhuda & Faridah Hanum UDA 10 [UPM]; 1999, Nurulhuda & Faridah Hanum UDA 70 [UPM] ; 4/5/00, Ahmed Zainudin *et al.* AZ 6688 [UKMB].

P. piloselloides (L.) M.G. Price
AHFR: 1999, Nurulhuda & Faridah Hanum UDA 53 [UPM]; 1999, Nurulhuda & Faridah Hanum UDA 60 [UPM] .

Schizaeaceae

Lygodium circinnatum (Burm.f.) Sw.
AHFR: 18/9/98, Nurulhuda UDA 73 [UPM].

L. flexuosum (L.) Sw.

AHFR: 1999, Nurulhuda & Faridah Hanum UDA 65[UPM]

L. longifolium (Willd.) Sw.

AHFR: 1999, Nurulhuda & Faridah Hanum UDA 35[UPM]

L. microphyllum (Cav.) R. Br.

AHFR: 1999, Nurulhuda & Faridah Hanum UDA 59[UPM]

Schizaea dichotoma (L.) Sw.

AHFR: 17/9/98, Nurulhuda UDA 69[UPM].

S. digitata (L.) Sw.

AHFR: 1999, Nurulhuda & Faridah Hanum UDA 76[UPM]

Thelypteridaceae

Mesophlebium chlamydothorum (C. Chr.) Holttum
AHFR: 5/10/98, Nasir Abdul Rachman NAR 42[UPM].

Pronephrium triphyllum (Sw.) Holttum

AHFR: 4/5/00, Ahmed Zainudin *et al.* AZ 6735 [UKMB].

Woodsiaceae

Diplazium allantoideum M.G. Price

AHFR: 15/9/98, Nasir Abdul Rachman NAR 25 [UPM].

D. crenatoserratum (Blume) T. Moore

AHFR: 15/9/98, Nasir Abdul Rachman NAR 22, NAR 27 [UPM].

D. riparium Holttum

AHFR: 30/9/98, Nasir Abdul Rachman NAR 40; 5/10/98, Nasir Abdul Rachman NAR 45 [UPM].

D. tomentosum Blume

AHFR: 15/8/98, Nasir Abdul Rachman NAR 6 [UPM].

CONCLUSION

The pteridophyte flora of Ayer Hitam Forest Reserve comprises one species of lycopod, six species of sellaginellas and 32 species of ferns. This represents about 6.02% of the 647 species, 42.8% families and 15.5% of genera reported for Peninsular Malaysia (Parris and Latiff 1997). Of these 39 taxa, 6 species were identified as new additions to the previous list (Faridah Hanum 1999). Most of the taxa are lowland elements and easily found on the forest floor or as epiphytes on rocks and trees by the trails. Despite the larger land area of Ayer Hitam Forest (1248 ha) in comparison to the Bangi Forest Reserve (Bidin and Jaman 1990), the number of pteridophyte taxa is less. This is most probably due to past deforestation and disturbances in this area.

ACKNOWLEDGEMENT

The authors would like to thank Dr. Faridah Hanum Ibrahim and En. Ahmed Zainuddin Ibrahim for giving us access to the specimens collected.

REFERENCES

- BIDIN, A. and R. JAMAN. 1990. Flora pteridofit Hutan Simpan Bangi. In *Ekologi dan Biologi Hutan Simpan Bangi*, ed. A. Latiff, p. 153-169. Kumpulan Kertas Kerja 14. Penerbit Universiti Kebangsaan Malaysia.
- FARIDAH HANUM, I. 1999. Plant diversity and conservation value of Ayer Hitam Forest, Selangor, Peninsular Malaysia *Pertanika J. Trop. Agric. Sci.* **22(2)**: 73-83.
- PARRIS, B.S. and A. LATIFF. 1997. Towards a pteridophyte flora of Malaysia: A provisional checklist of taxa. *Malay. Nat. J.* **50**: 235-280.