




UNIVERSITI PUTRA MALAYSIA

**ESTIMATION OF TWO SPECIES OF URBAN PLANTS FOR AIRBORNE
PARTICULATES DEPOSITION**

NUR DINA SHAZANI BINTI MOHD AZAM

FH 2013 1

**ESTIMATION OF TWO SPECIES OF URBAN PLANTS FOR AIRBORNE
PARTICULATES DEPOSITION**



NUR DINA SHAZANI BINTI MOHD AZAM

**MASTER OF SCIENCE
UNIVERSITY PUTRA MALAYSIA**

2013



**ESTIMATION OF TWO SPECIES OF URBAN PLANTS FOR AIRBORNE
PARTICULATES DEPOSITION**

By

NUR DINA SHAZANI BINTI MOHD AZAM

**This Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, In
Fulfillment of the Requirements for the Degree of Master of Science**

March 2013

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



DEDICATED TO

My lovely late father Allahyarham Mohd Azam Bin Mahmud (November 6, 1954 to April 7, 2012), my precious mother Normorsidah Binti Mohd Labib and family members.

Abstract of the thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Master of Science.

ESTIMATION OF TWO SPECIES OF URBAN PLANTS FOR AIRBORNE PARTICULATES DEPOSITION

By

NUR DINA SHAZANI BINTI MOHD AZAM

March 2013

Chairman: Assoc. Prof. Ahmad Ainuddin Bin Nuruddin, PhD

Faculty: Forestry

Urban vegetation plays an important role in amelioration of city environment. Urban vegetation entraps air pollutants on the surface of the leaves. This could reduce long-term threat to human health, microclimate and ecosystems as well. However, this benefit is not fully explored in Malaysia and the studies are very scarce. The objectives of this study were to estimate the amount of airborne pollutants deposited onto the leaves of two selected urban plants and identify the elements present according to the response-relationship of several factors. Samples of particulates were collected on the leaves surfaces of *Acalypha siamensis* at the Country Heights Kajang and *Ficus microcarpa* at the Jalan Hang Tuah, Kuala Lumpur by using Cyclopore Track Etched Membrane Filter. Samples were obtained at two levels of plants' canopy for three different periods of exposure (24, 48 and 72 hours). Samples were then screened using SEM-EDX and EDXRF Spectroscopy. The deposited particulates were mostly in an agglomeration form and 26 elements of airborne pollutants were detected

using the EDXRF. PM (235469.317 ± 22536.715), Al (3171.923 ± 906.808) and Si (308.948 ± 64.776) were found to be the highest percentage in Jalan Hang Tuah, Kuala Lumpur whereas PM (159461.704 ± 13523.958), Al (2794.384 ± 633.483) and Mg (242.701 ± 8.728) were the highest quantities found in Country Heights Kajang. However, most of the elements' concentration was not greatly influenced by the increasing or decreasing of the hour of exposure. The results showed Na, Mg, Si, Zn, As, W and Al were highly significant at Country Heights Kajang for 24, 48 and 72 hours, whereas at Jalan Hang Tuah, Na, Mg, Si, K, Co, Ba and particulate matter were highly significant indicating that concentration varied with times. The findings showed that the elements' concentration was greatly influenced by the meteorological parameters. Ca increases with the increased of wind speed at Jalan Hang Tuah, whereas at Country Heights Kajang, Mg was correlated to mean temperature and rainfall; K, Cu, Th and PM were correlated to wind speed; Rb and W were correlated to minimum temperature while Mn, W and PM were highly correlated to relative humidity. However, the elements' concentration on the upper and lower parts of the canopy was not statistically different at both sites. The results also showed the elements with their possible sources; Country Heights Kajang: K and Ca (7.898%) were originated from construction while Sc, Ni, Cr, Ti and S (17.592%) were mainly emitted from sediments or road dust along Jalan Hang Tuah. The results showed 17 elements were highly enriched at Country Heights Kajang whereas 12 elements were significant to extremely enriched at Jalan Hang Tuah. However, further investigations need to carry out holistically by considering other possible factors which may influence the dispersion of airborne pollutants.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Master Sains

**PENGANGGARAN PEMENDAPAN PARTIKULAT UDARA PADA DUA
SPESIES TUMBUHAN BANDAR**

Oleh

NUR DINA SHAZANI BINTI MOHD AZAM

Mac 2013

Pengerusi: Prof. Madya Ahmad Ainuddin bin Nuruddin, PhD

Fakulti : Perhutanan

Tumbuhan Bandar memainkan peranan penting dalam memperbaiki persekitaran bandar. Tumbuhan Bandar memerangkap pencemar udara di atas permukaan daun. Ia dapat mengurangkan kesan jangka panjang terhadap kesihatan manusia, mikroiklim dan ekosistem. Walau bagaimanapun, manfaat ini tidak diterokai secara meluas di Malaysia dan kajiannya adalah terhad. Objektif kajian ini ialah untuk menganggar kuantiti pencemar udara yang termendap di atas daun tumbuhan terpilih serta mengenalpasti unsur-unsur yang hadir yang berhubungkait dengan beberapa faktor tindakbalas. Sampel zarah udara dikumpul di atas permukaan daun *Acalypha siamensis* di Country Heights Kajang dan *Ficus microcarpa* di Jalan Hang Tuah, Kuala Lumpur menggunakan *Cyclopore Track Etched Membrane Filter*. Sampel diambil di dua peringkat kanopi untuk tiga tempoh pendedahan yang berlainan (24, 48 dan 72 jam). Sampel kemudiannya dianalisa menggunakan SEM-EDX dan EDXRF *Spectroscopy*. Zarah termendap kebanyakannya dalam bentuk gumpalan dan sebanyak

26 unsur-unsur pencemar udara dikesan menggunakan EDXRF. PM (235469.317 ± 22536.715), Al (3171.923 ± 906.808) dan Si (308.948 ± 64.776) mencatat peratus tertinggi di Jalan Hang Tuah manakala PM (159461.704 ± 13523.958), Al (2794.384 ± 633.483) dan Mg (242.701 ± 8.728) adalah kuantiti tertinggi di Country Heights Kajang. Walau bagaimanapun, sebahagian besar kepekatan unsur-unsur tersebut tidak dipengaruhi oleh kenaikan atau penurunan tempoh pendedahan. Keputusan menunjukkan Na, Mg, Si, Zn, As, W dan Al signifikan di Country Heights Kajang untuk 24, 48 dan 72 jam, manakala Na, Mg, Si, K, Co, Ba dan PM adalah signifikan yang menunjukkan kepekatan berlainan mengikut masa. Penemuan menunjukkan kepekatan unsur-unsur sangat dipengaruhi oleh parameter meteorologi. Ca meningkat dengan peningkatan kelajuan angin di Jalan Hang Tuah, manakala di Country Heights Kajang, Mg berhubungkait dengan purata suhu dan taburan hujan; K, Cu, Th dan PM berhubungkait dengan kelajuan angin; Rb dan W berhubungkait dengan suhu minimum sementara Mn, W dan PM berhubungkait dengan kelembapan relatif. Walau bagaimanapun, keputusan bagi kepekatan unsur-unsur pada bahagian atas dan bawah kanopi menunjukkan tiada perbezaan di kedua-dua lokasi. Keputusan juga menunjukkan unsur-unsur beserta sumbernya; Country Heights Kajang: K dan Ca (7.898%) berpunca daripada pembinaan sementara Sc, Ni, Cr, Ti dan S (17.592%) berpunca daripada habuk jalan dan ampaiian sepanjang Jalan Hang Tuah. Keputusan menunjukkan 17 unsur-unsur diperkaya tinggi di Country Heights Kajang manakala 12 unsur-unsur yang signifikan kepada diperkaya tinggi di Jalan Hang Tuah. Walau bagaimanapun, penyiasatan meluas perlu dilakukan dengan mengambil kira faktor yang berkemungkinan mempengaruhi penyebaran pencemar udara.

ACKNOWLEDGEMENTS

Alhamdulillah praise to Allah The Almighty for giving me the opportunity, a good health and comfortable environment through the completion of this research work. I wish to express my sincere gratitude and deepest appreciation to my supervisor Assoc. Prof. Dr. Ahmad Ainuddin Bin Nuruddin for his invaluable guidance, constructive criticism and constant encouragement throughout the course of this study and the preparation of the thesis. I would like to extend my sincere appreciation to my supervisory committee Prof. Luqman Chuah Bin Abdullah for his guidance and support.

I would like to thanks my colleagues especially Noor Jamaatun Syifa and my lovely cousin Nurul Enanee who readily sacrificed their times during the fieldwork. Thank you Dr. Sara Yasina (UNIMAP), Dr. Roslan (Forestry, UPM), Nor Shuhada Othman (INTROP), Sir Chang (DBKL 1), Sir Morgan (JKR Kajang), Sir Nor Azman (MPKj), Sir Haji Rahman (Malaysian Statistics Department), Sir Ahmad Rizal Mohamad (DBKL 3) and all staffs from Country Heights Property Gallery (Kajang), MMD and ASMA for their hospitality and kindness.

It is also my great pleasure to give a due recognition to my family members especially my late father for his endless love and supports during his entire life. Indeed he is my greatest inspiration. Thank you my precious mother for her understanding, love

support and constant prayers throughout the completion of this thesis. This study would not have been possible without their overwhelming supports.

Last but not least, I would like to thank those who did not specifically mentioned here, who has helped me all this while. It is always impossible to personally thank everyone who has facilitated me in this research work. May Allah bless you.

This research work was funded by the Research University Grant Scheme number RUGS 03-04-10-0997RU.

I certify that a Thesis Examination Committee has met on 8 March 2013 to conduct the final examination of Nur Dina Shazani binti Mohd Azam on her thesis entitled "Estimation of Two Species of Urban Plants for Airborne Particulates Deposition" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Degree of Master of Science.

Members of the Thesis Examination Committee were as follows:

Hazandy bin Abd Hamid, PhD

Associate Professor
Faculty of Forestry
Universiti Putra Malaysia
(Chairman)

Mohd Nazre bin Saleh@Japri, PhD

Associate Professor
Faculty of Forestry
Universiti Putra Malaysia
(Internal Examiner)

Ahmad Said bin Sajap, PhD

Professor
Faculty of Forestry
Universiti Putra Malaysia
(Internal Examiner)

Siti Rubiah Zainuddin, PhD

Senior Lecturer
Faculty of Resource Science and Technology
University Malaysia Sarawak
Malaysia
(External Examiner)



NORITAH OMAR, PhD
Associate Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 26 June 2013

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Ahmad Ainuddin Bin Nuruddin, PhD

Associate Professor
Faculty of Forestry
University Putra Malaysia
(Chairman)

Luqman Chuah Bin Abdullah, PhD

Professor
Faculty of Engineering
University Putra Malaysia
(Member)


BUJANG KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

DECLARATION

I declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at University Putra Malaysia or at any other institution.



**NUR DINA SHAZANI BINTI
MOHD AZAM**

Date: 8 March 2013

TABLE OF CONTENTS

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	v
ACKNOWLEDGEMENTS	vii
APPROVAL	ix
DECLARATION	xi
LIST OF TABLES	xv
LIST OF FIGURES	xvii
LIST OF ABBREVIATIONS	xx
GLOSSARY OF TERMS	xxii
CHAPTER	
1 INTRODUCTION	1
1.1 Background of the Study	1
1.2 Problem Statement	4
1.3 Objectives of Research	5
1.4 Assumption and Limitation	6
2 LITERATURE REVIEW	7
2.1 General Description of Urban Forest	7
2.1.1 Definition of Urban Forest	7
2.1.2 History of Urban Forest: History and Establishment	8
2.1.3 Benefits of Urban Forest	9
2.2 An Overview of Air Pollution in Malaysia	12
2.2.1 Definition of Air Pollution	12
2.2.2 Guidelines and Regulation of Airborne Pollutants by DOE	13
2.2.3 Air Pollution in Malaysia	14
2.3 General Description of Airborne Particulates: Sources and Trend	16
2.3.1 Definition of Airborne Particulates	16
2.3.2 Size of Airborne Particulates	17
2.3.3 Classification of Airborne Particulates	18
2.3.4 Possible Sources of Airborne Particulates	18
2.3.5 Influences of Meteorological Parameters on Airborne Particulates	20
2.4 Atmospheric Pollutant and Potential Health Effects	21
2.5 Urban Forest Acts as Bio-filter for Airborne Pollutants	22
3 METHODOLOGY	26
3.1 Description of Study Area	26
3.2 Selection of Appropriate Trees Species	29
3.3 Experimental Design	30

3.4	Plant Structure Observation	32
3.4.1	Crown Height	32
3.4.2	Crown Diameter	32
3.4.3	Crown Volume	33
3.4.4	Plant Diameter	35
3.4.5	Leaf Surface Area	35
3.4.6	Leaf/Shrub Height	35
3.5	Estimation of Total Number of Leaf per Crown	36
3.6	Secondary Data Collection	37
3.6.1	Traffic Density	37
3.6.2	Wind Speed and Direction, Rainfall Distribution, Temperature and Relative Humidity	37
3.6.3	Residential Population, Number of Vehicles and Number of Industries	37
3.7	Gravimetric Analysis	37
3.8	Sample Collection and Analyses	38
3.8.1	Materials	38
3.8.2	Methods	38
3.9	Physico-chemical Analysis Using SEM/EDX	40
3.10	Elemental Analyses Using EDXRF	41
3.10.1	Precision and Accuracy Analysis	42
3.10.2	Detection Limit	44
3.11	Statistical Analyses	45
4	RESULTS AND DISCUSSIONS	47
4.1	Plant Structures Observation	47
4.2	Secondary Data Analyses	48
4.2.1	Meteorological Parameters	48
4.2.2	Traffic Density	55
4.2.3	Residential Population, Number of Vehicles and Industries	57
4.3	Morphological Observation of Leaf and Airborne Particulates using EDX/SEM	59
4.3.1	Morphological Characteristics of Leaves	60
4.3.2	Morphological Characteristics of Accumulated Particulates	62
4.4	Elemental Analyses Using EDXRF	64
4.5	Concentration of Airborne Particulates over Time (24, 48 and 72 Hour)	67
4.6	Meteorological Parameters Influence Deposition of Airborne Pollutants	73
4.7	Concentration of Airborne Pollutants according to Crown Portions	81
4.8	Sources Apportionment of Airborne Pollutants: Principal Component Analysis and Enrichment Factor	87

5	CONCLUSION AND RECOMMENDATION	106
	5.1 Conclusion	106
	5.2 Recommendation	109
	REFERENCES	110
	APPENDICES	120
	BIODATA OF STUDENT	157
	PUBLICATION	158

