



UNIVERSITI PUTRA MALAYSIA

**MOISTURE CONTENT OF KENAF (*Hibiscus Cannabinus L.*) STEM
BASED ON MICROWAVE DIELECTRIC PROPERTIES**

MOHD NAZREN BIN RADZUAN

FK 2013 16



**MOISTURE CONTENT OF KENAF (*Hibiscus
Cannabinus L.*) STEM BASED ON MICROWAVE
DIELECTRIC PROPERTIES**

MOHD NAZREN BIN RADZUAN

**MASTER OF SCIENCE
UNIVERSITI PUTRA MALAYSIA**

2013



**MOISTURE CONTENT OF KENAF (*Hibiscus Cannabinus L.*) STEM BASED
ON MICROWAVE DIELECTRIC PROPERTIES**

By

MOHD NAZREN BIN RADZUAN

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirement for the Degree of Master of Science**

January 2013

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

MOISTURE CONTENT OF KENAF (*Hibiscus Cannabinus L.*) STEM BASED ON MICROWAVE DIELECTRIC PROPERTIES

By

MOHD NAZREN BIN RADZUAN

January 2013

Chairman: Associate Professor Khalina Abdan, PhD

Faculty: Engineering

This research investigated the relationship between microwave the dielectric properties of kenaf plant and it's MC for purpose of developing an in-situ sensor for the measurement of kenaf stem fibre MC. The rectangular waveguide resonator method was used to determine the dielectric properties of kenaf stems and the results were compared with those of the oven dried method of various drying times. The relationship between the dielectric properties and MC and frequency were investigated. The dielectric constant, ϵ' and loss factor, ϵ'' in the kenaf stem, core and bast at frequencies 8.7875 GHz and 10.1882 GHz showed cubic relationship with MC. The equation for in-situ MC determination in kenaf stem was established and compared with those of the conventional drying method to evaluate the accuracy of the new equation established. The R^2 value for kenaf stem samples at B, M and T portion at frequency show strong relationship that is above 0.9 compared with kenaf core and bast samples. In bast, the correlation between dielectric properties with MC was not good thus the MC determination equation cannot be established. The ability of this technique to determine the kenaf stem MC accurately and rapidly will not

only help in improving the efficiency of decorticator machine in kenaf processing,
but also in improving fibre quality and market price of kenaf fibre.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**KANDUNGAN AIR DI DALAM KENAF (*Hibiscus cannabinus* L.)
BERDASARKAN PENGUKURAN CIRI-CIRI DIELEKTRIK MIKROWAVE**

Oleh

MOHD NAZREN BIN RADZUAN

January 2013

Pengerusi: Professor Madya Khalina Abdan, PhD

Fakulti: Kejuruteraan

Penyelidikan ini bertujuan untuk mengkaji hubungan antara ciri-ciri dielektrik mikrowave dengan kandungan air di dalam batang kenaf sekaligus dapat membantu untuk membuat penderia yang dapat menentukan peratusan kandungan air di dalam batang kenaf secara cepat dan tepat. Teknik laluan gelombang gema berbentuk segiempat tepat telah digunakan dalam menentukan nilai dielektrik di dalam kenaf stem dan dihubungkan dengan proses pengeringan pada masa pengeringan yang berbeza. Data tersebut digunakan untuk mengkaji hubungannya dengan kandungan air dan frekuensi gelombang. Nilai pemalar dielektrik, ϵ' dan factor kehilangan, ϵ'' di dalam batang, teras dan kulit kenaf pada frekuensi 8.7875 GHz dan 10.1882 GHz menunjukkan hubungan kubik apabila ianya dihubungkan dengan kandungan air.

Formula untuk mengira peratusan kandungan air di dalam batang kenaf telah diwujudkan dan dibandingkan dengan peratusan kandungan air yang menggunakan proses pengeringan oven untuk menentukan ketepatan formula yang telah dibentuk. Nilai R^2 pada bahagian sampel batang kenaf menunjukkan hubungan yang baik berbanding dengan bahagian teras dan kulit kenaf. Kulit kenaf pula tidak

menunjukkan hubungan yang baik dengan kandungan air dan ianya tidak boleh digunakan untuk menentukan kandungan air dalam kulit kenaf. Keupayaan teknik ini untuk mengukur kandungan air di dalam batang kenaf dengan tepat dan cepat bukan sahaja dapat meningkatkan keupayaan mesin dekortikator dalam pemrosesan kenaf malah dapat meningkatkan kualiti fiber tersebut menentukan harga pasaran bagi kenaf fiber.



ACKNOWLEDGEMENTS

In the name of Allah, the Beneficent, the Merciful

First and foremost, I would like to express my greatest gratitude to Allah, the Almighty, on whom ultimately we depend for sustenance and guidance. Second, my sincere appreciation goes to my project supervisor, Associate Prof. Dr. Khalina Abdan for all her great supervision, supports, advices and guidance that help me lots in completing this study. Her valuable advice is really useful for me. I also would like to convey my appreciation to my co-supervisors, Associate Prof. Ir. Dr. Alyani Ismail and Dr. Rimfiel Janius for their assistance and useful opinions to improve my research and ensure everything was on the right track.

Besides, I would like to acknowledge the Laboratory Technicians, Mr. Mohd. Sabri b. Hassan and Mr. Mohd. Hisyam b. Ali who have always helped me during the sample and laboratory preparation. I would also express my profound gratitude wish to my beloved wife Siti Rohayu bt. Abdul Aziz, parents, siblings, relatives and friends for their continued love, support and encouragement to accomplish my study.

Last but not least, I would like to express my grateful appreciation to everybody, who has directly and indirectly involved in completing this research. Thank you.

I certify that an Examination Committee has met on **17 January 2013** to conduct the final examination of **Mohd Nazren bin Radzuan** on his **Master of Science** thesis entitled "**Moisture Content of Kenaf (*Hibiscus Cannabinus L.*) Stem Based on Microwave Dielectric Properties**" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the candidate be awarded the relevant degree.

Members of the Examination Committee are as follows:

Desa b. Ahmad, PhD

Professor
Faculty of Graduate Studies
Universiti Putra Malaysia
(Chairman)

Wan Ishak b. Wan Ismail, PhD

Professor
Faculty of Graduate Studies
Universiti Putra Malaysia
(Internal Examiner)

Azmi b. Dato' Yahya, PhD

Associate Professor
Faculty of Graduate Studies
Universiti Putra Malaysia
(Internal Examiner)

Ibni Hajar b. Haji Rukunudin, PhD

Professor
Faculty of Graduate Studies
Universiti Malaysia Perlis
(External Examiner)

SEOW HENG FONG, PhD

Professor/Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Assoc. Prof. Khalina Abdan, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Assoc. Prof. Alyani Ismail, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Rimfiel Janius, PhD

Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Member)


BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

DECLARATION

I hereby declare that the thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any degree at Universiti Putra Malaysia or other institutions.



MOHD NAZREN BIN RADZUAN

Date:



TABLES OF CONTENTS

	Page
ABSTRACT	II
ABSTRAK	IV
ACKNOWLEDGEMENTS	VI
APPROVAL	VII
DECLARATION	IX
LIST OF TABLES	XII
LIST OF FIGURES	XIV
CHAPTER	
1 INTRODUCTION	1
1.1 Background	1
1.2 Problem of Statement	2
1.3 Objectives of Study	4
1.4 Scope of Project	5
2 LITERITURE REVIEW	6
2.1 Kenaf	6
2.1.1 Physical and Anatomical Characteristics of Kenaf	6
2.1.2 Kenaf Processing	9
2.1.3 Market Price of Kenaf Fibre	11
2.2 Dielectric Properties in Agricultural Materials	12
2.2.1 Introduction to Microwaves	12
2.2.2 Fundamental of Dielectric Properties	13
2.2.3 Factors Affecting Dielectric Properties	16
2.3 Measurement of Microwave Dielectric Properties	18
2.4 Dielectric Properties Correlation with Moisture Content in Agricultural Materials	21
3 METHODOLOGY	27
3.1 Introduction	27
3.2 Materials Preparation	28
3.3 Equipment Setup	30
3.4 Physical Properties Measurement	34
3.4.1 Physical Dimensions	34
3.4.2 Moisture Content	36
3.5 Dielectric Properties Measurement	36
3.6 Drying Process	40

3.7	Analysis	42
3.8	Microwave Frequency Analysis	43
3.9	Moisture Content Comparison Between Predicted With Theoretical Moisture Content	46
4	RESULTS AND DISCUSSION	47
4.1	Introduction	47
4.2	Effect of Portion and Drying Time to Moisture Content of Kenaf Samples	48
4.2.1	Kenaf Stem Samples	48
4.2.2	Kenaf Core Samples	49
4.2.3	Kenaf Bast Samples	50
4.2.4	Summary of Effect of Portion and Drying Time to Moisture Content of Kenaf Samples	52
4.3	Effect of Portion and Drying Time to Dielectric Properties of Kenaf Samples	53
4.3.1	Kenaf Stem Samples	53
4.3.2	Kenaf Core Samples	58
4.3.3	Kenaf Bast Samples	63
4.3.4	Summary Effect of Portion and Drying Time to Dielectric Properties of Kenaf Samples	68
4.4	Dielectric Properties Correlation with Moisture Content	68
4.5	Comparison of Experimental with Predicted Moisture Content Value	75
4.6	The Domestic Market Price Determination for Kenaf Stem Fibre	79
5	CONCLUSION AND RECOMMENDATION	80
5.1	Conclusion	80
5.2	Recommendations for further studies	81
	REFERENCES	82
	APPENDICES	86
	APPENDIX A: ORIGINAL DATA	87
	APPENDIX B: STATISTICAL ANALYSIS	97
	APPENDIX C: STANDARD OF KENAF SPECIFICATION FOR DOMESTIC MARKET	132
	BIODATA OF STUDENT	140