



**UNIVERSITI PUTRA MALAYSIA**

***DEPTH FRAME LOSS CONCEALMENT FOR WIRELESS TRANSMISSION  
UTILISING MOTION DETECTION INFORMATION***

**MOHAMADREZA RANJBARI**

**FK 2014 35**



**DEPTH FRAME LOSS CONCEALMENT FOR WIRELESS TRANSMISSION  
UTILISING MOTION DETECTION INFORMATION**

**By**  
**MOHAMADREZA RANJBARI**

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in  
Fulfilment of the Requirements for the Degree of Master of Science**

**June 2014**

## **COPYRIGHT**

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



## **DEDICATION**

I dedicate this thesis to my dear beloved parents who have always been so supportive of my education.



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

**DEPTH FRAME LOSS CONCEALMENT FOR WIRELESS TRANSMISSION  
UTILISING MOTION DETECTION INFORMATION**

By

**MOHAMADREZA RANJBARI**

**June 2014**

**Chairman: Assoc. Prof. Aduwati Sali, PhD**

**Faculty: Engineering**

Three dimensional (3D) television systems have received increasing attention, with the remarkable developments of video techniques. Transferring video over wireless channels, which is generally an error prone channel, is very susceptible to the transmission errors. 3D video is more vulnerable to transmission errors than conventional two dimensional (2D) video due to its left and right views. On top of that, existing error concealment algorithms for the 2D videos are not suitable to apply to the 3D video and they may even degrade the quality of the synthesized view in the 3D video.

In regard to quality of the 3D video, the main challenge is to provide a high quality synthesized view for the viewers. It can be achieved considering the structure of the 3D video using proper methods which are designed for the 3D video. In the 3D video transmission, whenever frame loss happens, there is a higher probability of depth frame loss than the colour frame due to less priority of depth frame in the transmission. Proper depth frame concealment should be applied in order to improve perceived quality of the video. Considering high packet loss rate in error prone channels like wireless channels, it is crucial to apply error concealment to compensate the frame losses in the transmission. While a number of algorithms has been proposed to address this issue, most of the existing approaches tend to increase the transmission in terms of sending redundant information regarding error concealment.

In this thesis, the aforementioned issues are addressed. By focusing mainly on concealment of depth frame loss at the decoder, the quality of transmitted 3D video is improved in the synthesised views. Two concealment methods, namely Decision Making based on Pixel Value (DM-PV) and Depth Frame Concealment based on Motion Detection (DFC-MD) are proposed to conceal the depth frame loss in the 3D video transmission. The methods are able to facilitate a frame copy algorithm and a high correlation of colour and depth frames to conceal depth frame loss. The first proposed method, inspired by DM-PV, makes its decision whether to copy the last frame or replacing a blank frame by pixel value of the corresponding frames in the

colour sequence. The second method also facilitates the frame copy algorithm in the depth sequence, however, the high motion blocks inside the frame that intended to be copied are found and then they will be interpolated; furthermore, the low motion blocks remain unchanged in the frame.

The proposed error concealment method which is based on decision making by pixel value technique can prevent distortion on left and right views. The proposed method is able to improve the quality of video in comparison with frame copy algorithm. The feasibility and performance of the proposed method based on motion detection error concealment is evaluated analytically by considering different packet and frame loss rates. The results are compared with existing 3D video frame concealment methods in terms of PSNR for low depth intensity sequences and the average improvement is about 13%. Moreover, the proposed method can improve quality of video in terms of SSIM in comparison with the existing frame copy method for the 3D sequences with moderate depth intensity.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Sarjana Sains

**PENYEMBUNYIAN KEHILANGAN RANGKA KEDALAMAN UNTUK  
TRANSMISI TANPA WAYAR MENGGUNAKAN MAKLUMAT  
PENGESANAN GERAKAN**

Oleh

**MOHAMADREZA RANJBARI**

**Jun 2014**

**Pengerusi: Profesor Madya. Aduwati Binti Sali, PhD**

**Fakulti: Kejuruteraan**

Baru-baru ini, sistem televisyen tiga dimensi (3D) semakin mendapat perhatian dengan perkembangan teknik video yang luar biasa. Pemindahan video melalui saluran wayarles, pada umumnya adalah sebuah saluran yang terdedah kepada kesilapan, amat mudah kepada penghantaran ralat. Video 3D adalah lebih cenderung kepada penghantaran ralat daripada video konvensional 2D disebabkan oleh titik paparan kiri dan kanannya. Selain itu, algoritma penyembunyian ralat yang sedia ada untuk video 2D tidak sesuai digunakan untuk video 3D dan ia juga boleh merendahkan kualiti paparan yang telah disintesis di dalam video 3D.

Dalam hal kualiti video 3D, cabaran utama adalah untuk menyediakan paparan yang telah disintesis yang berkualiti tinggi untuk penonton. Ini boleh dicapai dengan mempertimbangkan struktur video 3D dengan menggunakan kaedah yang betul yang direka untuk video 3D. Apabila kehilangan bingkai berlaku di dalam penghantaran video 3D, terdapat kebarangkalian yang lebih tinggi dalam kehilangan kedalaman bingkai daripada warna bingkai kerana kurangnya keutamaan di dalam kedalaman bingkai sewaktu penghantaran. Penyembunyian kedalaman bingkai yang sesuai hendaklah digunakan untuk memperbaiki kualiti video yang diamati. Memandangkan kadar kehilangan paket yang tinggi dalam saluran yang terdedah kepada ralat seperti saluran wayarles, ia adalah penting untuk menggunakan ralat penyembunyian untuk mengimbangi kehilangan bingkai sewaktu penghantaran. Walaupun beberapa algoritma telah dicadangkan untuk menangani isu ini, kebanyakan pendekatan sedia ada perlu menambahkan penghantaran dari segi menghantar maklumat berlebihan melalui ralat penyembunyian.

Isu-isu tersebut dapat ditangani di dalam tesis ini. Dengan memberi tumpuan kepada penyembunyian kehilangan kedalaman bingkai pada penyahkod, kualiti video 3D yang dihantar bertambah baik dalam paparan yang telah disintesis. Dua kaedah penyembunyian iaitu Membuat Keputusan berdasarkan Nilai Pixel (DM -PV) dan Penyembunyian kedalaman bingkai berdasarkan Pengesanan Pergerakan (DFC -MD) telah dicadangkan untuk menyembunyikan kehilangan kedalaman bingkai dalam penghantaran video 3D. Kaedah tersebut membolehkan algoritma salinan bingkai dan korelasi yang tinggi pada warna dan kedalaman bingkai untuk menyembunyikan kehilangan kedalaman bingkai. Kaedah yang pertama dicadangkan iaitu DM -PV

menilai sama ada untuk menyalin bingkai terakhir atau menggantikan bingkai kosong dengan nilai piksel bingkai tersebut mengikut urutan warna. Kaedah kedua juga membolehkan algoritma salinan bingkai mengikut urutan kedalaman, sekiranya terdapat blok gerakan yang tinggi di dalam bingkai dijumpai, ianya akan disalin dan diinterpolasi, selebihnya blok gerakan yang rendah akan mengekalkan bingkai sedia ada.

Kaedah penyembunyian ralat yang telah dicadangkan yang berasaskan kepada keputusan yang ditentukan melalui nilai piksel boleh mencegah herotan pada pandangan kiri dan kanan. Kaedah yang dicadangkan mampu memperbaiki kualiti video berbanding dengan algoritma salinan bingkai. Kebolehlaksanaan dan prestasi kaedah yang dicadangkan berasaskan kepada penyembunyian ralat pengesanan pergerakan telah dinilai secara analitik dengan mempertimbangkan kadar paket dan kehilangan bingkai yang berbeza. Hasilnya telah dibandingkan dengan kaedah penyembunyian bingkai video 3D yang sedia ada dari segi PSNR untuk urutan intensiti kedalaman yang rendah dan purata pbaikan adalah sebanyak 15%. Walau bagaimanapun kaedah yang dicadangkan boleh memperbaiki kualiti video dari segi SSIM berbanding dengan kaedah salinan bingkai sedia ada bagi urutan 3D dengan intensiti kedalaman sederhana .



## ACKNOWLEDGEMENTS

I would like to thank Allah for His blessing and guidance in completing this thesis. Special thanks to my supervisor Assoc. Prof. Dr. Aduwati Sali for her helpful guidance and support, dedication to her students and maintaining new trend in the research areas which has inspired me a lot.

I also like to thank the other members of my advisory committee Dr. Fazirulhisyam Hashim and Dr. Hezerul Abdul Karim for reviewing the thesis document and offering insightful comments.

I appreciate all members of Network Lab for their support during my research work. This includes Seyed Saleh Seyyedzadeh for helping me in initiating my Matlab code. I would also like to thank my friends Dr. Abbas Mehdizadeh, Dr. Mojtaba Mohamadpour, Ayyoub Akbari, Mohammad Kousha, Mohammadali Nematolahi for their comments and suggestions at various stages of my research.

Finally, I am grateful to my family; for their support, patience, and encouragement during my graduate journey.

I certify that a Thesis Examination Committee has met on 26<sup>th</sup> of 2014 to conduct the final examination of MOHAMADREZA RANJBARI on his thesis entitled "DEPTH FRAME LOSS CONCEALMENT FOR WIRELESS TRANSMISSION UTILISING MOTION DETECTION INFORMATION" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

**Nor Kamariah Binti Noordin , PhD**

Associate Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Chairman)

**M. Iqbal Bin Saripan, PhD**

Associate Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Internal Examiner)

**Sharifah Mumtazah bt Syed Ahmad Abdul Rahman, PhD**

Senior Lecturer  
Faculty of Engineering  
Universiti Putra Malaysia  
(Internal Examiner)

**Vijanth Sagayan a/I Asirvadam, PhD**

Associate Professor  
Universiti Teknologi Petronas  
Malaysia  
(External Examiner)

---

**NORITAH OMAR, PhD**

Associate Professor and Deputy Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date: 18 August 2014

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

**Aduwati Binti Sali, PhD**

Associate Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Chairman)

**Fazirulhisyam Hashim, PhD**

Lecturer  
Faculty of Engineering  
Universiti Putra Malaysia  
(Member)

**Hezerul Abdul Karim, PhD**

Senior Lecturer  
Faculty of Engineering  
Multimedia University  
(Member)

---

**BUJANG BIN KIM HUAT, PhD**

Professor and Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date:

## Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name and Matric No.: \_\_\_\_\_

## Declaration by Members of Supervisory Committee


This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: \_\_\_\_\_  
Name of  
Chairman of  
Supervisory  
Committee: \_\_\_\_\_

Signature: \_\_\_\_\_  
Name of  
Member of  
Supervisory  
Committee: \_\_\_\_\_

Signature: \_\_\_\_\_  
Name of  
Chairman of  
Supervisory  
Committee: \_\_\_\_\_



## TABLE OF CONTENTS

	<b>Page</b>
<b>ABSTRACT</b>	i
<b>ABSTRAK</b>	iii
<b>ACKNOWLEDGEMENTS</b>	v
<b>APPROVAL</b>	vi
<b>DECLARATION</b>	viii
<b>LIST OF TABLES</b>	xii
<b>LIST OF FIGURES</b>	xiii
<b>LIST OF ABBREVIATIONS</b>	xv
<b>CHAPTER</b>	
<b>1 INTRODUCTION</b>	<b>1</b>
1.1 Introduction	1
1.2 Problem Statement	1
1.3 Aim and Objectives	2
1.4 Scope of the Thesis	2
1.5 Brief Methodology	3
1.6 Thesis Organization	5
<b>2 LITERATURE REVIEW</b>	<b>6</b>
2.1 Overview	6
2.2 Brief History of Three Dimensional Video	6
2.3 Three Dimensional Video Concepts and Techniques	7
2.4 Three Dimensional Video Formats and Coding Standards	10
2.5 Wireless Video Broadcasting Systems and Protocols	17
2.6 Error Control and Concealment for Video Communication Systems	19
2.7 Error Concealment and Control for 3D Video	20
2.7.1 Full Frame Concealment for 3D Video based on Motion Vector	21
2.7.2 Full Frame Concealment for 3D Video based on Disparity	24
2.8 3D Video Quality Assessment	26
2.8.1 Subjective and Objective Methods	28
2.9 Summary	29
<b>3 METHODOLOGY</b>	<b>31</b>
3.1 Overview	31
3.2 Decision Making based on Pixel value (DM-PV)	31
3.2.1 Finding the missing frame and its corresponding colour frame	31
3.2.2 Comparison based on pixel value between the corresponding frame and the previous frame in the colour sequence	32
3.2.3 Decision making based on comparison	33
3.3 Depth Frame Concealment Algorithm Using Motion Detection	35
3.3.1 Detecting the High Motion Blocks	36
3.3.2 Interpolation of the High Motion Blocks the Copied Frame	38

3.4	Evaluation Methodology	40
3.4.1	Performance Metrics	40
3.4.2	Description of Chosen 3D Video Sequences	42
3.4.3	Application of Noise to the System	44
3.4.4	Choosing the best block size DFC-MD	44
3.5	Summary	44
<b>4</b>	<b>RESULTS AND DISCUSSION</b>	<b>45</b>
4.1	Overview	45
4.2	Decision Making based on Pixel Value for 3D video Depth Frame Loss Concealment	45
4.3	Depth Frame Concealment Using Motion Detection (DFC-MD)	47
4.3.1	Optimizing Block Size and Threshold Value on DFC-MD	48
4.3.2	DFC-MD Performance Analysis	49
4.4	Comparison of DFC-MD with Rival Works	57
4.5	Performance Evaluation of DFC-MD for Wireless Environments	58
4.6	Subjective Video Quality Assessment of DFC-MD	62
4.7	Summary	63
<b>5</b>	<b>CONCLUSION</b>	<b>64</b>
5.1	Conclusion	64
5.2	Contributions	65
5.3	Suggestions and Future Works	65
	<b>REFERENCES</b>	<b>66</b>
	<b>BIODATA OF STUDENT</b>	<b>75</b>
	<b>LIST OF PUBLICATIONS</b>	<b>76</b>