



UNIVERSITI PUTRA MALAYSIA

OIL PALM LEAF NUTRIENT ESTIMATION USING OPTICAL SENSORS

KHOSRO KHORRAMNIA

FK 2014 38



OIL PALM LEAF NUTRIENT ESTIMATION USING OPTICAL SENSORS

By

KHOSRO KHORRAMNIA

**Thesis Submitted to the School of Graduate Studies Universiti Putra Malaysia
in Fulfilment of the Requirements for the Degree of
Doctor of Philosophy**

May 2014

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



DEDICATION

I dedicate this thesis to my family, especially...


To my beloved wife, *Raziyeh* whose sacrificial care for me and our children, made it possible to complete this work

To my children, *Mohammad Hassan* and *Yekta*, who are indeed treasures from the Lord

To my loving Dad and Mom whose words of encouragement and push for tenacity ring in my ears

To my brother, *Mojtaba* and my sister *Rouhiyeh*, for their endless love, support and encouragement

To my wife's parent and her brothers for their sincere support and encouragement



© COPYRIGHT

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment
of the requirement for the degree of Doctor of Philosophy

OIL PALM LEAF NUTRIENT ESTIMATION USING OPTICAL SENSORS

By

KHOSRO KHORRAMNIA

May 2014

Chair: Associate Professor Abdul Rashid Bin Mohamed Shariff, PhD

Faculty: Engineering

Leaf sampling and chemical analysis are common practical methods of assessing the nutrient status of an oil palm leaf. The oil palm foliar analysis technique is expensive and does not provide enough information for individual trees and site-specific fertiliser management. We conducted three experiments in the field and the laboratory, using four different optical sensors. Field measurements were performed three different times at the Universiti Putra Malaysia (2.979917° N, 101.7297833° E), at an agricultural park, and at Sime Darby Co. located at (2.8673° N, 101.3674° E) Carey Island, Malaysia. Specific objectives of this research were to: (i) evaluate the performance of various spectral bands and indices for measuring N, P, K, Mg, Ca and B status in oil palm fronds using four available active sensors (GreenSeeker® RT505, SPAD 502 Plus, Multiplex®3 and Spectroradiometer FieldSpec®3, Hi-Res ASDi) under laboratory conditions; (ii) to compare the performance of developed models using various spectral bands and indices for measuring N, P, K, Mg, Ca and B status in oil palm fronds. Four modeling techniques, partial least square, stepwise multiple linear regression, artificial neural network and linear discriminant analysis, applied to training datasets for leaf N, P, K, Mg, Ca and B prediction analysis; and (iii) assess model performance on test datasets by testing the correlation of four models of predicted nutrient results with measured nutrients. The next step in model assessment is to compare the effectiveness of modeling methods using the receiver operating characteristic (ROC) method for oil palm leaf nutrient predictions. At the first and second measurements, only GreenSeeker® and SPAD502 plus were utilized to develop leaf nutrient estimation models, that was not promising. At the third measurement, spectroradiometer and Multiplex®3 were added. Spectral data and indices processed and screened using stepwise multiple linear regressions (SMLR). Then, feature datasets were analysed using artificial neural network (ANN). The maximum accuracies of estimations were N=77%, using spectroradiometer and ANN, P =100%, using spectroradiometer and ANN, K=75%, using Multiplex®3 and ANN, Mg=77%, using Multiplex®3 and ANN, Ca=98%, using Multiplex®3 and ANN and B=91%, using spectroradiometer and ANN. The reliability assessment of

models using ROCs and according to their AUCs values were N= 0.83, P= 1.0, K= 0.84, Mg= 0.80, Ca= 0.95 and B= 0.95. Linear discriminant analysis (LDA) applied to training datasets of screened spectroradiometer and Multiplex[®]3 by using entire data for discriminant analysis and using stepwise method, to reduce number of independent variables. Among the three different modeling methods, SMLR, neural network and LDA, neural network models gave higher accuracies to estimate leaf nutrient status. In case of designing and fabricating affordable sensors, LDA could be useful method to develop estimation models using indices (as predictors) provided by Multiplex[®]3, for B. Using neural network method the minimum predictors to estimate B status was 13 indices. In comparison with neural network model, LDA method needs only three Multiplex[®]3 indices (YF_R, FRF_R and SFR_R) and NDVI. Correctly classified samples for N, P, K, Mg, Ca and B using LDA were 50% (Multiplex[®]3), 89% (Spectroradiometer), 70% (Multiplex[®]3), 68% (Multiplex[®]3), 75% (Spectroradiometer or Multiplex[®]3) and 80% (Multiplex[®]3) respectively.

Keywords: Precision agriculture, oil palm, sensors, spectroradiometer, Multiplex, Nutrient status.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

ANGGARAN NUTRIEN PADA DAUN KELAPA SAWIT MENGGUNAKAN SENSOR OPTIK

Oleh

KHOSRO KHORRAMNIA

May 2014

Pengerusi: Profesor Madya Abdul Rashid Bin Mohamed Shariff, PhD

Fakulti: Kejuruteraan

Cara yang biasa digunakan bagi menentukan kandungan nutrient pada daun kelapa sawit adalah melalui pengambilan sampel daun dan analisis menggunakan bahan kimia. Teknik penganalisan foliar bukan hanya mahal, malah tidak memberi maklumat yang secukupnya bagi setiap pokok untuk menjalankan pengurusan baja tapak tertentu. Kami telah menjalankan tiga eksperimen di ladang dan makmal dengan menggunakan empat sensor optik yang berbeza. Pengambilan data telah dijalankan di tiga ladang berbeza iaitu diladang Univertiti Putra Malaysia (2.979917° N, 101.7297833° E), Taman Pertanian dan diladang Sime Darby Co. (2.8673° N, 101.3674° E) di Carey Island Malaysia. Objektif penyelidikan ini termasuk (i) penilaian dan perbezaan prestasi pelbagai jalur spectrum dan indeks bagi penentuan kandungan N, P, K, Mg, Ca dan B pada daun kelapa sawit menggunakan empat jenis sensor aktif (GreenSeeker[®] RT505, SPAD 502 Plus, Multiplex[®]3 and Spectroradiometer FieldSpec[®]3, Hi-Res ASDi) di dalam makmal. Empat teknik permodelan termasuk 'partial least square', regresi linear berganda langkah (SMLR), rangkaian neural buatan (ANN) dan model analisis diskriminan linear (LDA) serta aplikasinya terhadap set data ujian bagi meramal kadar nutrient N, P, K, Mg, Ca dan B; (ii) menilai prestasi model dengan set data ujian dengan menguji korelasi empat model bagi meramalkan keputusan nutrient dengan nutrient yang telah diukur. Langkah seterusnya dalam penilaian prestasi model adalah perbandingan keberkesanan cara permodelan, dengan menggunakan teknik 'receiver operating characteristics' (ROC), bagi meramalkan kadar nutrisi pada daun kelapa sawit. Bagi ukuran pertama dan kedua, hanya GreenSeeker[®] dan SPAD502 plus digunakan bagi pembangunan model penentuan nutrisi daun, tetapi didapati kurang memuaskan. Maka, pada pengukuran ketiga, spectroradiometer dan Multiplex[®]3 ditambah, data spectrum dan indeks telah di proses dan ditayangkan menggunakan regresi linear berganda langkah (SMLR). Kemudiannya, data ciri dianalisa menggunakan rangkaian neural buatan (ANN). Ketepatan maksimum anggaran adalah seperti berikut; N=77% menggunakan spectroradiometer dan ANN, P =100% menggunakan spectroradiometer dan ANN, K=75% menggunakan Multiplex[®]3 dan ANN,

Mg=77% menggunakan Multiplex[®]3 dan ANN, Ca=98% menggunakan Multiplex[®]3 dan ANN, dan B=91% menggunakan spectroradiometer dan ANN. Penilaian kebolehpercayaan model menggunakan ROCs dan mengikut nilai AUCs adalah N= 0.83, P= 1.0, K= 0.84, Mg= 0.80, Ca= 0.95 and B= 0.95. Aplikasi analisis diskriminan linear (LDA) terhadap data latihan menggunakan spectroradiometer dan Multiplex[®]3 tertapis dengan menggunakan semua data untuk DA dan kaedah langkah demi langkah untuk mengurangkan bilangan pemboleh ubah bebas. Diantara tiga kaedah model yang berbeza, (SMLR, rangkaian neural dan LDA) didapati model rangkaian neural yang memberikan ketepatan tertinggi bagi penentuan kadar nutrient didalam daun. Bagi kes mereka bentuk dan mereka-reka sensor berpatutan, LDA boleh menjadi kaedah yang berguna untuk membangunkan model anggaran berdasarkan indeks (sebagai peramal) yang disediakan oleh Multiplex[®]3, untuk B. Dengan menggunakan kaedah rangkaian neural, peramal minimum untuk menganggarkan status B adalah 13 indeks. Sebaliknya, kaedah LDA memerlukan hanya tiga Multiplex[®]3 indeks (YF_R, FRF_R dan SFR_R) dan NDVI. Sampel betul diklasifikasikan untuk N, P, K, Mg, Ca dan B menggunakan LDA adalah 50% (Multiplex[®]3), 89% (Spectroradiometer), 70% (Multiplex[®]3), 68% (Multiplex[®]3), 75% (Spectroradiometer atau Multiplex[®]3) dan 80% (Multiplex[®]3), masing-masing.

Kata-kata kunci: Pertanian ketepatan, kelapa sawit, sensor, spectroradiometer, Multiplex, status nutrien.

ACKNOWLEDGEMENTS

Foremost, I would like to express my sincere gratitude and deepest appreciation to my committee chair Associate Professor Dr. Abdul Rashid B. Mohamed Shariff, for the continuous support of my PhD study and research, for his patience, motivation, enthusiasm, and immense knowledge: he continually and persuasively conveyed a spirit of adventure in regard to research and scholarship, and an excitement in regard to teaching. Without his supervision and constant help this dissertation would not have been possible.

I would like to thank my committee members, Professor Shattri Mansor, and the late Associate Professor Dr. Anuar Abd Rahim, whose work demonstrated to me that concern for global affairs supported by an “engagement” in comparative literature and modern technology, should always transcend academia and provide a quest for our times.

In addition, I would like to thank my thesis examination committee: Associate Professor Dr. Helmi Zulhaidi Mohd. Shafri, Associate Professor Dr. Siti Khairunniza bt. Bejo, Associate Professor Dr. Siva Kumar Balasundram, and Professor Dr. Alexander McBratney for their, insightful comments, and advises, that caused improvement the quality of my thesis.

A thank to Spatial Research Group members, leading by Associate Professor Dr. Abdul Rashid B. Mohamed Shariff, that helped me for data collections in hard conditions of oil palm farms.

My sincere thanks also go to Associate Professor Dr. Reza Ehsani for offering me a summer training opportunities in his group at the University of Florida, USA and for guiding and working with me on a series of exciting projects.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Abdul Rashid B. Mohamed Shariff, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Shattri Mansor, PhD

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Anuar Abd Rahim, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

BUJANG BIN KIM HUAT, PHD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xiii
LIST OF FIGURES	xvi
LIST OF APPENDICES	xviii
LIST OF ABBREVIATIONS	xxiv
CHAPTER	
1. INTRODUCTION	1
1.1 Oil palm production in Malaysia	1
1.2 Problem statement	1
1.3 Objectives of the research	4
1.4 Thesis organisation	5
2. LITERATURE REVIEW	6
2.1 Outline of oil palm taxonomy	6
2.2 Oil palm production	6
2.3 Best management practices for oil palm production	11
2.4 Nutrient management in oil palm plantations	13
2.4.1 4R nutrient stewardship framework (4RNSF)	13
2.4.2 Oil palm nutritional needs	14
2.4.3 Conventional methods of assessing oil palm fertiliser needs	20
2.4.4 Precision agriculture (PA)	21
2.4.5 Oil palm precision agriculture	32
2.5 Summary	36
3. MATERIALS AND METHODS	37
3.1 First and second measurements	39
3.1.1 General description of the research area at the first and second measurements	40
3.2 Third measurement	48
3.2.1 Spectral data collection in third measurement	50
3.2.2 Feature selection and classification models in third measurement	51

4. RESULTS AND DISCUSSIONS	57
4.1 Results of first and second measurements	57
4.1.1 Soil analysis results	57
4.1.2 Linear regression analysis: results and discussions	60
4.1.3 Factors affecting NDVI and SPAD values	72
4.1.4 Conclusions from first and second measurements and suggestions for future results	73
4.2 Third measurement: results and discussions	75
4.2.1 Soil and leaf relationships	75
4.2.2 Data reduction and modeling using PLSR at third measurement	79
4.2.3 Data reduction and modeling using SMLR at third measurement	81
4.2.4 Data reduction using SMLR method and Dataset-2 (Multiplex [®] 3, GreenSeeker [®] and SPAD)	86
4.3 Model improvement using artificial neural network	90
4.4 Accuracy assessment of using four optical sensors and applying SMLR and ANN methods for prediction model development	93
4.5 Accuracy assessment of models	93
4.6 Discriminant analysis as classification method	100
4.7 The cost of individual measurements, using optical sensors	105
5. CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	108
5.1 Objective one	108
5.1.1 Measurements one and two	108
5.1.2 Measurement three	108
5.2 Objective two	109
5.3 Objective three	109
5.4 Novelty and contribution of this research	109
5.5 Recommendations for future research	110
REFERENCES	112
APPENDICES	126
Appendix A: Tables	126
Appendix B: Figures	250
Appendix C: Regression models	258
1. Principle component analysis applied to spectroradiometer's spectral bands.	258

2. Linear regression analysis tables and results at first, second and pooled data from first and second measurements using SPSS 19 (SPSS, Chicago, Illinois, USA)	265
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----

BIODATA OF STUDENT	294
LIST OF PUBLICATIONS	295

