



UNIVERSITI PUTRA MALAYSIA

***IMPROVEMENT OF ULTRAVIOLET PASTEURISER
FOR PRODUCTION OF PINEAPPLE FRUIT JUICE***

ATIKAH BINTI MANSOR

FK 2015 18



**IMPROVEMENT OF ULTRAVIOLET PASTEURISER FOR PRODUCTION
OF PINEAPPLE FRUIT JUICE**

By

ATIKAH BINTI MANSOR

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirements for the Degree of Master of Science**

June 2015

COPYRIHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the Master of Science

IMPROVEMENT OF ULTRAVIOLET PASTEURISER FOR PRODUCTION OF PINEAPPLE FRUIT JUICE

By

ATIKAH BINTI MANSOR

June 2015

Chairman : Rosnah Binti Shamsudin, PhD
Faculty : Engineering

Currently, the existing ultraviolet (UV) pasteuriser cannot achieve the FDA standard which is 5 log₁₀ reductions of microorganisms in tropical fruit juice because of the high soluble content in the tropical fruit juice. Therefore, a new ultraviolet pasteuriser was designed which it was able to inactivate microorganisms in tropical fruit juice up to 5 log₁₀ reduction. This study aims to develop an ultraviolet pasteuriser which able to inactivate microorganisms with at least 5 log₁₀ reductions in pineapple fruit juice and maintain the quality attributes of juice for SME industry. A new designed UV pasteuriser was developed based on Dean Vortex technology with an additional UV light to give extra UV radiation to the juice. The experiment was conducted using the UV pasteuriser which the UV lamp was not enclosed with quartz glass (UV pasteuriser (without quartz)) and UV pasteuriser that UV lamp was enclosed with quartz glass (UV pasteuriser (with quartz)). For both pasteurisers, two difference frequencies was tested which are at 30 Hz and 40 Hz to investigate the effect of difference flow rate on quality of pineapple juice based on the physico-chemical and the microbial analyses. The result showed the UV pasteuriser (with quartz) at frequency of 30 Hz (flow rate of 0.00153 L/s) and UV-C dosage of 64.11 mJ/cm² was showed better quality based on physico-chemical results and able to inactivate *Salmonella typhimurium* up to 5.91 log CFU/ml. The UV pasteuriser (without quartz) was slightly affected the quality of juice because none installation of quartz glass at the UV-C lamp was affected the quality attributes of juice. The lightness (L-value) and total soluble solid (TSS) of juice after treated with UV pasteuriser (with quartz) at 30 Hz was not significantly changes comparing to untreated juice. Meanwhile, the Chroma, hue angle and ascorbic acid content were significantly changes compare to the untreated juice. However the range of ascorbic acid was fall in slightly noticeable range thus, it can be negligible. The turbidity of juice treated with UV pasteuriser (with quartz) was significantly difference than untreated juice. During 9 weeks of storage, the TSS, L-value, hue angle, Chroma, ascorbic acid content and turbidity of untreated and UV pasteurised (with quartz) juice were give a significant decreased whereas their titratable acidity (TA) were not significantly decreased during storage. There is no significant increase of pH of untreated and UV pasteurised (with quartz) juices during storage. Regarding the microbiological analysis, count of *Salmonella typhimurium* was significantly increased after nine weeks of storage at 4±1°C. Other than that, the pineapple juice that was treated by ultraviolet pasteuriser (with quartz) was able to extend the shelf life of pineapple juice from 2 weeks to 5 weeks longer. Therefore, these results on physico-chemical and microbiological analysis was demonstrate the effectiveness of UV pasteuriser (with quartz) in preserving the

nutritional attributes and inactivate microorganisms in pineapple fruit juice which achieved the FDA standard.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
Sebagai Memenuhi Keperluan untuk Ijazah Sarjana Sains

PENAMBAHBAIKAN PEMPASTEUR ULTRAUNGU BAGI PENGELUARAN JUS BUAH NANAS

Oleh

ATIKAH BINTI MANSOR

June 2015

Pengerusi : Rosnah Binti Shamsudin, PhD
Fakulti : Kejuruteraan

Kini, pempasteur ultraungu (UV) yang sedia ada tidak boleh mencapai standard FDA yang merupakan pengurangan sebanyak $5 \log_{10}$ mikroorganisma di dalam jus buah tropika disebabkan oleh kandungan larut yang tinggi di dalam jus buah-buahan tropika. Oleh itu, satu alat pempasteur ultraungu telah direkacipta yang mana ia mampu untuk menyahaktifkan mikroorganisma di dalam jus buah tropika sehingga pengurangan sebanyak $5 \log_{10}$ CFU/ml. Tujuan kajian ini adalah untuk membangunkan satu pempasteur ultraungu di mana ia mampu untuk menyahaktifkan mikroorganisma sekurang-kurangnya $5 \log_{10}$ di dalam jus buah nanas dan sekaligus dapat mengekalkan kualiti jus untuk kilang SME. Pempasteur UV adalah direkacipta berdasarkan Dean Vortex teknologi dan mempunyai satu lampu UV tambahan dimana ia bertindak untuk memberi tambahan sinaran UV kepada jus. Eksperimen ini telah dijalankan dengan menggunakan pempasteur UV dimana bahagian lampu UV tidak ditutupi dengan kaca kuarza (Pempasteur UV (tanpa kuarza)) dan pempasteur UV yang mana bahagian lampu UV ditutupi dengan kaca kuarza (Pempasteur UV (dengan kuarza)). Untuk kedua-dua pempasteur, dua frekuensi yang berbeza telah diuji iaitu pada frekuensi 30 Hz dan 40 Hz untuk menyiasat kesan kadar aliran jus yang berbeza terhadap kualiti jus nanas berdasarkan analisis fizikal-kimia dan mikrobiologi. Keputusan menunjukkan pempasteur UV (dengan kuarza) pada frekuensi 30 Hz (kadar aliran 0.00153 L/s) dan dos UV-C pada 64.11 mJ/cm² telah menunjukkan kualiti lebih baik berdasarkan hasil keputusan dari ujian fizikal-kimia dan berjaya menyahaktifkan *Salmonella typhimurium* di dalam jus sehingga penurunan sebanyak 5.91 log CFU/ml. Pempasteur UV (tanpa kuarza) telah menjejaskan sedikit kualiti jus kerana tiada pemasangan kaca kuarza di lampu UV-C. Perubahan kecerahan (L^*) dan jumlah pepejal larut (TSS) jus selepas dirawat dengan pempasteur UV (dengan kuarza) pada 30 Hz adalah tidak signifikan berbanding dengan jus yang tidak dirawat. Sementara itu, perubahan Chroma, sudut rona dan kandungan asid askorbik adalah signifikan berbanding dengan jus yang tidak dirawat. Walaubagaimanapun, julat asid askorbik adalah jatuh di dalam katogeri perubahan yang kurang ketara di mana perubahan ini boleh diabaikan. Kekeruhan jus yang dirawat dengan UV sinaran (dengan kuarza) telah menunjukkan perubahan yang signifikan berbanding dengan jus yang tidak dirawat. Semasa penyimpanan jus selama 9 minggu, TSS, nilai L^* , sudut rona, Chroma, kandungan asid askorbik dan kekeruhan jus yang tidak dirawat dan jus terpasteur dengan UV sinaran (dengan kuarza) menunjukkan penurunan secara signifikan manakala keasidan tertitrat (TA) menunjukkan penurunan secara tidak signifikan semasa penyimpanan. pH jus yang tidak dirawat dan jus UV sinaran (dengan kuarza) menunjukkan tiada peningkatan yang signifikan semasa

penyimpanan. Berhubung analisis mikrobiologi pula, bilangan *Salmonella typhimurium* adalah bertambah secara signifikan selepas sembilan minggu penyimpanan pada suhu $4\pm 1^{\circ}\text{C}$. Selain daripada itu, jus nanas yang telah dirawat oleh pempasteur ultraungu (dengan kuarza) dapat melanjutkan jangka hayat penyimpanan jus nanas daripada 2 minggu kepada 5 minggu. Oleh itu, keputusan hasil analisis mikrobiologi dan fizikal-kimia adalah menunjukkan keberkesanan pempasteur UV (dengan kuarza) untuk mengekalkan sifat-sifat nutrisi jus buah nanas dan menyahaktifkan mikroorganisma di dalam jus buah nanas di mana ia adalah mencapai standard FDA.



ACKNOWLEDGEMENT

In the name of Allah, the Benevolent, the Merciful

First and foremost, I would like to thank to ALLAH S.W.T because with His blessing, I had complete this research after a few years of struggles. Special thanks and gratitude to my supervisory committee, Assoc. Prof. Dr. Rosnah binti Shamsudin, Assoc. Prof. Dr. Noranizan Mohd Adzahan and Assoc. Prof. Dr. Mohd Nizar Hamidon for their guidance, advices and support.

I also would like to express my thanks to my beloved family especially my father, Mansor bin Jaafar, mother, Harison bnti Shaari and all my siblings whom have been very supportive and always be on my side. Not to forget, to all my friends and labmates who are always there to support and especially during the hard time.

Lastly, my sincere thanks to all the Technicians for their kindness, willingness and cooperation in helping me.

I certify that a Thesis Examination Committee has met on 26 June 2015 to conduct the final examination of Atikah binti Mansor on her thesis entitled "Improvement of Ultraviolet Pasteuriser for Production of Pineapple Fruit Juice" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Farah Saleena binti Taip, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Johari bin Endan, PhD

Associate Professor, Ir.
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Norashikin Binti Ab. Aziz, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Nik Ghazali Nik Salleh, PhD

Project Leader
Malaysian Nuclear Agency
Malaysia
(External Examiner)



ZULKARNAIN ZAINAL, PhD
Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 22 September 2015

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Rosnah binti Shamsudin, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Noranizan Mohd Adzahan, PhD

Associate Professor
Faculty of Food Science and Technology
Universiti Putra Malaysia
(Member)

Mohd Nizar Hamidon, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

BUJANG KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____

Date: _____

Name and Matric No.: Atikah Binti Mansor (GS 33820)

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

| | |
|--|--|
| Signature: _____ | Signature: _____ |
| Name of Chairman of Supervisory Committee: <u>Rosnah Shamsudin, PhD</u> | Name of Member of Supervisory Committee: <u>Noranizan Mohd Adzahan, PhD</u> |

| |
|--|
| Signature: _____ |
| Name of Member of Supervisory Committee: <u>Mohd Nizar Hamidon, PhD</u> |

TABLE OF CONTENTS

| | Page |
|---|-------------|
| ABSTRACT | i |
| ABSTRAK | iii |
| ACKNOWLEDGEMENT | v |
| APPROVAL | vi |
| DECLARATION | viii |
| LIST OF TABLES | xiii |
| LIST OF FIGURES | xiv |
| LIST OF ABBREVIATIONS | xvii |
| LIST OF NOMECLATURES | xviii |
| | |
| CHAPTER | |
| 1 INTRODUCTION | |
| 1.1 Research Background | 1 |
| 1.2 Problem Statement | 2 |
| 1.3 Objectives | 4 |
| | |
| 2 LITERATURE REVIEW | |
| 2.1 Introduction | 5 |
| 2.2 Selection of Pineapple fruit juice | 5 |
| 2.2.1 Fruit Juice Market | 5 |
| 2.2.2 Pineapple juice in Malaysia | 6 |
| 2.2.3 Premium Quality of Pineapple Fruit Juice | 8 |
| 2.2.4 Nutritional Value of Pineapple Fruit Juice | 8 |
| 2.3 Fruit Juice Spoilage | 9 |
| 2.4 Regulation of Fruit Juices | 11 |
| 2.5 Methods of Fruit Juice Preservation | |
| 2.5.1 Thermal Pasteurisation | 11 |
| 2.5.1.1. Effect of Thermal Pasteurisation on Fruit Juice | 12 |
| 2.5.2 Non thermal Technologies | |
| 2.5.2.1 Types of non-thermal pasteurization | 12 |
| 2.5.2.2 Ultraviolet Irradiation | 14 |
| 2.5.2.3 Effect of UV light on Microbial Inactivation | 16 |
| 2.5.2.4 Effect of a Dean Vortex in Ultraviolet Technology | 17 |
| 2.6 Understanding the Function of Existing Ultraviolet Pasteurisers | 19 |
| 2.6.1 Description of existing UV reactor design | 19 |
| 2.6.1.1 Description of Previous Design of UV Reactor before improvement | 20 |
| 2.6.1.2 Prior Art | 21 |
| 2.6.2 Safety factor of the Ultraviolet Pasteuriser | 24 |
| 2.7 Physico-chemical Properties | |
| 2.7.1 Total Soluble Solids (TSS) | 25 |
| 2.7.2 Titratable Acidity and pH | 25 |

| | | | |
|----------|---------|---|----|
| | 2.7.3 | Ascorbic Acid | 25 |
| | 2.7.4 | Colour | 26 |
| | 2.7.5 | Turbidity | 26 |
| 2.8 | | Summary | 27 |
| 3 | | MATERIALS AND METHODS | |
| | 3.1 | Research Design | 28 |
| | 3.2 | Improvement of Ultraviolet Pasteuriser Machine | 30 |
| | 3.3 | Construction and Structure of the Ultraviolet Pasteuriser Machine | 32 |
| | 3.3.1 | Motor and Pump | 34 |
| | 3.3.2 | Ultraviolet Lamp Chamber | 34 |
| | 3.3.3 | Quartz Glass Sleeve | 35 |
| | 3.3.4 | Tubing and Tubing Connector | 36 |
| | 3.3.5 | Ultraviolet Lamp Holder | 38 |
| | 3.3.6 | Exhaust Fan and Electronic Ballast | 39 |
| | 3.3.7 | Control Panel, UV Radiometer and Digital Flow Controller | 39 |
| | 3.3.8 | Feed tank, Cleaning tank and Treatment tank | 41 |
| | 3.4 | Preparation of Pineapple Juice | 43 |
| | 3.5 | Ultraviolet Irradiation | 43 |
| | 3.5.1 | Ultraviolet Pasteuriser | 43 |
| | 3.5.2 | Cleaning of the Ultraviolet Pasteuriser | 44 |
| | 3.5.3 | Estimation of UV Dosage Calculation and First Order Kinetic Model | 44 |
| | 3.6 | Storage of Juice | 45 |
| | 3.7 | Juice Analyses | |
| | 3.6.1 | Physico-chemical Analysis | 45 |
| | 3.6.1.1 | Total Soluble Solids (TSS) | 45 |
| | 3.6.1.2 | Titratable Acidity and pH | 46 |
| | 3.6.1.3 | Ascorbic Acid | 46 |
| | 3.6.1.4 | Colour | 46 |
| | 3.6.1.5 | Turbidity | 46 |
| | 3.7.1 | Microbiological Analysis | 47 |
| | 3.8 | Statistical Analysis | 47 |
| | 3.9 | Summary | 47 |
| 4 | | RESULTS AND DISCUSSIONS | |
| | 4.1 | Introduction | 48 |
| | 4.2 | UV-C dosage calculation | 48 |
| | 4.2.1 | UV-C dosage of UV pasteuriser (without quartz) - without installation of quartz glass | 48 |
| | 4.2.2 | UV-C dosage of UV pasteuriser (with quartz) - with installation quartz glass | 49 |
| | 4.3 | Machine Performance | 50 |
| | 4.4 | Ultraviolet Processing Parameters | 53 |
| | 4.5 | Cost of Operation | 55 |
| | 4.6 | Effect of UV-C dosage on the quality of pineapple fruit juice | 56 |
| | 4.6.1 | Physico-chemical properties | 56 |

| | | |
|----------|---|----|
| 4.6.2 | Effect of UV dosage on microbial activity | 59 |
| 4.7 | Effect of the Quartz Glass Sleeve in the Ultraviolet Pasteuriser on the quality of the pineapple fruit juice during storage | 62 |
| 4.7.1 | Stability of Physico-chemical Properties during Storage | 62 |
| 4.7.1.1 | Total Soluble Solid (TSS) | 62 |
| 4.7.1.2 | Titrateable acidity and pH | 63 |
| 4.7.1.3 | Ascorbic Acid | 65 |
| 4.7.1.4 | Colour | 66 |
| 4.7.1.5 | Turbidity | 68 |
| 4.7.2 | Microbiological Analysis during Storage | 69 |
| 4.8 | Summary | 70 |
| 5 | SUMMARY, CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE RESEARCH | |
| 5.1 | Summary and Conclusions | 71 |
| 5.2 | Recommendations for Future Studies | 73 |
| | REFERENCES | 74 |
| | APPENDICES | 84 |
| | BIODATA OF STUDENT | 93 |
| | LIST OF PUBLICATIONS | 94 |
| | LIST OF CONFERENCES | 95 |
| | MEDAL OF AWARDS | 96 |

LIST OF TABLES

| Table | | Page |
|--------------|---|-------------|
| 2.1. | Juices common designation | 7 |
| 2.2. | Nutritional content of pineapple juice (per 8oz/227g serving) | 9 |
| 2.3. | Juice safety and deterioration hazard | 10 |
| 2.4. | Food poisoning outbreaks in fruit juice | 10 |
| 2.5. | Types of non-thermal processing method | 13 |
| 2.6. | Shelf life of juice after treatment with non-thermal processing during storage $4\pm 1^{\circ}\text{C}$ | 14 |
| 2.7. | Comparison Cost of Non-thermal Processes | 14 |
| 2.8. | UV-C inactivation dosage (mJ/cm^2) measured at 253.7 nm for various microbial group | 16 |
| 2.9. | Existing designs of the Ultraviolet Pasteurisers | 21 |
| 3.1. | Specification of Ultraviolet Pasteuriser Machine design | 30 |
| 4.1. | Summary of Reynolds Number (Re), Dean Number (De) and UV-C dosage at different flow rates for UV Pasteuriser (without quartz) | 50 |
| 4.2. | Summary of Reynolds Number (Re), Dean Number (De) and UV-C dosage at different flow rates for UV Pasteuriser (with quartz) | 50 |
| 4.3. | Effect of heat on the pineapple juice before and after ultraviolet treatment | 52 |
| 4.4. | Tariff rates for the domestic consumer | 55 |
| 4.5. | Estimation power consumption of UV pasteurisers in the experiment | 55 |
| 4.6. | Effect of difference UV-C radiation dosages on physico-chemical properties of pineapple juice using UV pasteuriser (without quartz) | 57 |
| 4.7. | Effect of difference UV-C radiation dosages on physico-chemical properties of pineapple juice using UV pasteuriser (with quartz) | 57 |

LIST OF FIGURES

| Figure | | Page |
|---------------|--|-------------|
| 1.1. | Flow of juice through the five UV lamps before redesign (Kok Yong, 2012) | 3 |
| 2.1. | Electromagnetic spectrum | 15 |
| 2.2. | DNA Structure before and after absorbing photons of UV light (Source: Koutchma et al. 2009) | 17 |
| 2.3. | Schematic of Uvivatec Technology (Dean Vortex technology) | 18 |
| 2.4. | Centrifugal forces inside coiled tube (Source: Alam et al, 2007) | 18 |
| 2.5. | Schematic design of previous UV pasteuriser machine (Kok Yong, 2012) | 20 |
| 2.6 (a). | Layout of basic components in CiderSure 3500 UV Pasteuriser (adapted from Mohd Adzahan, 2006) | 21 |
| 2.6 (b). | Principle of the Uvivatec technology and a photograph of the Uvivatec UVC inactivation device (Charles M.A.P Franz et al., 2009) | 22 |
| 2.6 (c). | Schematic of Ultraviolet module 420 (Salcor Inc., Fallbrook, CA) (Koutchma et al., 2009) | 22 |
| 2.6 (d). | Schematic of a laminar Taylor- Couette UV reactor (Koutchama et al., 2009) | 23 |
| 2.6 (e). | Schematic of germicidal UV reactor (United States Patent: 7391041) | 23 |
| 2.6 (f). | Schematic of UV reactor for the treatment of liquids (United States Patent: 5725757) | 24 |
| 2.7. | Hunter colour space | 26 |
| 3.1. | Overview of research design | 29 |
| 3.2. | Parallel flow of fruit juice | 32 |
| 3.3 (a). | All the parts of the Ultraviolet Pasteuriser Machine | 32 |

| | | |
|----------|--|----|
| 3.3 (b). | Schematic Diagram of Components in the Ultraviolet Pasteuriser Machine | 33 |
| 3.4. | Motor and pump in Compartment 2 | 34 |
| 3.5. | Arrangement of Ultraviolet Lamps | 35 |
| 3.6. | Position of Ultraviolet Lamps in Compartment 3 (a) 3D view (b) Top view | 35 |
| 3.7. | Quartz glass sleeve | 36 |
| 3.8. | Cross section of coiled UV lamp enclosed by a quartz glass sleeve | 36 |
| 3.9. | Schematic diagram of PFA tubing that coiled around Quartz glass tube | 37 |
| 3.10. | Position of Galtek stopcock valves in the UV lamp part | 38 |
| 3.11. | Schematic diagram of UV lamp holder | 38 |
| 3.12. | Position of exhaust fans in the UV Pasteuriser Machine | 39 |
| 3.13. | Control Panel of the Ultraviolet Pasteuriser Machine | 40 |
| 3.14. | Position of the UV radiometer probes | 40 |
| 3.15. | Schematic diagram of the Feed tank | 41 |
| 3.16. | Schematic diagram of the Cleaning tank | 41 |
| 3.17. | Treatment tank | 42 |
| 3.18. | PVC reinforced pipe | 42 |
| 3.19. | Flow process of UV experimental setup | 44 |
| 3.20. | Arrangement of the UV lamp for determination of the middle lamp intensity for (a) the UV pasteuriser without the quartz glass and (b) the UV pasteuriser with the quartz glass | 45 |
| 4.1. | First order kinetics modelling for <i>Salmonella typhimurium</i> inactivation in UV-C light treated Pineapple juice by UV Pasteuriser (without quartz) | 53 |

| | | |
|-------|--|-----------|
| 4.2. | First order kinetics modelling for <i>Salmonella typhimurium</i> inactivation in UV-C light treated Pineapple juice by UV Pasteuriser (with quartz) | 54 |
| 4.3. | Effect of UV dosage on the microbial count of pineapple juice after treatment with UV pasteuriser (without quartz) | 60 |
| 4.4. | Effect of UV dosage on the microbial count of pineapple juice after treatment with UV pasteuriser (with quartz) | 60 |
| 4.5. | Changes in total soluble solids of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 62 |
| 4.6. | Changes in titratable acidity of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 63 |
| 4.7. | Changes in the pH of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 64 |
| 4.8. | Changes in ascorbic acid of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 65 |
| 4.9. | Changes in lightness (L*) of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 66 |
| 4.10. | Changes in hue angle (H) of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 67 |
| 4.11. | Changes in Chroma (C) of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 68 |
| 4.12. | Changes in turbidity of pineapple juice after treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C | 68 |
| 4.13. | Log reduction of <i>Salmonella typhimurium</i> in pineapple juice treatment by UV pasteuriser (without quartz) and UV pasteuriser (with quartz) during storage at 4±1°C (The dashed line indicates the limit of log reduction (5 log10)) | 69 |

LIST OF ABBREVIATIONS

| | |
|-------|---|
| UV | Ultraviolet |
| DNA | Deoxyribonucleic acid |
| FDA | Food Drugs Administration |
| MOA | Malaysian of Agriculture |
| USDA | US Department of Agriculture |
| SME | Small and medium enterprise |
| PFA | Polyfluoroalkoxy |
| MPIB | Malaysian Pineapple Industry Board |
| PEF | Pulsed electric field |
| RNA | Ribonucleic |
| FEP | Fluorinated ethylene propylene |
| TSS | Total soluble solids |
| HTST | High-temperature short-time |
| TISTR | Thailand Institute of Scientific and Technological Research |
| TSA | Tryptic Soy Agar |
| TSB | Tryptic Soy Broth |
| XLD | Xylose lysine desoxycholate |
| CFU | Colony form units |
| ANOVA | Analysis of variance |
| DMRT | Duncan's Multiple Range Test |
| SAS | Statistical Analysis System |

LIST OF NOMENCLATURES

| | |
|--------------------|---------------------------------|
| t | times |
| s | seconds |
| min | minutes |
| Hz | hertz |
| mJ/cm ² | milligram per centimetre square |
| mW/cm ² | miliwatt per centimetre square |
| kWh | kilowatt hour |
| USD | US Dollar |
| NTU | nephelometric turbidity units |
| % | percent |
| L | litre |
| L/h | litre per hour |
| nm | nanometer |
| m ² | meter square |
| RM | ringgit malaysia |
| mm | milimeter |
| ml | milileter |
| rpm | round per minutes |
| °C | degree celcius |
| L* | Lightness |
| i.e | That is |

CHAPTER 1

INTRODUCTION

1.1 Research Background

Recently, the trend in consuming fruit juice has increased. Therefore, the global market for juice products was estimated to increase about 50 billion litres in the early 1990s due to its diverse health effects (Bates et al., 2001). Fruit juices are much easier to consume and have become an alternative to eat fruit. Furthermore, processing liquid food is much easier as compared to the solid products. Hence, the quality and safety requirements of processing liquid food such as fruit juice should be completely fulfilled (Bates et al., 2001). The highest quality of fruit had to choose to make sure a good quality of fruit juice product. Meanwhile, food industries must completely fulfilled the HACCP and FDA requirement for safety requirement. Food safety had become one of the important issues that have to face in food industry due to the growing demand for a variety of prepared foods which makes the risk of contamination an issue of concern (Falguera et al., 2011).

Unpasteurised or fresh juice can commonly be spoiled by the outgrowth of pathogenic microorganisms and bacteria. For instance, food spoiling microorganisms such as yeast and moulds, *Lactobacillus*, *Leuconostoc* and thermophilic *Bacillus* can be found in orange juice (Tran and Farid, 2004). The presence of these microorganisms is due to the presence of osmophilic microflora which can cause fermentation and produce mould in the juice (Tahiri et al. 2006, Tourmas et al., 2006).

According to the FDA (1998), pasteurisation is an effective and well-known technology used to satisfy safety requirements. In citrus juice production, pasteurisation is important to stabilise the fruit juice during transportation and marketing (Lee and Coates, 2003). Further, thermal pasteurisation is an effective technology to extend product shelf life by inactivating the microorganisms and enzymes (Noci et al., 2008). However, thermal pasteurisation may cause changes in the carotenoid pigment content and juice colour (Lee and Coates, 2003). This will affect the consumer satisfaction and the quality of the juice.

Ultraviolet (UV) treatment is a non-thermal method that can be used to inactivate harmful microbes that are contained in food products (Tran and Farid, 2004). The DNA (deoxyribonucleic acid) level will be affected when the microorganisms are exposed to UV light and this injures the reproductive system of the cells. Thus, this will lead to their death (Guerrero-Beltran and Barbosa-Canovas, 2004). This technology can produce food products without hazardous microorganisms and without any changes of sensory characteristics. Moreover, UV treatment was found to be effective in extending the shelf life fruit juice (Chia et al, 2012; Shamsudin et al., 2014; Sew et al., 2014).

Pineapple (*Ananas comosus*) or locally known as *nanas* is grown in tropical countries such as Hawaii, Malaysia, India and the Philippines. It is the most popular non-citrus tropical fruit in the world and its juice is very well known for its flavour and nutrition (Montero et al., 2008). The total pineapple production worldwide is based on 12 countries who together account for about 80 % of the market. The most common pineapples grown in Malaysia are Cayenne, Queen and Spanish group; while Jospapine

and Moris pineapples are preferred for their juice (Rosnah et al., 2009). However, a new variety of pineapple called MD2 has been highly recommended to juice manufacturers because of its characteristics of being much sweeter and juicier. The MD2 pineapple variety has a sweeter taste and has a longer shelf life compared to the other varieties (MOA & Fisheries and RADA Newsletter, 2010).

Pineapple juice is commonly consumed around the world, mostly as a by-product of the canning industry in the form of blended composition or in concentrated juice in order to attain new flavours in beverages and other products (Carvalho et al., 2008). The pineapple juice has a sweet and sour flavour that enjoyed by most of fruit juice consumer and also have beneficial health compound, such as bromelain and phenols (Sew et al. 2014). Nevertheless, the flavour of pineapple juice can undergo extreme changes after the heat treatment (Barros et al., 2003). According to Mohd Adzahan and Benchamaporn (2007), the high content of ascorbic acid and nutritional quality of guava, papaya and pineapple juices may be lost when exposed to the heat treatment. Further, the processing of fruit juice is a complex operation with many variables that may influence the final product quality (Rosnah et al., 2009). Therefore, ultraviolet irradiation may be an appropriate technology for processing pineapple juice.

1.2 Problem Statement

Commonly, in order to prolong the shelf life of pineapple juice, a thermal pasteurisation treatment is applied. However, thermal treatment may cause a change in flavour, colour and also the nutritional qualities of the fruit juice (Lee and Coates, 2003). Thus, the alternative of a non-thermal preservation technology has been investigated due to the increasing demand for fresher, more natural and nutritionally healthier food (Caminiti et al. 2012). Many researchers have stated the effect of thermal treatment in destructing the freshness and quality attributes of fruit juice (Aguilar-Rosas et al., 2007; Igual et al., 2010; Chia et al., 2012; Lee and Coates, 2003).

Ultraviolet (UV) pasteurisation as one of the non-thermal methods has been chosen to apply in food processing, especially in juice processing. Ultraviolet irradiation has a positive consumer image due to the ability of this treatment to maintain nutritional characteristics and minimal loss of quality in terms of flavour and colour (Falguera et al., 2011). The UV radiation is not only low cost but also required simple process treated juice and needs low maintenance, no formation of chemical residue and by-product in the finished product (Tan et al., 2014).

Presently, ultraviolet technology is not yet applied in juice processing in Malaysia. Thus, little research has been reported on the use of UV irradiation technology for processing of fruit juice, especially for the local tropical fruit juices. Therefore, ultraviolet radiation technology can create business opportunities for small and medium enterprise (SME) companies to produce fresh pasteurised fruit juice, especially for tropical fruit juice which is safe to consume, high nutritional content and has a longer shelf life compare to thermal treatment.

Currently, an Ultraviolet machine, CiderSure 3500-B (Macedon, New York) that is currently available in the market is not too suitable for tropical fruit juice. According to Halim et al. (2012), the pitaya juice was not able to achieve a 5 log₁₀ microbial reduction after treated with the UV machine, CiderSure 3500-B. The design of CiderSure 3500-B

was not suitable for tropical juice because the juice have to flow simultaneously from the inlet tube to the outer tube of concentric tube and only some the mixing effect of juice with the ultraviolet radiation happened during the process (Koutchma et al., 2004). This will reduce the reduction of microorganisms in juice during process. Without proper mixing factor in the design, the tropical fruit juice which high soluble solid content cannot pasteurized properly and achieved 5 log₁₀ CFU/ml reduction of pertinent microorganisms (Koutchma et al., 2004). Other than that, pineapple juice only could achieve around a 3 log CFU/ml reduction of total plate count after UV treatment at a dosage of 53.42 mJ.cm² (Chia et al., 2012). This occurs mostly because the tropical fruit juices have high soluble solids content which makes ultraviolet radiation difficult to consistently penetrate by the juice.

Therefore, a newly invented machine has been introduced to overcome this problem as well as to maintain the quality of the juice. The newly invented UV pasteuriser machine (Malaysian Patent number: PI201203186) was created based on Dean Vortex (secondary eddy flow) technology (Kok Yong, 2012). This Dean Vortex provides the opportunity for the fruit juice to be mixed intensively in order to target as many microorganisms as possible for inactivation.

Unfortunately, this machine operated at a very low velocity, thus affecting the value of the final product which is only 8 L/hr. The design of the machine was such a polyfluoroalcoxy (PFA) tube was coiled around five individual UV lamps which were connected to each other. The fruit juice was pumped into the PFA tube and had to flow around all five UV lamps before being discharged out to the storage container (Figure 1.1). Thus, it will take longer time to collect the treated juice.




Figure 1.1: Flow of juice through the five UV lamps before redesign (Kok Yong, 2012)

Moreover, this UV pasteuriser machine was not provided with a tank to collect the treated juice. This tank is important to avoid the juice becoming contaminated with bacteria and microorganisms after the pasteurisation process. Therefore, an improvement in the design of the UV pasteuriser machine was made to make sure a greater amount of final

product could be produced and it was able to inactivate microorganisms up to 5 log₁₀ reduction to fulfil the FDA requirements and maintain the quality of the juice.

1.3 Objectives

The general objective of this study is to develop an ultraviolet pasteuriser for fresh pineapple fruit juice and to investigate effect of ultraviolet irradiation on the pineapple fruit juice. In more detail:

- 1) Improvement of ultraviolet pasteurizer based on Dean vortex technology for the small and medium enterprise (SME) which is able to inactivate at least a 5 log₁₀ of microorganisms in pineapple fruit juice.
- 2) Determine the effect of quartz glass sleeve and UV-C dosage using two UV lamps (coiled and uncoiled lamp) on the physico-chemical and microbiological properties of pineapple fruit juice during storage at temperature of 4±1°C for 9 week.

REFERENCES

- Aguilar-Rosas, S.F., Ballinas-Casarrubias, M.L., Nevarez-Moorillon, G.V., Martin-Belloso, O. and Ortega-Rivas, E. (2007). Thermal and pulsed electric fields pasteurization of apple juice: Effects on physicochemical properties and flavour compounds. *Journal of Food Engineering*, 83: 41-46.
- Alam, M.M., Ota, M., Ferdows, M., Islamv, M.N., Wahiduzzaman, M. and Yamamoto, K. (2007). Flow through a rotating helical pipe with a wide range of the Dean number, *Arch. Mech.*, 59: 6, 501-517.
- Anne Janine (2011). Nutritional Content of Pineapple Juice. Retrieved 13 December 2012, from <http://www.livestrong.com/article/528085-nutritional-content-of-pineapple-juice/>
- Anonymous (2008). Pineapple juice-world market juice products association. Retrieved 13 December 2012 from http://www.juiceproducts.org/pdf/2008_am/Pineapple_crop_report_WEB_version_april_2008.pdf
- Anonymous (2012a). Juice. Retrieved 17 November 2012 from <http://en.wikipedia.org/wiki/Juice>
- Anonymous (2012b). Benefits of Pineapple Juice. Retrieved 13 December 2012 from <http://www.newhealthguide.org/Benefits-Of-Pineapple-Juice.html>
- Anonymous (2014a). Pineapple: Ananas comosus (L.) Merr. of the Bromeliaceae family. Retrieved 11 Jun 2014 from <http://www.unctad.info/en/Infocomm/AACP-Products/COMMODITY-PROFILE---Pineapple/>
- Anonymous (2014b). Standard Test Method for Determining Soluble Solids and Insolubles in Extracts of Vegetable Tanning Materials. Retrieved 9 July 2014 from <http://www.astm.org/Standards/D6402.htm>
- Anonymous (2014c). What is Quartz Glass? Retrieved on 10 July 2014 from <http://www.raesch.net/>
- Anonymous (2014d). Popularity of fruit juices growing well in Malaysia. Retrieved on 27 January 2015 from <http://www.thestar.com.my/Business/SME/2014/09/25/Juicing-things-up-Popularity-of-fruit-juices-growing-well-in-Malaysia/?style=biz>
- Asdarina Yahya (2006). Extraction of ascorbic acid from fresh pineapple. Retrieved on 9 July 2014 from http://umpir.ump.edu.my/564/1/Asdarina_Binti_Yahya.pdf
- Atikah, M., Rosnah, S., Noranizan, M.A. and Mohd Nizar, H. (2014). Efficacy of Ultraviolet Radiation as Non-thermal Treatment for the Inactivation of *Salmonella typhimurium* TISTR 292 in Pineapple Fruit Juice, *Agriculture and Agricultural Science Procedia*, 2: 173-180.

- Bandla, S., Choudhary, R., Watson, D.G. and Haddock, J. (2012). UV-C treatment of soymilk in coiled tube UV reactors for inactivation of *Escherichia coli* W1485 and *Bacillus cereus* endospores. *Food Science and Technology*, 46: 71-76
- Barros, S.T.D., Andrade, C.M.G., Mendesa, E.S. and Peres, L. (2003). Study of fouling mechanism in pineapple juice clarification by ultrafiltration. *Journal of Membrane Science*, 215: 213–224.
- Bates, R. P., Moris, J. R. and Crandall, P. G. (2001). *Principles and practices of small and medium- scale fruit juice processing*. FAO Agriculture Services Bulletin, 146:135-149.
- Bernalte, M.J., Sabio, E., Hernandez, M.T. and Gervasini, C. (2003). Influence of storage delay on quality of ‘Van’ sweet cherry. *Postharvest Biology and Technology*, 28: 303-312.
- Binot, P., Saint-Martin, B. and France (1998). “ Reactor for UV radiation for the treatment of liquids”, United States Patent, 10 march 1998.
- Caminiti, I.M., Noci, F., Munoz, A., Whyte, P., Morgan, D.J., Cronin, D.A. and Lyng, J.G. (2011). Impact of selected combinations of non-thermal processing technologies on the quality of an apple and cranberry juice blend. *Food Chemistry*, 124: 1287-1392.
- Caminiti, I.M., Palgan, I., Munoz, A., Noci, F., Whyte, P., Morgan, D.J., Cronin, D.A. and Lyng, J.G. (2012). The effect of ultraviolet light on microbial inactivation and quality attributes of apple juice. *Food Bioprocess Technol*, 5: 680-686
- Canitez, N. (2002). Pasteurization of apple cider with UV irradiation. (Master thesis, University of Maine, Orono, Maine). Electronic Thesis and Dissertation, Paper 349, Retrieved on 9 July 2014, from digitalcommons.library.umaine.edu/cgi/viewcontent.cgi?article=1355&context=etd
- Carvalho, L.M.J.D., Castro, I.M.D. and Silva, C.A.B.D. (2008). A study of retention of sugars in the process of clarification of pineapple juice (*Ananas comosus*, L.Merril) by micro- and ultra-filtration. *Journal of Food Engineering*, 87, 447-454.
- Certified Laboratories, Inc (2015). Types of non-thermal Process Validation. Retrieve on 2 August 2015, from www.certified-laboratories.com/validation/non-thermal-process-types.htm
- Chapin, K.C. and Lauderdale, T. (2003). Reagents, stains and media: bacteriology. In Murray, P.R., Baron, E.J., Jorgensen, J.H., Pfaller, M.A. and Tenover, R.C. (Ed.), *Manual of Clinical Microbiology* (pp. 358). Washington, D.C.: ASM Press.
- Chia, S.L. (2011). Effect of Ultraviolet Irradiation on Physicochemical, Microbial and Rheological Properties of Pineapple (*Ananas Comosus* L. Var. Yankee) Juice. University Putra Malaysia, Masters’ Thesis.

- Chia, S.L., Rosnah, S., Noranizan, M.A. and Wan Ramli, W.D. (2012). The effect of storage on the quality attributes of ultraviolet-irradiated and thermally pasteurised pineapple juices. *International Food Research Journal*, 19 (3): 1001-1010.
- Code of Federal Regulations (CFR). (2001). Important of fruits and vegetables, 7 CFR Part 300 and 319. Office of Federal Register: Rules and Regulations, 66(167):45151-45161. Washington, D.C.: U.S Government Printing Office.
- Codex Alimentarius Commission (2005). Codex General Standard for Fruit Juices and Nectars, Retrived on 30 July 2015 from www.codexalimentarius.org/input/download/standards/.../CXs_247e.pdf
- Cortes, C., Esteve, M.J. and Frigola, A. (2008). Color of orange juice treated by high intensity pulsed electric fields during refrigerated storage and comparison with pasteurized juice. *Food Control*, 19: 151-158.
- Davey, M.W., Van Montagu, M., Inze, D., Sanmartin, M., Kanellis, A., Smimoff, N., Benzie, L.J.J., Strain, J.J., Favell, D. and Fletcher, J. (2000). Plant L-ascorbic: chemistry, function, metabolism, bioavailable and effects of processing. *Journal of the Science of Food and Agriculture*, 80(7): 825-860.
- Del Caro, A., Piga, A., Vacca, V. and Agabbio, M. (2004). Changes of flavonoids, vitamin C and antioxidant capacity in minimally processed citrus segments and juices during storage. *Food Chemistry*, 84: 99-105.
- Department of Agriculture (DOA) (2004). Technical document for market access on pineapple. Retrieved 13 December 2012 from https://www.ippc.int/file_uploaded/1115281616033_Technical_Document_pineapple.pdf
- Dickerson, Jr., R.W., Windau, D. and Read, Jr., R.B. (1973). Flow Profiles in the Plates of a Milk Pasteurizer. *Journal of Dairy Science*, 57(1): 1-8.
- Donahue, D.W., Canitez, N. and Bushway, A.A. (2004). UV inactivation of *E.coli* 0157:H7 in apple cider: quality, sensory and shelf life analysis. *Journal of Food Processing and Preservation*, 28: 368-387. DOI: 10.1111/j.1745-4549.2004.23062.x
- Druflon Electronics (2010). Retrieved 8 January 2014 from <http://www.druflon.com/ptfprop.html>
- Entegris (2014). Tubing and Pipe. Retrieved 20 August 2014 from <http://www.entegrisfluidhandling.com/>
- Esteve, M.J. and Frigola, A. (2007). Refrigerated fruit juices: quality and safety issues. In S.L. Taylor (Ed.), *Advances in food and nutrition research* (Vol. 52, pp. 104-132). USA: Elsevier Inc. DOI: 10.1016/S1043-4526(06)530003-0

- Euromonitor International. (2012). Fruit/vegetable juice – Malaysia. Retrieved 12 December 2012 from <http://www.euromonitor.com/fruit-vegetable-juice-in-malaysia/report>
- Falguera, V., Pagan, J., Garza, S., Garvin, A. and Ibarz, A. (2011). Ultraviolet processing of liquid food: A review: Part 1: Fundamental engineering aspects. *Food Research International*, 44: 1571-1579.
- Farr, D. (1990). High pressure technology in the food industry. *Trends Food Science Technology*, 1, 14-16.
- Food and Drug Administration. (1998). Hazard Analysis and Critical Control Point (HACCP); Procedures for the Safe and Sanitary Processing and Importing of Juice; Food Labeling: Warning Notice Statements; Labeling of Juice Products. Federal Register Proposed Rules, 63(79):20450-20486.
- Franz, C.M.A.P., Specht, I., Cho, G., Graef, V. and Mario R.S. (2009). UV-C-inactivation of microorganisms in naturally cloudy apple juice using novel inactivation equipment based on Dean vortex technology. *Food Control*, 20: 1103-1107.
- Fredericks I.N., Toit, M.D. and Krugel, M. (2011). Efficacy of ultraviolet radiation as an alternative technology to inactivate microorganisms in grape juices and wines. *Food Microbiology*, 28: 510-517.
- Gabriel, A.A. and Nakano, H. (2009). Inactivation of *Salmonella*, *E. coli* and *Listeria monocytogenes* in phosphate-buffered saline and apple juice by ultraviolet and heat treatments. *Food Control*, 20: 443–446.
- Goh, S.G., Noranizan, M. Leong, C.M., Sew, C.C. and Sobhi, B. (2012). Effect of thermal and ultraviolet treatments on the stability of antioxidant compounds in single strength pineapple juice throughout refrigerated storage, *International Food Research Journal*, 19(3): 1131-1136.
- Gomez, P.L., Alzamora, S.M., Castro, M.A. and Salvatori, D.M. (2010). Effect of ultraviolet-C light dose on quality of cut-apple: Microorganism, color and compression behavior, *Journal of Food Engineering*, 98, 60-70.
- Guerrero-Beltran, J.A. and Barbosa-Canovas, G.V. (2005). Reduction of *Saccharomyces Cerevisiae*, *Escherichia Coli* and *Listeria Innocua* in Apple Juice by Ultraviolet Light. *Journal of Food Process Engineering*, 28: 437-452.
- Guerrero-Beltran, J.A. and Barbosa-Conavas, G.V. (2004). Advantages and Limitations on Processing Foods by UV Light. *Food Science and Technology International*, 10:137-147.
- Guerrero-Beltran, J.A., and Barbosa-Canovas, G.V. (2006). Inactivation of *Saccharomyces cerevisiae* and polyphenoloxidase in mango nectar treated with UV light. *Journal of Food Protection*, 69(2): 362-368.

- Gunasekaran, S. (2001). *Nondestructive Food Evaluation: Techniques to Analyze Properties and Quality*, New York: Marcel Dekker Inc.
- Halim, H., Noranizan, M., Sobhi, B., Sew, C.C., Karim, R. and Osman, A. (2012). Nonthermal pasteurization of Pitaya (*Hylocereus polyrhizus*) juice using the hurdle concept. *International Food Research Journal*, 19(4): 1457-1461.
- Hodgins, A.M., Mittal, G.S. and Griffiths, M.W. (2002). Pasteurization of Fresh Orange Juice using Low-Energy Pulse Electric Field, *Journal of Food Science*, 67 (6): 2294-2299.
- Hogan, E., Kelly, A.L. and Sun, D. (2005). High Pressure Processing of Foods: An Overview. In Sun, D. (Ed.), *Emerging Technologies for Food Processing* (pp. 19). Elsevier Academic Press, California, USA.
- Ibarz, A., Pagan, J., Panades, R. and Garza, S. (2005). Photochemical destruction of color compounds in fruit juices. *Journal of Food Engineering*, 69(2): 155–160.
- Igual, M., García-Martínez, E., Camacho, M.M., Martínez-Navarrete, N. (2010). Effect of thermal treatment and storage on the stability of organic acids and the functional value of grapefruit juice. *Food Chemistry*, 118: 291-299.
- Jagtiani, J., Chang, H. T. and Sakai, W. S. (1988). *Guava. In: Tropical Food Processing*. New York: Academic Press.
- Jensen, C.J., West, B.J., Ogden, R.V. and Story, S.P. (2002). Freeze concentration process. Retrieved on 23 August 2014, from <http://www.google.com/patents/US6855354>
- Keener, K.M. (2007). Food regulation. In M. Kutz (Ed.), *Handbook of farm, dairy, and food machinery* (pp. 15-39). Norwich, NY, USA: William Andrew Publishing.
- Kirstin Hendrickson (2010). Benefit of fruit juices. Retrieved 17 November 2012, from <http://www.livestrong.com/article/110168-benefits-fruit-juices>
- Kok Yong, G. (2012). Design and Construction of a UV Treatment Machine for Local Fruit Juices. Malaysia: Universiti Putra Malaysia, Bachelor Degree Thesis.
- Kortbech-Olesen, R. (1997). World trade in processed tropical fruits. Retrieved 13 December 2012, from http://www.unctad.org/en/docs/poitcdcom_m7.en.pdf
- Koutchma, T., Keller, S., Chirtel, S. and Parisi, B. (2004). Ultraviolet disinfection of juice products in laminar and turbulent flow reactors, *Innovative Food Science and Emerging Technologies*, 5: 179-189.
- Koutchma, T. (2008). UV light for Processing Food, *IUVA News*, 10(4): 24-29.
- Koutchma, T. (2009). Advance in ultraviolet light technology for non-thermal processing of liquid foods. *Food Bioprocess Technology*, 2: 138-155.

- Koutchma, T., Forney, L.J., and Moraru, C.I. (2009). *Ultraviolet light in food technology*. USA: CRC Press, Taylor & Francis Group.
- Kozempel, M., Mcaloon, A. and Yee, W. (1998). The cost of pasteurizing apple cider, *Food Technology*, 52: 50-52.
- Lee, H.S. and Coates, G.A. (2003). Effect of thermal pasteurization on Valencia orange juice color and pigments. *Swiss Society of Food Science and Technology*, 36: 153-156.
- Liu, R.H. (2003). Health benefits of fruits and vegetables are from additive and synergistic combinations of phytochemicals. *Am J Clin Nutr*, 78:517-520.
- Loeillet, D. (2006). The international pineapple trade: The great year. Retrieved 13 December 2012, from <http://passionfruit.cirad.fr/index.php/download/%28id%29/2685/%28langue%29eng/%28type%29/article>
- Luthi, H. (1959). Microorganisms in noncitrus juices. In Chichester, C.O. (Ed). *Advances in food research* (pp. 215-285), New York: Academic Press.
- Mahmoud, N. S., and Ghaly, A. E. (2004). On-line sterilization of cheese whey using ultraviolet radiation. *Biotechnology Progress*, 20: 550–560.
- Majchrowicz, A. (1999). Innovative technologies could improve food safety. *Food Safety*, 22: 16-20.
- Malaysia Food Act (1983). Standards and Particular Labeling Requirement for Food: Fruit and Fruit Product, The Commissioner of Law Revision, Malaysia.
- Malaysian Pineapple Industry Board (MPIB). (2014a). Nanas Manis MD2. Retrieved 27 March 2014 from <http://www.mpib.gov.my>
- Malaysian Pineapple Industry Board (MPIB). (2014b). Nutrition of Pineapple. Retrieved 26 August 2014 from <http://www.mpib.gov.my/en/khasiat-nanas>
- Malaysian Pineapple Industry Board. (2010). The nation's pineapple industry leader. [Brochure]. Johor Bahru, Johor, Malaysia: Malaysian Pineapple Industry Board.
- Malaysian Pineapple Industry Board. (2012). FAQ: What is variety of pineapple which is planted in Malaysia. Retrieved 13 December 2012 from http://www.mpib.gov.my/web/guest/soalan_lazim
- McGuire, R.G. (1992). Reporting of objective colour measurements. *HortScience*, 27(12): 1254-1255.
- Mclellan, M.R., and Padilla-Zakour, O.I. (2005). Juice Processing. In D.M. Barrett, L. Somogyi & H. Ramaswamy (Eds.), *Processing fruits: Science and Technology* (pp. 73-96). USA: CRC Press.

- Mintel (2012). Juice and Juice Drinks: The Market- US- February 2011. Retrieved 12 December 2012 from <http://oxygen.mintel.com/display/542964/>
- Mittal, G.S. and Griffiths, M.W. (2005). Pulsed Electric Field Processing Liquid Food and Beverages. In Sun, D. (Ed.), *Emerging Technologies for Food Processing* (pp. 19). Elsevier Academic Press, California, USA.
- MOA & Fisheries and RADA Newsletter. (2010), Pining for the flavor- Market Wise. Vol 1.6. Retrived 20 July 2014 from http://www.moa.gov.jm/MarketWise/marketwise_pineapple.pdf
- Mohd Adzahan, N. (2006). Effect of Ultraviolet Treatment on Water Soluble Vitamin Retention in Aqueous Model Solutions and Apple Juice. New York, USA: Cornell University, Doctoral Dissertation.
- Mohd Adzahan, N. and Benchamaporn, P. (2007). Potential of non-thermal processing for food preservation in Southeast Asian countries. *ASEAN Food Journal*, 14(3): 141-152.
- Montero-Calderon, M., Rojas-Grau, M.A. and Martin-Belloso, O. (2008). Effect of packaging conditions on quality and shelf life of fresh-cut pineapple (*Ananas comosus*). *Postharvest Biology and Technology Journal*, 50: 182-189.
- Moyer, J.C. and Aitken, H.C. (1980). Apple juice. In Nelson, P.E. and Tressler, D.K. (Eds). *Fruit and vegetable juice processing* (pp. 212-267). USA: AVI Publishing Co., Inc.
- Muller, A., Stahl, M.R., Graef, V., Franz, C.M.A.P. and Huch, M. (2011). UV-C treatment of juices to inactivate microorganisms using Dean vortex technology. *Journal of Food Engineering*, 107: 268-275.
- Noci, F., Riener, J., Walking-Ribeiro, M., Cronin, D.A., Morgan, D.J. and Lyng, J.G. (2008). Ultraviolet irradiation and pulse electric fields (PEF) in a hurdle strategy for the preservation of fresh apple juice. *Journal of Food Engineering*, 85: 141-146.
- Nor Nadiyah, A.K.S., Rosnah, S., Russly, A.R. and Noranizan, M.A. (2014). Effects of Physicochemical Characteristics of Pummelo Fruit Juice towards UV Inactivation of *Salmonella typhimurium*, *Agriculture and Agricultural Science Procedia*, 2: 43-52.
- Noranizan Mohd Adzahan, Lau Phei Ling, Narimah Hashim, Rosnah Shamsudin, Sew Chang Chew and Babak Sobhi (2011). Pineapple Juice Production Using Ultraviolet Pasteurisation: Potential Cost Implications. *Journal of Agribusiness Marketing*, 4: 38-50.
- Ochoa-Velasco, C.E. and Guerrero Beltran, J.A. (2013). Short-wave ultraviolet-C light effect on pitaya (*Stenocereus griseus*) juice inoculated with *Zygosaccharomyces bailii*. *Journal of Food Engineering*, 117: 34-41.

- Quartz Glass- Raesch Quarz Germany. Retrieved 8 January 2014 from <http://www.raesch.net>
- Quintero-Ramos, A., Churey, J.J., Hartman, P., Barnard, J. and Worobo, R.W. (2004). Modeling of *Escherichia coli* Inactivation by UV Irradiation at Different pH Values in Apple Cider, *Journal of Food Protection*. 6: 1092-1308.
- Ramaswamy, H., and Marcotte, M. (2006). *Food processing: Principle and applications*. USA: CRC Press, Taylor & Francis Group.
- Rattanathanalerk, M., Chiewchan, N. and Srichumpoung, W. (2005). Effect of thermal processing on the quality loss of pineapple juice. *Journal of Food Engineering*, 66: 259-265.
- Richard Walding. (2014). Vitamin C DCPIP method. Retrived on 12th March 2014 from seniorchem.com/vitaminC_DCPIP_method2.doc
- Rivas, A., Rodrigo, D., Martinez, A., Barbosa-Canovas, G.V. and Rodrigo, M. (2006). Effect of PEF and heat pasteurization on the physical-chemical characteristics of blended orange and carrot juice. *Food Science and Technology*, 39: 1163-1170.
- Rosnah, S., Noranizan, M.A. and Yap, P.Y. (2013). *Ultraviolet Technology- An Alternative to Juice Pasteurization*. Jurutera: Food Security and quality in Malaysia, 1: 26-30.
- Rosnah, S., Wan Ramli, W.D., Mohd Sobri, T., Osman, H. and Coskan, I. (2009). Rheological properties of Josapine pineapple juice at different stages of maturity. *International Journal of Food Science and Technology*, 44: 757-762.
- Sabbe, S., Verbeke, W. and Damme, P. V. (2008). Familiarity and purchasing intention of Belgian consumers for fresh and processed tropical fruit products. *British Food Journal*, 110(8): 805-818.
- Sadler, G.D. and Murphy, P.A. (2010). *Food Analysis: pH and Titratable Acidity*, Springer US Publisher, pp. 219-237.
- Sajo, G., Barat, J., Toth, K. and Viola (2008). "Germicidal UV reactor and UV lamp", United States Patent , 24 Jun 2008.
- Sanchez-Vega, R., Mujica-Paz, H., Marquez-Melendez, R., Ngadi, M.O. and Ortega-Rivas, E. (2009). Enzyme inactivation on apple juice treated by ultrapasteurization and pulsed electric fields technology. *Journal of Food Processing and Preservation*, 33: 486-499.
- Saumitra Tiwari (2014). Physical, Optical and Electrical Properties of Food material, Retrieved on 9 July 2014 from <http://www.bilaspuruniversity.ac.in/PDF/Departments/FoodProcessingNTechnology/Notes%20Engg%20Properties%20of%20Food.pdf>

- Scott, V.N., Clavero, R.S. and Troller, J.A. (2001). Measurement of water activity (aw), acidity and Brix. In F.P. Downes & K. Ito (Eds.), *Compendium of methods for microbiological examination of foods* (pp. 649-357). Washington, D.C., USA: American Public Health Association.
- Sew, C.C., Ghazali, H.M., Martin-Belloso, O. and Noranizan, M.A. (2014). Effects of combining ultraviolet and mild heat treatments on enzymatic activities and total phenolic contents in pineapple juice. *Innovative Food Science and Emerging Technologies*, 26: 511-516.
- Shamsudin, R., Adzahan, N.M., Yee, Y.P. and Mansor, A. (2014). Effect of repetitive ultraviolet irradiation on the physico-chemical properties and microbial stability of pineapple juice. *Innovative Food Science and Emerging Technologies*, 23: 114–120.
- Silva, F.V.M and Gibbs, P.A. (2012). Thermal pasteurization requirements for the inactivation of *Salmonella* in foods. *Food Research International*, 45: 695-699.
- Sizer, C.E. and Balasubramaniam, B.M. (1999). New Intervention Processes for Minimally Processed Juices, *Food Technology*, 53(10): 64-67
- Sodeko, O.O., Izuagbe, Y.S. and Ukhun, M.E. (1987). Effect of different preservative treatments on the microbial population of Nigerian orange juice. *Microbios*, 51: 133-143.
- Sperber, W.H. (2009). Introduction to the microbiological spoilage of foods and beverages. In W.H. Sperber and M.P. Doyle (Eds.) *Compendium of the microbiological spoilage of foods and beverages: Food microbiology and food safety* (pp. 1-40), New York: Springer publisher.
- SterilAir (2014). Dosage, impact and harmless use of UVC-radiation. Retrieved 24 August 2014 from <http://www.sterilair.com/en/competence/competence/uvc-impact.html>
- Stevens, C., Khan, V.A., Lu, J.Y., Wilson, C.L., Pusey, P.L., Kabwe, M.K., Igwegbe, E.C.K., Chalutz, E. and Droby, S. (1998). The germicidal and hormetic effect of UV-C light on reproducing brown rot disease and yeast microflora of peaches. *Crop Protection*, 17(1): 75-84.
- Tahiri, L, Makhoulouf, J., Paquin, P. and Fliss, I. (2006). Inactivation of food spoilage and *Escherichia coli* O157:H7 in phosphate buffer and orange juice using dynamic high pressure. *Food Research International*, 39: 98-105.
- Tan, H.Y., Thanasegaran, G. and Noranizan, M.A. (2014). Market Potential Analysis and Possible Marketing Strategy for Ultraviolet-Irradiated Single Strength Pineapple Juice in the Klang Valley. In Cheng, K.T.G., Jantan, A.H. and Thanasegaran, H. (Eds.) *Marketing: A Compendium* (pp. 74-97), Malaysia: Universiti Putra Malaysia Press.

- Tenaga Nasional Berhad (2014). Retrieved 2 November 2014 from www.tnb.com.my/tnb/residential/pricing-n-tariff-rates.html
- Tina Morin (2011). Benefit of drinking pineapple juice. Retrieved 17 November 2012 from <http://www.livestrong.com/article/254521-benefits-of-drinking-pineapple-juice>
- Tomasula, P.M. and Kozempel, M.F. (2004). Flow Characteristics of a Pilot-Scale High Temperature, Short Time Pasteurizer. *Journal of Dairy Science*, 87: 2761–2768.
- Torkamani, A.E. and Niakousari, M. (2011). Impact of UV-C light on orange juice quality and shelf life. *International Food Research Journal*, 18 (4): 1265–1268.
- Tournas, V.H., Heeres, J. and Burgess, L. (2006). Moulds and yeast in fruit salads and fruit juice. *Food Microbiology*, 23: 684-688.
- Tran, M.T.T. and Farid, M. (2004). Ultraviolet treatment of orange juice. *Innovative Food and Emerging Technologies*, 5: 495-502.
- U. S. Food and Drug Administration. (2000). 21 CFR Part 179. Irradiation in production, processing and handling of food. Fed. Regist. 65, 71056-71058.
- Universiti Putra Malaysia, “A UV Pasteurization Machine,” Malaysian Patent PI 201203186, 13 July 2012.
- Vasavada, P.C. (2003). Microbiology of fruit juice and beverages. In T. Foster and P.C. Vasavada (Eds.), *Beverage quality and safety* (pp. 95-123). USA: CRC Press.
- Venolia, W. and Peak, S. (1976). Lemon juice particulates: Some effect of juice processing. *Journal of Agricultural and Food Chemistry*, 24 (4): 825-828.
- Walking-Ribeiro, M, Noci, F., Cronin, D.A., Riener, J., Lyng, J.G. and Morgan, D.J. (2008). Reduction of *Staphylococcus aureus* and quality changes in apple juice processed by ultraviolet irradiation, pre-heating and pulsed electric fields. *Journal of Food Engineering*, 89: 267-273.
- Zhang, H.Q., Barbosa-Canovas, G.V., Balasubramaniam, V.M., Dunne, C.P., Farkas, D.F. and Yuan, J.T.C. (2011). *Non-thermal Processing Technologies for Food*, John Wiley & Son, Ltd. Publication.