



UNIVERSITI PUTRA MALAYSIA

***PRODUCTION RISK AND TECHNICAL EFFICIENCY OF THAI KOI
(Anabas testudineus Bloch) FARMING IN SELECTED AREAS
OF BANGLADESH***

MD. AL AMIN SARKER

IKDPM 2015 2

**PRODUCTION RISK AND TECHNICAL EFFICIENCY OF THAI KOI
(*Anabas testudineus* Bloch) FARMING IN SELECTED AREAS
OF BANGLADESH**

By

MD. AL AMIN SARKER

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirements for the Degree of Doctor of Philosophy**

January 2015

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia

© COPYRIGHT UPM

DEDICATION

I wish to dedicate this thesis to my parents for their selfless effort in educating me. A special dedication to my wife, Shayema for her patience and commitment, and playing the dual family role of being a mother and a father to our daughters.

© COPYRIGHT UPM

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Doctor of Philosophy

**PRODUCTION RISK AND TECHNICAL EFFICIENCY OF THAI KOI
(*Anabas testudineus* Bloch) FARMING IN SELECTED AREAS
OF BANGLADESH**

By

MD. AL AMIN SARKER

January 2015

Chair : Professor Fatimah Mohamed Arshad, PhD

Faculty : Institute of Agricultural and Food Policy Studies

Thai *koi* production technology is relatively a new component in the aquaculture industry in Bangladesh. However, despite its impressive growth during the initial years, the industry is now experiencing volatility in terms of year to year fluctuation in production. The sharp fluctuations in production make *koi* farming a risky venture. Thus *koi* farming, as a spontaneous choice has become questionable. The overall objective of this study is to examine the production risk and technical efficiency (TE) of Thai *koi* farming in selected areas of Bangladesh. Specifically it aims at: (i) identifying the nature and extent of risk associated with the use of inputs; (ii) estimating the farm specific as well as mean TE and identifying factors affecting technical inefficiency (TIE), and (iv) assessing how feed type effects on productivity. The study utilized a total of 149 cross-sectional data collected randomly from the three sub-districts of Mymensingh district in Bangladesh. The study employed the REKDNDDSSUR each using stochastic frontier model (SFM) to estimate the parameters of mean production, variance and inefficiency functions in a single framework. Influence of different feed types on productivity growth was investigated using Cobb-Douglas (C-D) production function and Propensity Score Matching (PSM) methods.

The findings revealed that among the productive variables, feed was the most important input influencing Thai *koi* farming. Production of *koi* was characterized by decreasing returns to scale. The estimated risk functions showed that the zeolite and pesticide are risk-reducing, while labor, feed, fingerlings and salt appeared to be risk-increasing inputs. Results of the inefficiency model indicated that labor and pond area significantly reduced the TIE. Feed, fingerlings and lime appeared to influence TE. Education of farmers increased TE, while experience, training and water change affected TE negatively. The mean TE scores were 0.73 and 0.96 for the flexible risk estimate and conventional SFM estimate, respectively. The estimated TE using the flexible risk framework indicates that 27% of the potential output could be recovered by removing inefficiency. The analyses suggest that TE values are exaggerated when production variance was not included in the model. Thus, the study advocates that

production-TE modelling should be done using flexible risk framework without being illusive with high TE values estimated through conventional risk-free framework.

Floating feed showed better performance in terms of the mean daily weight gain of fish, feed conversion ratios and mean weight of table fish with less culture days as opposed to sinking and mixed feeds. The net returns and benefit cost ratio were also the highest with the floating feed. The C-D regression and PSM results confirm that farmers using floating feed produced higher quantity of fish per unit compared to those using the other feed types. However, farms using the floating feed need more investment to improve their returns.

The overall findings suggest that there was a lack of proper understanding of the technology practices. The farmers could become more efficient by adjusting input allocation with the existing technology and resources. Further development of this agri-business requires for the reduction in major variable costs and ensures its sustainability. In particular, the development of low-cost feeds would help to secure IDUPHU SURILWPDULQ competitive level. Finally, the outlook for the Thai *koi* culture could be very positive in meeting the future demand of fish. Hence, rectifying the problems and constraints IDFHG DW WKH IDUPV OHYHO ZRØG HQKDQFH WKH VHFV contribution to food and nutrition security in the area.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
Sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**RISIKO PENGELOUARAN DAN KECEKAPAN TEKNIKAL PENTERNAKAN
THAI KOI (*Anabas testudineus* Bloch) DI KAWASAN TERPILIH
BANGLADESH**

Oleh

MD. AL AMIN SARKER

Januari 2015

Pengerusi: Professor Fatimah Mohamed Arshad, PhD

Institut: Institut Kajian Dasar Pertanian dan Makanan

Teknologi pengeluaran Thai *koi* merupakan satu komponen yang baru dalam industri akuakultur di Bangladesh. Walaupun sektor ini mengalami pertumbuhan yang memberangsangkan sepanjang awal tahun, industri kini mengalami keadaan turun naik pengeluaran. Keadaan turun naik yang mendadak dalam pengeluaran menyebabkan perusahaan *koi* sangat berisiko. Oleh itu, perusahaan *koi* sebagai pilihan utama menimbulkan pertanyaan. Kajian ini bertujuan untuk menganalisis risiko pengeluaran dan kecekapan teknikal (TE) perusahaan Thai *koi* di kawasan terpilih Bangladesh. Secara khusus ia bertujuan untuk: (i) mengenal pasti jenis dan tahap risiko yang berkaitan dengan penggunaan input; (ii) menganggarkan ladang khusus serta min TE dan faktor-faktor yang memberi kesan kepada ketidakcekapan teknikal (TIE); dan (iii) menilai bagaimana jenis makanan boleh menjejaskan pertumbuhan produktiviti. Kajian ini menggunakan 149 data keratan rentas yang dikutip secara rawak dari daerah Mymensingh di Bangladesh. Kajian ini menggunakan pendekatan Kumbhakar (2002) iaitu menggunakan model sempadan stokastik (SFM) untuk menganggarkan parameter min pengeluaran, varian dan fungsi ketidakcekapan dalam satu kerangka. Pengaruh jenis makanan yang berbeza ke atas pertumbuhan produktiviti disiasat dengan menggunakan fungsi pengeluaran Cobb-Douglas (CD) dan kaedah *Propensity Score Matching* (PSM).

Dapatan kajian mendapati antara pemboleh ubah produktif, makanan adalah input terpenting yang mempengaruhi perusahaan Thai *koi*. Ciri pengeluaran Thai *koi* adalah penurunan pulangan mengikut skala. Anggaran fungsi risiko menunjukkan bahawa zeolite dan racun perosak adalah risiko yang berkurang manakala buruh, makanan, *fingerling* dan garam menunjukkan risiko yang meningkat. Keputusan model ketidakcekapan menunjukkan buruh dan kawasan kolam dapat mengurangkan TIE secara bererti. Makanan, *fingerling* dan kapur pula mempengaruhi TE. Pendidikan petani meningkatkan TE, manakala pengalaman, latihan dan perubahan air menjejaskan TE secara negatif. Min skor TE masing-masing adalah 0.73 dan 0.96 bagi anggaran risiko fleksibel dan anggaran SFM konvensional. TE dianggarkan menggunakan kerangka kerja risiko fleksibel yang menunjukkan bahawa 27% dari

potensi output boleh diperolehi semula dengan mengatasi ketidakcekapan. Analisis menunjukkan bahawa nilai TE besar apabila varians pengeluaran tidak dimasukkan dalam model. Oleh itu, kajian mencadangkan pemodelan pengeluaran-TE perlu dilakukan dengan menggunakan kerangka kerja risiko fleksibel tanpa bayangan anggaran nilai TE yang tinggi melalui kerangka kerja risiko konvensional bebas.

Makanan terapung menunjukkan prestasi yang lebih baik dari segi min berat badan harian, nisbah penukaran makanan dan min berat ikandenganhari kultura yang lebih rendah berbanding dengan makanan campuran dan tenggelam. Pulangan bersih dan nisbah faedah kos adalah tinggi untuk makanan terapung. Keputusan regresi CD dan PSM mengesahkan bahawa petani yang menggunakan makanan terapung dapat menghasilkan kuantiti ikan yang lebih tinggi berbanding dengan mereka yang menggunakan jenis makanan yang lain. Walau bagaimanapun, kolam yang menggunakan makanan terapung memerlukan pelaburan yang lebih banyak untuk meningkatkan hasil pulangan mereka.

Secara keseluruhannya, dapatan kajian dapat membuktikan wujud kurang pemahaman yang betul tentang amalan teknologi. Petani boleh menjadi lebih cekap dengan menyelaraskan peruntukan input dengan teknologi dan sumber yang sedia ada. Selanjutnya, pembangunan perusahaan memerlukan pengurangan kos pembolehubah utama. Terutamanya, pembangunan makanan kos rendah akan membantu petani untuk mendapatkan margin keuntungan pada tahap yang kompetitif. Akhir sekali, prospek kultura Thai *koi* adalah positif dalam memenuhi permintaan masa depan tersebut. Maka, usaha untuk menangani masalah dan kekangan yang dihadapi oleh penternak akan menyumbang kepada sekuriti makanan dan nutrisi di kawasan ini.

ACKNOWLEDGEMENTS

This has been a long journey that required a great deal of will, patience and resilience, none of which I can assert to have been possible if not for the great ALMIGHTY ALLAH (S.W. T) who gently guided and gave me knowledge, strength and ability.

I express first my deepest gratitude, sincere appreciation and respect to my supervisor Professor Fatimah MohamadArshad, whose generous support, advice, sympathetic supervision and encouragement have guided me from the beginning of my PhD program to the final completion of this dissertation. I am also thankful to her for making such a warm working environment where I could knock at the door countless number of times and whenever I wanted. Her all sorts of support made greater contribution to improve the quality of this thesis.

I am highly grateful to Professor ZainalAbidin Mohamed my co-supervisor for his guidance, constructive suggestions and constant inspiration throughout the completion of this work. I have immensely benefited a lot from his support, fruitful recommendations and useful comments, and above all his kindness. I owe a considerable debt of gratitude to my co-supervisor Professor Md. FerdousAlam who gave me the idea for this research which has not been done in Bangladesh. Many days you spent guiding me to understand the basic models of production risk and technical efficiency. I am also obligated for his constant guidance, support, encouragement and eagerness to help in improving this dissertation in all possible ways.

I would like to express my special appreciation to Dr.Md. AkhtaruzzamanKhan for his professional assistance in analyzing data and providing valuable suggestions and shared knowledge in writing the thesis. Special thanks to Shamim who experienced the hardship of travel and worked with me in remote areas to collect the data. Thank you very much Mr. Khan, Shamim and your fellow colleagues for creating a wonderful environment during my stay with you at BAU for research. I wish to express my sincere gratitude to Professor BilashKantiBala, Professor Provash Kumar Karmokar and Muhammad Sirajul Mazid for their professional assistance and encouragement.

The three and a half year research grant from the Ministry of Agriculture (MOA), Bangladesh under the NATP project supported by the World Bank, which enabled me to work full-time on this research, is gratefully acknowledged. I offer my heartfelt acknowledgement to the BARC officials for their critical back-up support and logistics. Special thanks to my senior colleagues Mr. A Z M ShafiqulAlam, Mr. Md. Zakaria Bhuiya, Mr. Md. Manjurul Anwar and Dr. AbulKashem for giving me the inspiration of higher study. My sincere gratitude to Dr. A.H.M. Kohinoor for all the helpful discussion we had in understanding the chemistry of Thai *koi* culture. I am thankful to the officials of district and upazila fisheries offices for providing valuable information and useful materials. The kind cooperation and sincerity by the farmers during data collection made this study possible is here by gratefully acknowledged.

I am also thankful to the faculty members, staff and students in the Institute of Agricultural and Food Policy Studies, UPM for their kindness and supportive role. In

a special way, I wish to thank Mr.Khairi, Ms.Shida and Ms.Zila for their administrative support. Special thanks also to Ms.Emmy for her efforts to translate the abstract in BahasaMelayu. Many thanks to all the Bangladeshi community at UPM who made me feel at home.

My dear SDUHQWVRRGRQWNRZKRZJUDWHIØ,DPWRRXLWKRWRØORYHDQG prayers, this work would not have been possible and I hope you are proud. I reserve my sincere gratitude to my mother-in-law due to her sacrifice and for staying with my family during my absence. My heartfelt thanks to my beloved brothers, my sweet sister Mukta, uncle, aunty, cousin, father-in-law, brothers in-law, sisters in-law, nephews, nieces and other family members for their endless wishes for me.

I reserve special honour to my wife, Shayema Islam for her moral support, patience,continuous shower of love and understanding as well as her concern during my study in Malaysia.My two little princesses, Rifah and Suha, who always ask me when you will come back, baba! My dear daughters, I missed your formative years, but I am confident that this sacrifice will improve the quality of your life in the days ahead.

Lastly, this dissertation would be impossible for me to carry forward with great success without the cooperation and support of many people. This was a selfless sacrifice for me by all of you. I love you all.

I certify that a Thesis Examination Committee has met on 15 January 2015 to conduct the final examination of Md. Al Amin Sarker on his thesis entitled "Production Risk and Technical Efficiency of Thai Koi (*Anabas testudineus* Bloch) Farming in Selected Areas of Bangladesh" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Ahmad b Shuib, PhD

Professor
Institute of Agricultural and Food Policy Studies
Universiti Putra Malaysia
(Chairman)

Ismail b Abd Latif, PhD

Senior Lecturer
Faculty of Agriculture
Universiti Putra Malaysia
(Internal Examiner)

Alias b Radam, PhD

Associate Professor
Faculty of Economics and Management
Universiti Putra Malaysia
(Internal Examiner)

Madan Mohan Dey, PhD

Professor
University of Arkansas
United States
(External Examiner)



ZULKARNAIN ZAINAL, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 19 March 2015

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirements for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

DatinPaduka Fatimah Mohamed Arshad, PhD

Professor
Institute of Agricultural and Food Policy Studies
Universiti Putra Malaysia
(Chairman)

Md. FerdousAlam, Phd

Professor
Faculty of Arts and Social Sciences,
American International University- Bangladesh,
(Member)

ZainalAbidin Mohamed, PhD

Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- x this thesis is my original work;
- x quotations, illustrations and citations have been duly referenced;
- x this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- x intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- x written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- x there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.


Signature: _____ Date: _____


Name and Matric No.: Md. Al AminSarker, GS 29203

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) were adhered to.

Signature 
Name of Fatimah Mohamed Arshad
Chairman of **FATIMAH PARIKA PROF. DR. FATIMAH MOHAMED ARSHAD**
Supervisory **D.P.M.S., P.C.M.**
Committee **Ketua Laboratori Dasar Biosumber dan Alam Sekitar**
Institut Kajian Dasar Pertanian dan Makanan
Universiti Putra Malaysia
43400 UPM Serdang, Selangor, Malaysia
Tel: +603-8947 1083 Faks: +603-8943 2611
Emel: fatima@upm.edu.my
http://www.ikdpm.upm.edu.my

Signature 
Name of Zainal Abidin Mohamed
Member of **Prof. Dr. Zainal Abidin Mohamed**
Supervisory **Jabatan Perniagaan dan Sistem Maklumat**
Committee **Fakulti Pertanian, Universiti Putra Malaysia**
43400 UPM, Serdang
Selangor, Malaysia


Signature 
Name of Md. Ferdous Alam
Member of **Md. Ferdous Alam**
Supervisory **Professor**
Committee **Department of Economics**
Faculty of Arts and Social Sciences
American International University, Bangladesh

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vii
DECLARATION	ix
LIST OF TABLES	xiv
LIST OF FIGURES	xv
LIST OF ABBREVIATIONS	xvi
CHAPTER	
1 INTRODUCTION	1
1.1 Introduction	1
1.2 Agriculture Sector in Bangladesh	1
1.3 Water Resources	4
1.4 Fisheries Sector	5
1.5 Aquaculture Industry in Bangladesh	8
1.6 Pond Culture	10
1.7 Thai <i>Koi</i> Farming in Bangladesh	12
1.8 Statement of Problem	16
1.9 Objectives of the Study	17
1.10 Hypotheses of the Study	17
1.11 Significance of the Study	17
1.12 Organization of the Thesis	18
2 LITERATURE REVIEW	20
2.1 Introduction	20
2.2 Theoretical Background of SFM in Measuring TE and Risk	20
2.3 Review of Prior Studies on Production Risk	25
2.4 Previous Research on TE under SFP Framework	31
2.4.1 Empirical Approaches of DEA in Measuring TE	41
2.5 Prior work on Risk and TE under SFP	44
2.6 Reviews on the Effects of Feed on Thai <i>Koi</i> Production	48
2.7 Applications of Propensity Score Matching in Aquaculture	49
2.8 Summary and Critiques on Literature Reviewed	51
2.9 Implications for the Present Study	53

3	METHODOLOGY	54
3.1	Introduction	54
3.2	Methods of Data Collection	54
3.2.1	Study Area	54
3.2.2	Sampling Techniques and Sample Size	55
3.2.3	Data Collection Period	56
3.2.4	Questionnaire	56
3.2.5	Data Collection	57
3.3	Profitability Analysis	57
3.3.1	Equations for Estimating Costs and Returns	58
3.4	Theoretical Framework of SFP Model for Estimating Risk and TE	58
3.4.1	Empirical Specification and Estimation of Model	60
3.4.2	Empirical Specification of the Model	60
3.4.3	Estimation Procedure	62
3.4.4	Test of Hypotheses	62
3.5	Methods for Analyzing the Effects of Feed on Productivity	63
3.5.1	Regression Models: Cobb-Douglas Type	63
3.5.2	Propensity Score Matching Method	64
3.6	Justification for Variables Included in the Model	66
4	RESULTS AND DISCUSSION	69
4.1	Introduction	69
4.2	Farming and Farm Profile	69
4.2.1		69
4.2.2	Farm Profile	70
4.2.3	Production Profile	72
4.3	Farm Profitability Analysis	74
4.3.1	Technology Practices in Thai <i>Koi</i> Farming	74
4.3.2	FCR and Daily MWG of Thai <i>Koi</i>	75
4.3.3	Descriptive Analysis by Feed Categories	76
4.3.4	Farming Costs	77
4.3.5	Farm Returns	78
4.3.6	Extra Returns from Additional Feed Cost	79
4.4	Estimation of Production Risk and TE	80
4.4.1	Test of Heteroskedasticity and Functional Models	80
4.4.2	Summary Statistics of Variables for Risk and TE	81
4.4.3	Estimation of Mean Production	83
4.4.4	Estimation of Variance Function	84
4.4.5	Estimates of Inefficiency Function	85
4.4.6	Technical Efficiency Scores	87
4.4.7	Output Elasticities	88
4.5	Effects of Feed on Productivity	89

4.5.1	Results of Regression Models	90
4.5.2	Results of the PSM Method	93
4.6	Problems and Constraints of the Thai <i>Koi</i> Industry	93
5	SUMMARY, CONCLUSION AND RECOMMENDATIONS	97
5.1	Introduction	97
5.2	Summary of the Study	97
5.3	Conclusion	101
5.4	Policy Recommendations	102
5.5	Limitations of the Research	102
	REFERENCES	104
	APPENDICES	121
	BIODATA OF STUDENT	134
	LIST OF PUBLICATIONS	135

LIST OF TABLES

Table	Page
1.1 Growth Rate of Agricultural Sub-sectors at Constant Prices (%) (2001/02-2011/12)	2
1.2 Area of Water Resources in Bangladesh (ha) (2011/12)	4
1.3 Fish Production by Sources (mn tons) (1963-2012)	6
1.4 Export of Fish (tons) (million USD) (2002/03-2011/12)	7
1.5 Aquaculture Production (mn tons) by Sources (2000/01-2011/12)	9
1.6 Total Area (mn ha) and Catch of Fish (Mn tons) under Pond (2000/01-2011/12)	10
1.7 Top Four Fish Species Cultured in Ponds (2000/01-2011/12)	12
1.8 Nutritional Status of Climbing Perch	13
1.9 Thai <i>Koi</i> Production (tons) (1999/00-2011/12)	14
3.1 Distribution of Sample Population in the Study Area (No.)	56
3.2 Equations used in Estimating the Production Costs and Returns	58
3.3 Justifications and Definitions of Productive Variables	67
3.4 Justifications and Definitions of Pond & Socioeconomic Variables	68
4.1)UHTMQLVWULEWLRQIDUPHUVSURILOH	70
4.2 Frequency Distribution of Farms Profile	71
4.3 Frequency Distribution of Production Profile/ha	73
4.4 Frequency Distribution of Thai <i>Koi</i> Production (Kg/ha)	74
4.5 FCR and MWG of Fish by Feed Types	75
4.6 Average Statistics of the Variables by Feed Categories	76
4.7 Production Costs/ha of Thai <i>Koi</i> Farming by Feed Types (USD)	78
4.8 Benefits/ha of Thai <i>Koi</i> Production by Feed Categories (USD)	79
4.9 Per Hectare Additional Returns from Extra Feed Cost (USD)	80
4.10 Hypothesis Tests [Null Hypothesis: No Production Risk, $H_0: \hat{\beta} \geq \beta; L r$]	80
4.11 Hypothesis Tests of the Functional Models	81
4.12 Summary Statistics of Variables for Risk and Inefficiency Models	82
4.13 Estimates of Mean Production and Risk Functions	84
4.14 Estimates of SFM of Inefficiency Function	86
4.15 TE of Restricted and Non-restricted Production Frontier Model	87
4.16 Output Elasticities with Respect to Mean Inputs	89
4.17 Mean Differences of Productivity, FCR, PPF, and MWG of Fish	90
4.18 Effects of Feed on Productivity using Regression Models [Floating (Fl) versus Sinking (Si), Floating versus Mixed (Mi) and Mixed versus Sinking feeds]	91
4.19 Effects of Feed on Productivity using PSM Methods	93
4.20 Problems and Constraints Faced by the Growers	94

LIST OF FIGURES

Figure		Page
1.1	Sectoral Contribution of the Economy (%)(1960-2009)	2
1.2	Share of Sub-sectors within the Agriculture (%)(1980-90 to 2011/12)	3
1.3	Share of Fish Production by Sources (%) (1963-2012)	7
1.4	Thai <i>koi</i> (Climbing perch): <i>Anabas testudineus</i> (Bloch, 1792)	13
1.5	Production Trend of Thai <i>Koi</i> (tons)(1999/00-2011/12)	15
2.1	Farrell's Input Oriented Measure of TE and AE	21
2.2	Technical Efficiency and Production Frontier	22
3.1	Map of the Study Area	55
4.1	Distribution of TE Index with Flexible Risk Specification	88

LIST OF ABBREVIATIONS

ADB	Asian Development Bank
AE	Allocative Efficiency
Aratdars	Commission agents
ATT	Average Treatment on Treated
Baor	Oxbow lake
BBS	Bangladesh Bureau of Statistics
BCR	Benefit Cost Ratio
Beel	Seasonally flooded large water body on dry-season cropland
Beparies/paikers	Wholesaler
BER	Bangladesh Economic Review
BFRI	Bangladesh Fisheries Research Institute
C-D	Cobb-Douglas
CE	Cost Efficiency
CRS	Constant Return to Scale
DEA	Data Envelop Analysis
DoF	Department of Fisheries
DWG	Daily Weight Gain
EE	Economic Efficiency
FAO	Food and Agriculture Organization
FCRs	Food Conversion Ratios
FGLS	Feasible Generalized Least Squares
g	Gram
GDP	Gross Domestic Product
Gher	Area of land enclosed by dikes for shrimp culture
GIFT	Genetically Improved Farmed Tilapia
ha	Hectare
Haors	Flooded basin
IRS	Increasing Returns to Scale
IUCN	International Union for Conservation of Nature
kg	Kilogram
LQ	Linear Quadratic
ML/MLE	Maximum likelihood/Maximum likelihood Estimates
Mn/Mn ha	Million/ Million Hectare
MOA	Ministry of Agriculture
MoFL	Ministry of Fisheries and Livestock
MWG	Mean Weight Gain
NGOs	Non-Government Organizations
OLS	Ordinary Least Squares
PE	Production Efficiency
PRSP	Poverty Reduction Strategy Paper
PSM	Propensity Score Matching
Qty	Quantity
RTS	Return to Scale
SFA	Stochastic Frontier Approach/Analysis
SFM	Stochastic Frontier Model

SFP	Stochastic Frontier Production
SFPF	Stochastic Frontier Production Function
SFYP	Six Five Year Plan
Taka	Bangladeshi currency. One USD equivalent to Taka 77.7575 in August, 2013.
TE	Technical Efficiency
Thai <i>koi</i>	The species climbing perch is scientifically recognized by Bloch (1792) and termed it <i>Anabas testudineus</i> . Locally known as Thai <i>koi</i> .
TIE	Technical Inefficiency
TL	Translog
Upazila	Sub-district
VRS	Variable Return to Scale
WB	World Bank

© COPYRIGHT UPM

CHAPTER 1

INTRODUCTION

1.1 Introduction

Agriculture is central to the economy of Bangladesh. It is the single largest contributor to gross domestic product (GDP) and the chief source of employment. Agriculture is the leading source of supply of raw materials for the manufacturing sector. Eventually, it is also a basis of food and nutritional security as well as source of income generation in the rural areas where about 81% of its population live in rural Bangladesh (BBS, 2011). According to the World Bank (2011), agricultural growth and productivity remains the focal point to poverty reduction, particularly in poor countries, where a large share of the population relies on agriculture and agribusiness for their living. Over the last 42 years after independence, every Government has documented agriculture and rural development as the utmost priority sector for rapid poverty reduction in Bangladesh. Even the 11th five year plan (SFYP) gives heavy emphasis on agriculture as a strategy to address poverty and sustain economic growth (SFYP, 2011-2015). This chapter reviews the contributions of the overall agriculture sector in the economy of Bangladesh. However, more emphasis is given to the review on the fisheries sector in terms of water resources, production, aquaculture potential, income & employment generation, nutrition & food security, export earnings and poverty reduction.

1.2 Agriculture Sector in Bangladesh

The economy of Bangladesh is broadly categorized into three sectors; agriculture, services and industry. Figure 1.1 demonstrates the sectoral contribution to the Bangladesh economy between 1960 and 2009. The figure shows that agriculture was one of the major contributors in 1960, but its contribution was more than 40%. The percentage has since continually declined as the rest of the economy grew more rapidly than agriculture. Nevertheless, agriculture is the single largest private producing segment of the economy. Even though currently its GDP share is only 20%, but 47.3% of the total labor forces of the country are employed in the agriculture sector (BBS, 2010). The overall performance of the economy and the contributions of the agricultural sector to economic development and growth are highly correlated. Past data shows that a higher agricultural production would lead to higher economic growth and vice versa. For example, in 2001/02, the agriculture-forestry and fisheries sectors grew by -0.62% and 2.2%, respectively. Over the last decade, the highest GDP growth rate achieved was 6.7% in 2010/11, and that overall agriculture contributed significantly (agriculture-forestry and fishery contributes 5.1% and 5.3%, respectively) in achieving this growth (Table 1.1). Thus, the growth

performances of the agriculture and fisheries sector always play a vital role in achieving the FRXQWU\¶V RYHUDOO GHYHORSPHQW




Figure 1.1. Sectoral Contribution of the Economy (%) (1960-2009)
(Source: Rahman *et al.*, 2010a)

Agriculture employs 47.3% of the total labor force of the country (BBS, 2010). There are a total of 28.67 million families involved in agriculture while, the total number of agriculture farm households is 14.72 million (BBS, 2008). Though Bangladesh agriculture is diversified, the important feature of the export basket has been its concentration on a few commodities. The main agricultural export items are: shrimp and other frozen food (47.2% of total agricultural export), raw jute (21%) and other agricultural products (31.6%). The total export earnings of agricultural commodities are USD 1,267 million (mn) in 2011-12 which was only USD 153 mn in 1973. Over the years, the volume of export from agricultural items had increased, however, its share in total exports declined from 41.2% in 1973 to 5.2% in 2011-12 (BER, 2012 and Ahmed *et al.*, 2007).

Table 1.1. Growth Rate of Agricultural Sub-sectors at Constant Prices (%) (2001/02-2011/12)

Sector/sub-sector	2001-02	2002-03	2003-04	2004-05	2005-06	2006-07	2007-08	2008-09	2009-10	2010-11	2011-12
Agriculture and forestry	-0.62	3.29	4.38	1.8	5.23	4.69	2.93	4.1	5.56	5.09	2.46
a. Crops & horticulture	-2.39	2.88	4.27	0.15	5.03	4.43	2.67	4.02	6.13	5.65	1.95
b. Animal farming	4.70	4.51	4.98	7.23	6.15	5.49	2.44	3.48	3.38	3.48	3.39
c. Forest	4.91	4.43	4.18	5.09	5.18	5.24	5.47	5.69	5.23	3.90	4.42
Fishing	2.22	2.33	3.09	3.65	3.91	4.07	4.18	4.16	4.15	5.25	5.39
Country's GDP growth	4.42	5.26	6.27	5.96	6.63	6.43	6.19	5.74	6.07	6.71	6.23

Source: BER (2005-2013)

Since independence, the Government has recognized food security as a prime factor in contributing to socio-economic development of Bangladesh. Agriculture is the leading source of food and nutritional security in Bangladesh. Rice is the main food that gratifies most of the nutritional necessities and it comprises over 50% by weight and nearly 80% of total food energy. It is also the chief source of animal protein and presently supplements about 68% of animal protein/day/capita (DoF, 2013 and MoFL, 2007). Hence, the National Agriculture Policy has highlighted the efforts to increase domestic production and supply of nutritious crops and thus improve the status of food-based nutrition in Bangladesh (MoA, 1999).

Bangladesh agriculture is comprised of four sub-sectors which are: crops-horticulture, fisheries, livestock and forestry. It is dominated by crop production that presently accounts for some 56% of the sectoral value-addition. Within crop production, rice alone constitutes around 60% in terms of value-addition in this sector, thus the country can still be regarded as a rice economy (SFYP, 2011-2015). However, despite the dominance of crops, the structure of agriculture has changed gradually with some gains mainly in fisheries sector. This sub-sector currently contributes 22.6% of sectoral value addition. Forestry products recorded a small gain. The livestock and forestry sub-sectors presently contribute 12.9% and 8.6%, respectively (Figure 1.2). Among these sub-sectors, crops are cultivated principally for subsistence. Only a small percentage of total crop production makes its way into the commercial conduits. However, significant progress has been attained in poultry and fisheries sub-sectors. These two sub sectors have flourished commercially on a small-scale all over the country and created a great potential for farmers to earn higher income as well as self-employment generation.




Figure 1.2. Share of Sub-sectors within Agriculture (%) (1980-90 to 2011-12)
(Source: BER, 2013 and SFYP, 2011-15)

1.3 Water Resources

Water resources in Bangladesh are categorized broadly into three major groups: inland capture/open waters, marine waters and inland culture/aquaculture. The inland open waters comprises of rivers & estuaries, canals, lakes, *beels* (seasonally flooded large water body on dry-season cropland), *haors* (flooded basin), and seasonal floodplains. On the contrary, inland culture waters include of pond & ditches, *baors* (oxbow lake), semi-closed (flood plains) and shrimp/prawn farms. There are 4.7 million hectares (mn ha) of inland water bodies in the country, of which capture and culture fisheries consists of 4.02 and 0.68 mn ha, respectively. In addition, the republic has a 480 km long coastline and approximately 16.6 mn ha of marine water in the Bay of Bengal. The nation is also blessed with an exclusive economic zone which contains up to 200 nautical miles from the coastline (Table 1.2 and Mustafa *et al.* 2010). Inland water bodies having fish production potential is of great importance. Among inland water resources, the highest or 85.6% is for capture fisheries and the rest or 14.4% of the water area is under culture fisheries. Among culture water areas, the leading area is covered by ponds & ditches (about 55%) followed by shrimp/prawn farms which is about 41% (Table 1.2).

Table 1.2. Area of Water Resources in Bangladesh (ha) (2011/12)

Water types	Water area (ha)	% of total inland
A. Inland water		
I. Capture (open) total	4,024,934	85.57
River & Estuaries	853,863	18.15
Sundarbans	177,700	3.78
Beel	114,161	2.43
Kaptai lake	68,800	1.46
Flood plain	2,810,410	59.75
II. Culture (closed) total	678,724	14.43
Pond & ditch	371,309	7.89
Semi-closed water body	25,435	0.54
Baor	5,488	0.12
Shrimp/prawn farm	276,492	5.88
Inland total (I + II)	4,703,658	
B. Marine water	166,000 km ²	

Source: DoF (2010-11) and Ali *et al.* (2010a)

Inland capture and marine waters in Bangladesh saw a continual decreasing trend of fish production. However, the country is blessed with an excellent aquaculture potential because of its vast areas of pond resources and it is expanded commercially all over Bangladesh. The challenge in the fisheries sector is productivity gains, which is the lowest in the world. Per hectare productivity of inland capture fisheries is only 262 kg, while it is 3,615 kg from pond aquaculture (DoF, 2011-12). Since management of inland capture fisheries is difficult, great stress is being laid to utilize the vast inland water areas of the country for aquaculture (Ali *et al.*, 2010b). However, as land and related

resources are limited in Bangladesh, obviously horizontal expansion of pond culture is not possible due to the paucity of land area. The availability of land/capita is declining and the loss of agricultural land is going on at the rate of about 1% per year (MOA, 2013). As the potential for pond culture has nearly been exhausted, steps should be taken to raise the productivity of pond fishery in the country (SFYP, 2011-15). Therefore, emphasis needs to be given to vertical expansion of pond aquaculture, i.e., increased productivity through applying effective management and techniques.

1.4 Fisheries Sector

Bangladesh is a country blessed naturally with hundreds of rivers and ponds. It is distinguished for being a fish-loving nation, securing the name "*Machh-e Bhat-e Bangali*" which means, "Bengali is made up of fish and rice". Fish is much preferred and is an important traditional food item treated as a staple food next to rice. Fish is a chief source of animal protein and viewed as a source of income. Fishing activities are particularly associated with poorer rural dwellers, where 81% of dwelling households live in rural Bangladesh (BBS, 2011). Considering all these together, fisheries in the country have seemed as a dynamic and one of the fastest rising sub-sectors of the economy with a growth rate far in excess of any other agricultural activities (SFYP, 2011-2015 and Belton *et al.*, 2011).

Fish and fisheries are an indispensable part of life and livelihood of the people since immemorial times. Fisheries is now the second most valuable agricultural activity, playing a substantial role in nutrition, food security, employment & income generation, trade, poverty reduction and a source of foreign exchange earnings in the economy of Bangladesh. Presently, it contributes 4.4% of national GDP, 22.62% to the total agricultural GDP and 2.5% to the total exports. Moreover, fish alone is supplementing around 60% of animal protein per capita in the daily dietary requirement (BER, 2013; DoF, 2013 and 2011b).

Over the years, the decline in the share of agriculture in the national GDP is reflected with the increasing prominence of the industrial and service sectors. In spite of the decline in the share of agriculture in GDP, the fisheries sector has maintained an average contribution of 4-6% to the national GDP (BBS, 2007). Even though the contribution of overall agriculture in GDP has decreased, the share of fisheries has increased significantly. The contribution by fisheries to agricultural GDP has increased from USD 379 mn in 1973-75 to USD 2,195 mn in 2011-12. The share of fisheries in the agricultural GDP has increased significantly from 7 to 22.6% during the last nearly four decades (BER, 2013 and Dey *et al.*, 2008).

The fisheries sector plays an important role among disadvantaged groups as a main or supplementary source of employment, livelihood and income. Presently, 16.5 million (about 11% of total) people are directly or indirectly dependent on fisheries for their livelihood, of which 1.3 million people rely exclusively on fisheries related activities. Out of the total population in the fisheries sector, about 10% are women, which are 1% of the total population (DoF, 2013 and 2011a). Most Bangladeshi poor live in rural areas with very limited employment opportunities. The country's poverty reduction strategy

paper (PRSP) and National Fisheries Strategy indicated that income-generating opportunities for rural households are most promising in the fisheries sector (DoF, 2006 and PRSP, 2005).

The country is endowed with vast and highly diversified fish species. About 296 fresh and brackish water fish species (including 24 freshwater prawns and 12 exotic species) and 511 marine species (including 36 marine shrimp) are available in the FRXQWU \¶ V waters (DoF, 2009-10). Meanwhile, 21 fish species have become extinct in Bangladesh, and 54 have been scheduled as critically endangered and vulnerable in the red book of IUCN 2000 (Karim *et al.*, 2010).

The total fish production has gradually grown up over the last five decades. The aggregate fish production was 0.75 million tons (mn tons) in 1963, of which 0.67, 0.039 and 0.04 mn tons were inland open, inland closed and marine fisheries, respectively. The production has increased up to 3.26 mn tons in 2012, indicating an increase of more than four fold. Out of this total production, inland open water fisheries accounted for 0.96 mn tons, inland aquaculture 1.72 mn tons and marine water 0.58 mn tons. The fishery sector grew at 6.7% during the last 50 years and most of the growth took place in aquaculture (Table 1.2).

Table 1.3. Fish Production by Sources (mn tons) (1963-2012)

Sources	Fish production											
	1963		1973		1983		1993		2003		2012	
	Qnty	%	Qnty	%	Qnty	%	Qnty	%	Qnty	%	Qnty	%
Inland capture	0.67	89.2	0.66	81	0.471	63	0.57	52.6	0.71	35.5	0.96	29.34
Aquaculture	0.039	5.2	0.07	8.3	0.117	15	0.26	24.2	0.86	42.89	1.72	52.92
Marine waters	0.04	5.6	0.09	10.7	0.165	22	0.25	23.2	0.43	21.61	0.58	17.74
Total	0.75	100	0.82	100	0.75	100	1.09	100	2.00	100	3.26	100

Sources: DoF (2013) and Ali *et al.* (2010a)

The average growth of aquaculture during the last five decades was 86.5%, while inland open and marine sector grew only at 0.87 and 27% rates, respectively. The share of aquaculture and marine sources in the total fish catch was relatively insignificant in 1963, accounting for 5.2 and 5.6%, respectively as against 89% from inland open water (Table 1.3). However, after 1963, inland capture fisheries have been replaced by aquaculture as the top fish producing source. At present, the share of aquaculture in total fish production is about 53% followed by 29 and 18% for inland capture and marine waters, respectively (Figure 1.3).

Trends in fish catch shows that the contribution of culture fishery has been on the increase. However, due to over fishing and faulty management policy including other manmade concerns like massive construction of flood control structures, abstraction of water for irrigation, intensive agriculture and industrial development, reclamation of land for human settlement, aquatic pollution and natural causes like siltation of water bodies as well as soil erosion, inland open water fisheries has declined significantly during the last 3-4 decades. Marine fisheries are being exploited beyond maximum

sustainable levels with increasing fishing efforts and thereby fishers catch and income are declining (Ali *et al.*, 2010a, Ali *et al.*, 2010b and Chowdhury *et al.*, 2001).




Figure 1.3. Share of Fish Production by Sources (%) (1963-2012)
(Adapted from Table 1.2)

Fisheries sector contributes in a diversity of ways to the economy, thereby earning valuable foreign exchange. The fish trade is one of the major sources of foreign currency earnings in Bangladesh and delivers benefits at both the macro and microeconomic levels (Dey *et al.*, 2005a). In fact, earnings from traditional exports of non-fish agricultural products are steadily being outpaced by fishery products (Dey *et al.*, 2008). The export statistics of fishery products are portrayed in Table 1.4.

Table 1.4. Export of Fish (tons) (million USD) (2002/03-2011/12)

Year	Frozen shrimp/prawn		Other fish products		Total		% of total export
	Quantity	Value	Quantity	Value	Quantity	Value	
2002-03	36,864	297.04	10,507.00	38.29	47,371.00	335.34	5.10
2003-04	42,943	365.28	11,198.00	35.75	54,141.00	401.03	5.71
2004-05	46,533	371.63	16,844.00	47.25	63,377.00	418.89	5.90
2005-06	49,317	402.26	19,512.00	49.42	68,829.00	451.68	4.56
2006-07	53,361	433.47	20,343.00	52.24	73,704.00	485.70	4.90
2007-08	49,907	417.47	25,392.00	77.58	75,299.00	495.05	4.04
2008-09	50,368	398.85	22,520.00	72.57	72,888.00	471.42	3.00
2009-10	51,599	417.03	26,044.00	75.64	77,643.00	492.67	2.74
2010-11	54,891	501.35	41,577.40	187.66	96,468.40	646.86	2.73
2011-12	48,007	460.22	44,471.46	134.49	92,478.46	594.71	2.46

Source: BER (2011 and 12) and DoF (2002/03-2011/12).

It shows that the quantity of exported frozen shrimp/prawn and fish products nearly doubled over the last decade. Currently, it contributes 2.5% of the country's export earnings. Interestingly, among the agricultural sectors, about half of the export earnings are accrued from the fisheries sector (BER, 2012).

1.5 Aquaculture Industry in Bangladesh

Aquaculture is being considered a recent success story in helping to feed the ever increasing population over the globe. The production of food fish from aquaculture increased at an average annual rate of 8.3% over the globe, while the world population grew at 1.6% per year during 1970 ±2008. The combined result of development in aquaculture worldwide and the expansion in global population is that the average annual per capita supply of food fish from aquaculture for human consumption has increased by ten times, from 0.7 to 7.8 kg, at an average rate of 6.6%. In the last two decades, aquaculture has recorded significant and rapid growth among the food-producing sectors and has developed into a globally robust and vital industry (FAO, 2010).

Aquaculture in Bangladesh has also become a prominent source of fish production and contributes to food and nutritional security. The share of aquaculture to the total production of fisheries continued to grow, rising from 5% in 1963 to around 53% in 2012 (Table 1.2). Besides, it is a major contributor to the fisheries sector with promising export potential. Moreover, aquaculture plays a significant role in providing vital income generation and employment opportunities to the people of Bangladesh. Rahman (2009) noted that out of the total employment in the fisheries sector, 55% are involved in fresh water fisheries. Karim *et al.* (2006) reported that aquaculture has made an important contribution to the income generation and employment of ordinary rural people. This allows rural households to both improve their health standard and supplement their incomes. About 73% of rural households are engaged in some form of fresh water aquaculture (Mazid, 1999). Women participation in aquaculture has provided further momentum on the socioeconomic wellbeing of the households.

Bangladesh is considered one of the most suitable countries in the world for freshwater aquaculture, because of its favorable resources and agro-climatic conditions for fish production. The numerous impounded water areas in the form of ponds and ditches are spread all over the country and fish production has turned from its subsistence nature to commercial pursuit. Following the introduction of technology for inducing carp to spawn in the late 1960s and the subsequent development of fish pond management technologies in the 1970s and 1980s, fish farming became widespread and market driven. Culturing various carp and exotic fish species in ponds and lakes became popular all over the country (Dey *et al.*, 2008). Moreover, a notable structural change in fishery has taken place during the last two decades. During this period, aquaculture expanded significantly with the gradual development of fish culture technology and successful transfer for the same for adaption by the fish farmers. Bangladesh Fisheries Research Institute (BFRI) has played a very big role in this direction by developing 24 different fish culture technologies. Furthermore, International research institutes (e.g. WorldFish Center) as well as government initiatives to promote aquaculture by taking various

development projects are also appreciable in this connection. The dissemination efforts by the Department of Fisheries (DoF) and NGOs are indisputable motivation by adopting technologies at farm level also placed an important role to expand this sector.

Aquaculture in Bangladesh is categorized mainly by *baor*, shrimp/prawn fields and ponds. The fresh water aquaculture comprises farming mostly in ponds/ditches and coastal brackish water is mainly shrimp/prawn farms. Among the total area of culture fisheries, ponds alone constitute 55% (DoF, 2013). Over the last 12 years, there has been a dramatic increase in inland freshwater aquaculture production in Bangladesh. Fish production from aquaculture has increased from about 0.713 mn tons in 2000-01 to 1.72 mn tons in 2011-12, and the annual average growth rate was around 12% (Table 1.5). Throughout these years, fish production increased by more than double from pond culture, with an average growth of around 10% which is the highest among all sources of fish catch. Currently, it alone contributes about 41% of total fish production in Bangladesh (DoF, 2013). Asche *et al.* (2006) illustrated that a revolution has taken place in the production technology available for aquaculture in recent decades, as semi-intensive and intensive production technologies have been invented. This has led to a substantial increase in pond fish production. With gradual increase of freshwater fish production, Bangladesh has become the second largest in capture and ranked sixth largest aquaculture producing country among top ten in the world (FAO, 2010). Thus, pond aquaculture has become an increasingly important fish food producing industry in Bangladesh and contributing to improve socio-economic status of rural communities.

Table 1.5. Aquaculture Production (Mn tons) by Sources (2000/01-2011/12)

Year	Baor	Shrimp/ prawn farm	Pond	Total	Annual growth (%)
2000-01	0.0038	0.0930	0.6158	0.7126	8.45
2001-02	0.0039	0.0976	0.6851	0.7866	10.38
2002-03	0.0041	0.1008	0.7521	0.8570	8.94
2003-04	0.0043	0.1147	0.7958	0.9148	6.74
2004-05	0.0044	0.1207	0.7570	0.8821	-3.57
2005-06	0.0045	0.1279	0.7596	0.8920	1.13
2006-07	0.0047	0.1292	0.8120	0.9458	6.03
2007-08	0.0048	0.1347	0.8660	1.0055	6.32
2008-09	0.0050	0.1456	0.9122	1.0628	5.69
2009-10	0.0087	0.1559	1.1405	1.3520	27.21
2010-11	0.0049	0.1849	1.2197	1.4608	8.05
2011-12	0.0052	0.1963	1.3423	1.7261	18.16

Source: DoF (2013 and 2000/01-2011/12)

1.6 Pond Culture

Although pond aquaculture in Bangladesh has a long history, semi-subsistence and commercial pond aquaculture started only three decades ago (Dey *et al.*, 2008). Over the period, both area and production under pond culture has increased massively due to its commercial viability. Specially, pond area has increased from 0.24 to 0.371 mn ha during the last decade. Pond fish-culture systems practiced in Bangladesh can be divided into four groups. These are mainly extensive and extended extensive with some semi-intensive and in very few cases intensive systems are practiced by the farmers (FAO, 2005-2012). The most important technology accepted widely is carp poly-culture, *pangas* monoculture, shrimp and giant freshwater prawn culture and Genetically Improved Farmed Tilapia (GIFT). Currently, pond poly-culture of Indian major carps and exotic carps accounts for 80% of the total freshwater aquaculture production (Samina Shirajee *et al.*, 2010 and Alam, 2005).

Fish culture has been increasing both vertically and horizontally as pond fish culture and shrimp farming offer great potential (DoF, 2008-09). Fish production from ponds has shown an annual average growth rate of nearly 10% from 0.616 to 1.34 mn tons during the period from 2000-01 to 2011-12 (Table 1.6). The production of fish from ponds is now higher than all sources of fisheries. Presently, fish culture in ponds alone supplement V W R W K H Q D W L R Q U M L W R S W E D O and around 78% to culture total in the country. Although the pond fishery contributes 50% of inland fish production, it covers only 7.89% of the total inland water bodies, thus playing a vital role in fresh water fish production (Tables 1.2, 1.4, 1.5 and 1.6).

Table 1.6. Total Area (Mn ha) and Catch of Fish (mn tons) under Ponds (2000/01-2011/12)

Year	Total area of ponds	Total production	Annual growth (%)
2000-2001	0.242	0.616	9.76
2001-2002	0.266	0.685	11.22
2002-2003	0.291	0.752	9.77
2003-2004	0.305	0.796	5.82
2004-2005	0.305	0.757	-4.88
2005-2006	0.305	0.760	0.35
2006-2007	0.305	0.812	6.89
2007-2008	0.305	0.866	6.66
2008-2009	0.305	0.912	5.31
2009-2010	0.351	1.140	25.05
2010-2011	0.371	1.220	6.88
2011-2012	0.371	1.342	10.09

Source: DoF (2013 and 2000/01-2011/12)

The gradual shift of effort from self-consumption to market has led to the proliferation of pond aquaculture as a lucrative agribusiness in Bangladesh. Various studies showed that fish culture is a profitable enterprise in Bangladesh (Hasan *et al.*, 2010; Kohinoor *et al.*, 2010 and Dey *et al.*, 2008). Even Karim *et al.* (2006) found that returns from pond fish culture are several times higher than other crop and non-crop enterprises.

Employment intensity of pond culture is also fairly high compared to that of other agricultural enterprises such as rice cultivation. They also reported that the upland rice-fields are being converted into fish ponds. Many research works further mentioned that aquaculture practice has become a promising and gainful enterprise to alleviate poverty, especially, in rural areas of Bangladesh (Ahmed, 2003 and Graaf *et al.*, 2002). Moreover, the involvement of women in aquaculture provides three basic improvements: economic, nutritional and social benefit and those are assumed to be interlinked in order to empower women. They also exhibited that with increased participation in aquaculture, significantly (Sarker, 2011 and Samina Shirajee *et al.*, 2010). The ongoing SFYP of Bangladesh is also recognized to increase women's participation in aquaculture.

Fish is an important source of vitamins and micronutrients for the poor people in Bangladesh (Thilsted *et al.*, 1997). Though the country has been blessed with vast water resources and fish production has increased remarkably, still the per capita deficit of fish is 1.5 kg/year (DoF, 2013). Moreover, fish consumption is still below the recommended dietary allowance. FAO recommended daily protein intake of a healthy person is 45 g/capita of which 15 g animal protein is necessary as against the 11 g we are enjoying (Mustafa *et al.*, 2010). It is alarming that the availability of protein intake from fish gradually decreased from 73% in 1991 to 60% in 2012 (DoF, 2013 and Dey *et al.*, 2008). Moreover, studies claimed that the protein intake is not equal among the people in the society. Low-income households consume less fish than rich households. Most of the rural poor just cannot afford to buy fish and as such are severely animal protein deficient (Bose *et al.*, 2007; Islam, 2007; Dey *et al.*, 2005b; Hossain *et al.*, 2005 and Chowdhury *et al.*, 2000). As a result, Bangladesh today is characterized by the lack of sufficient protein which causes the problem of malnutrition. Conversely, the demand for fish is continually increasing in the country with nearly three million people being added every year to the population (Chowdhury, 2009). With a huge population and demand for fish, the expansion of fish supply to maintain food security has emerged as a priority concern in Bangladesh.

Productivity is very important to run any enterprise effectively. Though productivity is increasing overtime in pond fishery, but still the per ha productivity is far behind in comparison to other countries. The average yield of pond culture increased from 2,580 kg/ha in 2000 to 3,615 kg/ha in 2012 (DoF, 2013 and 2000/01), which is much lower than other Asian countries (Karim *et al.*, 2006). The average yield of pond culture in China was 6.8 tons/hectare (FAO, 2010) and an average yield of cropped fish per annum was 1,200 kg/m² in Nigeria (Ogundari *et al.*, 2010). Even species-wise fish production also varied in the Asian countries and showed that Bangladesh was far behind. Dey *et al.* (2008) showed that output in carp poly-culture in ponds was 3,262 kg/ha for Bangladesh while, it was 12,085 kg and 3,777 kg for China and Thailand, respectively. Dey *et al.*

(2008) further reported that past increases in freshwater pond production in Bangladesh came mainly from expansion of the production area. Karim *et al.* (2006) also revealed that the yield rate of aquaculture in Bangladesh was, one of the lowest in the world, and could be increased several fold through appropriate actions and policies.

About 20 fish species are cultured in pond fishery and the major cultivated species are: *rui* (*Labeo rohita*), *catla* (*Catla catla*), *silver carp* (*Hypophthalmichthys molitrix*) and *mrigal* (*Cirrhinus cirrhosus*). This top four species enveloped together 80% in 2000-01, but decreased to about 54% in 2011/12 (Table 1.7). This four species practiced in ponds has a long history of fish farming in Bangladesh; however, these species are being replaced by other species including some exotic species like Thai *koi* and Thai *pangas* (*Pangasius hypophthalmus*). The annual average growth rate of the top four fish species is 2.34% as against the average growth rate of Thai *koi* at 49.2% in recent decades (DoF, 2002/03-2011/12). The growth of Thai *koi* is impressive as this strain is a new species as well as a novel technology to the farmers.

Table 1.7. Top Four Fish Species Cultured in Ponds (%) (2000/01-2011/12)

Species	2000 -01	2001 -02	2002 -03	2003 -04	2004 -05	2005 -06	2006 -07	2007 -08	2008- 09	2009- 10	2010 -11*	2011 -12
<i>Rui</i>	21.5	21.8	21.8	20.8	21.6	22.9	22.4	23.3	24.8	22.1	22.0	18.7
<i>Catla</i>	19.9	18.6	18.1	17.6	18.2	19.8	19.0	17.4	19.6	17.1	17.2	14.4
<i>Silver carp</i>	24.5	24.7	23.8	19.6	21.0	22.0	20.6	18.6	18.7	16.6	10.5	11.1
<i>Mrigal</i>	14.5	14.3	14.0	15.0	14.8	15.2	15.1	14.1	14.5	13.0	12.5	9.5
Total	80.4	79.4	77.7	72.9	75.6	79.9	77.1	73.4	77.6	68.8	62.1	53.8

Source: DoF (2000/01-2011/12)

* From 2010/11 and onward, Thai *pangas* scored top 4 species and presently the weight is 19%.

1.7 Thai Koi Farming in Bangladesh

With the low productivity in aquaculture as well the large deficit of fish intake per capita created a demand for introducing high yielding and quick growing exotic fishes to boost up the domestic fish production. In this arena, an exotic strain of climbing perch (*Aanabas testudineus*) was introduced into Bangladesh from Thailand in 2002 by private entrepreneurs. This fish, popularly (locally) known as Thai *koi* was henceforth referred to as Thai *koi*. Currently, this strain is getting more popular than the native *koi* strain as the growth rate of Thai *koi* is much higher and attains 80-100 g in size within 90-120 days. Moreover, it can be stocked at higher densities as well as harvested twice a year (Hasan *et al.*, 2010 and Saha *et al.*, 2009). The higher growth rate and larger size of Thai *koi* and tolerance to a wide range of environmental conditions caught the attention of farmers in Bangladesh (Hossain *et al.*, 2012). It is now a prominent freshwater farmed fish species in the country.

The species Thai *koi* is scientifically recognized by Bloch (1792) and termed it *Anabas testudineus* based on its classification under the family Anabantidae, order-Perciformes. Climbing perch possesses a pair of accessory respiratory organ which enable it to breathe from air and survive out of water for prolong periods. This fish is hardy and can tolerate very unfavorable water conditions. This species is naturally distributed in

Bangladesh, Burma, Ceylon, Cochin-China, India, Malaysia, Pakistan, Polynesia, Sri Lanka, southern China, Thailand, Tongking, and The Philippines (Rahman *et al.*, 2010b; Tay *et al.*, 2006; Kohinoor *et al.*, 1994; Patra, 1993; Talwar *et al.*, 1991; Sen, 1985 and Jayaram, 1981). This freshwater fish is found in the *beels*, *haors*, *baors*, flooded water bodies, ponds, streams and rivers of Bangladesh (Siddique *et al.*, 2000). It matures earlier than some of the carps and the fishes are marketed mostly in live condition. This fish is very suitable for cultivation in ponds, reservoirs and rice fields. The climate, water and soil conditions have proven to be totally suitable for its culture in Bangladesh.



Figure 1.4. Thai Koi (Climbing perch): *Anabas testudineus* (Bloch, 1792)

Climbing perch is one of the most popular fishes in Bangladesh because of its taste and high market demand both at home and abroad. It is very much esteemed for its highly nourishing quality and prolonged freshness. The medicinal as well as nutritional value of this fish has been documented from time immemorial (Chandi, 1970). It contains very soaring amounts of physiologically available iron and copper fundamentally needed for hemoglobin synthesis; besides, it possesses easily digestible fats of very low melting point and good many essential amino acids (Kohinoor *et al.*, 1991). Therefore, climbing perch is considered as a precious item in the diet for the sick and convalescent (BFRI, 2006). Table 1.8 below displays the nutritional values of Thai *koi* fish.

Table 1.8. Nutritional Status of Climbing Perch

Nutrients	Percentage
Protein	14.80
Fat	8.8
Carbohydrate	4.4
Mineral (Kcal)	156
Iron (mg)	1.4
Calcium	410

Source: Sarker (2011)

In the past native *koi* was plentifully available in almost all freshwater systems of Bangladesh, but the recent trend shows a continuous dilapidated tendency. Due to ecological changes and increased fishing pressure, the abundance of indigenous fish is declining gradually. DoF (1992) reported that one decade ago, climbing perch contributed 2.8% of the total pond catch of Bangladesh, but off late its share to total pond catch was down to 0.85% (DoF, 1999). This has created a demand for introducing exotic fishes (Rahman, 2005).

The productivity of Thai *koi* is fairly high than the native *koi*. Its productivity is much higher than other fish species cultured in Bangladesh. The productivity of Thai *koi* varied from 6,480 to 9,880 kg/ha in different studies as opposed to 1,916 kg/ha of native *koi* (Khatune-Jannat *et al.*, 2012; DoF, 2010; Kohinoor *et al.* 2007 and 2009). Therefore, farmers are very much interested to culture it due to its higher growth rate and better returns compared to other species (Hasan *et al.*, 2010). Recently, in the Mymensingh region, many farmers are involved in Thai *koi* culture resulting in high demand for fry. Under these circumstances, artificial propagation technique of Thai *koi* has been developed for mass seed production (Saha *et al.*, 2009 and BFRI, 2006).

Thai *koi* culture in ponds is a new intervention of the aquaculture industry in the country. Table 1.9 illustrates the Thai *koi* catch from ponds over the past 13 years. The table shows that the production of *koi* in 1999-2000 was 3,871 tons, while the production increased to 31,143 tons in 2011-12. The overall fish catch accounts 8 times higher and most of the growth took place after introducing Thai *koi* culture in ponds. The annual average growth rate of production was 54% during these periods. Though over the period, the growth performance is impressive, however, growth fluctuates widely from year to year. The highest production was recorded in 2011-12 with the annual growth rate of 132%, while the lowest production was recorded in 2008-09, with a growth rate of -72% (Table 1.9). The share of *koi* fish in total pond culture has also increased from 0.69% in 1999/2000 to 2.32% in 2011/12. Figure 1.5 portrays the

Table 1.9. Thai Koi Production (tons) (1999/00-2011/12)

Year	Total production	Percentage of pond total
1999-2000	3,871.25	0.69
2000-2001	4,495.52	0.73
2001-2002	4,864.26	0.71
2002-2003	5,264.38	0.70
2003-2004	6,127.74	0.77
2004-2005	1,892.48	0.25
2005-2006	8,887.65	1.17
2006-2007	2,354.67	0.29
2007-2008	6,495.37	0.75
2008-2009	1,824.00	0.20
2009-2010	7,056.00	0.62
2010-2011	13,406.00	1.10
2011-2012	31,143.00	2.32

Source: DoF (1999/2000-2011/2012)

production trend of this fish strain. Though the production has increased steadily over the years; however, the ups and downs in overall production of this species indicates that there might be some problems in Thai *koi* culture in the study area causing fluctuations in production.

Thai *koi* is a fast growing fish species which has great potential for expansion and export earnings in Bangladesh. Its productivity and growth is also higher compared to other fish species cultured in the country (Khan, 2012 and Sarker, 2011). However, the production trend displays a high range of variability in *koi* farming. Farmers are practicing intensive production technology in Thai *koi* culture which is new in Bangladesh. Basically, farmers usually practice extensive to extended extensive production technologies. Thai *koi* is a feed intensive species and therefore can, cause high or low growth and survival that is likely to cause production variability (risk) and inefficiency in the production process. Output variability is observed from farm to farm, location to location and also year to year; and this indicates that there may be some risk element in Thai *koi* farming. It was learnt during the survey that despite its notable growth at the early stage, farmers are now experiencing a high degree of uncertainty due to large cross-sectional variations in production and profitability which results in a large number of Thai *koi* farmers quitting from this agri-business.




Figure 1.5. Production Trend of Thai *Koi* (tons) (1999/00-2011/12)

(Adapted from Table 1.9)

Thai *koi* farming is a young industry as well as new technology to the farmers. The private sector is the major player in Thai *koi* culture, and with well-considered strategies, good management practices and proper handling technology, the outlook for the aquaculture can be very positive. However, there is a need to carry out detailed studies to develop and grow this farming system in an economically viable and sustainable fashion.

1.8 Statement of Problem

Bangladesh's inland capture and marine fisheries display a gloomy scenario in terms of fisheries production despite the existence of an excellent aquaculture potential. The current production is not adequate enough to meet the demand by the growing population. Moreover, the demand for fish is continually increasing in the country with nearly three million people being added every year to the population. While overall fish production keeps on increasing, per capita fish consumption is still in deficit at 1.5 kg/year compared to the optimal requirement. This shortage in fish consumption results in declining daily animal protein intake. The fish intake declined from 73 to 60 g during 1991 to 2012. Studies also showed that fish intake is not equitable between poor and rich households in the country. Among the two major sources of animal protein, the growth of livestock remained stagnant (SFYP, 2011-15) and hence the only way to fill-up this gap is to boost up domestic fish production. A country like Bangladesh with a huge population (139 million, BBS, 2011) cannot afford to depend on imports perpetually by spending huge foreign currency. Since increasing fish production through horizontal expansion (i.e. increase in area) of fish culture is bleak, there is no alternative other than to increase per unit production. The productivity of fish per hectare from pond farming in Bangladesh lags behind than other Asian countries. Thus steps need to be taken to increase the productivity of pond fishery in the country.

The growing demand for fish have motivated farmers to introduce high yielding and quick growing exotic Thai *koi* farming in Bangladesh. Thai *koi* can be harvested two times a year and thus can, play a significant role to meet the increasing protein requirement. However, despite its impressive growth during the initial years, the industry is now experiencing volatility in production. The fluctuating Thai *koi* production poses a serious concern among the fisheries extension personnel as well.

Chakraborty *et al.* (2014) carried out an on-station experiment under three treatments and found the productivity of *koi* fish were 22,063 kg, 19,852 kg and 16,381.2 kg/ha, respectively. Another experiment was conducted in nine experimental ponds (on station) by Rahman *et al.* (2013) and they found per ha productivity to have varied from 4,800 kg to 5,582 kg. On the contrary, Sarker (2011) conducted an economic study on small-scale *koi* farming and found per hectare productivity of Thai *koi* was 22,179 kg, while in a more recent study it was found to be 16,551 kg/ha. Therefore, causes of Thai *koi* production variability attracts due investigation.

Thai *koi* production is relatively a newly introduced technology in the aquaculture practices of Bangladesh, farmers know less about its culture practices, food and feeding habit, health and disease incidence. Many have no training about Thai *koi* technology and learnt the same from neighboring farmers. Good number of farmers may not have any idea about the optimum allocation of feed, fingerlings, cultural length, stocking density and use of other inputs. Production variability might be due to all these. Moreover, many of the farmers may be technically inefficient. Thus, input-out relationship, production variability and extent of technical inefficiency for a new technology warrant in-depth investigation. A study like this is deemed very timely. It would provide answers related to i) nature of inputs contribution to Thai *koi* production,

ii) whether the inputs are risk-neutral, risk-increasing and risk-decreasing to the production variability and iii) extent of average and farmer specific inefficiency. This information is new as this is the first investigation in Bangladesh on Thai *koi* fish production. This information would add a new insight to Thai *koi* production and help improve the current level of production. The research findings of this study will also be helpful for the government to formulate policy actions and support to encourage output

- i) What affects Thai *koi* productivity in Bangladesh?
- ii) Is production variability in Thai *koi* farming linked with intensity of input use?
- iii) Are Thai *koi* farmers in Bangladesh capable of achieving production at the frontier level?
- iv) Do types of feed used constitute a concern to production of Thai *koi* farming?

1.9 Objectives of the Study

The overall objective of this research is to explore the production risk and technical efficiency of Thai *koi* production in selected areas of Bangladesh. The specific objectives are:

- i) To identify the nature and extent of risk associated with the use of variable inputs in Thai *koi* production;
- ii) To estimate the levels of farm-specific and mean technical efficiency associated with *koi* farming;
- iii) To identify the factors affecting technical inefficiency in *koi* farming;
- iv) To determine the farm profitability and insight farming practices of Thai *koi* production; and
- v) To assess how types of feed affect Thai *koi* productivity.

1.10 Hypotheses of the study

The following hypotheses require testing with respect to the gratification of the research objectives:

- i) Inputs used in Thai *koi* farming does not significantly influence production;
- ii) Thai *koi* farming scores no production risk;
- iii) Thai *koi* farmers are not technically efficient;
- iv) There is no existence of technical inefficiency in *koi* production and
- v) Types of feed used have no influence on Thai *koi* farming and its productivity.

1.11 Significance of the study

As an agro-based country, pond aquaculture plays a very crucial role in the fish supply. Thai *koi* is a newly introduced production technology in the aquaculture industry. It is high yielding as well as a quick growing fish species that attains marketable size within a very short period. Moreover, it can be cultured twice in a year.

It is now one of the high commercially valued farm fishes of Bangladesh and plays a significant role to meet the increasing protein requirement of the ever growing population. Thai *koi* farming is a totally feed intensive technology which is also new to the farmers. Though over the period, the growth performance is impressive, however, production of this strain varies widely. Unfortunately, no detailed empirical investigations have been made to find out the causes of production variability in Thai *koi* farming in the economic arena.

In practice, risk plays a vital role in aquaculture both in input use decisions as well as production of outputs. A number of stochastic biophysical and socioeconomic factors may differentiate production practices and intensity of input use among producers and it may create substantial risks among the growers. Many things may happen under water that sometimes may be beyond control. Hence, production techniques and managerial value judgment is important. Therefore, improvement of farm level efficiency is also a crucial factor in fish production. The efficiency variables are related to socioeconomic characteristics that may lead to input use variations in the production process and can create production variability. Thus, examining production risk and TE is very pertinent in aquaculture.

A number of studies have utilized the stochastic frontier approach in assessing TE in aquaculture and most recent studies include: Alam *et al.* (2012), Islam *et al.* (2011), Onumah *et al.* (2010), Rahman *et al.* (2010c), Singh *et al.* (2009), Kareem *et al.* (2008), Den *et al.* (2007), Islam *et al.* (2007), Sesabo *et al.* (2007), Dey *et al.* (2005c), Chiang *et al.* (2004), Dey *et al.* (2000) and Sharma *et al.* (2000a and 2000b). There are limited studies in the literature that have analyzed production risks in aquaculture and these include: Khan (2012), Kumbhakar *et al.* (2003), Asche *et al.* (1999), Tveteras *et al.* (2000) and Tveteras (1999). However, the literature so far has paid little attention on production risks and TE in a single framework in the broad agricultural sector and there are only two such studies in aquaculture, i.e. Ogundari *et al.* (2010) and Kumbhakar (2002).

Most of the stochastic frontier analysis was concentrated on some species such as carp, prawn, tilapia and salmon. These empirical studies have provided evidence of output risk and technical inefficiency in the aquaculture sector. However, none has focused on risk or efficiency and, or simultaneously on production risk and TE at farm level covering Thai *koi* or any species in Bangladesh. This is the first research initiative of input use on production risk and TE in Thai *koi* farming in Bangladesh. This research is expected to open a new window for policy makers in understanding the dynamics of this industry and hence to make better informed decision making.

1.12 Organization of the Study

This thesis is divided into five chapters. General introduction of Bangladesh agriculture, fisheries resources, aquaculture, significance of the study and objectives are discussed in Chapter 1. A critical review of the literature on production risk in inputs and TE is described in Chapter 2. This chapter also reviews the theoretical background of the

models related to this research. Chapter 3 contains the research methodology used for this study. It also looks at the empirical estimations of the models, data collection procedure and descriptive statistics of variables. Chapter 4 reports the empirical results and their interpretation. The concluding chapter provides the summary, conclusion, recommendations and limitations of the study.

© COPYRIGHT UPM

REFERENCES

- Abadie, A. and Imbens, G. 2009. Matching on the estimated propensity score. National Bureau of Economic Research Cambridge, Mass, USA.
- Adhikary, R.K., Mostafa, Z.B., Saha, A. and Shah, D.M.S. 2009. Growth Performance of Thai Koi (*Anabas testudineus*) in Integrated Culture System. *Bangladesh Research Publications Journal* 2(1): 361-370.
- Ahmed, M.N.U. 2003. Fisheries sector in Bangladesh, Economy and Development of livelihood. Mothsho Pakkho (Souvenir). pp.1-86.
- Ahmed, N. and Garnett, S.T. 2011a. Integrated rice-fish farming in Bangladesh: meeting the challenges of food security. *Food Security* 3: 81 ±92.
- Ahmed, N., Bakht, Z., Dorosh, P., and Shahabuddin, Q. 2007. Distortions to Agricultural Incentives in Bangladesh. Agricultural Distortions Working Paper 32. Bangladesh Institute of Development Studies. Dhaka, Bangladesh. pp. 1-69.
- Ahmed, N., Zander, K.K. and Garnett, S.T. 2011. Socioeconomic aspects of rice-fish farming in Bangladesh: opportunities, challenges and production efficiency. *The Australian Journal of Agricultural and Resource Economics* 55: 199 ±219.
- Aigner, D.J., Lovell, C.A.K. and Schmidt, P. 1977. Formulation and estimation of stochastic frontier production function models. *Journal of Econometrics* 6: 21-37.
- Ajao, A.O. 2012. Determinants of Technical Efficiency Differentials among Concrete and Earthen Pond Operators in Oyo State-Nigeria. *British Journal of Arts and Social Sciences* 4(2): 195-208.
- Ajibefun, I.A. 2008. An evaluation of parametric and non-parametric methods of technical efficiency measurement: application to small scale food crop production in Nigeria. *Journal of Agriculture and Social Science* 4: 95 ±100.
- AKK, 2013. Adhunik Krishi Khamar (in Bengli), Quarterly Agricultural Magazine. Mahakhali C/A, Dhaka-1212, Bangladesh. 2(43): pp. 28-31.
- Alam, M.F. 2005. Linkage between Fisheries, Poverty and Growth: Bangladesh Case Study. A Report Prepared for the Programme of Advisory and Support Services and DFID Pass Award of Contract: AG0213H. Dhaka, Bangladesh.
- Alam, M.F. 2011. Measuring technical, allocative and cost efficiency of pangas (*Pangasius hypophthalmus*: Sauvage 1878) fish farmers of Bangladesh. *Aquaculture Research* 42: 1487-1500.

- Alam, M.F. and Murshed-e-Jahan, K. 2008. Resource Allocation Efficiency of the Prawn-Carp Farmers of Bangladesh. *Aquaculture Economics and Management* 12(3): 188-206.
- Alam, M.F., Khan, M.A. and Huq, A.S.M.A. 2012. Technical efficiency in tilapia farming of Bangladesh: a stochastic frontier production approach. *Aquaculture International* 20: 614-634.
- Alam, M.J., Mustafa, M.G. and Islam, M.M. 2010. Effects of some Artificial diets on the Growth Performance, Survival Rate and Biomass of the fry of climbing perch, *Anabas testudineus* (Bloch, 1792). *Nature and Science* 8(2): 36-42.
- Ali, M.A., Rahman, S.M.A., Roy, U., Haque, M.F. and Islam, M.A. 2010b. Problems and prospects of fish fry trade in Jessore district, Bangladesh. *Marine Research Aquaculture* 1(1): 38-45.
- Ali, M.L., Hossain, M.B., Rokunuzzaman, M. and Bhadra, S. 2010a. Access to Fisheries Resources by the Poor Fishers for Income Generation and Livelihood and Their Coping Strategies during Lean and Ban Fishing Period in Bangladesh. Final Report CF # 9/08, Bangladesh. Centre for Advanced Studies. Dhaka, Bangladesh. pp.1-39.
- Antle, J.M. 1983. "Incorporating Risk in Production Analysis". *American Journal of Agricultural Economics* 65: 1099-1106.
- Arrow, K.J. 1962. The economic implications of learning by doing. *Review of Economic Studies* 29(3): 155 ±173.
- Asche, F. and Khatun, F. 2006. *Aquaculture: Issues and Opportunities for Sustainable Production and Trade*. ICTSD Natural Resources, International Trade and Sustainable Development Series Issue Paper No. 5, International Centre for Trade and Sustainable Development. Geneva, Switzerland. pp.1-50.
- Asche, F. and Roll, K.H. 2013. Determinants of Inefficiency in Norwegian Salmon Aquaculture. *Aquaculture Economics & Management* 17:300 ±321. DOI: 10.1080/13657305.2013.812154.
- Asche, F. and Tveteras, R. 1999. Modeling Production Risk with a Two-Step Procedure. *Journal of Agricultural and Resource Economics* 24(2): 424-439.
- Bankar, R.D. and Natarajan, R. 2008. Evaluating contextual variables affecting productivity using data envelopment analysis. *Operations Research* 56(1): 48 ±58.
- Banker, R.D., Charnes, A. and Cooper, W.W. 1984. Some models for estimating technical and scale efficiencies in data envelop analysis. *Management Science* 30: 1078-1092.

Battese, G.E. and Coelli, T.J. 1995. A model for technical inefficiency effects in a stochastic frontier production function for panel data. *Empirical Economics* 20: 325-332.

Battese, G.E., and Broca, S.S. 1997. "Functional Forms of Stochastic Frontier Production Functions and Models for Technical Inefficiency Effects: A Comparative Study for Wheat Farmers in Pakistan." *Journal of Productivity Analysis* 8: 395-414.

Battese, G.E., Rambadi, A.N. and Wan, G.H. 1997b. A Stochastic Frontier Production Function with Flexible Risk Properties. *Journal of productivity Analysis* 8: 269-80.

BBS, 2008. Year book of Agricultural Statistics of Bangladesh. Bangladesh Bureau of Statistics. pp. 1-348.

BBS, 2007. Household income and expenditure survey 2005. Bangladesh Bureau of Statistics.

BBS, 2010. Report of the Labor Force Survey: Bangladesh 2009-10. Bangladesh Bureau of Statistics. Republic of Bangladesh.

BBS, 2011. Population and Housing Census 2011. Socio-economic and Demographic Report. Bangladesh Bureau of Statistics. National Series, Volume-4. Statistics and Informati F V ' L Y L V L R Q * R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

Belton, B., Karim, M., Thilsted, S., Murshed-E-Jahan, K., Collis, W. and Phillips, M. 2011. Review of aquaculture and fish consumption in Bangladesh. *Studies and Reviews* 2011-53. The WorldFish Center. pp. 1-71.

BER, 2005. Bangladesh Economic Review. Finance Division, Ministry of Finance. * R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

BER, 2006. Bangladesh Economic Review. Finance Division, Ministry of Finance. Govern P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

BER, 2007. Bangladesh Economic Review. Finance Division, Ministry of Finance. * R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

BER, 2008. Bangladesh Economic Review. Finance Division, Ministry of Finance. * R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

BER, 2009. Bangladesh Economic Review. Finance Division, Ministry of Finance. * R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G H V K

- BER, 2010. Bangladesh Economic Review. Finance Division, Ministry of Finance.
* R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G
- BER, 2011. Bangladesh Economic Review. Finance Division, Ministry of Finance.
* R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I % D Q J O D G
- BER, 2012. Bangladesh Economic Review. Finance Division, Ministry of Finance.
* R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I - % D Q J O D
366.
- BER, 2013. Bangladesh Economic Review. Finance Division, Ministry of Finance.
* R Y H U Q P H Q W R I W K H 3 H R S O H ¶ V 5 H S X E O L F R I - % D Q J O D
368.
- BFRI, 2006. Bangladesh Fisheries Research Institute. Mymensingh, Bangladesh.
Fisheries News Letter 14 (1). pp. 1-8.
- Bokusheva, R. and Hockmann, H. 2006. Production risk and technical inefficiency in
Russian Agriculture. *European Review of Agricultural Economics* 33(1): 93 ±118.
- Bose, M.L. and Dey, M.M. 2007. Food and nutritional security in Bangladesh: going
beyond carbohydrate counts. *Agriculture Economics Research Review* 20: 203-
225.
- Brezis, E.S., Krugman, P.R. and Tsiddon, D. 1993. Leapfrogging in international
competition: A theory of cycles in national technological leadership. *American
Economic Review* 83(5): 1211 ±1219.
- Chakraborty, B.K. and Haque, S.M. 2014. Growth, Yield and Returns to Koi, *Anabas
testudinous* (Bloch, 1792) under Semi-intensive Aquaculture System using
Different Seed Types in Bangladesh. *Journal of Fisheries & Livestock Production*
2(1): 1-7. doi:10.4172/2332-2608.1000113.
- Chandi, M. 1970. India ±the land and the people±Fishes. National Book Trust. New
Delhi, India. pp. 1-158.
- Chiang, F-S., Sun, C-H. and Yu, J-M. 2004. Technical efficiency analysis of milkfish
(*Chanos chanos*) production in Taiwan-an application of the stochastic frontier
production function. *Aquaculture* 230: 99-116.
- Chowdhury, M.H. and Maharjan, K.L. 2000. Increasing Efficiency of Pond Fish
Production in Rural Bangladesh. [Electronic version]
(<http://oregonstate.edu/dept/IIFET/2000/abstracts/chowdhury>. pp. 1-8.
- Chowdhury, M.H. and Maharjan, K.L. 2001. Pond Fish Production through People's
Participation in Rural Bangladesh. *Journal of International Development and
Cooperation* 7(2): 11 ±28.

Chowdhury, M.R. 2009. Population challenge facing Bangladesh. CW Post Campus, New York: Long Island University.

Cobb-Clark, D.A. and Crossley, T. 2003. Econometrics for evaluations: An introduction to recent developments. *Economic Record* 79(247): 491-511.

Coelli, T.J., Rao, D.S.P. and Battese, G.E. 1998. An introduction to efficiency and productivity analysis. Kluwer Academic Publishers, USA.

& RHOOL 7 - 5DR ' 6 3 2 ¶ ' RQQHOO & An Introduction to *Efficiency and Productivity Analysis*, 2nd Edition. New York: Springer. pp. 263-88.

Den, D.T., Ancev, T. and Harris, M. 2007. Technical Efficiency of Prawn Farms in the Mekong Delta, Vietnam. Paper prepared for the International Seminar. Sustaining Growth? Economic Transition and Natural Resource Management in East and Southeast Asia, Ho Chi Minh City. 21-22 June, 2007. pp. 1-20.

Dey, M.M., Paraguas, F.J., Kambewac, K. and Pemsld, D.E. 2010. The impact of integrated aquaculture agriculture on small-scale farms in Southern Malawi. *Agricultural Economics* 41: 67 ±79.

Dey, M.M., Bose, M.L. and Alam, M.F. 2008. Recommendation Domains for Pond Aquaculture. Country Case Study: Development and Status of Freshwater Aquaculture in Bangladesh. WorldFish Center Studies and Reviews No. 1872. The WorldFish Center. Penang, Malaysia. pp. 1-73.

Dey, M.M., Paraguas, F.J. and Alam, F. 2001. Cross county synthesis. In: FAO. 2001. Production, accessibility, marketing and consumption patterns of freshwater aquaculture products in Asia: A cross-country comparison. FAO Fisheries Circular No 973. Food and Agriculture Organization, Rome. pp. 275.

Dey, M.M., Paraguas, F.J., Bimbao, G.B. and Regaspi, P.B. 2000. Technical efficiency of tilapia growout pond operations in the Philippines. *Aquaculture Economics and Management* 4(1): 33-47.

Dey, M.M., Paraguas, F.J., Srichantuk, N., Xinhua, Y., Bhatta, R. and Dung, L.T.C. 2005c. Technical Efficiency of Freshwater Pond Polyculture Production in Selected Asian Countries: Estimation and Implication. *Aquaculture Economics and Management* 9(1-2): 39-63.

Dey, M.M., Rab, M., Paraguas, F.J., Piumsombun, S., Bhatta, R., Alam, M.F., Koeshendrajana, S. and Ahmed, M. 2005a. Status and economics of freshwater aquaculture in selected countries in Asia. *Aquaculture Economics and Management* 9(1&2): 11-38.

- Dey, M.M., Rab, M.A., Paraguas, F.J., Piumsombun, S., Ramachandra, B., Alam, M.F. and Mahfuzuddin, A. 2005b. Fish consumption and food security: a disaggregated analysis by types of fish and classes of consumers in selected Asian countries. *Aquaculture Economics and Management* 9(1/2): 89-112.
- Diewert, W.E. 1971."An Application of the Shephard Duality Theorem: A Generalized Leontief Production Function." *Journal of Political Economy* 79: 481-507.
- DoF, 1992. Fish catch statistics of Bangladesh 1991-1992. Department of Fisheries, Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 1999. Fish catch statistics of Bangladesh 1998-1999. Department of Fisheries, Ministry of Fisheries and Livestock, Bangladesh. pp. 1-43.
- DoF, 1999-2000. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp.1-42.
- DoF, 2000-2001. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 2001-2002. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 2002-2003. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 2003-2004. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 2004-2005. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-42.
- DoF, 2005-2006. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-42.
- DoF, 2006. National fisheries strategy and action plan for the implementation of the national fisheries strategy. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-302.

- DoF, 2006-2007. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-42.
- DoF, 2007-2008. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-42.
- DoF, 2008-2009. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-41.
- DoF, 2009-2010. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-43.
- DoF, 2010. Souvenir, National Fish Week, 2010. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 13.
- DoF, 2010-2011. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-46.
- DoF, 2011-2012. Fishery Statistical Yearbook of Bangladesh. Fisheries Resources Survey Systems. Department of Fisheries. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-44.
- DoF, 2011a. Souvenir, National Fish Week, 2011. Department of Fisheries, Ministry of Fisheries and Livestock, Bangladesh. pp. 13 & 122.
- DoF, 2011b. Annual Report. Department of Fisheries, Ministry of fisheries and Livestock, Bangladesh. pp. 1-68.
- DoF, 2013. National Fish Week 2013 Compendium (In Bengali). Department of Fisheries. Ministry of fisheries and Livestock, Bangladesh. pp. 1-144.
- Doolgindachabaporn, S. 1994. Development of optimal rearing system for climbing perch (*Anabas testudineus*), Canada. PhD Thesis. University of Manitoba, Canada. pp. 189.
- Driscoll, P., McGuirk, A. and Alwang, J. 1992. "Testing Hypotheses of Functional Structure: Some Rules for Determining Flexibility of Restricted Production Models." *American Journal of Agricultural Economics* 74: 100-108.
- Ellis, F. 1993. Peasant Economics: Farm Household and Agrarian Development, 2nd edn. Cambridge University Press, Cambridge, UK. pp. 309.

- FAO, 2005-2012. National Aquaculture Sector Overview. Bangladesh, National Aquaculture Sector Overview Fact Sheets, Text by Gias, U.A. In: FAO Fisheries and Aquaculture Department, Rome.
- FAO, 2010. The State of World Fisheries and aquaculture 2010. FAO Fisheries and Aquaculture Department. Food and Agriculture Organization of the United Nations. Rome. pp. 1-197.
- Fare, R., Grosskop, F.S. and Lovell, C.A.K. 1985. The Measurement of Efficiency of Production. Kluwer-Nijhoff Publishing, Boston.
- Farrell, M.J. 1957. The measurement of productive efficiency. *Journal of Royal Statistical Society. Series A (General)* 120, Part III. pp. 253-281.
- Frimpong, E.A., Ansah, Y.B., Amisah, S., Adjei-Boateng, D., Agbo, N.W. and Egna, H. 2014. Effects of Two Environmental Best Management Practices on Pond Water and Effluent Quality and Growth of Nile Tilapia, *Oreochromis niloticus*. *Sustainability* 6: 652-675. doi:10.3390/su6020652.
- Fufa, B. and Hassan, R.M. 2003. Stochastic Maize Production Technology and Production Risk Analysis in Dadar District, East Ethiopia. *Agrekon* 42(2): 116-128.
- Garoma, D., Admassie, A., Ayele, G. and Beyene, F. 2014. Analysis of the Impact of Fishery Cooperatives on Fishing Activity of Rural Households Around Lake Ziway and Lagano in Ethiopia. *Middle-East Journal of Scientific Research* 19(2): 144-162. DOI: 10.5829/idosi.mejsr.2014.19.2.11740.
- Graaf, G.D. and Latif, A. 2002. Development of freshwater fish farming and poverty alleviation. A case study from Bangladesh. *Aquaculture Asia* VII(2): 5-7.
- Greene, W.H. 1993. Frontier Production Functions. EC-93-20. Stern School of Business. New York University.
- Guan, Z. and Wu, F. 2009. Specification and Estimation of Heterogeneous Risk Preference. Michigan State University. Contributed paper prepared for presentation at the 27th International Conference of Agricultural Economists. Beijing, China, Aug16-22, 2009.
- Gunaratne, L.H.P. and Leung, P.S. 1996. Asian black tiger shrimp industry: a productivity analysis. Paper Presented at the Second Biennial Georgia Productivity Workshop, University of Georgia, Athens, Georgia, November 1-13, 1996 and in: Chapter 5, Economics and Management of Shrimp and Carp farming in Asia, Leung, P.S. and Sharma, K.R., Editors, 2001, Network of Aquaculture Centers in Asia-Pacific, Bangkok, Thailand.

Gunaratne, L.H.P. and Leung, P.S. 1997. Productivity analysis of Asian shrimp industry: the case of Malaysian shrimp culture. *World Aquaculture '97*, February 19-23, Seattle, Washington, and in: Chapter 6, Economics and Management of Shrimp and Carp farming in Asia, Leung, P.S. and Sharma, K.R., Editors, 2001, Network of Aquaculture Centers in Asia-Pacific, Bangkok, Thailand.

Hadi, S. 1994. A modification of a method for the detection of outliers in multivariate samples. *Journal of the Royal Statistical Society* 56(2): 393-396.

Hanh, B.L.T. 2009. Impact of financial variables on the production efficiency of Pangasius farms in an Giang province, Vietnam. Master Thesis. The Norwegian College of Fishery Science, University of Tromso, Norway & NhaTrang University, Vietnam.

+ D U Y H \ \$ & ³ (V W L P D W L Q J 5 H J U H V V L R Q 0 R G H O
+ H W H U R V F H E G D W W L F L L (W) : 461 ± 465.

Hasan, M., Ahammad, A.K.S. and Khan, M.M.R. 2010. A Preliminary Investigation into the Production of Thai Koi (*Anabas testudineus*) Reared in Lylon Hapas in Bangladesh. *Bangladesh Research Publications Journal* 4(1):15-23.

Heckman, J. 1979. Sample Selection Bias as a Specification Error. *Econometrica* 47(1): 15d-1bl.

Heckman, J., Ichimura, H. and Todd, P. 1998. Matching as an econometric evaluation estimator. *Review of Economic studies* 65(2): 261-294.

Hossain, M., Naher, F. and Shahabuddin, Q. 2005. Food security and Nutrition in Bangladesh: Progress and Determinants. *Journal of Agricultural and Development Economics* 2(2): 103-132.

Hossain, M.A., Sultana, Z., Kibria, A.S.M. and Azimuddin, K.M. 2012. Optimum Dietary Protein Requirement of a Thai Strain of Climbing Perch, *Anabas testudineus* (Bloch, 1792) Fry. *Turkish Journal of Fisheries and Aquatic Sciences* 12: 217-224.

Inuma, M., Sharma, K.R. and Leung, P.S. 1999. Technical efficiency of carp pond culture in peninsula Malaysia: an application of stochastic production frontier and technical inefficiency model. *Aquaculture* 175: 199-213.

Islam, F.U. 2007. Self-recruiting species (SRS) in aquaculture: their role in rural livelihoods in two areas of Bangladesh. PhD Thesis. University of Stirling.

Islam, G.M.N., Yew, T.S., Noh, K.M., Alam, M.F. and Khai, N.X. 2011. Technical Efficiency Analysis of Shrimp Farming in Peninsular Malaysia: an Application of Stochastic Frontier Production Function Approach. *International Fisheries*

Symposium: Program and Abstracts. Towards Sustainable Fisheries in South-East Asia. 03-05 October 2011, Terengganu, Malaysia.

Islam, M.A., Talukder, R.K. and Khan, M.A. 2007. Technical Efficiency of the Fish Hatchery Operators in Fish Seed Production Farms in Bangladesh. *Bangladesh Journal of Agricultural Economics* XXX(1): 95-108.

IUNC, 2007. Guide for the Sustainable Development of Mediterranean Aquaculture. Interaction between Aquaculture and the Environment. IUCN, Gland, Switzerland and Malaga, Spain. pp.107.

Jaenicke, E.C. and Larson, J.A. 2001. Production Risk Revisited in a Stochastic Frontier Framework: Evaluating Noise and Inefficiency in Cover Crop Systems. American Agricultural Economics Association. Annual Meeting, Chicago, IL, Aug. 5-8, 2001. pp. 1-31.

Jaenicke, E.C., Frechette, D.L. and Larson, J.A. 2003. Estimating Production Risk and Inefficiency Simultaneously: An Application to Cotton Cropping Systems. *Journal of Agricultural and Resource Economics* 28(3): 540-557.

Jaforullah, M. and Devlin, N.J. 1996. Technical efficiency in the New Zealand dairy industry: a frontier production function approach. *New Zealand Economic Papers* 30: 1-17.

Jayaram, K.C. 1981. The Freshwater Fishes of India, Pakistan, Bangladesh, Burma, and Sri Lanka-A Handbook. Zoological Survey of India, Calcutta. pp. 475.

- X V W 5 (D Q G 3 R S H 5 ' 3 6 W R F K D V W L F 6 S H F L I L F D W L
(F R Q R P L F , P S O J F D W A L E R O M) *Journal of Agricultural Economics* 7: 67 ±86.

Just, R.E. and Pope, R.D. 1979. "Production Function Estimation and Related Risk Considerations. *American Journal of Agricultural Economics* 61(2): 276-284.

Karagiannis, G., Katranidis, S.D. and Tzouvelekas, V. 2000. Measuring technical, allocative and cost efficiencies of seabass and seabream farms in Greece. *Aquaculture Economics and Management* 4: 191-207.

Kareem, R.O., Dipeolu, A.O., Aromolaran, A.B. and Akegbejo-Samson. 2008. Analysis of technical, allocative and economic efficiency of different pond systems in Ogun state, Nigeria. *African Journal of Agricultural Research* 3(4): 246-254.

Karim, M., Ahmed, M., Talukder, R.K., Taslim, M.A. and Rahman, H.A. 2006. Policy Working Paper: Dynamic Agribusiness-focused Aquaculture for Poverty Reduction and Economic Growth in Bangladesh. WorldFish Center Discussion Series No. 1. pp. 1-38.

- Karim, Z., Huque, K.H., Hussain, M.G., Ali, Z. and Hossain, M. 2010. Growth and Development Potential of Livestock and Fisheries in Bangladesh. Prepared for the Bangladesh Food Security Investment Forum. 26-27 May 2010, Dhaka, Bangladesh. pp. 1-19.
- Khan, M.A. 2012. Efficiency, Risk and Management of Fisheries Sector in Bangladesh. Philosophiae Doctor (PhD) Thesis, No. 2012:62. UMB School of Economics and Business Norwegian University of Life Sciences.
- Khan, M.A., Alam M.A. and Islam, K.J. 2012. The impact of co-management on household income and expenditure: An empirical analysis of common property fishery resource management in Bangladesh. *Ocean & Coastal Management* 65:67-78.
- Khatune-Jannat, M., Rahman, M.M., Bashar, M.A., Hasan, M.N., Ahamed, F. and Hossain, M.Y. 2012. Effects of Stocking Density on Survival, Growth and Production of Thai Climbing Perch (*Anabas testudineus*) under Fed Ponds. *Sains Malaysiana*. 41(10): 1205 ±1210.
- Kirkley, J.E., Squires, D. and Strand, I.E. 1995. Assessing technical efficiency in commercial fisheries: the Mid-Atlantic sea scallop fishery. *American Journal of Agricultural Economics* 77: 686-697.
- Kirkley, J.E., Squires, D. and Strand, I.E. 1998. Characterizing managerial skill and technical efficiency in fishery. *Journal of Productivity Analysis* 9: 145-160.
- Kodde, D.A. and Palm, F.C. 1986. Wald criteria for jointly testing equality and inequality restrictions. *Econometrica: Journal of the Econometric Society* 1243-1248.
- Kohinoor, A.H.M., Akhteruzzaman, M., Hussain, M.G. and Shah, M.S. 1991. Observation on the induced breeding of koi fish (*Anabas testudineus* (Bloch) in Bangladesh. *Bangladesh Journal of Fisheries* 14(1-2): 73-77.
- Kohinoor, A.H.M., Haque, M.Z., Hussain, M.G. and Gupta, M.V. 1994. Growth and survival rate of Thai punti, *Puntius gonionotus* (Bleeker) spawn in nursery ponds at different stocking densities. *Journal of the Asiatic Society of Bangladesh Science* 20: 65-72.
- Kohinoor, A.H.M., Islam, A.K.M.S., Jahan, D.A., Zaher, M. and Hussain, M.G. 2007. Monoculture of climbing perch, Thai koi, *Anabas testudineus* (Bloch) under different stocking densities at on-farm management. *Bangladesh Journal of Fisheries Research* 11(2): 173-180.
- Kohinoor, A.H.M., Jahan, D.A., Khan, M.M. and Hossain, M.G. 2010. Breeding, seed production and culture technology of koi fish. Extension Manual No. 39. Bangladesh Fisheries Research Institute, Mymensingh, Bangladesh. pp. 1-16.

- Kohinoor, A.H.M., Jahan, D.A., Khan, M.M., Ahmed, S.U. and Hussain, M.G. 2009. Culture potentials of climbing perch, *Anabas testudineus* (Bloch) under different stocking densities at semi-intensive management. *Bangladesh Journal of Fisheries Research* 13(2): 115-120.
- Kopp, R.J. and Diewert, W.E. 1982. The decomposition of frontier cost function deviations into measures of technical and allocative efficiency. *Journal of Econometrics* 19: 319-331.
- Koundouri, P. and Nauges, C. 2005. On Production Function Estimation with Selectivity and Risk Considerations. *Journal of Agricultural and Resource Economics* 30(3): 597-608.
- Kumbhakar, S.C. 1993. Production risk, technical efficiency and panel data. *Economics Letters* 41: 11-16.
- Kumbhakar, S.C. 2002. "Specification and Estimation of Production Risk, Risk Preferences, and Technical Efficiency." *American Journal of Agricultural Economics* 84: 8-22.
- Kumbhakar, S.C. and Lovell, C.A.K. 2000. *Stochastic Frontier Analysis*. New York: Cambridge University Press, 2000.
- Kumbhakar, S.C. and Tveteras, R. 2003. Risk Preferences, Production Risk and Firm Heterogeneity. *Scandinavian Journal of Economics* 105(2): 275 ±293.
- Kumbhakar, S.C., Efthymios, G. and Tsionas, E.G. 2010. Estimation of production risk and risk preference function: a nonparametric approach. *Annals of Operations Research* 176: 369 ±378. DOI 10.1007/s10479-008-0472-5.
- Kumbhakar, S.C., Ghosh, S. and McGuckin, T. 1991. A generalized production frontier approach for estimating determinants of inefficiency in US dairy farms. *Journal of Business and Economic Statistics* 9: 279-286.
- Ligeon, C., Jolly, C., Bencheva, N., Delikostadinov, S. and Puppala, N. 2008. Production risks in Bulgarian peanut production. *Agricultural Economics Review* 9(1): 103-110.
- Mazid, M. (ed.). 1999. Rural and coastal aquaculture in poverty reduction. Proceedings of Seminar organized on the occasion of Fish Week 1999. Ministry of Fisheries and Livestock, Bangladesh. pp. 1-79.
- McDonald, J. 2009. Using least square and Tobit in second stage DEA efficiency analyses. *European Journal of Operational Research* 197(2): 792 ±798.

- Meeusen, W. and Broeck, J.V.D. 1977. Efficiency Estimation from Cobb-Douglas Production Functions with Composed Error. *International Economic Review* 18: 435-44.
- MoA, 1999. National Agricultural Policy. Ministry of Agriculture. Government of the
- MoA, 2013. National Agricultural Policy, 2013. Ministry of Agriculture. Government of
- MoFL, 2007. National Livestock Development Policy. Ministry of Fisheries and Livestock, Government of the People's Republic of Bangladesh. pp. 1-40.
- Motta, M., Thisse, J-F. and Cabrales, A. 1997. On the persistence of leadership or leapfrogging in international trade. *International Economic Review* 38(4): 809 ± 824.
- Mustafa, M.G., Alam, M.J. and Islam, M.M. 2010. Effects of some artificial diets on the feed utilization and growth of the fry of climbing perch, *Anabas testudineus* (Bloch, 1792). *Report and Opinion* 2(2): 3-28.
- Neuman, W.L. 1991. Social Research Methods, Qualitative and Quantitative Approaches. Allyn and Bacon, Boston, MA.
- Ogundari, K. and Akinbogun, O.O. 2010. Modeling Technical Efficiency with Production Risk: A Study of Fish Farms in Nigeria. *Marine Resource Economics* 25: 295 ±308.
- Onumah, E.E and Acquah, H.D. 2010. Frontier Analysis of Aquaculture Farms in the Southern Sector of Ghana. *World Applied Sciences Journal* 9(7): 826-835.
- Patra, B.C. 1993. Satiation time, appetite and daily pattern of feed intake and faeces release by an air-breathing fish, *Anabas testudineus* (Bloch). *Journal of Aquaculture in the Tropics* 8(1): 41- 46.
- Phuong, N.T., Liem, P.T., Toan, T., Hien, T.T. and Tinh, L.V. 2005. Study on the effects of feeding diets on growth of climbing perch (*Anabas testudineus*) cultured in garden ditches. College of Aquaculture and Fisheries. Can Tho University, Vietnam. pp. 243-247.
- PRSP, 2005. Unlocking the Potential, National Strategy for Accelerated Poverty Reduction. General Economics Division, Planning Commission. Government of
- Rahman, A.K.A. 2005. Freshwater Fishes of Bangladesh. 2nd ed., Zool. Soc. Bangladesh, Dhaka. pp. 394.

Rahman, J. and Yusuf. 2010a. Economic growth in Bangladesh experience and policy priorities. Forth coming issue announcement. *Journal of Bangladesh Studies* 12(1): 21-53.

Rahman, M.A. 2009. Year Round Pangus and Food Security: an Economic Analysis of Some Selected Areas of Mymensingh District. M.S. Thesis. Bangladesh Agricultural University, Mymensingh, Bangladesh.

Rahman, M.A. and Marimuthu, K. 2010b. Effect of different stocking density on growth, survival and production of endangered native fish climbing perch (*Anabas testudineus*, Bloch) fingerlings in nursery ponds. *Advances in Environmental Biology* 4(2): 178-186.

5DKPDQ 6 %DUPRQ % . DQG \$KPHG 1 F 'LY-HUVLILF
JUHHQ UHYXODWLRQ¶ FRPELQDWLRQ fadning Dvth VWXG\
µJKHU¶ V\ VWHP LAQac%IdrQInrdGdHw BOI 10.1007/s10499-010-
9382-z.

Rahman, S., Monir, M.S. and Khan, M.H. 2013. Culture Potentials of Climbing Perch, Thai Koi, *Anabas testudineus* (Bloch) under Different Stocking Densities in Northern Regions of Bangladesh. *Journal of Experimental Biology and Agricultural Sciences* 1(3): 202-208.

Ravallion, M. 2005. Evaluating anti-poverty programs, World Bank Policy Research, Development Research Group, Working Paper 3625. *Review of Applied Economics* 10(2): 235-248.

Reifschneider, D. and Stevenson, R. 1991. Systematic departures from the frontier: a framework for the analysis of firm efficiency. *International Economic Review* 32: 715-723.

Roll, K.H., Guttormsen, A.G. and Asche, F. 2006. Modelling production risk in small scale subsistence agriculture. Contributed paper prepared for presentation at the International Association of Agricultural Economists Conference, Gold Coast, Australia, August 12-18, 2006.

Rosenbaum, P.R. and Rubin, D.B. 1983. The central role of the propensity score in observational studies for causal effects. *Biometrika* 70(1): 41.

Ryan, D.L. and Wales, T.J. 2000. Imposing Local Concavity in the Translog and Generalized Leontief Cost Function. *Economics Letters* 67 pp. 253 ±60.

Saha, A., Havenner, A. and Talpaz, H. 1997. Stochastic production function estimation: small sample properties of ML versus FGLS. *Applied Economics* 29(4): 459-469.

- Saha, A., Kabir, M.R. and Ali, M.M. 2009. Breeding Performances of Thai Koi, *Anabas testudineus* (Bloch, 1792) in Different Months of the Different Season under Two Sex Ratios. *Bangladesh Research Publications Journal* 2(4): 667-673.
- Samina Shirajee, S., Salehin, M.M. and Ahmed, N. 2010. The changing face of women for small-scale aquaculture development in rural Bangladesh. *Sustainable Aquaculture* XV(2): 9-16.
- Sarker, M.R. 2011. An Economic Study of Small-Scale Koi (*Anabas testudineus*) Fish Farming in Some Selected areas of Greater Mymensingh District. M.S. Thesis. Bangladesh Agricultural University. Mymensingh, Bangladesh.
- Schmidt, P. 1986. 'Frontier production functions'. *Econometric Review* 4(2): 329-334.
- Schultz, T.W. 1975. The value of the ability to deal with disequilibria. *Journal of Economic Literature* 13: 827-846.
- Sen, T.K. 1985. The Fish Fauna of Assam and Neighboring North-eastern States of India. Records of the Zoological Survey of India, Miscellaneous Publication. Occasional Paper No. 64, Calcutta. pp. 217.
- Sesabo, J.K. and Tol, R.S.J. 2007. Technical Efficiency and Small-scale Fishing Households in Tanzanian coastal Villages: An Empirical Analysis. *African Journal of Aquatic Science* 32(1): 51-61.
- SFYP, 2011-15. Sixth Five Year Plan. Accelerating Growth and Reducing Poverty, FY2011-FY2015. Sectoral Strategies, Programs and Policies, Part-2. Planning Commission of Bangladesh. pp. 1-479.
- Sharma, K.R. and Leung, P.S. 1998. Technical efficiency of carp production in Nepal: an application of stochastic frontier production function approach. *Aquaculture Economics and Management* 2(3): 129-140.
- Sharma, K.R. and Leung, P.S. 2000a. Technical efficiency of carp pond culture in south Asia: an application of stochastic meta-production frontier model. *Aquaculture Economics and Management* 4(3/4):169-189.
- Sharma, K.R. and Leung, P.S. 2000b. Technical efficiency of carp production in India: a stochastic frontier production function analysis. *Aquaculture Research* 31: 937-947.
- Sharma, K.R., Leung, P.S., Hailiang, C. and Peterson, A. 1999. Economic efficiency and optimum stocking densities in fish poly-culture: an application of data envelopment analysis (DEA) to Chinese fish farms. *Aquaculture* 180: 207-221.
- Sheshinski, E. 1967. Tests of the learning by doing hypothesis. *Review of Economics and Statistics* 49(4): 568-578.

- Siddique, K.A., Islam, M.S., Hossain, M.G. and Ahmed, A.T.A. 2000. A histological study of the spermatogenesis in Ompokpabda (Hamilton-Buchanan 1822). *Bangladesh Journal of Fisheries Research* 4(2): 185-189.
- Simar, L. and Wilson, P.W. 2011. Two stage DEA: Caveat emptor. *Journal of Productivity Analysis* 36(2): 205 ±218.
- Singh, K., Dey, M.M., Rabbani, A.G., Sudhakaran, P.O. and Thapa, G. 2009. Technical Efficiency of Freshwater Aquaculture and its Determinants in Tripura, India. *Agricultural Economics Research Review* 22: 185-195.
- Sinha, V.R.P. 1991. Aquaculture in Asian Region. In: Aquaculture Productivity, V.R.P. Sinha and H.C. Srivastava. (Eds) 3rd Ed. Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi, India.
- Talwar, P.K. and Jhingran, A.G. 1991. Inland Fishes of India and Adjacent Countries. 1st ed. Oxford and IBH Publishing Pvt., New Delhi, India.
- Tan, R.L., Garcia, Y.T., Dator, M.L., Tan, I.M.A. and Pemsil, D.E. (2011) Technical Efficiency of Genetically Improved Farmed Tilapia (GIFT) Cage Culture Operations in the Lakes of Laguna and Batangas, Philippines. *Journal of the International Society of Southeast Asian Agricultural Sciences* 17(1): 194 ±207.
- Tay, Y.L., Loong, A.M., Hiong, K.C., Lee, S.J., Tng, Y.Y.M., Wee, N.L.J., Lee, S.M.L., Wang, W.P., Chew, S.F., Wilson, J.M. and Ip, Y.K. 2006. Active ammonia transport and excretory nitrogen metabolism in the climbing perch, *Anabas testudineus*, during 4 days of emersion or 10 minutes of forced exercise on land. *Journal of Experimental Biology* 209: 4475-4489.
- Tetens, I., Hels, O., Khan, N.L., Thilsted, S.H. and Hassan, N. 2003. Rice-based diets in rural Bangladesh: How do different age and sex groups adapt to seasonal changes in energy intake? *The American Journal of Clinical Nutrition* 78: 406 ±413.
- Thilsted, S.H., Ross, N. and Hassan, N. 1997. The role of small indigenous fish species in food and nutrition security in Bangladesh. NAGA, ICLARM quarterly (supplement) July-December. pp. 13-15.
- Tiedemann, T. and Latacz-Lohmann, U. 2012. Production Risk and Technical Efficiency in Organic and Conventional Agriculture-The Case of Arable Farms in Germany. *Journal of Agricultural Economics* doi: 10.1111/j.1477-9552.2012.00364.x.
- Tihn, L.V. 2003. Culture of climbing perch in ponds with different crude protein diets, Vietnam. MS Thesis. Can Tho University.
- Tukey, J.W. 1977. Explanatory Data Analysis. Reading, MA: Addition-Wesley.

- Tveteras, R. 1998. *Econometric Modelling of Production Technology under Risk: The Case of the Norwegian Salmon Aquaculture Industry*. PhD Dissertation, Norwegian School of Economics and Business Administration.
- Tveteras, R. 1999. Production Risk and Productivity Growth: Some Findings for Norwegian Salmon Aquaculture. *Journal of Productivity Analysis* 12: 161 ±179.
- Tveteras, R., Flaten, O. and Lien, G. 2011. Production risk in multi-output industries: estimates from Norwegian dairy farms. *Applied Economics* 43: 4403 ±4414.
- Tveteras, R. and Wan, G.H. 2000. Flexible panel data models for risky production technologies with an application to salmon aquaculture. *Econometric Reviews* 19(3): 367-389.
- Van, K.V. and Hoan, V.Q. 2009. Intensive nursing climbing perch (*Anabas testudineus*) in hapas using pellet feed at different protein levels. *Journal of Science and Development* 7(2): 239-242.
- Villano, R. and Fleming, E. 2006. Technical Inefficiency and Production Risk in Rice Farming: Evidence from Central Luzon Philippines. *Asian Economic Journal* 20(1): 29-46.
- 9 L O O D Q R 5 \$ 2 ¶ ' R Q Q H O O & - D Q G % D W W H V H * (\$
 Risk, Risk Preferences and Technical Efficiency: Evidence from Rainfed Lowland Rice Farms in the Philippines. Working paper series. Agricultural and Resource Economics. No. 2005-1. pp. 1-24.
- Wan, G.H. and Battese, G.E. 1992a. A Stochastic Frontier Production Function Incorporating Flexible Risk Properties, No. 66. [Electronic version].
- Wan, G.H., Griffiths, W. E. and Anderson, J. R. 1992b. Using panel data to estimate risk effects in seemingly unrelated production functions. *Empirical Economics* 17: 35 ± 49.
- Wang, H.J. 2002. "Heteroskedasticity and Non-Monotonic Efficiency Effects of a Stochastic Frontier Model." *Journal of Productivity Analysis* 18:241-53.
- WB, 2011. Evaluative Lessons from World Bank Group Experience, Growth and Productivity in Agriculture and Agribusiness. The World Bank, 1818 H Street NW, Washington DC 20433. pp. 1-171.
- Wu, Y. 1996. 'Technical efficiency in the Chinese iron and steel industry'. *International Review of Applied Economics* 10(2): 235-248.