



UNIVERSITI PUTRA MALAYSIA

***QUALITY OF SERVICE MODEL FOR SOFTWARE AS A SERVICE IN
CLOUD COMPUTING FROM USERS' AND PROVIDERS' PERSPECTIVES***

ATIEH KHANJANI

FSKTM 2015 15



**QUALITY OF SERVICE MODEL FOR SOFTWARE AS A SERVICE IN CLOUD
COMPUTING FROM USERS' AND PROVIDERS' PERSPECTIVES**

By

ATIEH KHANJANI

**Thesis Submitted to the School of Graduate Studies,Universiti Putra Malaysia, in
Fulfilment of the Requirements for the Degree of Doctor of Philosophy**

July 2015

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



DEDICATION

*This thesis is dedicated to:
My wonderful Parents,*

Khanjani &

*Mahmoud
Homa Mardan*



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the Degree of Doctor of Philosophy

QUALITY OF SERVICE MODEL FOR SOFTWARE AS A SERVICE IN CLOUD COMPUTING FROM USERS' AND PROVIDERS' PERSPECTIVES

By

ATIEH KHANJANI

July 2015

Chairman : Wan Nurhayati Wan Ab. Rahman, PhD

Faculty : Computer Science and Information Technology

Software as a Service (SaaS) is one of the main service models in cloud computing which enables the application to run on the cloud by eliminating the installation on the personal computer at the client side. Quality of Service (QoS) is a crucial factor for the success of cloud services especially in terms of SaaS, so that if it is not delivered as expected, it might blemish the provider's reputation. In this thesis, we address the problem of the lack of QoS model for SaaS to cover more QoS attributes compared to other existing models and their definitions to be referred as reference model which are useful in both users' and providers' perspectives. There is a high demand for creating a quality model for SaaS since conventional frameworks cannot effectively support specific quality aspects of SaaS such as scalability and reusability. Even though there are some studies that have been performed regarding the QoS models for SaaS but they considered only a few attributes and still many aspects are left. Besides, the users might not have sufficient knowledge and experience of what they want and not be able to clarify their requirements very well. Therefore, the QoS consideration should be from both service users' and providers' perspectives to be more effective. In this research, QoS attributes for SaaS cloud services from both users' and providers' perspectives are presented, defined and categorized. A quality model for SaaS called SaaS-QoS model as a reference model to be useful in both perspectives, also was proposed. First, a set of 29 QoS attributes for SaaS cloud from the literature consisted of QoS attributes specific for SaaS quality models and in overall cloud computing, was obtained. Then, a survey conducted through experts in industry, academicians and researchers to measure the acceptability of the attributes using purposive sampling technique. Based on the result of the survey, 32 attributes under 5 categories were determined as QoS attributes for SaaS inspired by Service Measurement Index (SMI) framework and the SaaS-QoS model was then proposed. The SaaS-QoS model was evaluated from both user and provider perspectives through performing two surveys by SaaS providers and SaaS users. The results of evaluation part indicated that the categories and attributes assigned are highly associated and relevant. More than that, the SaaS-QoS model is practical and applicable enough for SaaS from both users' and providers' perspectives. This research has given a wider view of QoS attributes to both users and providers as a reference model and also to add to the body of knowledge and practitioners.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk Ijazah Doktor Falsafah

**MODEL KUALITI PERKHIDMATAN BAGI PERISIAN SEBAGAI
PERKHIDMATAN DALAM PENGKOMPUTERAN AWAN DARIPADA
PERSPEKTIF PENGGUNA DAN PENYEDIA**

Oleh

ATIEH KHANJANI

Julai 2015

Pengerusi : Wan Nurhayati Wan Ab. Rahman, PhD
Fakulti : Sains Komputer dan Teknologi Maklumat


Perisian sebagai Perkhidmatan (SaaS) adalah antara model perkhidmatan utama bagi pengkomputeran awan yang membolehkan aplikasi digunakan pada awan tanpa instalasi pada komputer peribadi di pihak pelanggan. Kualiti Perkhidmatan (QoS) adalah faktor penting bagi kejayaan perkhidmatan awan terutamanya SaaS, sekiranya tidak diberi seperti yang dijangka, ianya akan menjejaskan reputasi penyedia. Dalam tesis ini, kami mengenalpasti masalah kekurangan model QoS bagi SaaS untuk merangkumi lebih banyak atribut QoS dan definisi atribut tersebut berbanding model sedia ada yang dapat digunakan sebagai model rujukan bagi kedua-dua perspektif pengguna dan penyedia. Terdapat permintaan yang tinggi bagi mewujudkan model kualiti bagi SaaS memandangkan rangka kerja konvensional tidak menyokong dengan efektif khususnya aspek-aspek kualiti SaaS seperti skala yang lebih besar dan kebolegunaan semula. Walaupun terdapat kajian yang telah dilakukan berkenaan model QoS bagi SaaS tetapi mereka hanya mengambil kira beberapa atribut dan masih terdapat banyak aspek yang tertinggal. Di samping itu, pengguna mungkin tidak mempunyai pengetahuan dan pengalaman yang mencukupi bagi menentukan apa yang mereka mahu dan tidak dapat menjelaskan keperluan mereka dengan baik. Oleh itu, pertimbangan terhadap QoS yang lebih efektif adalah perlu dari kedua-dua perspektif penyedia dan pengguna perkhidmatan. Dalam penyelidikan ini, atribut QoS bagi awan SaaS daripada penyedia dan pengguna telah dibentangkan, dikenalpasti dan dikategorikan. Pertama, satu set 29 QoS atribut bagi awan SaaS dan kajian literatur terdiri dari atribut QoS khusus bagi model kualiti SaaS dan secara keseluruhan dari pengkomputeran awan telah dilakukan. Kemudian, kaji selidik dijalankan terhadap pakar-pakar dari industri, ahli akademik dan penyelidik untuk mengukur tahap penerimaan atribut tersebut menggunakan teknik persampelan bertujuan. Berdasarkan keputusan kaji selidik itu, 32 atribut di bawah 5 kategori telah ditentukan sebagai atribut QoS bagi SaaS inspirasi dari rangka kerja Indeks Pengukuran Perkhidmatan (SMI) dan model SaaS-QoS telah dicadangkan. Model SaaS-QoS dinilai dari kedua-dua perspektif pengguna dan penyedia menerusi dua kaji selidik kepada syarikat yang menyediakan SaaS dan pengguna SaaS. Keputusan penilaian mendapati kategori dan atribut yang telah diberikan adalah sangat berkaitan dan relevan. Di samping model SaaS-QoS adalah praktikal dan bersesuaian bagi SaaS dari perspektif pengguna dan penyedia. Penyelidikan ini telah memberikan pandangan yang lebih meluas terhadap atribut QoS kepada kedua-dua pengguna dan penyedia sebagai model rujukan dan dapat menyumbang terhadap badan ilmu dan pihak industri.

ACKNOWLEDGEMENTS

First and foremost, have to thank the God to give me power and ability to cope with the PhD thesis.

Second, I would like to thank my supervisory committee Dr. Wan Nurhayati Wan Ab. Rahman, Professor Dr. Abdul Azim Abd Ghani, Assoc. Prof. Dr. Abu Bakar Md Sultan and Dr. Novia Indriaty Admodisastro.

Lastly, I would like to thank all the people who helped and encouraged me to fulfil my PhD thesis.



This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Wan Nurhayati Wan Ab. Rahman, PhD

Senior Lecturer
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Chairman)

Abdul Azim Abd Ghani, PhD

Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

Abu Bakar Md Sultan, PhD

Associate Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

Novia Indriaty Admodisastro, PhD

Senior Lecturer
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- This thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of the thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceeding, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/ fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____

Date: _____

Name and Matric No.: Atieh Khanjani (GS31674)

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____	Signature: _____
Name of	Name of
Chairman of	Member of
Supervisory	Supervisory
Committee: <u>Wan Nurhayati Wan Ab. Rahman, PhD</u>	Committee: <u>Novia Indriaty Admodisastro, PhD</u>
Signature: _____	Signature: _____
Name of	Name of
Member of	Member of
Supervisory	Supervisory
Committee: <u>Abdul Azim Abd Ghani, PhD</u>	Committee: <u>Abu Bakar Md Sultan, PhD</u>

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	ii
ACKNOWLEDEMENT	iii
APPROVAL	iv
DECLARATION	vi
LIST OF TABLES	x
LIST OF FIGURES	xii
LIST OF ABBREVIATIONS	xiii
 CHAPTER	
1 INTRODUCTION	1
1.1 Background	2
1.2 Research Problems	2
1.3 Research Questions	2
1.4 Research Objectives	3
1.5 Research Scope	3
1.6 Research Contribution	3
1.7 Thesis Organization	
 2 LITERATURE REVIEW	4
2.1 Introduction	4
2.2 Cloud Computing	4
2.3 Software as a Service in Cloud Computing	6
2.3.1 The Emergence of SaaS	6
2.3.2 SaaS Features	7
2.4 Quality of Software	10
2.5 Quality of Service	10
2.6 Existing QoS Models for Cloud	11
2.6.1 QoS Models for SaaS	11
2.6.2 QoS Models for Other Cloud Services	12
2.6.3 SMI	13
2.6.4 Summary of QoS Models	15
2.7 Summary	16
 3 RESEARCH METHODOLOGY	17
3.1 Introduction	17
3.2 Research Methodology Phases	17
3.2.1 Development of SaaS-QoS model	18
3.2.1.1 Determination of SaaS-QoS Attributes	18
3.2.1.2 Measurement of the Acceptability of the SaaS-QoS Attributes	19
3.2.2 Evaluation of the SaaS-QoS Model	23
3.2.2.1 Content Validity Test on Evaluation Survey by Providers	23
3.2.2.2 Evaluation Survey by Providers' Perspective	23
3.2.2.3 Content Validity Test for Evaluation Survey by Usres	24

3.2.2.4	Evaluation Survey by Users' Perspective	24
3.3	Summary	24
4	PROPOSED QUALITY OF SERVICE MODEL	25
4.1	Introduction	25
4.2	SaaS-QoS Attributes	25
4.3	Findings and Results of the Acceptability Measurement of the SaaS-QoS Attributes	36
4.4	Classifictaion Based on the Perspectives	48
4.5	Summary	49
5	EVALUATION AND DISCUSSION	50
5.1	Introduction	50
5.2	Finding and Results of Survey for Evaluating the SaaS-QoS Model	50
5.2.1	Finding and Results of Survey on Providers' Perspective	50
5.2.2	Finding and Results of Evaluation Survey on Usres' Perspective	57
5.3	Discussion	63
5.4	Summary	63
6	CONCLUSION AND FUTURE RESEARCHES	64
6.1	Conclusion	65
6.2	Future Researches	65
	REFERENCES	66
	APPENDICES	94
	BIODATA OF STUDENT	103
	LIST OF PUBLICATIONS	104

LIST OF TABLES

Table	Page
2.1 Examples of IaaS, PaaS and SaaS	5
2.2 SMI attributes	14
2.3 Summary of QoS Models	15
3.1 Details of Respondents for the Survey on Measurement of Acceptability of Attributes	22
4.1 Existing QoS Attributes	25
4.2 Combination of 29 Attributes	27
4.3 Level of the Respondents	37
4.4 Specialization of the Respondents	37
4.5 Years of Experience in Industry	37
4.6 Years of Experience in Research	37
4.7 Years of Experience in Academic	38
4.8 Frequencies and Percentages to be Agreed for the Definition of the Five Categories by Respondents	38
4.9 Frequencies and Percentages to be Agreed for the Definition of the Agility Attributes by Respondents	39
4.10 Frequencies and Percentages to be Agreed for the Definition of the Assurance Attributes by Respondents	40
4.11 Frequencies and Percentages to be Agreed for the Definition of the Performance Attributes by Respondents	41
4.12 Frequencies and Percentages to be Agreed for the Definition of the Security Attributes by Respondents	41
4.13 Frequencies and Percentages to be Agreed for the Definition of the Usability Attributes by Respondents	42
4.14 Improved Definitions of Categories and Attributes	43
4.15 Other Attributes for the Categories	44
4.16 Final Definitions of Categories and Attributes Assigned	45
4.17 Classification of Attributes Based on Users' and Providers' Perspectives	48
5.1 Frequencies, Percentages and the Median of Association between Categories and Attributes, Applicability and Practicality of SaaS-QoS Model by Providers	51
5.2 Frequencies, Percentages and the Median to be Agreed with the Definition of Agility Attributes for Evaluating the SaaS-QoS Model by Providers	52
5.3 Frequencies, Percentages and the Median to be Agreed with the Definition of Assurance Attributes for Evaluating the SaaS-QoS Model by Providers	53
5.4 Frequencies, Percentages and the Median to be Agreed with the Definition of Performance Attributes for Evaluating the SaaS-QoS Model by Providers	54
5.5 Frequencies, Percentages and the Median to be Agreed with the Definition of Security Attributes for Evaluating the SaaS-QoS Model by Providers	55

5.6	Frequencies, Percentages and the Median to be Agreed with the Definition of Usability Attributes for Evaluating the SaaS-QoS Model by Providers	56
5.7	Frequencies, Percentages and the Median to be Agreed with the Definition of Agility Attributes for Evaluating the SaaS-QoS Model by Users	57
5.8	Frequencies, Percentages and the Median to be Agreed with the Definition of Assurance Attributes for Evaluating the SaaS-QoS Model by Users	58
5.9	Frequencies, Percentages and the Median to be Agreed with the Definition of Performance Attributes for Evaluating the SaaS-QoS Model by Users	59
5.10	Frequencies, Percentages and the Median to be Agreed with the Definition of Security Attributes for Evaluating the SaaS-QoS Model by Users	60
5.11	Frequencies, Percentages and the Median to be Agreed with the Definition of Usability Attributes for Evaluating the SaaS-QoS Model by Users	61
5.12	Frequencies, Percentages and the Median of Association between Categories and Attributes, Applicability and Practicality of SaaS-QoS Model by Users	62

LIST OF FIGURES

Figure	Page
2.1 Three Layer Services of Cloud	5
2.2 SaaS Features	9
2.3 Sample SaaS Architecture	9
2.4 SMI Framework	13
2.5 Seven Top-Level Categories of SMI	14
3.1 Research Methodology Phases	17
3.2 Finding Respondents	20
4.1 Initial SaaS-QoS Model	28
4.2 Percentages of Acceptability for Categories Definitions	38
4.3 Percentages of Acceptability for Attributes under Agility Category	39
4.4 Percentages of Acceptability for Attributes under Assurance Category	40
4.5 Percentages of Acceptability for Attributes under Performance Category	41
4.6 Percentages of Acceptability for Security Attributes	42
4.7 Percentages of Acceptability for Usability Attributes	43
4.8 Final SaaS-QoS Model	45

LIST OF ABBREVIATIONS

QoS	Quality of Service
SaaS	Software as a Service
IaaS	Infrastructure as a Service
PaaS	Platform as a Service
SMI	Service Measurement Index
IT	Information Technology
NIST	National Institute of Standards and Technology
ROI	Return On Investment
EC2	Amazon's Elastic Compute cloud
SLA	Service Level Agreement
KPI	Key Performance Indicator
CSMIC	Cloud Service Measurement Initiative Consortium
SE	Software Engineering
UI	User Interface
ISO	International Organization for Standardization
IEC	International Electronically Commission

CHAPTER 1

INTRODUCTION

1.1 Background

Nowadays, with merging multi-core processors and distributed computing network environments, software developers tend to use new computing paradigm such as cloud computing to provide easiest way to use computing resources similarly to public utility such as water, electricity and etc. (Buyya et al., 2011). Cloud computing is the best Internet-base computing alternative for handling Information Technology (IT) resources and utilize IT as a service (Rawat et al., 2012). There are three main service categories for cloud computing including Software as a Service (SaaS), Infrastructure as a Service (IaaS) and Platform as a Service (PaaS). Among main services of the cloud, SaaS is the most commonly heard term and one of the important branches of cloud computing which enables the application run on the cloud eliminating the installation on the personal computer at the client side (Marston et al., 2011). From the beginning of using software, the quality of software is taken into consideration. With the prevalence of SaaS cloud and increasing its popularity, considering the QoS as vital factor to distinguish the services from both user's and provider's side and also to user satisfaction and company profitability (He et al., 2012), (La & Kim, 2009). Moreover, QoS is crucial factor for the success of cloud computing so that if it is not delivered properly and as expected, it may tarnish provider's reputation (Ferretti & Ghini, 2010). In addition, SaaS services are multi-tenant, therefore they are dealing with many users with different preferences and profiles and the only way to distinguish these services is to consider QoS from provider as well as user side. Therefore, researchers should pay more attention to the QoS so that the final services provided satisfy customer and bring more benefits to the providers as well. QoS for SaaS cloud services consist of many aspects involved in the business side, network side and service (application) side. Moreover, QoS includes many attributes such as customizability, availability, scalability, performance, supporting multi-tenant and etc. that can be achieved from the specific features of SaaS. Service Measurement Index (SMI) has presented a holistic view of overall cloud services attributes (Garg et al., 2011) and there are some researches which used the SMI attributes to create a QoS model for IaaS. However, although there are some QoS models for SaaS, but they considered only a few attributes and since QoS is very important in any type of cloud services specially SaaS, this motivate us to create a QoS model for SaaS based on SMI framework. Moreover, since SaaS is commonly utilized now and provides advantages rather than traditional software model, so to realize these advantages it is necessary to consider its quality and therefore manage higher level of its quality level according to the evaluation result (Akojwar et al., 2012).

1.2 Research Problems

There is a high demand for creating a quality of service model for SaaS since conventional quality models cannot effectively support specific quality aspects of SaaS such as scalability and reusability (Lee et al., 2009). However, there is a lack of

work on QoS model for SaaS since quality of service models proposed in current researches (Lee, et al., 2009; Nadanam & Rajmohan, 2012) considered a few QoS attributes only and still many aspects such as Suitability, Accuracy, Extensibility, Serviceability, Resilience, Operability and Learnability are left out. The definitions of SaaS QoS attributes are still missing and some are not well-defined. A study showed that the success of cloud services especially SaaS cannot be guaranteed and achieved without user satisfaction especially in terms of QoS (Badidi, 2013). The users, on the other hand, might not have enough knowledge and experience of what they want and not able to clarify their requirements very well. Therefore, the QoS consideration should be from both users' and providers' perspectives to be more effective.

1.3 Research Questions

In order to contribute for proposing solutions to the stated problems, these are the research questions that need to be answered in this research:

- What is the most relevant QoS model for SaaS cloud computing?
- What are the main QoS attributes required for SaaS cloud?
- Why QoS attributes should be considered from both users' and providers' perspectives?

1.4 Research Objectives

The main objective of this study is to propose a quality of service model for SaaS cloud services as a reference model to be used by both users and providers.

The specific objectives of this research are as follow:

- To determine the QoS attributes for SaaS useful for both users and providers;
- To classify the QoS attributes into related category, specifically for SaaS;
- To verify the new definitions of QoS attributes proposed in SaaS-QoS model by experts.

1.5 Research Scope

Cloud computing is a wide range of new computing paradigm. SaaS is a kind of cloud computing services which delivers software applications as an online service usable through the Internet. The quality of SaaS services is crucial for the success of cloud SaaS services. Besides, SaaS has special features which need to be considered when it comes to quality, because the quality of SaaS is different from other types of cloud services. QoS model for SaaS cloud is important to be used by users and providers. Thus, this research is concentrating on proposing QoS model for SaaS. There are five categories for SaaS-QoS model in this research which are Agility, Assurance, Performance, Security and Usability. The categories inspired by SMI framework and every category has three or more QoS attributes.

1.6 Research Contribution

The main contribution of this research is to construct SaaS-QoS model from both users' and providers' perspectives. For this matter, QoS attributes were gathered from literature review and obtained a set of 29 attributes under five categories such as Agility, Assurance, Performance, Security and Usability. Then, the attributes were assigned to the respective categories inspired by SMI framework followed by (Buyya et al., 2011) which used SMI to create QoS for IaaS. A survey was performed to measure the acceptability of attributes and categories. Based on the result, the definition of attributes and categories and the initial SaaS-QoS model was improved and finally the final version of SaaS-QoS model consisted of 32 attributes under five categories was designed. The final version of SaaS-QoS model then, was evaluated by both users and providers through performing two surveys by SaaS providers and users.

1.7 Thesis Organization

This thesis comprises six chapters, including this introductory chapter covering the background of the study, problem statement, research objectives, scope of research, and thesis organization.

Chapter 2 reviews literature on cloud computing concepts, services in cloud computing, software as a service delivery model, importance of QoS in cloud SaaS, SMI and researches on QoS models for cloud computing specially in terms of SaaS. This chapter provides important information to be taken into consideration in an effort to meet the research goal, which is to develop a QoS model for SaaS cloud.

Chapter 3 explains the research methodology comprising constructing the SaaS-QoS model steps such as determining QoS attributes from literature and standard, performing justification for attributes, check for their redundancy, performing a purposive sampling survey for measurement of the acceptability of attributes and performing the second survey to assess the quality of service model constructed.

Chapter 4 expresses the result and outcome of constructing the SaaS-QoS model including determination of the QoS attributes for SaaS cloud, justification for those attributes, check for redundancy and the survey was done for measurement of acceptability of the attributes.

Chapter 5 explains the findings and results of model evaluation including performing a purposive sampling survey from both users' and providers' perspective to evaluate the model. Finally, Chapter 6 presents the conclusion, summary of contribution and future works of this research.

REFERENCES

- ABA. (2014). Cloud Computing/Software as a Service for Lawyers. *American Bar Association*. Retrieved from http://www.americanbar.org/groups/departments_offices/legal_technology_resources/resources/charts_fyis/saas.html
- Abbott. (2010). Service Measurement Index. *Wikipedia*. Retrieved from http://en.wikipedia.org/wiki/File:SMI_Characteristics.JPG
- Akojwar, R. A., Kothari, R. V., Kahate, S. A., & Ganvir, R. D. (2012). Software As A Service With Cloud Computing. *International Journal of Electronics Communication and Computer Engineering*, 3(1), 162–168.
- Alhamad, M., Dillon, T., & Chang, E. (2010a). Conceptual SLA framework for cloud computing. *4th IEEE International Conference on Digital Ecosystems and Technologies*, 606–610. doi:10.1109/DEST.2010.5610586
- Alhamad, M., Dillon, T., & Chang, E. (2010b). Conceptual SLA framework for cloud computing. *4th IEEE International Conference on Digital Ecosystems and Technologies*, 606–610. doi:10.1109/DEST.2010.5610586
- AlSahhar, R. (2009). SaaS : The Future of Flexible Software Model. Retrieved from <http://www.slideshare.net/SmartManQ8/saas-1597107>
- Badidi, E. (2013). A Framework for Software-as-a-Service Selection and Provisioning. *International Journal of Computer Networks and Communications (IJCNC)*, 5(3), 12. Distributed, Parallel, and Cluster Computing. doi:10.5121/ijcnc.2013.5314
- Barile, S. (2005). Software companies move to service model for revenue. Retrieved from <http://www.bizjournals.com/triangle/stories/2005/07/25/focus2.html?page=all>
- Bedin, W., & Moinuddin, M. (2007). An Overview of Software as a Service in Retail. Retrieved from http://msdn.microsoft.com/en-us/library/bb507203.aspx#saasretail_topic8
- Boniface, M., Nasser, B., Papay, J., Phillips, S. C., Servin, A., Yang, X., ... Kyriazis, D. (2010). Platform-as-a-Service Architecture for Real-Time Quality of Service Management in Clouds. *2010 Fifth International Conference on Internet and Web Applications and Services*, 155–160. doi:10.1109/ICIW.2010.91
- Burkon, L. (2013). Quality of Service Attributes for Software as a Service. *Journal of System Integration*, 3, 38–47.
- Buyya, R., Garg, S. K., & Calheiros, R. N. (2011). SLA-Oriented Resource Provisioning for Cloud Computing : Challenges , Architecture , and Solutions, (Figure 1), 1–10.

- Cancian, M. H., Carlo, J., Hauck, R., Wangenheim, C. G. Von, & Rabelo, R. J. (2010). Discovering Software Process and Product Quality Criteria in Software as a Service. In *Product-Focused Software Process Improvement* (pp. 234–247).
- Caro, A., Calero, C., Caballero, I., & Piattini, M. (2008). A proposal for a set of attributes relevant for Web portal data quality. *Software Quality Journal*, 16(4), 513–542. doi:10.1007/s11219-008-9046-7
- Chauhan, M. A., & Babar, M. A. (2011). Migrating Service-Oriented System to Cloud Computing: An Experience Report. In *2011 IEEE 4th International Conference on Cloud Computing* (pp. 404–411). Ieee. doi:10.1109/CLOUD.2011.46
- Chong, F. (2006). Software as a Service (SaaS): An Enterprise Perspective, 1–22. Retrieved from <https://msdn.microsoft.com/en-us/library/aa905332.aspx>
- Chong, R. F. (2012). Designing a database for multi-tenancy on the cloud. *IBM*. Retrieved from <https://www.ibm.com/developerworks/data/library/techarticle/dm-1201dbdesigncloud/>
- Chou, D. C., & Chou, A. Y. (2008). *Software as a Service (SaaS) as an Outsourcing Model: An Economic Analysis* (pp. 386–391).
- Cloud and SaaS Solutions. (2009). Retrieved from <http://www.ecoreusa.com/ecore/cloud-saas-solutions>
- CloudReviews. (2012). Cloud Computing and Benefits of SaaS. Retrieved from <http://www.cloudreviews.com/blog/benefits-of-software-as-a-service>
- Cohen, L., Manion, L., & Morrison, K. (2001). *Reserach Methods in Education* (p. 446).
- Côté, M.-A., Suryn, W., & Georgiadou, E. (2007). In search for a widely applicable and accepted software quality model for software quality engineering. *Software Quality Journal*, 15(4), 401–416. doi:10.1007/s11219-007-9029-0
- CSMIC. (2010). The Service Measurement Index (SMI). Retrieved from <http://csmic.org/understanding-smi/>
- CSMIC. (2013). *Service Measurement Index Framework Version 2 . 0 draft Introducing the Service Measurement Index (SMI)*. Retrieved from <http://csmic.org/understanding-smi/>
- Despotovic, N. (2011). 5 Must-Have Features of SaaS Application Performance Monitoring Tools. *Bizcloud*. Retrieved from <http://bizcloudnetwork.com/5-must-have-saas-application-performance-monitoring/>
- Erel, O. (2013). Improve Software Quality Using Walkme Online Guidance. Retrieved from <http://saasaddict.walkme.com/improve-software-quality-using-walkme-online-guidance/>

- Fairchild, M. (2012). Software-as-a-Service HRMS: A Risk/Reward Analysis. *Hrlab.com*. Retrieved from <http://www.hrlab.com/saas-hrms.php>
- Farhat, T. (2013). SaaS (Software-as-a-Service) as-a-secure-service. *Slideshare*. Retrieved from <http://www.slideshare.net/TayyabaFarhat16/saas-softwareasaservice-asasecureservice>
- Ferretti, S., & Ghini, V. (2010). Qos-aware clouds. In *Cloud Computing (CLOUD), 2010 IEEE 3rd International Conference on* (pp. 321 – 328). Retrieved from http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=5557978
- Ferretti, S., Ghini, V., Panzieri, F., Pellegrini, M., & Turrini, E. (2010). QoS-Aware Clouds. *2010 IEEE 3rd International Conference on Cloud Computing*, 321–328. doi:10.1109/CLOUD.2010.17
- Freitas, N., Filho, D., Isaias, C., Bermejo, H. D. S., Zambalde, A. L., & Barros, U. S. De. (2013). SaaSQuality - A Method for Quality Evaluation of Softawre As A Service (SaaS). *International Journal of Computer Science & Information Technology (IJCSIT)*, 5(3), 101–117.
- Garg, S. K., Versteeg, S., & Buyya, R. (2011). SMICloud: A Framework for Comparing and Ranking Cloud Services. *2011 Fourth IEEE International Conference on Utility and Cloud Computing*, (Vm), 210–218. doi:10.1109/UCC.2011.36
- Giacomo, D. Di, & Brunzel, T. (2010). - *Cloud Computing Evaluation - How it Differs to Traditional IT Outsourcing*. Retrived from http://www.diva-portal.org/smash/record.jsf?jsessionid=Evj8CHrRyhdM45Ef532qV2YwmQ_biL DLUf2hB-ma.diva2-search7-vm?pid=diva2%3A328402&dswid=6328
- Gousios, G., Stroggylos, K., Louridas, P., And, V. V., Spinellis, D., & Karakoidas, V. (2007). Software Quality Assessment of Open Source Software. (D. N. C. Theodore S. Papatheodorou and Nikitas N. Karanikolas, Current Trends in Informatics, Ed.) *11th Panhellenic Conference on Informatics, PCI 2007*. Athens.
- Goyal, S. (2013). Software as a Service , Platform as a Service , Infrastructure as a Service – A Review. *International Journal of Computer Science & Network Solutions*, 1(3), 53–67.
- He, Q., Han, J., Yang, Y., Grundy, J., & Jin, H. (2012). QoS-Driven Service Selection for Multi-tenant SaaS. *2012 IEEE Fifth International Conference on Cloud Computing*, 566–573. doi:10.1109/CLOUD.2012.125
- Hyland Software. (2010). On-Premises vs. Software as a Service, or SaaS; Manual vs. Automatic. *Slideshare*. Retrieved from <http://www.slideshare.net/hylandsoftware/onpremises-vs-software-as-a-service-or-saas-manual-vs-automatic>

- Ihalainen, P. (2013). Cloud Assurance. *UBISecure*. Retrieved from <http://www.ubisecure.com/blog/cloud-assurance>
- Kim, J. W., & Jeong, J. (2012). Comparison of Cloud Service Quality Information Publication Based on Cloud Service Quality Model, in 2012 International Conference on Information and Computer Applications (ICICA 2012) IACSIT Press, Singapore 24(2012), 72–76.
- Kitchenham, B. A., & Pfleeger, S. L. (2008). Personal Opinion Surveys. Guide to Advanced Empirical Software Engineering 2008, pp 63-92
- Klipfolio. (2014). What is SaaS Business Intelligence (BI)? Retrieved from <http://www.klipfolio.com/resources/articles/what-is-saas-business-intelligence>
- Kong, H., Wang, S., Zheng, Z., Sun, Q., Zou, H., & Yang, F. (2011). Cloud Model for Service Selection. In *IEEE INFOCOM* (pp. 666–671).
- Kumar, R., & Sharma, M. K. (2013). Cloud Application of e-Governance System Using Advanced Wireless Networks. *Science Journal- Researcher*, 5(6), 26–29.
- Kumar, S., Versteeg, S., & Buyya, R. (2013). A framework for ranking of cloud computing services. *Future Generation Computer Systems*, 29(4), 1012–1023. doi:10.1016/j.future.2012.06.006
- La, H. J., & Kim, S. D. (2009). A Systematic Process for Developing High Quality SaaS Cloud Services. In *Proceedings of the 1st International Conference on Cloud Computing* (pp. 278–289). Berlin, Heidelberg: Springer-Verlag. doi:10.1007/978-3-642-10665-1_25
- Laporte, C. Y., & Martin, R. A. (2005). The Evolution Path for Industrial Software Quality Evaluation Methods Applying ISO/IEC 9126: 2001 *Software Quality Control*, 13(1), 17–30. doi:http://dx.doi.org/10.1007/s11219-004-5259-6
- Lawlor, A. D. (2009). SaaS Maintainability. *Aptaria Blog*. Retrieved from <http://blog.aptaria.com/2009/02/saas-maintainability.html>
- Lee, J. Y., Lee, J. W., Cheun, D. W., & Kim, S. D. (2009). A Quality Model for Evaluating Software-as-a-Service in Cloud Computing. *2009 Seventh ACIS International Conference on Software Engineering Research, Management and Applications*, 261–266. doi:10.1109/SERA.2009.43
- Link, B. (2013). Considering the Company's Characteristics in Choosing between SaaS vs. On-Premise-ERPs. *Wirtschaftsinformatik*, (March), 261–277. Retrieved from <http://www.wi2013.de/proceedings/WI2013 - Track 2 - Link.pdf>
- Marketron. (2014). Why Software as a Service (SaaS) and the Cloud? Retrieved from <http://www.marketron.com/Other/pdf/clients/Saas.pdf>

- Marston, S., Li, Z., Bandyopadhyay, S., Zhang, J., & Ghalsasi, A. (2011). Cloud computing — The business perspective. *Decision Support Systems*, 51(1), 176–189. doi:10.1016/j.dss.2010.12.006
- McBeath, B. (2014). Design for Serviceability. *technology Evaluation Centers*. Retrieved from <http://www.technologyevaluation.com/research/article/Design-for-Serviceability.html>
- McLellan Charles. (2013). SaaS: Pros, cons and leading vendors. Retrieved from <http://www.zdnet.com/saas-pros-cons-and-leading-vendors-7000011500/>
- Mell, P., & Grance, T. (2011). *The NIST Definition of Cloud Computing*. U.S. Department of Commerce. Gaithersburg.
- Merker, L. (2009). Considering Enterprise Software as a Service? Retrieved from <http://www.universitybusiness.com/article/considering-enterprise-software-service>
- Nadanam, P., & Rajmohan, R. (2012). QoS Evaluation for Web Services in Cloud Computing. In *Third International Conference on Computing Communication & Networking Technologies (ICCCNT)* (pp. 1–8). IEEE-20180.
- Nolle, T. (2013). Three ways to achieve mobile SaaS apps agility. Retrieved from <http://searchcloudapplications.techtarget.com/tip/Three-ways-to-achieve-mobile-SaaS-apps-agility>
- Oliver, P. (2006). Purposive Sampling. *STAGE journals*. Retrieved from <http://srmo.sagepub.com/view/the-sage-dictionary-of-social-research-methods/n162.xml>
- Otte, T., & Moreton, P. R. (2010). *An Investigation into Quality Assurance of the Open Source Software Development Model*. School of computing and IT. University of Wolverhampton.
- Palys, T. (2008). Purposive sampling. *The Sage Encyclopedia of Qualitative Research Methods*, 2, 697–699. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Purposive+Sampling#2>
- Partridge, A. R. (2011). High Tech: The Rise of SaaS and the Cloud. *Inbound ogistic*. Retrieved from <http://www.inboundlogistics.com/cms/article/high-tech-the-rise-of-saas-and-the-cloud/>
- Pidoco. (2013). Usability. *Pidoco*. Retrieved from <https://pidoco.com/en/help/ux/usability>
- Rackspace. (2013). Understanding the Cloud Computing Stack: SaaS, PaaS, IaaS. Retrieved from http://www.rackspace.com/knowledge_center/whitepaper/understanding-the-cloud-computing-stack-saas-paas-iaas

- Rawat, P., Saroha, G., & Barthwal, V. (2012). Quality of Service Evaluation of SaaS Modeler (Cloudlet) Running on Virtual Cloud Computing Environment using CloudSim. *International Journal of Computer Applications*, 53(13), 35–38.
- Rittinghouse, J. W., & Ransome, J. F. (2009). Cloud Security Challenges. *Information System Security*. Retrieved from http://www.infosectoday.com/Articles/Cloud_Security_Challenges.htm
- Roomans, O. (2012). Cloud computing for dummies. *EASI*. Retrieved from <http://blog.easi.net/p-p-39.html>
- Rosenblum, J. (2012). Key Features Of Cloud Computing. *Cloud Tweakers*. Retrieved from <http://cloudtweaks.com/2012/09/key-features-of-cloud-computing/>
- Rouse, M. (2007). service assurance (SA). *SearchCRM*. Retrieved from <http://searchcrm.techtarget.com/definition/service-assurance>
- Rouse, M. (2011). Reliability, Availability and Serviceability (RAS). *WhatLS*. Retrieved from <http://whatis.techtarget.com/definition/Reliability-Availability-and-Serviceability-RAS>
- Salama, M., Shawish, A., Zeid, A., & Kouta, M. (2012). Integrated QoS Utility-Based Model for Cloud Computing Service Provider Selection. *2012 IEEE 36th Annual Computer Software and Applications Conference Workshops*, 45–50. doi:10.1109/COMPSACW.2012.18
- Santosh. (2014). Software as a Service – SaaS. Retrieved from <http://blog.eukhost.com/webhosting/software-as-a-service-saas/>
- Schroeter, J., Mucha, P., Muth, M., Jugel, K., & Lochau, M. (2012). Dynamic configuration management of cloud-based applications. In *Proceedings of the 16th International Software Product Line Conference* (pp. 171–178).
- Security Management in the Cloud - SaaS Availability Management. (2010). Retrieved from <http://mscerts.programming4.us/programming/security-management-in-the-cloud-saas-availability-management.aspx>
- Seidler, J. (1974). On Using Informants: A Technique for Collecting Quantitative Data and Controlling Measurement Error in Organization Analysis. *American Sociological Association*, 39(6), 816–831.
- Shaikhatarov, O. (2013). How Usable Is Your Product And Why That's Important. *Acumatica*. Retrieved from <http://www.acumatica.com/blog/head-how-usable-is-your-product-and-why-thats-important>
- Shomron, D. (2009). SLA Management for SaaS. Retrieved from <http://saasperspective.blogspot.com/2009/11/sla-management-in-saas.html>

- Siegel, J., & Perdue, J. (2012). Cloud Services Measures for Global Use: The Service Measurement Index (SMI). In *Service Research and Innovation Institute Global Conference (SRIG)* (pp. 411–415). IEEE. doi:10.1109/SRIG.2012.51
- Sims, D. (2013). Why SaaS Makes Sense for Manufacturers. *TechTrend Journal*. Retrieved from <http://www.thomasnet.com/journals/techtrends/articles/why-saas-makes-sense-for-manufacturers>
- Derek, S. (2011). What is SaaS? 10 Frequently Asked Questions About Software as a Service. Retrieved from <http://blog.softwareadvice.com/articles/enterprise/saas-faqs-1072811/>
- Smart, J. (2013). SaaS flexibility boosts productivity in many ways. *UPclear*. Retrieved from <http://www.upclear.com/blog/item/133-saas-flexibility-boosts-productivity-in-many-ways>
- Software as a Service (SaaS). (2010). Retrieved from <http://searchcloudcomputing.techtarget.com/definition/Software-as-a-Service>
- Song, J., Zhang, S., Gong, Y., & Dai, B. (2012). A QoS Evaluation Model for Test-Bed in the Cloud Computing Environment, (1588). doi:10.1109/ICEBE.2012.54
- Staff, M. (2012). SaaS Application Customization Techniques. *MaaSers*. Retrieved from <http://www.maas360.com/maasters/blog/mobilitymanagement/saas-application-customization-techniques/>
- Ten Things to Think About When Considering Software As A Service (SaaS). (2013). Retrieved from <http://www.bdo.co.uk/talk-shop/ten-things-to-think-about-when-considering-software-as-a-service-saas>
- Tongco, M. (2007). Purposive sampling as a tool for informant selection. *Journal of Plants, People and Applied Research*, 147–158. Retrieved from <http://scholarspace.manoa.hawaii.edu/handle/10125/227>
- Waineright, Zdn. P., & Chaudhary, V. (2014). SaaS PodcastMonitoring User Experience of the Cloud. *Keynote*. Retrieved from http://www.keynote.com/industries/SaaS_Podcast.html
- Walsh, B. (2013). Fault-Tolerant Networking. *Network Computing*. Retrieved from <http://www.networkcomputing.com/netdesign/faultintrob.html>
- Wen, P. X. :, & Dong, L. (2013). Quality Model for Evaluating SaaS Service. In *IEEE Fourth International Conference on Emerging Intelligent Data and Web Technologies* (pp. 83–87).
- Werner, M., Richling, J., Milanovic, N., & Stantchev, V. (2013). Composability Concept for Dependable Embedded Systems. In *Proceedings of the International Workshop on Dependable Embedded Systems at the 22nd Symposium on Reliable Distributed Systems (SRDS 2003)* (p. 5).

- Zain, Z. M., Ghani, A. A. A., Abdullah, R., Atan, R., & Yaakob, R. (2013). Blog Quality Model. *International Journal of Web Based Communities*, 9(1), 25–50.
- Zhang, P., & von Dran, G. (2002). User Expectation and Ranking of Quality Factors in Different Web Site Domains. *International Journal of Electronic Commerce*, 6(2), 9–33.
- Zhang, S., Yan, H., & Chen, X. (2012). Research on Key Technologies of Cloud Computing. In *Physics Procedia* (Vol. 33, pp. 1791–1797). doi:10.1016/j.phpro.2012.05.286
- Zia, A., & Khan, M. N. A. (2012). Identifying Key Challenges in Performance Issues in Cloud Computing. *International Journal of Modern Education and Computer Science*, 4(10), 59–68. doi:10.5815/ijmecs.2012.10.08