



UNIVERSITI PUTRA MALAYSIA

**DEVELOPMENT OF A SPATIOTEMPORAL DATA MODEL FOR
MANAGEMENT AND VISUALIZATION OF SURFACE MOVEMENT
DATA**

MOHD SHAFRY BIN MOHD RAHIM

ITMA 2008 6



**DEVELOPMENT OF A SPATIOTEMPORAL DATA MODEL FOR
MANAGEMENT AND VISUALIZATION OF SURFACE MOVEMENT DATA**

By

MOHD SHAFRY BIN MOHD RAHIM

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirement for the Degree of Doctor of Philosophy**

December 2008



DEDICATION

*This work is dedicated to my family members
who are always giving me encouragement
and support*



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Doctor of Philosophy

**DEVELOPMENT OF A SPATIOTEMPORAL DATA MODEL FOR
MANAGEMENT AND VISUALIZATION OF SURFACE MOVEMENT DATA**

by

MOHD SHAFRY BIN MOHD RAHIM

December 2008

Chairman: Associate Professor Abdul Rashid Mohamed Shariff, PhD

Faculty: Institute of Advance Technology

Spatiotemporal data is a part of geographical data required in Geographical Information System (GIS). Generally, the existing GIS are not suited to manage changes occurring in the data with time. The capability of managing geographic data with time depends on the underlying data model in which the data model has to take into account the spatiotemporal aspects of the geographic data. Thus, a Spatiotemporal Data Model is required to manage changes in GIS data. Spatiotemporal Data Model represents the abstraction of data management in GIS. Surface movement on three dimensional objects is one of the spatiotemporal data which represents changes of the surface taking place in geographic phenomena. However, current Spatiotemporal Data Model and current GIS software are not adequate for managing the surface movement of three dimensional objects while representing the data. Most of the existing data models brought us to the conclusion that a new Spatiotemporal Data Model is needed to improve the management of three dimensional data with temporal element. Therefore, a new Spatiotemporal Data Model, Surface Movement Spatiotemporal (SMST) Data Model is proposed, which supports the management and visualization of surface movement data in three



dimensional objects such as terrain model. The data model were developed under consideration of real world events together with current data collection, for example, a terrain model in the geographic phenomena which deals with changes from time to time based on natural phenomena and human activity. The data were collected by capturing images from time to time. Formalization of the surface movement reconstruction is a fundamental knowledge to develop the SMST Data Model. Currently, in many fields, surface reconstruction does not consider the temporal element. Therefore, the surface movement of three dimensional objects is formalized by enhancing the surface reconstruction method; that is by integrating it with temporal element. In order to test and evaluate the SMST Data Model, a database management system with a loading and a retrieval algorithm suitable to this model were developed. The retrieved data from the database system is saved in the proposed data format for surface movement visualization. In developing the visualization tool, visualization algorithm was used by employing the morphing technique which uses parametric equation. The proposed model was tested using digital terrain model digitized from a series of aerial photos. The model can store and manage surface movement data while reducing the redundancy of data in the database system. Percentage of reduced data redundancy is based on the number of points involved in the movement process. The model stores only the movement points in the surface. Besides, the proposed model can retrieve data for simulating surface movement on the three dimensional object. Therefore, the major contributions of this research are the formalization of surface movement data and the proposed SMST Data Model which can manage surface movement data on three dimensional objects with respect to time.



Abstrak tesis yang dikemukakan kepada senat Universiti Putra Malaysia sebagai memenuhi sebahagian keperluan untuk ijazah Doktor Falsafah

**PEMBANGUNAN MODEL DATA SPATIOTEMPORAL UNTUK PENGURUSAN
DAN VISUALISASI DATA PERUBAHAN PERMUKAAN**

by

MOHD SHAFRY BIN MOHD RAHIM

Januari 2009

Pengerusi: Professor Madya Abdul Rashid Mohamed Shariff, PhD

Fakulti: Institut Teknologi Maju

Data “Spatiotemporal” adalah sebahagian daripada data geografi yang diperlukan oleh Sistem Maklumat Geografi. Sistem Maklumat Geografi sedia ada tidak sesuai untuk digunakan bagi tujuan mengurus data geografi yang mempunyai faktor masa. Keupayaan untuk mengurus data geografi yang mempunyai faktor masa adalah bergantung kepada model data. Model data itu perlu mengambilkira faktor masa. Oleh itu, Model Data “Spatiotemporal” diperlukan bagi mengurus perubahan dalam data geografi. Perubahan permukaan dalam tiga dimensi adalah sebahagian daripada data “spatiotemporal” yang menerangkan perubahan yang berlaku. Model Data “Spatiotemporal” dan perisian Sistem Maklumat Geografi tidak dapat memenuhi keperluan untuk mengurus dan visualisasi data perubahan permukaan dalam tiga dimensi. Satu Model Data “Spatiotemporal” yang baru perlu bagi mengurus perubahan permukaan dalam tiga dimensi. Oleh itu, Model Data “Spatiotemporal” Perubahan Permukaan telah dicadangkan yang mana ia mempunyai keupayaan untuk menampung keperluan pengurusan dan visualisasi data perubahan dalam tiga dimensi seperti perubahan bentuk muka bumi. Model data ini telah dihasilkan



berdasarkan kepada fenomena perubahan permukaan bentuk muka bumi yang berlaku dan proses pengumpulan data yang sering dilakukan. Secara umumnya, gambar udara diambil dari masa ke semasa bagi mengumpul data untuk melihat perubahan. Formalisasi pembentukan perubahan permukaan menjadi asas ilmu untuk menghasilkan Model Data “Spatiotemporal” Perubahan Permukaan. Dalam kebanyakan bidang, pembentukan permukaan secara tiga dimensi tidak mengambilkira faktor masa. Oleh yang demikian, definisi perubahan permukaan untuk objek tiga dimensi perlu ditakrifkan. Untuk melaksanakan pengujian terhadap model data yang dicadangkan, satu sistem pengurusan pangkalan data dengan algoritma kemasukan data dan pengambilan data dibangunkan. Data yang diambil daripada pangkalan data disimpan dalam satu format fail untuk visualisasi perubahan permukaan. Visualisasi perubahan permukaan tersebut dihasilkan dengan menggunakan persamaan parametrik. Model yang dicadangkan diuji dengan menggunakan siri foto udara. Hasil daripada pengujian, model tersebut boleh menyimpan dan mengurus perubahan permukaan disamping dapat mengurangkan kadar pertindihan data dalam pangkalan data. Peratusan pengurangan pertindihan data adalah bergantung kepada jumlah titik yang terlibat dalam proses perubahan. Hanya data yang dikenalpasti berubah sahaja disimpan dalam pangkalan data. Disamping itu, ia dapat mengeluarkan data bagi simulasi perubahan permukaan secara tiga dimensi. Dalam kajian ini, sumbangan ilmiah adalah formalisasi perubahan permukaan dan Model Data “Spatiotemporal” Perubahan Permukaan. Ia boleh mempunyai keupayaan untuk menguruskan data tiga dimensi bersama dengan parameter masa.

ACKNOWLEDGEMENTS

First of all I should thank the Almighty, for without His blessings it would not have been possible for me to do this study. Special thanks to Associate Professor Dr Abdul Rashid Mohamed Shariff who besides being my supervisor, tirelessly worked hard to ensure that I managed to complete this study. His commitment all through my studies was overwhelming. I would also like to thank my other supervisory committee members, Professor Dr Shattri Mansor, and Associate Professor Dr Ahmad Rodzi Mahmud for their guidance and advice whenever I encountered problems in the course of my research. I would like to thank Associate Professor Daut Daman for giving moral support before and during the study. I would like to extend my thanks to the Department of Surveying and Mapping Malaysia (JUPEM) for giving data for testing and evaluation. Last but not least I will never forget to thank my all friends in the Institute of Advance Technology (ITMA) especially Omar Al-Kauri and also all my colleague at the Faculty of Engineering.



I certify that an Examination Committee has met on **3 December 2008** to conduct the final examination of Mohd Shafry bin Mohd Rahim on his Doctor of Philosophy thesis entitled “**Spatiotemporal Data Model for Surface Movement Data Management and Visualization**” in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the candidate be awarded the Doctor of Philosophy.

Members of the Examination committee were as follows:

Jamarei Othman, PhD

Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Mohd. Amin Mohd. Soom, PhD

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner 1)

Helmi Zulhaidi Mohd. Shafri, PhD

Senior Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner 1)

Tengku Mohd. Tengku Sembok, PhD

Professor
Faculty of Information Science and Technology
Universiti Kebangsaan Malaysia
(External Examiner)

SHAMSUDDIN SULAIMAN, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date : 30 January 2009



This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirements for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Abdul Rashid Mohamed Shariff, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Shattri Mansor, PhD

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Ahmad Rodzi Mahmud, PhD

Associate Professor
Faculty of Engineering
University Putra Malaysia
(Member)

HASANAH MOHD GHAZALI, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date : 9 April 2009



DECLARATION

I hereby declare that the thesis is based on my original work except for equations and citations, which have been duly acknowledged. I also declare that it has not been previously or currently submitted for any other degree at UPM or other institution.

.....
MOHD SHAFRY BIN MOHD RAHIM

Date: 30 January 2009



TABLE OF CONTENT

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	v
ACKNOWLEDGEMENTS	vii
APPROVAL	viii
DECLARATION	x
LIST OF TABLES	xiv
LIST OF FIGURES	xvi
CHAPTER	
1 INTRODUCTION	
1.1 Introduction	1
1.2 Problem Background	4
1.3 Problem Statement	13
1.4 Motivations	14
1.5 Goal And Objectives	15
1.6 Scope	16
1.7 Thesis Structure	17
2 LITERATURE REVIEW	
2.1 Introduction	20
2.2 Geographic Movement	20
2.2.1 Geographic Movement in GIS	23
2.2.2 GIS Functionality for Geographic Movement	24
2.3 Spatiotemporal Data Management	28
2.3.1 Spatiotemporal Data	29
2.3.2 Properties in Geographic Movement	30
2.4 Spatiotemporal Data Model	31
2.4.1 General Purpose Spatiotemporal GIS (GEN-STGIS) Data Model	35
2.4.2 A Spatiotemporal Data Model For Zoning	38
2.4.3 Cell Tuple Based Spatiotemporal Data Model	41
2.4.4 Object Oriented Spatial Temporal Data Model	43
2.4.5 Cube Data Model	46
2.4.6 Object Based Data Model	49
2.4.7 A Multigranular Spatiotemporal Data Model	54
2.4.8 Activity Based Data Spatiotemporal Model	57
2.4.9 Feature-Based Temporal Data Model	61
2.4.10 Spatiotemporal Data Model Based on the Parcel in Cadastral	65
2.4.11 Event-Based Specification Data Model	67
2.5 Discussion	69



3	METHODOLOGY	
3.1	Introduction	76
3.2	Research Framework	77
3.3	Process of Surface Movement	80
3.4	Spatiotemporal Data Model Development	81
3.5	Data Management System and Visualization Tools Development	83
3.6	Testing and Evaluation	89
3.7	Summary	90
4	SURFACE MOVEMENT SPATIOTEMPORAL DATA MODEL	
4.1	Introduction	91
4.2	Formalization of Surface Movement	92
4.2.1	Three Dimensional Surface and Movement	93
4.2.2	Time Characteristic	94
4.2.3	Time as Attribute for Point	95
4.2.4	Movement Behavior	97
4.2.5	Data Reconstruction	99
4.3	Data Model	102
4.4	Theoretical Proof of Formalism	105
4.5	Summary	110
5	DATA MANAGEMENT AND VISUALIZATION	
5.1	Database Development	111
5.1.1	Logical Model	112
5.1.2	Physical Model	118
5.1.3	Database Model	120
5.2	System Architecture	122
5.3	Data Management	124
5.3.1	Data Loading Algorithm	124
5.3.2	Data Retrieval Process	127
5.3.3	Data Format	128
5.4	Data Visualization Algorithm	129
5.5	Conceptual Data Testing	131
5.6	Summary	136
6	DATA MODEL TESTING AND EVALUATION	
6.1	Introduction	137
6.2	Testing with Aerial Photo Data	138
6.2.1	Data Processing	139
6.2.2	Result of Testing Sample	142



6.3	Capability of Managing Three Dimensional Surface Movement Data and Visualization	153
6.3.1	Managing Surface Movement Data	153
6.3.2	Data Visualization	160
6.3.3	Changes Detection and Managing Changes of Spatiotemporal Data	164
6.4	Comparison with Current GIS Software	168
6.5	Summary	171
7	CONCLUSION AND FUTURE WORKS	
7.1	Introduction	173
7.2	Results and Major Findings	175
7.3	Future Work	178
	REFERENCES	180
	APPENDICES	195
	BIODATA OF STUDENT	251
	LIST OF PUBLICATIONS	252



LIST OF TABLES

Table		Page
2.1	Properties of the Spatiotemporal Data That Needs to be considered in Information Modeling	30
2.2	Research Issues in Spatiotemporal Data Model	71
4.1	Description of Transformation Point in Three Dimensional Surface Movement	98
4.2	Three Dimensional Surface Movement Data Model	104
5.1	Entities, Attributes and Relationship before Normalization Process	113
5.2	Description of the Entities in the Logical Model	117
5.3	Description of the Relationship in ERD	118
5.4	Physical View of the SMST Data Model for Developing Database	119
5.5	Conceptual Data for the Conceptual Testing	131
5.6	Point after Loading Data into Database	132
5.7	Movement Information in the Surface	133
6.1	Sample Data for Set 1	142
6.2	Sample Data for Set 2	143
6.3	Sample Data for Set 3	144
6.4	Result of Loading Data into Database System	145
6.5	Query for Retrieval of Data for Loading into Data Format	149
6.6	Data in File Format for Loading into Visualization Tools	150
6.7	Result of Retrieved Data from Database System	150
6.8	Result of Visualization for Sample Data	151
6.9	Percentage of Reduction Redundancy	156



6.10(a)	Result of First Query	157
6.10(b)	Result of Second Query	158
6.10(c)	Result of Third Query for Sample 1	158
6.10(d)	Result of Third Query for Sample 2	159
6.10(e)	Result of Third Query for Sample 3	159
6.10(f)	Result of Fourth Query	159



LIST OF FIGURES

Figure		Page
1.1	Triadic Models of Space, Time and Attribute	2
1.2	Process Flow to Visualize Flood Data	6
1.3(a)	Aerial Photo for Flood Area	7
1.3(b)	Flooding Simulation Running in Movie Application	7
1.4	Example of Spatiotemporal Analysis in STEMGis	8
2.1	Description of the Spatiotemporal Data	29
2.2	Snapshot View Model and Space Time Approach Model	33
2.3	Structure Model: Class Diagram for Geographic Phenomena, Geographic Categories and Geographic Features	36
2.4	The Entity-Relationship Diagram Describing Zoning within a City	39
2.5	The True Nature of Zones	39
2.6	Cell Tuple Based Concept	41
2.7	Superclass Structure of the Model	43
2.8	Theme Classification Hierarchy	43
2.9	Volume and Border Change of Lake	44
2.10	Cube Data Model	47
2.11	Abstraction of Spatiotemporal Data Storage in Database	52
2.12	Movement Management in Database	53
2.13	Multigranular Concept in the Model	56
2.14	Continuous Change	59
2.15	Discrete Change	59
2.16	Stepwise Change	60



2.17	Conceptual Model of Feature Based Model	62
2.18	ER Model for Spatiotemporal Data Model Based on the Parcel in Cadastral	67
2.19	Event Based Specification Data Model	69
3.1	Process of Developing Database	77
3.2	Research Framework	79
3.3(a)	Surface of Three Dimensional Object and Raw Data in Time 1 (T_1)	84
3.3(b)	Surface of Three Dimensional Object and Raw Data in Time 2 (T_2)	84
3.3(c)	Surface of Three Dimensional Object and Raw Data in Time 3 (T_3)	85
3.4	Comparison with the Raw Data of Three Dimensional Surface Movement	86
3.5	Vertex in Difference Table	87
3.6	Integrated Vertex Table by Adding Time as Dimension	87
4.1	Three Dimensional Surface Movement	92
4.2	Movement Process on Three Dimensional Object	94
4.3	Transformation of Point at Time (T)	97
4.4	Linear Interpolation Process for Simulating Movement	98
4.5	Samples of the Data in the Surface Movement for Conceptual Testing	105
4.6	Object Definition for Conceptual Testing	106
4.7	Process of Reducing Data Redundancy before Loading in the Storage	107
4.8	Illustration of the Data in the Data Storage	108
4.9	Movement Process Which Involve with New Point	109
4.10	Illustration of the Data in the Data Storage after Increase New Point	109



5.1	Logical Model of the SMST Data Model	112
5.2	Entity Relationship Diagram (ERD) for SMST Data Model	116
5.3	Architecture of the System	122
5.4	Spatiotemporal Data Loader Processor	125
5.5	Data Format for Three Dimensional Surface Movement Visualization	128
5.6	Use of Parametric Equation in the Surface Movement	130
5.7	Data Arrangements in the Data Format	134
5.8	Simulation of the Surface from the Start Time (T_s) to End Time (T_e)	135
6.1(a)	Aerial Photos for 1983	138
6.1(b)	Aerial Photos for 2004	138
6.2	Process of Getting Data for Testing	139
6.3(a)	Sampling Data from the 1983 Aerial Photo	140
6.3(b)	Sampling Data from the 2004 Aerial Photo	141
6.4(a)	Point in Database for Sample 1	146
6.4(b)	Point in Database for Sample 2	147
6.4(c)	Point in Database for Sample 3	148
6.5(a)	Comparing the Changes of Sample 1 with the Image	152
6.5(b)	Comparing the Changes of Sample 2 with the Image	152
6.5(c)	Comparing the Changes of Sample 3 with the Image	153
6.6	Management of Surface Movement Data in the SMST Data Model	155
6.7(a)	Input Images and Visualization Result for Year 1983	161
6.7(b)	Input Images and Visualization Result for Year 2004	161



6.7(c)	Result of Simulating Movement of Digital Terrain Model	162
6.8(a)	No Movement in any Axis	164
6.8(b)	Movement at X Axis	165
6.8(c)	Movement at Y Axis	165
6.8(d)	Movement at Z Axis	166
6.8(e)	Movement at X and Y Axis	166
6.8(f)	Movement at X and Z Axis	166
6.8(g)	Movement at Y and Z Axis	166
6.8(h)	Movement at X,Y and Z Axis	167
6.9	Data for Year 1983 And 2004 in the ArcGIS Software	169
6.10	Terrain Model for Year 1983 and 2004 In The ArcScene	170



CHAPTER 1

INTRODUCTION

1.1 Introduction

Geography is a science of universe which describes phenomena, activity and time of an event occurring in the world (Narciso, 1999). It can be classified into three major areas: physical geography, human geography, and regional geography (Yattaw, 1997). Physical geography deals with natural phenomena for example Geomorphology, Climatology, Biogeography, Hydrology, Soil Geography and Environmental Management. Human geography takes care of the human activities, for example developing a city, managing resources, preserving and promoting significant cultural and historical values, and stabilizing the economy. Regional Geography compounds the issues related to the management of area for example Department of Surveying and Mapping Malaysia (JUPEM) activities of survey and mapping.

However, it cannot be denied that all aspects of geography involve the factor of 'time'. This is the single most important element in determining the moments for the occurrence of a specific phenomenon. For describing a phenomenon it has been observed that there are three important questions i.e. 'What', 'Where' and 'When'. The 'What' question is generally extended for the introduction of the phenomena, the 'Where' question often deals with the geographical location of the phenomena in question and the 'When' question reveals the time factor of that specific phenomena. It may be noted that,



this factor brings to the surface period and duration of certain activities. Besides, it also unfolds a variety of important historical information. Figure 1.1 shows a Triadic Model describing the relationship among these three fundamental questions. It shows temperature of 32⁰C occurring at location 5⁰25'00'North and 101⁰08'00'East, at Gerik, Perak, Malaysia on 19th January 2008.




Figure 1.1. Triadic models of Space, Time and Attribute

Geographic movement refers to change of geographic information. These changes take place in various forms. Some changes affect locational data, some affect attribute data and some changes affect all of the data. It may be noted that change is a continuous process. Therefore, it cannot be ruled out that some times, new features and information may be observed due to this 'change' phenomenon. These changes are always described in the light of a single, most important factor, i.e. 'time'. Due to the enormous importance

of geographic movement, it has been classified into twelve categories (Nassima *et al.*, 2002).

Most of the GIS use data without thoroughly looking into movement or time in the application and software. However, Arcview software (Hogeweg, 2000; Gil and David, 2004; Jonathan *et al.*, 2003) carries an additional tool for handling 'time' factor. Additionally, Spatial Temporal Geographical Information System (STEMGis) (Morris *et al.*, 2000) is a software that possesses the capability of managing geographic movement data. However, this software still has some serious shortcomings as it fails in dealing with the complete set of classification of the geographic movement data.

This research investigates commercial GIS software such as GeoMedia, STEMGis, Mike 11 and ArcView. All these software have different architecture and different data model to manage GIS data. In order to support geographic movement application, supplementary software and other development tool are still needed (Liyun *et al.*, 2006; Raffaetà *et al.*, 2008). Despite all these developments, a comprehensive examination of these application software comfortably confirms that generally, the current application does not fully support geographic movement analysis (Jin *et al.*, 2007b). Besides, there is a growing tendency of working in high dimensional data and at present, there is no system that can manage three dimensional data under an integrated environment.

This research focuses on the data management aspect whereby a suitable data model for storing and retrieving geographic movement information for the principal objectives of analysis, manipulation, presentation and visualization. To solve this issue, a suitable Spatiotemporal Data Model is developed.

1.2 Problem Background

It is a well established fact that data management plays an important role in the application or software development. Data management deals with the data storing and data retrieval process. The reliable performance of this component will have an effect on other components such as analysis and manipulation; representation and visualization in system or software. Therefore, to achieve good data management, a good data model is a prerequisite.

This research deals with the development of spatiotemporal data model for geographic movement application. There are twelve important classes of geographic movement (Yattaw, 1997). These classes are divided into three basic categories of changes type like cyclical, intermittent, and continuous movement. There are several important issues regarding spatiotemporal data modeling (Sellis, 1999; Yattaw, 1997; Narciso, 1999; Langran, 1992; Glenn and Hanan, 2000; Hatayama, 2002; Li *et al.*, 2002; John *et al.*, 2004). These issues must be settled to meet the requirement of dynamic phenomena in the world. Through an extensive survey, it has been concluded that there

are six properties of spatiotemporal data which needs to be considered while modeling spatiotemporal information in GIS (Sellis, 1999; Yattaw, 1997; Narciso, 1999; Li *et al.*, 2002; John *et al.*, 2004). These properties include: space, time, space-time, scale, non-spatial data and historical.

Majority of the existing software support spatiotemporal data for point, line and area, as such, a lot of focus is on 2D data. Relational database model were used in these software and tools. The visualization is done in an animated map (D’Onofrio and Pourabbas, 2003; Hogeweg, 2000; Moris *et al.*, 2000). In spite of all these developments, these systems lack decision making ability mainly because of the unsystematic integration of the data (Geoffrey *et al.*, 2004; John *et al.*, 2004). This confirms that semantic relationship and ontology among the data cannot be obtained clearly and comfortably.

A major shortcoming of ArcView, GeoMedia, Mike 11 and the STEMGIS is a lack of tools for managing geographic movement data. Though the available software is powerful, for example ArcView and GeoMedia have a great functionality for visualization of the data, Mike 11 has powerful analysis in hydrological and time series data, STEMGIS has capability to handle temporal data, yet these application softwares need significant enhancement in dealing with diverse GIS. This is so, as geographic movement involves spatiotemporal data which requires the integration of space and time with their own attribute for establishing a detailed analysis and this is lacking in the above mentioned softwares.

