## **Visually Textual**

Mohd Nasir Baharuddin, Mohd Shahruddin Abd Manan, Adam Salehuddin, Shureen Faris Abd Shukor and Shamsul Abu Bakar

This video projection questions the perceptual relationship between 'word' and 'image'. It delves into the rupture of representation that demarcates the signifier of word as a morphological syntax and its signified concept for assembling meanings. Instead of celebrating word as a phonological form for speech and verbal rhetoric, the video projection renegotiates the ontological idea of image as a gestural mediality to stimulate brain and senses. Through a series of horizontal sequences, the word acts as an image that visually augments the reality of consciousness, at once moving and static across the dimensional depth of an object. It stimulates a desire in convincing the perception as a separated wholeness. A desire to bridge the outer reality of 'worldly phenomenon' to the inner reality of mind's apprehension. At this particular moment, the image creates a cognitive dissonance, an immediate illusion that tricks the "eyes' photoreception" in absorbing visible light within a linear series of temporal exposure. As such, our consciousness is connected between mental image and in this case, "the word-image subject". Such a connection thus, blurs two historical territorializations in categorizing word as a linguistic form of description and image as a visuo-spatial form of illustration. This paves the way for a polemic on the visual conjecture of simultaneity. On the one hand, this video projection forces viewers' glance 'to see' the word as an illustration. On the other hand, it liberates our gaze 'to read' the image as a description.

rff i sh

do mot lhave a bratin;"The rtebrate animals. Only a few in rate and most inverteiorate The enter of the nervous system in Only a few invertebrates the is an organ that serves as the rate and most invertebrate The enter of the nervous system in rate and most invertebrate The

is located in the head, usu, rffiisshh dho mott ihawe a llozaiim;"The 2 enter of the nervous system ina rate and most invertebrate The is the most complex organ in rate and most invertebrate Th enter of the nervous system i nges, jellyfish, adult sea Thi rons communicate with one a nges, jellyfish, adult sea Th enter of the nervous system nges, jellwfish, adult sea Th art) is estimated to contain rate and most invertebrate The enter of the nervous system in nges, jellyfish, adult sea The rons communicate with one ano nges, jellyfish, adult sea The enter of the nervous system in arffish do not have a brain; The alled axons, which carry trai arffissh do mot hawe a brain; The enter of the nervous system in ratte and most inwertebrate The alled axons, which carry trai rate and most invertebrate The

lbiraniin iis ann oirgan tthat seirwes as the center of the nervous vertebrates such as sponges, jellyfish, adult sea squirts an vertebrates such as sponges, jerryrish, addrt sea squirts an Moradinn ils aun congram Winalt scenwes als Wine coemiter of Whe merwous morainn ins aan orgaan unat storwes as the tentor of the nervous all wertebrate and most invertebrateThe brain is an organ t nerwous system in all wertebrate and most invertebrate and merwous system in all most invertebrate and most invertebrate and most invertebrate and most is an organ that Serves and most invertebrate and most is an organ thrain is an organ that Serves as the center of the nervous 2) have resembled the modern hagins in the center of the mervous 2) have resembled the modern hagins in the center of the mervous 2) have resembled the modern hagins ory organs for such senses as the center of the mervous of the mervous 5, is the brain is an organ that serves as the center of the mervous 2) have resembled the modern hagins ory organs for such senses of the mervous s, is an organ that serves as the center of the mervous 00 have resembled the modern hagins of organs for such senses ryMys. Each species has an equally long evolvate the brain is an organ the sense of the mervous s, is the center of the mervous 1 have a gradient of size and complexity that the center of the mervous 1 have a gradient of size and complexity that the center of the mervous 1 have a gradient of size and complexity that the center of the mervous 1 have a gradient of size and to be an an and the center of the mervous 1 have a gradient of size and the formost partic fibers called axons, w not sended but many are rudimentary in the hothe center of the mervous 1 have and other variables has been studied the center of the mervous in a wide range of variables has been studied the center of the mervous in a wide range of variables has been studied the center of the mervous 1 have and other variables has been studied the center of the mervous in a man start study size, but not in s the center of the mervous in the first provide a start and the is an organ t when have brain for a set of a start as the center of the mervous 1 have a dody size as a start of the mervous 1 have a start of the mervous 1 have and other variables has been studied the center of the mervous 1 have a start of the mervous 1 h center of the nervous system in all vertebrate and most in iorrain is the menous system in squirts and starfish do not ns of signal pulses called action potentials to distant pa lbraim is the mervous system in squirts and starfish do not all wertebrate and most invertebrate he brain is an organ t brain is an organ that serves as the center of the nervous ns of signal pulses called action potentials to distant pa Horaim is an organ that serves as the center of the mervous

rtebrate animals. Only a few invertebrates such as sponges, jellyfish, adult sea squirts an le brain is an organ that serves as the center of the nervous system in all vertebrate and organ that serves as the center of the nervous system in all vertebrate and most inverte le brain is an organ that serves as the center of the nervous invertebrate animals. Only is an organ that serves as the center of the nervous system in all vertebrate and most in is an organ that serves as the center of the hervous system in all vertebrate and most in organ that serves as the center <u>Countes and and serve</u> all vertebrate and most inverte is brain is an organ that serve (Mya), during the Cambrian period, and may system in all vertebrate and is located in the head, usu sembled the modern hagfish in form.[32] of 'y a few invertebrates suptiles about 450 Mya, amphibians about 4000 ry organs for such senses is that serves as the cench species has an equally long evolutionaryMy vertebrate and most inverte is concerned the serve has an equally long evolutionaryMy vertebrate and most inverte i that serves as the cench species has an equally long evolutionaryMy vertebrate and most inverted in is an organ that serve, but the brains of modern hagfishes, higystem in all vertebrate and serves as the construction of size and complexity that roughlyshes in all vertebrate and that serves as the evolutionary sequence. All of thesefolystem in all vertebrate and most inverted rate and most inverted set of basic anatomicalbra. The basic second most inverted as sponges, jet and most inverted and the serves as the organize and mammals the foremost part (thewheric fibers called axons, with the organize and most inverted and the serves as inverted and the serves of the second sec greatly elaborated andtelebrates such as sponges, je simply compared in terms of experienter and most inverte onship between brain size, the ertebrate and most inverte ables has been studied acrosshod brates such as sponges, je te species. As a rule, brains we cted by synapses to severa y aire, but not in a simplesisystem in all vertebrate and meral, smaller animals tend, vertebrate and most inverte aburd as if faction of bod artebrates such as sponges, je relationship between br lasmic fibers called axons, w entitly follows a powe put artebrates such as sponges, je t serves as the ce and most invertig d to contain gan that most in the with on w invertebrates such as sponges, je most ir hrate versm in all vertebrate and most inverte of that tenden animals. ves as th w invertebrates squirts and starfish ( d most i led action potentials to distant pa invertebrates squirts and starfish ( in all vertebrate and most inverte lervous system in all vertebrate an which car and most i serves as the cent ed action potentials to distant pa ervous system in all vertebrate an signal p the cente gan t vertebrat cente s serves trains serves

is system in all vertebrate and most invertebrate The Only a few invertebrates such as sp is system in all vertebrate and most invertebrate the only a lew invertebrates such as sp rtebrate animals. Only a few invertebrates such as sponges, jellyfish, adult sea squirts an is system in all vertebrate and most invertebrate The brain is an organ that serves as the is system in all vertebrate and most invertebrates such as sponges, jellyrish, and that serves as the rtebrate animals. Only a few invertebrate and most invertebrate The brain is an organ that serves as the centre stem in all vertebrate and most invertebrateThe brain is an organ that serves as the centre imals. Only a few invertebrates such as sponges, The brain is an organ that serves as the imals. Only a few invertebrates such as sponges, The brain is an organ that serves as the is an organ that serves as the center of the nervous system in all vertebrate and most invertebrate The brain is an organ that serves as the system in all vertebrate and most invertebrate The brain is an organ that serves as the is system in all vertebrate and most invertebrate The brain is an organ that serves as the centre stem in all vertebrate and most invertebrate of the management of the maximum organ that serves as the centre is located in the head, usuf about 450 Mya, amphibians about 200Mya, refew invertebrates such as sp is located in the head, usuf about 450 Mya, and mammals about 200Mya, refew invertebrates as the centre stem in all vertebrate and moiss has an equally long evolutionaryMya. Eacgan that serves as the is system in all vertebrate a the brains, reptiles, and mammalsampreys uman, the cerebral cortex (t is the most complex organ in it of size and complexity that roughlyshow a gran organ that serves as the is system in all vertebrate at the brains, reptiles, and mammalsampreys uman, the cerebral cortex (t is the most complex organ in it of size and complexity that roughlyshow a gran organ that serves as the is system in all vertebrate at the brains, reptiles, and mammalsampreys uman, the cerebrat cortex (t is the most complex organ in in the size and complexity that roughlyshow a gran organ that serves as the cent is system in all vertebrate and min the same set of basic anatomicalbrains coan that serves as the cent is only a few ut many are indimentary in the heafish.components and most invertebrate an is organ t

(thewhereas ic fibe sei andtelencepha, and s ofsxpanded.Bin tha most rons communicate with one a mamm us system in squirts and s e centi ate an stem in all vertebrate and m size and hers size, their siz us system in squirts and st ralected - 11edis the τ art) is estimated to contain , inc an ore er tweet. cent. is system in all vertebrate an rgan the cebrate and mos an fate and stem in al nv uirts and blasmic fi us system with one an rons com brate ar nte rts and us syste rgan hin ert rate and stem in te a eed ne iecs al pa iffuse ov 5 lot have on ses C signa in carry t alled a: :e its al. Le ed ne fuse on tte 10t have brai rtebr the and stem j Leb te nvo s sys pa eed

train

MOS

and

lins

Ind

mos

of

most

lled

SY

18

erterr

**BRADN** 111