



UNIVERSITI PUTRA MALAYSIA

***BIOACCUMULATION OF HEAVY METALS AND METALLOTHIONEIN
EFFECTS ON REPRODUCTIVE BIOLOGY OF ASIAN SWAMP EEL
(MONOPTERUS ALBUS ZUIEW, 1793) IN PADDY FIELDS IN TUMPAT,
KELANTAN, MALAYSIA***

SOW AI YIN

FS 2016 77



**BIOACCUMULATION OF HEAVY METALS AND METALLOTHIONEIN
EFFECTS ON REPRODUCTIVE BIOLOGY OF ASIAN SWAMP EEL
(*Monopterus albus* ZUIEW, 1793) IN PADDY FIELDS IN TUMPAT,
KELANTAN, MALAYSIA**

By

SOW AI YIN

**Thesis Submitted to the School of Graduate Studies Universiti Putra
Malaysia in Fulfilment of the Requirement for the Degree of
Doctor of Philosophy**

October 2016

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in
fulfilment of the requirement for the degree of Doctor of Philosophy

**BIOACCUMULATION OF HEAVY METALS AND METALLOTHIONEIN
EFFECTS ON REPRODUCTIVE BIOLOGY OF ASIAN SWAMP EEL
(*Monopterus albus* ZUIEW, 1793) IN PADDY FIELDS IN TUMPAT,
KELANTAN, MALAYSIA**

By

SOW AI YIN

October 2016

Chairman : Professor Ahmad Ismail, PhD
Faculty : Science

The current application of excessive agrochemical fertilizers during the four paddy seasons could potentially elevate the concentration levels of Zn, Cu, Cd, Ni and Pb in paddy soils. Hence, concentrations of Zn, Cu, Cd, Ni and Pb in paddy soils and Asian swamp eel, *Monopterus albus*, were evaluated to determine the availability, distribution, overall classification and risk associated with application of agrochemical fertilizers and pesticides introduced by rice farmers. A four step sequential extraction technique (SET) was conducted to establish the speciation, mobility, availability and origin of heavy metals such as zinc, copper, cadmium, nickel and lead. These four fractions are termed as exchangeable (EFLE), acid-reducible, oxidisable-organic and resistant fractions in the paddy soil. Nine tissues of Asian swamp eel were selected, namely, gills, liver, kidneys, digestive tract, stomach contents, gonads, bone, skin and muscle; which were digested using the acid digestion method. In comparison to the values of average shale of the studied metals, total Pb and Cd were higher than the shale values, whereas the total Zn, Cu and Ni concentrations were found to be below the values. Generally, most of the metals studied were significantly associated with the resistant fraction, followed by oxidisable-organic and acid-reduction fractions. This indicates that the paddy soils of Tumpat are naturally rich with the metals studied. Meanwhile, the least average partitioning patterns in EFLE in paddy seasons indicate low Zn, Cu, Cd, Ni and Pb mobility. Among the metals studied, availability of average Cd and Pb levels was found to be abundant in most seasons based on enrichment factors and contamination factors. However, none of the studied metal concentrations in the paddy soils were as high as the toxic effect threshold (TET) value. Since Asian swamp eel is a long-lived organism, the longer the exposure to those pollutants, the higher the concentrations of metals were

bio-accumulated into it. Levels of Zn, Cu, Cd, Ni and Pb in the stomach contents were found to be higher than other tissues studied. Muscle and skin were shown to have the least heavy metal concentrations. To evaluate the health risks to the Malaysian population through consumption of Asian swamp eel, daily intakes and target hazard quotient of heavy metals were estimated on the basis of the concentrations of heavy metals in muscle and skin of Asian swamp eel. Based on the estimated daily intake and THQ of Cd and Pb in skin and muscle in 2011 and 2012, the results suggest that Cd and Pb in skin and muscle of Asian swamp eel was polluted by Cd and Pb, which have higher risk to be consumed. Metallothionein (MT) concentrations in gills, liver and muscle tissues of *M. albus* were determined to assess the biological response of Asian swamp eel to the level of some metals. The concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g/g}$ wet weight) in the tissues studied were correlated with MT contents. MT concentrations were found to be high in the liver, gills and muscles during plowing, growing, and harvesting seasons. However, a significant correlation ($p < 0.01$) was found between MTs concentrations in liver and Zn metals. No correlations were found between MTs contents in gills and muscle with the studied metals. In this study, the gonadal histological procedure was made as a basis for sex determination in Asian swamp eel, *M. albus*. Thirty-two females, three males and two intersexes of Asian swamp eel were considered. The presence of a high number of matured oocyte 3 and 4 during plowing and seedling seasons have shown that these seasons could be considered as breeding seasons for Asian swamp eels. The availability of food and nutrients (agrochemical fertilizers) were attributed to the ovarian development of Asian swamp eel. In conclusion, the concentrations of Zn, Cu, Cd, Ni and Pb in paddy soils varied with paddy cycles in 2011 and 2012. The presence of Zn, Cu, Cd, Ni and Pb in Asian swamp eels' tissues indicates that these eels have the ability to accumulate and partially remove the heavy metals which required future research study.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan Ijazah Doktor Falsafah

**BIOAKUMULASI LOGAM BERAT DAN KESAN METALLOTHIONEIN KE
ATAS PEMBIAKAN BIOLOGI PADA BELUT SAWAH (*Monopterus albus*
ZUIEW, 1793) DI SAWAH PADI DI TUMPAT, KELANTAN, MALAYSIA**

Oleh

SOW AI YIN

Oktober 2016

Pengerusi : Professor Ahmad Ismail, PhD
Fakulti : Sains

Penggunaan baja agrokimia berlebihan semasa empat musim padi berpotensi meningkatkan tahap kepekatan Zn, Cu, Cd, Ni dan Pb di sawah padi pada masa kini. Oleh itu, kepekatan Zn, Cu, Cd, Ni dan Pb di dalam tanah padi dan belut akan dinilai untuk menentukan taburan, ketersediaan, klasifikasi keseluruhan dan risiko yang berhubung kait dengan penggunaan baja dan racun perosak yang diamalkan oleh para petani. Empat langkah pengekstrakan berurutan (SET) telah dijalankan untuk menentukan spesies, pergerakan, ketersediaan dan keaslian Zn, Cu, Cd, Ni dan Pb. Keempat-empat pecahan tersebut dinamakan sebagai pecahan ditukar, pecahan asid-dikurangkan, pecahan organik dioksidakan dan pecahan sisa dalam tanah sawah. Untuk belut sawah padi, sembilan tisu belut telah dipilih iaitu insang, hati, buah pinggang, saluran penghadaman, kandungan perut, telur, tulang, kulit dan otot. Kesemua tisu ini telah dianalisis dengan menggunakan kaedah penghadaman asid. Sebagai perbandingan dengan nilai purata syal, jumlah Pb dan Cd menunjukkan lebih tinggi daripada nilai syal sementara jumlah kepekatan Zn, Cu dan Ni menunjukkan dibawah nilai syal. Umumnya, kesemua logam berat yang dikaji menunjukkan tahap hubungan signifikasi dengan pecahan sisa, diikuti dengan pecahan organik dioksidakan dan pecahan asid-dikurangkan dalam tanah sawah padi. Ini menunjukkan tanah sawah padi kaya dengan kehadiran keaslian mineral Zn, Cu, Cd, Ni dan Pb. Sementara itu, pecahan ditukar dikategorikan sebagai pecahan yang mempunyai kepekatan paling sedikit, dimana menunjukkan pergerakan logam berat tahap rendah. Hasil kajian menunjukkan faktor pengayaan dan pencemaran bagi logam Cd dan Pb adalah tertinggi di kalangan logam yang dikaji untuk musim-musim padi. Bagaimanapun, kepekatan logam berat yang dikaji tidak menunjukkan nilai yang lebih tinggi daripada nilai kesan toksik ambang. Memandangkan belut sawah merupakan sejenis organisma yang dapat hidup lebih lama, semakin lama pendedahan kepada bahan

pencemar, semakin tinggi kepekatan logam yang terkumpul di dalam belut sawah. Kepekatan logam berat yang dikaji (Zn, Cu, Cd, Ni dan Pb) dalam kandungan perut didapati tinggi daripada tisu-tisu belut lain yang dikaji. Disamping itu, otot dan kulit menunjukkan kepekatan logam berat yang sedikit. Risiko kesihatan melalui pemakanan belut sawah oleh penduduk Malaysia dinilai menggunakan pengambilan seharian dan sasaran hasil bahagi bahaya ke atas pengambilan otot dan kulit belut sawah. Berdasarkan kepada anggaran pengambilan harian dan THQ Cd dan Pb dalam kulit dan otot pada 2011 dan 2012, hasil menunjukkan Cd dan Pb dalam kulit dan otot belut sawah padi dicemari oleh ketoksikan logam Cd dan Pb. Kepekatan metallothionein (MT) dalam tisu seperti insang, hati dan otot *M.albus* ditentukan untuk menilai tindak balas biologi belut sawah ke sesuatu tahap logam. Oleh yang demikian, kepekatan Zn, Cu, Cd, Ni dan Pb ($\mu\text{g/g}$ berat basah) di dalam tisu yang dikaji telah dihubungkan dengan kandungan MT. Kepekatan MT didapati telah meningkat di dalam hati, insang, dan otot semasa musim membajak, musim pertumbuhan dan musim menuai padi. Walau bagaimanapun, hubungan signifikan ($p < 0.01$) didapati antara kepekatan MT dalam hati dengan logam Zn. Tiada korelasi didapati diantara kandungan MT di dalam insang dan otot dengan logam dikaji. Prosedur histologi telur belut telah dilakukan sebagai asas untuk penentuan seks belut sawah, *M. albus*. Dari pemerhatian slaid, terdapat tiga puluh dua ekor betina, tiga ekor jantan dan dua ekor interseks belut sawah. Bilangan yang tinggi oosit 3 dan oosit di musim membajak dan menabur menunjukkan kedua-dua musim tersebut berpotensi diklasifikan sebagai musim membiak untuk belut sawah. Kehadiran makanan dan nutrisi (baja agrokimia) menjadi faktor kematangan ovari belut sawah. Sebagai kesimpulan, kehadiran logam Zn, Cu, Cd, Ni dan Pb di dalam belut sawah padi menunjukkan belut tersebut mempunyai kemampuan mengumpul dan menyalurkan logam berat dimana memerlukan kajian penyelidikan pada masa akan datang.

ACKNOWLEDGEMENT

First and foremost, my deepest gratitude goes to my beloved research supervisor, Prof. Dr. Ahmad Ismail, who has been patient and supportive in guidance in many research aspects throughout my postgraduate career. Working under his guidance and team has provided me with a great deal of scientific knowledge and technical expertise. This condition has enabled me to work independently in my research projects. I also want take this opportunity to thank my supervisor committee, Dr. Syaizwan Zulkifli and Dr. Mohammad Noor Amal, for their professional advice and comments.

Besides, a big thanks to the Department of Biology, the faculty and staff. I am also thankful for all of the facilities made available to me to complete my research work.

Most importantly, I would like to thank to my family, parents and husband for their endless love and support during my stay here to continue my study at UPM. Lastly, I would also like to thank to my lab mates, especially Chew Wei Yun, Cheong Jee Yin, Cheng Wan Hee, and Siti Aishah Ramsie, for helping me when I had difficulties and problems in completing my project.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy.

The Members of the Supervisory Committee were as follows:

Ahmad Ismail, PhD

Professor
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Syazwan Zahmir Zulkifli

Senior Lecturer
Faculty of Science
Universiti Putra Malaysia
(Member)

Mohammad Noor Amal

Senior Lecturer
Faculty of Science
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____

Name of Chairman
of Supervisory
Committee: _____

Signature: _____

Name of Member
of Supervisory
Committee: _____

Signature: _____

Name of Member
of Supervisory
Committee: _____

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENT	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xii
LIST OF FIGURES	xvii
LIST OF ABBREVIATIONS	xix
 CHAPTER	
 1 INTRODUCTION	 1
1.1 Introduction of Study	1
1.2 Objective of the Study	3
 2 LITERATURE REVIEW	 4
2.1 Heavy Metals Studies in Malaysia	4
2.2 Heavy Metals	4
2.2.1 Zinc (Zn)	5
2.2.2 Copper (Cu)	6
2.2.3 Cadmium (Cd)	8
2.2.4 Lead (Pb)	9
2.2.5 Nickel (Ni)	10
2.3 How Heavy Metals are Studied	10
2.3.1 Sample Collection	10
2.3.2 Pretreatment of Sample	11
2.3.3 Analysis of Heavy Metals	11
2.3.4 Analytical Technique Used for Heavy Metals Determination	12
2.4 Heavy Metals Pollution Studies in Agricultural Soil	12
2.4.1 Paddy Cultivation Areas in Kedah and Perlis	14
2.4.2 Paddy Areas Located at Kedah and Penang	14
2.4.3 Agricultural Areas, Malaysia	14
2.4.4 Paddy Fields, Kota Marudu, Sabah	14
2.4.5 Agricultural Soils From Cameron Highland, Pahang, and Cheras, Kuala Lumpur, Malaysia	15
2.5 Status of Paddy Plantation in Malaysia	15
2.6 Paddy Fields Management Practise	16
2.7 Bio-Monitoring Tools for Heavy Metals Contamination Studies	19
2.7.1 Fish as Metal Bio-Monitor for Contamination	19
2.7.2 Asian swamp Eel (<i>M. albus</i>)	21
2.7.3 Soft Tissues	23
2.7.4 Sexual Development	23
2.8 Biomarkers	24

3	MATERIALS AND METHODS	26
3.1	Study Areas and Sampling Locations	26
3.2	Sample Collection	28
3.2.1	Surface Paddy Soil	28
3.2.2	Biological Sample (<i>M. albus</i>)	29
3.3	Preparation of Paddy Soil	32
3.4	Preparation of Paddy Eel, <i>M. albus</i>	32
3.5	Soil Parameters Determination	32
3.5.1	Soil pH	32
3.5.2	Total Carbon (TOC)	33
3.6	Heavy Metals (Zn, Cu, Cd, Ni, and Pb)	33
3.6.1	Total Metal Content	33
3.6.2	Sequential Extraction Technique (SET)	34
3.6.3	Acid Digestion	35
3.7	Quality Control	35
3.7.1	Recovery Test	36
3.8	Metallothionein (MT) Determination	37
3.9	Histological Procedure	37
3.10	Pollution Indices	38
3.10.1	Enrichment Factor (<i>EF</i>)	38
3.10.2	Sediment Quality Guideline (SQG)	39
3.10.3	Contamination Factors (CFs)	39
3.11	Safe Consumption	39
3.11.1	Estimated Daily Intake (EDI)	39
3.11.2	Target Hazard Quotient (THQ)	40
3.12	Gonadal Somatic Index (GSI)	40
3.13	Statistical Analysis	40
4	RESULTS AND DISCUSSION	42
4.1	General Paddy Soil Characteristics	42
4.2	The Concentration and Distribution of Heavy Metals	44
4.2.1	Total Metals	44
4.2.2	Metal Speciation in Different Paddy Season	48
4.3	Pollution Indices in Soil	59
4.3.1	Enrichment Factors (<i>EF</i>)	59
4.3.2	Contamination Factors (<i>CF</i>)	61
4.3.3	Sediment Quality Guidelines	61
4.4	Asian Swamp Eel (<i>Monopterus albus</i>)	64
4.4.1	Metal Concentrations in Different Tissues of Asian Swamp Eel During Different Paddy Seasons	64
4.4.2	Bioaccumulation Factor (<i>BAF</i>)	80
4.4.3	Safety Consumption of Asian Swamp Eel	86
4.5	Relationship of Metallothionein (MT) Contents and Zn, Cu, Cd, Ni and Pb in Selected Tissues of <i>M. albus</i>	91
4.5.1	Zn, Cu, Cd, Ni and Pb Concentration in Liver, Gills, and Muscle of <i>M. albus</i>	91
4.5.2	Metallothionein Contents in the Liver, Gills, and Muscle of <i>M. albus</i>	95

4.6	Gonads Development of Asian Swamp Eel in Different Paddy Seasons	105
4.6.1	Gonadal Somatic Index (GSI)	105
4.6.2	Histological of Gonads	107
4.6.3	Observation of Gonadal Histological	110
5	SUMMARY OF FINDINGS, CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE RESEARCH	115
	REFERENCES	119
	APPENDICES	145
	BIODATA OF STUDENT	152
	LIST OF PUBLICATIONS	153



LIST OF TABLES

Table		Page
2.1	List of heavy metals studies in Malaysia	4
2.2	Planted areas of paddy by states in Malaysia 2011	16
2.3	Process of rice paddies according to four seasons to four stages of paddy seasons	18
3.1	Date of sampling conducted in year 2011 based on paddy seasons	27
3.2	Date of sampling conducted in year 2012 based on paddy seasons	27
3.3	Ranged of body sizes (body weight and total length) of Asian swamp eel, <i>Monopterus albus</i> during four paddy seasons in 2011 and 2012	30
3.4	Measured result of the Certified Reference Material for fish with its certified values for Zn, Cu, Cd, Ni and Pb	36
3.5	Measured result of the Certified Reference Material for paddy soil with its (PACS-2) Material for paddy soil with its certified values for Zn, Cu, Cd, Ni and Pb	36
4.1	Characteristics of paddy soil collected accordingly to paddy seasons in year 2011 and 2012	44
4.2	Mean of total metals concentrations ($\mu\text{g/g d.w}$) in paddy soil during paddy seasons in 2011	45
4.3	Mean of total metals concentrations ($\mu\text{g/g d.w}$) in paddy soil during paddy seasons in 2012	46
4.4	Mean concentrations of sequential chemical fractions of Zn ($\mu\text{g/g d.w}$) in paddy soils in year 2011 and 2012	48
4.5	Mean concentrations of sequential chemical fractions of Cu ($\mu\text{g/g d.w}$) in paddy soils in year 2011 and 2012	51
4.6	Mean concentrations of sequential chemical fractions of Cd ($\mu\text{g/g d.w}$) in paddy soils in year 2011 and 2012	54
4.7	Mean concentrations of sequential chemical fractions of Ni ($\mu\text{g/g d.w}$) in paddy soils in year 2011 and 2012	56

4.8	Mean concentrations of sequential chemical fractions of Pb ($\mu\text{g/g d.w}$) in paddy soils in year 2011 and 2012	58
4.9	Enrichment factor (EF) of Zn, Cu, Cd, Ni and Pb ($\mu\text{g/g d.w}$) in paddy soils during paddy seasons in 2011	59
4.10	Enrichment factor (EF) of Zn, Cu, Cd, Ni and Pb ($\mu\text{g/g d.w}$) in paddy soils during paddy seasons in 2012	60
4.11	Contamination factor (CF) values in the paddy soils during paddy seasons in year 2011	61
4.12	Contamination factor (CF) values in the paddy soils during paddy seasons in year	61
4.13	Interim sediment guideline values compared	62
4.14	Heavy metals concentration of <i>M. albus</i> in decreasing order	69
4.15	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in gills tissue among the paddy seasons in 2011 and 2012	70
4.16	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in liver tissue among the paddy seasons in 2011 and 2012	70
4.17	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in kidney tissue among the paddy seasons in 2011 and 2012	71
4.18	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in digestive tract tissue among the paddy seasons in 2011 and 2012	71
4.19	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in gonads tissue among the paddy seasons in 2011 and 2012	72
4.20	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in stomach contents tissue among the paddy seasons in 2011 and 2012	72
4.21	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in bone tissue among the paddy seasons in 2011 and 2012	73
4.22	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in muscle tissue among the paddy seasons in 2011 and 2012	73
4.23	Mean concentrations of Zn, Cu, Cd, Ni and Pb ($\mu\text{g.g} \pm\text{S.D}$) in skin tissue among the paddy seasons in 2011 and 2012	74

4.24	Comparison of mean bioavailable Zn, Cu, Cd, Ni and Pb ($\mu\text{g/g dw}\pm\text{SD}$) between the tissues and stomach contents of Asian swamp eel throughout the seasons in 2011 and 2012	75
4.25	Mean bioaccumulation factor (BAF) for gills of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	81
4.26	Mean bioaccumulation factor (BAF) for liver of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	81
4.27	Mean bioaccumulation factor (BAF) for kidney of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	82
4.28	Mean bioaccumulation factor (BAF) for digestive tract of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	82
4.29	Mean bioaccumulation factor (BAF) for gonads of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	83
4.30	Mean bioaccumulation factor (BAF) for stomach contents <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	83
4.31	Mean bioaccumulation factor (BAF) for bone of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	84
4.32	Mean bioaccumulation factor (BAF) for skin of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	85
4.33	Mean bioaccumulation factor (BAF) for muscle of <i>M. albus</i> from paddy field in Tumpat, Malaysia in 2011 and 2012	85
4.34	Daily intakes of heavy metals ($\mu\text{kg/day}$) in skin and muscle of <i>M. albus</i> in 2011	87
4.35	Daily intakes of heavy metals ($\mu\text{kg/day}$) in skin and muscle of <i>M. albus</i> in 2012	88
4.36	THQ of heavy metals in skin and muscle of <i>M. albus</i> in 2011	89
4.37	THQ of heavy metals in skin and muscle of <i>M. albus</i> in 2012	89
4.38	Mean concentrations of MT ($\mu\text{g/g}\pm\text{S.D}$) in the liver, gills, and muscle of <i>M. albus</i> based on 4 paddy seasons	98
4.39	Pearson Correlation of Zn, Cu, Cd, Ni and Pb in liver, gills and muscle of <i>M. albus</i>	98

4.40	Gonadal somatic index (GSI) (mean $\pm$ S.D) of Asian swamp eels accordingly to four paddy season in 2011 and 2012	106
4.41	Counted sexes of Asian swamp eel collected from different paddy seasons	108
4.42	Counted sizes (μ m) of females ovarian development of 37 individuals during different paddy seasons	109



LIST OF FIGURES

Figure	Page
2.1 Asian swamp eel, <i>Monopterus albus</i>	21
3.1 Sampling areas situated in Tumpat, Kelantan	28
3.2 Lateral view of one of the component used to catch the Asian swamp eel	31
3.3 Horizontal view of PVC tube used together with the above component	31
3.4 The top view of <i>Tukil</i>	31
4.1 Zn concentrations ($\mu\text{g/g}$ wet weight) in the liver, gills, and muscle of <i>M. albus</i> based on four paddy seasons	92
4.2 Cu concentrations ($\mu\text{g/g}$ wet weight) in the liver, gills, and muscle of <i>M. albus</i> based on four paddy seasons	92
4.3 Cd concentrations ($\mu\text{g/g}$ wet weight) in the liver, gills, and muscle of <i>M. albus</i> based on four paddy seasons	93
4.4 Ni concentrations ($\mu\text{g/g}$ wet weight) in the liver, gills, and muscle of <i>M. albus</i> based on four paddy seasons	93
4.5 Pb concentrations ($\mu\text{g/g}$ wet weight) in the liver, gills, and muscle of <i>M. albus</i> based on four paddy seasons	95
4.6 Metallothionein (MT) content ($\mu\text{g/g}$) in the liver of <i>M. albus</i>	96
4.7 Metallothionein (MT) content ($\mu\text{g/g}$) in the gills of <i>M. albus</i>	96
4.8 Metallothionein (MT) content ($\mu\text{g/g}$) in the muscle of <i>M. albus</i>	97
4.9 Linear regression analyses of metallothionein (MT) concentrations in liver Asian swamp eel, <i>M. albus</i> against Zn (a), Cu (b), Cd (c), Ni (d), and Pb (e) of paddy soil	100
4.10 Linear regression analyses of metallothionein (MT) concentrations in gills Asian swamp eel, <i>M. albus</i> against Zn (a), Cu (b), Cd (c), Ni (d), and Pb (e) of paddy soil	102

4.11	Linear regression analyses of metallothionein (MT) concentrations in muscle Asian swamp eel, <i>M. albus</i> against Zn (a), Cu (b), Cd (c), Ni (d), and Pb (e) of paddy soil	104
4.12	Gonads development based on paddies' stage (days) and GSI (%) in 2011 and 2012	106
4.13	Female gonadal reproductive system with magnification size of 400	111
4.14	Oocyte 1 (primary growth) of paddy eel with magnification size of 400	111
4.15	Oocyte 4 (matured) cell of paddy eel with magnification size of 400	112
4.16	Mid-maturation of male paddy eel with the presence of SG (Spermatogonia) and SC (Sertoli Cell)	112
4.17	Early maturation of male paddy eel with the magnification size of 400	113
4.18	Sex reversal of Asian swamp eel, <i>M. albus</i> with magnification of 1000	113
4.19	Sex reversal of Asian swamp eel which consisting vitellogenic oocytes (VOC) and Sertoli Cell (SC)	114

LIST OF ABBREVIATIONS

%	Percentage
°C	Degree Celcius
µg/g	Microgram per gram
µm	Micrometer
µ/kg/day	Micro per kilogram per day
µl	Microlitre
AAS	Atomic Absorption Spectrophotometer AAS
BAF	Bioaccumulation Factor
CRM	Certified Reference Material
Ca	Calcium
CF	Contamination Factor
cm	Centimetre
CO ₂	Carbon Dioxide
DW	Distilled Water
DTNB	5,5-dithiobis-2-nitrobenzoic acid
d.w	Dry weight
EDTA	Ethylenediaminetetraacetic Acid
EF	Enrichment Factor
EFLE	Easily, freely, Leachable and Exchangeable
FW	Fresh water
g	Gram
g/day	gram/day

H_2O_2	Hydrogen peroxide
HCl	Hydrochloric acid
HClO_4	Perchloric acid
HNO_3	Nitric acid
I_{geo}	Geoaccumulation index
kg/m^3	Kilogram per cubic metre
kDA	Kilodalton
K	Calium
mg/day	Milligram per day
ml	Millilitre
mm	Millimetre
nm	Nanometre
M	Molarity
mM	Millimolar
mol/l	Mole per litre
$\text{M}\Omega$	Mega ohms
Mg	Magnesium
$\text{NH}_2\text{OH}.\text{HCl}$	Hydroxylammonium chloride
$\text{NH}_4\text{CH}_3\text{COO}$	Ammonium acetate
N_2	Nitrogen
NaH_2PO_4	Na-phosphate
P	Phosphorus
ppm	Part per million
PLI	Pollution Load Index
PMSF	Phenylmethylsulphonylfuride

rpm	Revolution per minute
SET	Sequential extraction technique
S.D	Standard Deviation
SQG	Sediment Quality Guidelines
TEL	Threshold Effect Level
TET	Toxic Effect Threshold
w.w	wet weight
w/v	weight per volume



CHAPTER 1

INTRODUCTION

1.1 Introduction

Pollution is of great concern in our society, despite Malaysia showing a relatively positive environmental record (WWF, 2005). Malaysia is not spared from global environmental issues such as global warming, climate change, and acid rain. This has been extensively discussed since the 1970's. Most pollution studies have focused on the effect of hazardous chemicals such as organic and inorganic pollutants. One of the most critical forms of pollution is heavy metals pollution. The content of inorganic pollutants, particularly heavy metals in soils and food, has been well studied but the focus has mainly been in residential, recreational, coastal, industrial and land fill areas. The existence of hazardous chemicals such as pesticides, heavy metals, hydrocarbons, dioxins, and endocrine chemicals in the environment cause a great concern. These chemicals are known to cause acute or chronic effects on living organisms (fishes, wildlife) by disrupting the reproductive systems and internal organs (WWF, 2005).

Studies of heavy metals pollution in Malaysia have focused mostly on marine (Yap et al., 2002a; 2002b; Yap et al., 2003a, 2003b; Ong et al., 2009) and freshwater (Ahmad and Shuhaimi-Othman, 2010) ecosystems. In addition, as agriculture is an important sector to the growth of Malaysia's economy, various studies of heavy metals pollution in agricultural lands have been conducted for example a study of heavy metals in agricultural soils from Cameron Highlands, Pahang, and Cheras, Kuala Lumpur (Khairiah et al., 2006) and Kedah and Penang (Jamil et al., 2011). Heavy metals have the potential to accumulate, which may affect the end users.

Rice is a staple food that is grown in many parts of the world. It is part of a good diet and is central to the dietary habits of people in the Southeast Asian region. After Kedah and Selangor, Kelantan is one of the major rice-growing areas in Malaysia. In Kelantan, the majority of paddy fields are under the control of the Kemubu Agricultural Development Authority (Kemubu). Several paddy fields which are located in Kelantan are actively used for paddy planting and some of them are no longer suitable for rice production. They also serve as habitats for many living aquatic organism, particularly small fish and invertebrate species such as Asian swamp eels. In paddy field systems, paddies are planted using several processes of paddy practice management which involve the tillage of flooded soil (puddling), followed by rice transplantation and cultivation in a submerged environment in time for

the harvest (ZI-TONG, 1983; Sahrawat, 2005). Generally, there the four season of rice cultivation in Kelantan are ploughing, planting of seedlings, growing and harvesting.

The introduction of heavy metals into the paddy plantation ecosystem is the result of various agricultural practices which likely involve the aggressive application of agrochemical fertilizers, herbicides, pesticides, and inlets of contaminated water. The introduction of agrochemical fertilizers and pesticides by farmers onto paddy fields has caused the build-up of pollutants over the years. This repeated process of paddy management practice over many years could have increased the availability of pollutants in the paddy soil. For example, ploughing could result in the resurfacing of pollutants from the previous paddy cycles. In addition, the usage of fertilizer during the seeding and growing seasons could enhance the availability of pollutants in paddy soils. Once pollutants enter the environment, some of the metals may be transformed into other forms which usually occur from loosely bound fractions (such as exchangeable fractions) to strongly bound fractions (such as Fe-Mn oxide and organic matter bound fractions) (Lu et al., 2005). They have also shown a high tendency to accumulate and biomagnify in water, sediment, soil and aquatic food chains, causing harmful effects on plant, living aquatic organisms, and human life depending upon the concentration (Forstner and Wittman, 1981). Since humans are the final consumers in food chain system, there is a high tendency for these pollutants to accumulate in human organs, which in turn may cause severe to chronic toxicity when the level of pollutants exceeds the level that is required for normal body metabolism. Thus, the main objective of this research is to investigate the level of Zn, Cu, Cd, Ni and Pb concentration and distribution in existing paddy field areas as well as identify the associated risks.

A selection of Asian swamp eels was chosen as the bio-indicator in order to assess the environmental health of paddy fields in this area. Several bio-indicators agents have been used previously in coastal and marine environments in Malaysia such as *Perna viridis* (Ismail, 1990), *Oryzias javanicus* (Khodadoust et al., 2013), *Telescopium telescopium* (Ismail and Safahieh, 2005), *Nerita lineate* (Ismail and Ramli, 1997), *Uca annulipes* (Ismail et al., 1991), *Dotilla myctiroides* (Zulkifli et al., 2012a), *Thais* spp. (Mohamat-Yusuff et al., 2010; 2011), *Anguilla bicolor bicolor* (Arai et al., 2012) and *Periophthalmodon schlosseri* (Ikram et al., 2010; Zulkifli et al., 2012b). Ismail (1994) reported the use of freshwater molluscs, snails and bivalves as bio-indicators in assessing the presence of toxic chemicals in rice fields of Kuala Klawang in. However, the Asian swamp eel has not been used as a bio-indicator in paddy field areas.

The choice of Asian swamp eels is based on a few criteria. They are easy to collect, abundant and long-living. They are also able to tolerate different concentrations of salinity. Due to its unique characteristics, especially its ability of burrowing to 1.5 m depth and living in moist land without food for up

to 3 months, the Asian swamp eel is the only fish species that exists in rice cultivation areas. Therefore, Asian swamp eels could easily be exposed to pollutants. Since the Asian swamp eel is a long-living organism, the chances of exposure and accumulation of heavy metals in particular is high in paddy field areas of Kelantan. They could be exposed to heavy metals throughout the different paddy planting seasons, allowing for a broad health risk assessment to consumers of Asian swamp eel to be conducted.

1.2 Objective of this study

The specific objectives of the study are:

- i. to determine the heavy metal (Zn, Cu, Cd, Ni and Pb) levels in paddy soils collected based on four paddy seasons (plowing, seedling, growing, and harvesting) from paddy fields in Tumpat, Kelantan. The soil samples are analysed using the sequential extraction technique (SET);
- ii. to examine the bioaccumulation and uptake of Zn, Cu, Cd, Ni and Pb in different tissues of Asian swamp eel, *M. albus* in the four paddy seasons, and their relation to the bioavailability of heavy metal concentration in paddy soils;
- iii. to evaluate the relationship of metallothionein (MT) with Zn, Cu, Cd, Ni and Pb concentrations in selected tissues (gills, liver and muscle) of Asian swamp eels; and
- iv. to investigate the reproductive biology of Asian swamp eels by using the basic histological process and gonadal somatic index

REFERENCES

- Abdel-Salam, H. A., Hamdi, S. A. (2014). Heavy metals monitoring using commercially important crustaceans and mollusks collected from Egyptian and Saudi Arabia Coasts. *Animal and Veterinary Sciences*, 2(3): 49-61.
- Adeyeye, E. I., Akinyugha, N. J., Fesobi, M. E., Tenabe, V. O. (1996). Determination of some metals in *Clarias gariepinus* (Cuvier and Vallenciennes), *Cyprinus carpio* (L.) and *Oreochromis niloticus* fishes in a polyculture fresh water pond and their environments. *Aquaculture*, 147(3): 205-214.
- Adriano, D.C. (1986). *Trace elements in the terrestrial environment*. New York: Springer-Verlag.
- Adriano, D. C. (2001). *Trace elements in terrestrial environments: biogeochemistry, bioavailability, and risks of metals*. Springer.
- Agusa, T., Kunito, T., Sudaryanto, A., Monirith, I., Kan-Atireklap, S., Iwata, H., Tana, T. S. (2007). Exposure assessment for trace elements from consumption of marine fish in Southeast Asia. *Environmental Pollution*, 145(3): 766-777.
- Ahmad, I., Maria, V.L., Oliveira, M., Pacheco, M., Santos, M.A. (2007). *European eel (Anguilla anguilla L.) gill and kidney genotoxic response to copper exposure with or without naphthoflavone pre-exposure*. Lonavala, India: Third Biennial meeting of the Society for free Radical Research-Asia (SFRR-Asia) and Sixth Annual Meeting of the Society for Free Radical Research-India (SFRR-India),.
- Ahmad, I., Oliveira, M., Pacheco, M., Santos, M.A. (2005). *Anguilla anguilla L. oxidative stress biomarkers responses to copper exposure with or without β -naphthoflavone pre-exposure*. *Chemosphere*, 61: 267-275.
- Ahmad, A., Shuhaimi-Othman, M. (2010). Heavy metal concentrations in sediments and fishes from Lake Chini, Pahang, Malaysia. *Journal of Biological Sciences*, 10(2): 93-100.
- Aishah, A. W., Darus, S. Z., Abd Rahim, A., Ishak, C. F. (2010). Spatial variability of selected chemical characteristics of paddy soils in Sawah Sempadan, Selangor, Malaysia. *Malaysian Journal of Soil Science*, 14: 27-39.
- Akan, J. C., Mohmoud, S., Yikala, B. S., Ogugbuaja, V. O. (2012). Bioaccumulation of some heavy metals in fish samples from river Benue in Vinikilang, Adamawa state, Nigeria. *American Journal of Analytical Chemistry*, 3: 727-736.
- Aladetohun, N.R., Sakiti, N.G., Emmanuel, B.E. (2013). Bioaccumulation of heavy metals and bioindicator species using mugilidae fish (*Liza*

- falciipnnis*) infected with parasitic worm in moquin area of the Lagos Lagoon, Nigeria. 1(4), 69-73.
- Alagarsamy, R. (2009). Geochemical variability of copper and iron in Oman margin sediments. *Microchemical Journal*, 91(1): 111-117.
- Allen, H. E. (1993). The significance of trace metal speciation for water, sediment and soil quality criteria and standards. *Science of the Total Environment*, 134: 23-45.
- Alloway, B. J. (1995). *Heavy metals in soils*. Springer Science & Business Media.
- Al-Yousuf, M., El-Shahawi, M., Al-Ghais, S. (2000). Trace metals in liver, skin and muscle of *Lethrinus lentjan* fish species in relation to body length and sex. *Science of the Total Environment*, 256(2): 87-94.
- Amiard, J., Amiard-Triquet, C., Barka, S., Pellerin, J., Rainbow, P. (2006). Metallothioneins in aquatic invertebrates: Their role in metal detoxification and their use as biomarkers. *Aquatic Toxicology*, 76(2): 160-202.
- Amundsen, P., Staldvik, F. J., Lukin, A. A., Kashulin, N. A., Popova, O. A., Reshetnikov, Y. S. (1997). Heavy metal contamination in freshwater fish from the Border Region between Norway and Russia. *Science of the Total Environment*, 201(3): 211-224.
- ANZECC and ARMCANZ (2000). Australian and New Zealand guidelines for fresh and marine water quality. *Australian and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand, Canberra*, 1-103.
- Appenroth, K. (2010). Definition of “heavy metals” and their role in biological systems. *Soil heavy metals* (pp. 19-29). Springer.
- Arai, T., Chino, N., Zulkifli, S. Z., Ismail, A. (2012). Notes on the occurrence of the tropical eel *Anguilla bicolor bicolor* in Peninsular Malaysia, Malaysia. *Journal of Fish Biology*, 80(3): 692-697.
- Arnot, J. A., Gobas, F. A. (2006). A review of bioconcentration factor (BCF) and bioaccumulation factor (BAF) assessments for organic chemicals in aquatic organisms. *Environmental Reviews*, 14(4): 257-297.
- ATSDR. (2003). *Toxicological profile for cadmium*. U.S Department of Health and Human Services, Public Health Service, Centre for Disease Control. Atlanta, GA.
- ATSDR. (2013). Ni: Regulation & advisories. Retrieved from <http://www.atsdr.cdc.gov/toxprofiles/tp15-c8.pdf> [12th January 2014]
- Authman, M. M., Abbas, W. T., Gaafar, A. Y. (2012). Metals concentrations in Nile tilapia *Oreochromis niloticus* from illegal fish farm in Al-Minufiya Province, Egypt, and their effects on some tissues structures. *Ecotoxicology and Environmental Safety*, 84: 163-172.

- Babukutty, Y., Chacko, J. (1995). Chemical partitioning and bioavailability of lead and nickel in an estuarine system. *Environmental Toxicology and Chemistry*, 14(3): 427-434.
- Badri, M. A. (1984). Identification of heavy metal toxicity levels in solid wastes by chemical speciation. *Conservation & Recycling*, 7(2): 257-269.
- Badri, M., Aston, S. (1983). Observations on heavy metal geochemical associations in polluted and non-polluted estuarine sediments. *Environmental Pollution Series B, Chemical and Physical*, 6(3): 181-193.
- BAEICII, H., & Stotzky, G. (1983). Toxicity of nickel to microbes: environmental aspects. *Advances in Applied Microbiology*, 29: 195.
- Baldwin, D.R., Marshall, W.J. (1999). Heavy metal poisoning and its laboratory investigation. *Annals of Clinical Biochemistry*, 36(3): 267-300.
- Bell, T. A., Lightner, D. V. (1988). A handbook of normal penaeid shrimp histology.
- Benoff, S., Jacob, A., Hurley, I. R. (2000). Male infertility and environmental exposure to lead and cadmium. *Human Reproduction Update*, 6(2): 107-121.
- Birch, G., Taylor, S. (1999). Source of heavy metals in sediments of the Port Jackson Estuary, Australia. *Science of the Total Environment*, 227(2): 123-138.
- Blaylock, M. J., Salt, D. E., Dushenkov, S., Zakharova, O., Gussman, C., Kapulnik, Y., Raskin, I. (1997). Enhanced accumulation of Pb in Indian Mustard by soil-applied chelating agents. *Environmental Science & Technology*, 31(3): 860-865.
- Bonneris, E., Giguère, A., Perceval, O., Buronfosse, T., Masson, S., Hare, L., Campbell, P. G. (2005). Sub-cellular partitioning of metals (Cd, Cu, Zn) in the gills of a freshwater bivalve, *Pyganodon grandis*: Role of calcium concretions in metal sequestration. *Aquatic Toxicology*, 71(4): 319-334.
- Bouraoui, Z., Banni, M., Ghedira, J., Clerandeau, C., Guerbej, H., Narbonne, J., Boussetta, H. (2008). Acute effects of cadmium on liver phase I and phase II enzymes and metallothionein accumulation on sea bream, *Sparus aurata*. *Fish Physiology and Biochemistry*, 34(3): 201-207.
- Boyd, R. S., Jaffre, T., Odom, J. W. (1999). Variation in Nickel content in the Nickel-Hyperaccumulating shrub *Psychotria douarrei* (rubiceae) from New Caledonia¹. *Biotropica*, 31(3): 403-410.
- Brázová, T., Torres, J., Eira, C., Hanzelová, V., Miklisová, D., Šalamún, P. (2012). Perch and its parasites as heavy metal biomonitors in a freshwater environment: The case study of the Ružín Water Reservoir, Slovakia. *Sensors*, 12(3): 3068-3081.
- Bremner, I. (1987). Nutritional and physiological significance of metallothionein. *Metallothionein II* (pp. 81-107). Springer.

- Bricking, E. M. (2002). Introduced species summary project: Asian swamp eel. Retrieved from http://www.columbia.edu/itc/cerc/danoffburg/invasion_bio/inv_spp_summ/Monopterus_albus.html
- Bruslé, J. (1990). Effects of heavy metals on eels, *Anguilla sp.* *Aquatic Living Resources*, 3(02): 131-141.
- CABI. (2016). Invasive Species Compendium: Asian Swamp eel. Retrieved from <http://www.cabi.org/isc/datasheet/74114> [2 November 2016].
- Calmano, W., Förstner, U. (1983). Chemical extraction of heavy metals in polluted river sediments in central Europe. *Science of the Total Environment*, 28(1):77-88.
- Campana, O., Sarasquete, C., Blasco, J. (2003). Effect of lead on ALA-D activity, metallothionein levels, and lipid peroxidation in blood, kidney, and liver of the toadfish *Halobatrachus didactylus*. *Ecotoxicology and Environmental Safety*, 55(1): 116-125.
- Canli, M., Atli, G. (2003). The relationships between heavy metal (Cd, Cr, Cu, Fe, Pb, Zn) levels and the size of six mediterranean fish species. *Environmental Pollution*, 121(1):129-136.
- Castro-González, M., Méndez-Armenta, M. (2008). Heavy metals: Implications associated to fish consumption. *Environmental Toxicology and Pharmacology*, 26(3): 263-271.
- Chan, K. M. (1995). Metallothionein: Potential biomarker for monitoring heavy metal pollution in fish around Hong Kong. *Marine Pollution Bulletin*, 31(4): 411-415.
- Chan, S., Phillips, J. (1967). The structure of the gonad during natural sex reversal in *Monopterus albus* (Pisces: Teleostei). *Journal of Zoology*, 151(1): 129-141.
- Chapman, P. M., Wang, F., Adams, W. J., Green, A. (1999). Appropriate applications of sediment quality values for metals and metalloids. *Environmental Science & Technology*, 33(22): 3937-3941.
- Chapman, P. M., Wang, F., Janssen, C., Persoone, G., Allen, H. E. (1998). Ecotoxicology of metals in aquatic sediments: Binding and release, bioavailability, risk assessment, and remediation. *Canadian Journal of Fisheries and Aquatic Sciences*, 55(10): 2221-2243.
- Chen, K.Y., Yen, T.F. (1972). *Models for the fate of heavy metals in sediments*. ACS Division of Water, Air and Waste Chemistry.
- Chomchoei, R., Shiowatana, J., Pongsakul, P. (2002). Continuous-flow system for reduction of metal readsorption during sequential extraction of soil. *Analytica Chimica Acta*, 472(1): 147-159.
- Choudhury, H., Stedeford, T., Donohue, J. (2005). *Toxicological review of zinc and compounds*. (No. EPA/635/R-05/002). US Environmental Protection Agency, Washington, DC.

- Chovanec, A., Hofer, R., Schiemer, F. (2003). Fish as bioindicators. *Trace Metals and Other Contaminants in the Environment*, 6: 639-676.
- Chow, T. J. (1974). Occurrence of lead in tuna. *Nature*, 251: 159-161.
- Clarkson, T. W. (1988). *Biological monitoring of toxic metals*. New York: Plenum Press.
- Coogan, T. P., Latta, D. M., Snow, E. T., Costa, M., Lawrence, A. (1989). Toxicity and carcinogenicity of nickel compounds. *CRC Critical Reviews in Toxicology*, 19(4): 341-384.
- Cordero, B., Lodeiro, P., Herrero, R., de Vicente, S., Esteban, M. (2004). Biosorption of cadmium by *Fucus spiralis*. *Environmental Chemistry*, 1(3): 180-187.
- Cui, Y.J., Zhu, Y.G., Zhai, R. H., Chen, D. Y., Huang, Y. Z., Qui, Y., Liang, J. Z. (2004). Transfer of metals from near a smelter in Nanning, China. *Environmental International*, 30:785-791.
- Dabrio, M., Rodríguez, A. R., Bordin, G., Bebianno, M. J., De Ley, M., Šestáková, I., Nordberg, M. (2002). Recent developments in quantification methods for metallothionein. *Journal of Inorganic Biochemistry*, 88(2): 123-134.
- Dallinger, R., Prosi, F., Segner, H., Back, H. (1987). Contaminated food and uptake of heavy metals by fish: A review and a proposal for further research. *Oecologia*, 73(1): 91-98.
- Dara, S. (2006). Soil pollution. In S. S. Dara (8th Ed.), *A textbook of environmental chemistry and pollution control* (pp. 274-87). New Delhi: S.Chand and Company Ltd.
- Darolova, A., Reichrtova, E., Pavelka, J. (1989). Bioaccumulation of metals from nickel works waste in the gull (*Larus ridibundus* L 1766). *Biologia*, 44(6): 567-573.
- Das, P., Samantaray, S., Rout, G. (1997). Studies on cadmium toxicity in plants: A review. *Environmental Pollution*, 98(1): 29-36.
- Das, S. K., Routh, J., Roychoudhury, A. N., Val Klump, J. (2008). Major and trace element geochemistry in Zeekoevlei, South Africa: A lacustrine record of present and past processes. *Applied Geochemistry*, 23(8): 2496-2511.
- De Boeck, G., De Wachter, B., Vlaeminck, A., Blust, R. (2003). Effect of cortisol treatment and/or sublethal copper exposure on copper uptake and heat shock protein levels in common carp, *Cyprinus carpio*. *Environmental Toxicology and Chemistry*, 22(5): 1122-1126.
- Debus, L. (1987). *Nahrungsökologische Untersuchungen an Juvenilen Bleien Und Ploetz*, Ph.D Thesis, Department of Biology, Chemistry and Agriculture, University of Rostock.

- Deely, J. M., Fergusson, J. E. (1994). Heavy metal and organic matter concentrations and distributions in dated sediments of a small estuary adjacent to a small urban area. *Science of the Total Environment*, 153(1): 97-111.
- De Gennaro, G., DAresta, B. E., Lelpo, P., Placentino, M. (2016). Analytical methods for determination of metals in environmental samples. Retrieved from <http://www.regione.abruzzo.it/rivernet/docs/attivita/metodologie/lezioni/analytical-methods-for-determination-of-metals-in-environmental-samples.pdf>. [1 November 2016].
- Department of Agricultural. (2009). Laporan Analisis Baja NPK Tambahan Di Bawah Skim Jaminan Bekalan Makanan. DOA, Kelantan.
- Department of Agriculture Peninsular Malaysia. (2012). *Perangkaan Padi Malaysia (paddy statistics of Malaysia)*. Jabatan Pertanian, Semenanjung Malaysia.
- Delves, H.Y. (1994). Chapter 17: Copper in *Trace element analysis in biological specimens* Herber, R., Stoepler, M. Elsevier.
- DeVlaming, V., Grossman, G., Chapman, F. (1982). On the use of the gonadosomatic index. *Comparative Biochemistry and Physiology Part A: Physiology*, 73(1):31-39.
- Dimari, G., Abdulrahman, F., Akan, J., Garba, S. (2008). Metals concentrations in tissues of tilapia gallier, crarias lazera and osteoglossidae caught from Alau Dam, Maiduguri, Borno State, Nigeria. *American Journal of Environmental Sciences*, 4(4): 373-379.
- Domingo, L. E., Kyuma, K. (1983). Trace elements in Tropical Asian paddy soils: I. total trace element status. *Soil Science and Plant Nutrition*, 29(4): 439-452.
- Drury, R., Wallington, E. (1980). *Carleton's Histological Technique*. Oxford University.
- Dural, M., Göksu, M., Özak, A. A. (2007). Investigation of heavy metal levels in economically important fish species captured from the Tuzla Lagoon. *Food Chemistry*, 102(1): 415-421.
- DUTTA, D., Mandal, B., Mandal, L. (1989). Decrease in availability of zinc and copper in acidic to near neutral soils on submergence¹. *Soil Science*, 147(3): 187-195.
- Ebrahimi, M., Taherianfard, M. (2011). The effects of heavy metals exposure on reproductive systems of cyprinid fish from Kor River. *Iranian Journal of Fisheries Sciences*, 10(1): 13-26.
- Edwards, C. A. (1973). Environmental pollution by pesticides. pp. 542.
- Eisler, R. (1981). Trace metal concentrations in marine organisms.

- Eisler, R. (1998). *Nickel Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review*.
- El-Nabawi, A., Heinzow, B., Kruse, H. (1987). As, Cd, Cu, Pb, Hg, and Zn in fish from the Alexandria Region, Egypt. *Bulletin of Environmental Contamination and Toxicology*, 39(5): 889-897.
- EPA. (1996). *Based concentration table, january-june 1996*.
- Environmental Technology Council. (2011). *Technological and environment issues - chemicals of concern - leads*. Retrieved from <http://www.etc.org/technologicalandenvironmentalissues/chemicalsofconcern/zinc/>
- Evans, D. W., Dadoo, D. K., Hanson, P. J. (1993). Trace element concentrations in fish livers: Implications of variations with fish size in pollution monitoring. *Marine Pollution Bulletin*, 26(6): 329-334.
- Eve, M., Sperow, M., Howerton, K., Paustian, K., Follett, R. (2002). Predicted impact of management changes on soil carbon storage for each Cropland Region of the conterminous United States. *Journal of Soil and Water Conservation*, 57(4): 196-204.
- Farrah, H., Pickering, W. (1977). Influence of clay-solute interactions on aqueous heavy metal ion levels. *Water, Air, and Soil Pollution*, 8(2): 189-197.
- Fichet, D., Radenac, G., Miramand, P. (1998). Experimental studies of impacts of harbour sediments resuspension to marine invertebrates larvae: Bioavailability of Cd, Cu, Pb and Zn and toxicity. *Marine Pollution Bulletin*, 36(7): 509-518.
- Food Agricultural Organization. (2005). Food security statistics. Retrieved from http://www.fao.org/faostat/foodsecurity/index_en.htm.
- Food Agricultural Organization. (2013). Food security statistics 2005. Retrieved from http://www.fao.org/fao/stat/foodsecurity/index_en.htm [20th May 2014].
- Foran, C. M., Peterson, B. N., Benson, W. H. (2002). Influence of parental and developmental cadmium exposure on endocrine and reproductive function in Japanese medaka (*Oryzias latipes*). *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 133(3): 345-354.
- Forstner, U., Wittman, G. (1981). *Metal pollution in the aquatic environment*. Berlin: Springer-Verlag.
- Fowler, B., Hildebrand, C., Kojima, Y., Webb, M. (1987). Nomenclature of metallothionein. *Metallothionein II* (pp. 19-22). Springer.

- Gay, D., Maher, W. (2003). Natural variation of copper, zinc, cadmium and selenium concentrations in *Bembicium nanum* and their potential use as a biomonitor of trace metals. *Water Research*, 37(9): 2173-2185.
- Gimeno-García, E., Andreu, V., Boluda, R. (1996). Heavy metals incidence in the application of inorganic fertilizers and pesticides to rice farming soils. *Environmental Pollution*, 92(1): 19-25.
- Gott, J., Scheidig, F., Grosse-Siestrup, C., Esche, V., Brandenburg, P., Reich, A., Groneberg, D. A. (2006). The toxicity of Cadmium and resulting hazards for human health. *Journal Occupational Medical Toxicology*, 1(22): 1-6.
- Gong, Z.T., Xu, Q. (1990). *Paddy soils. soils of China*. No. 233-260. Science Press.
- Goyer, R.A., Clarkson, T.W. (2001). *Toxic effects of metals. Casarett and Doull's toxicology: The Basic science of poisons*. New York, McGraw-Hill.
- Grandjean, P. (1984). Human exposure to Nickel. *IARC Scientific Publications*, (53): 469-485.
- Granel, T., Robinson, B., Mills, T., Clothier, B., Green, S., Fung, L. (2002). Cadmium accumulation by willow clones used for soil conservation, stock fodder, and phytoremediation. *Soil Research*, 40(8): 1331-1337.
- Gravato, C., Teles, M., Oliveira, M., Santos, M. (2006). Oxidative stress, liver biotransformation and genotoxic effects induced by copper in *Anguilla anguilla* L. the influence of pre-exposure to β -naphthoflavone. *Chemosphere*, 65(10): 1821-1830.
- Gupta, U. C., Gupta, S. C. (1998). Trace element toxicity relationships to crop production and livestock and human health: Implications for management. *Communications in Soil Science & Plant Analysis*, 29(11-14): 1491-1522.
- Hagner, C. (2002). Regional and long-term patterns of Lead concentrations in riverine, marine and terrestrial systems and humans in Northwest Europe. *Water, Air, and Soil Pollution*, 134(1-4): 1-40.
- Hakanson, L. (1980). An ecological risk index for aquatic pollution control. A sedimentological approach. *Water Research*, 14(8): 975-1001.
- Hamer, D. H. (1986). metallothionein1, 2. *Annual Review of Biochemistry*, 55(1): 913-951.
- Hammann, M., Desaulles, A. (2003). Manual: Sampling and sample pretreatment for soil pollutant monitoring. Swiss Agency for the Environment, Forests and Landscape SAEFL.
- Handy, R. (1992). The assessment of episodic metal pollution. II. The effects of cadmium and copper enriched diets on tissue contaminant analysis in

Rainbow trout (*Oncorhynchus mykiss*). *Archives of Environmental Contamination and Toxicology*, 22(1): 82-87.

Hao, Y., Lal, R., Owens, L., Izaurralde, R., Post, W., Hothem, D. (2002). Effect of cropland management and slope position on soil organic carbon pool at the North Appalachian experimental watersheds. *Soil and Tillage Research*, 68(2): 133-142.

Harino, H., Arai, T., Ohji, M., Ismail, A. B., Miyazaki, N. (2008). Organotin contaminations in Malaysia. *Coastal Marine Science*, 32(1): 1-8.

He, Z. L., Yang, X. E., Stoffella, P. J. (2005). Trace elements in agroecosystems and impacts on the environment. *Journal of Trace Elements in Medicine and Biology*, 19(2): 125-140.

Heath, A. (1990). Summary and perspectives. *American Fisheries Society Symposium*, 8: 183-191.

Heerden, E. G., Van Vuren, J. H., Du Preez, H. H. (1991). Bioconcentration of atrazine, zinc and iron in the blood of *Tilapia sparrmanii* (cichlidae). *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 100(3): 629-633.

Herpandi, N. H., & Adzitey, F. (2011). Fish bone and scale as a potential source of halal gelatin. *Journal Fish Aquatic Science*, 6: 379-389.

Higham, D. P., Sadler, P. J., Scawen, M. D. (1986). Cadmium-binding proteins in *Pseudomonas putida*: Pseudothioneins. *Environmental Health Perspectives*, 65: 5-11.

Hill, J. E., Watson, C. A. (2007). Diet of the non-indigenous Asian swamp eel in tropical ornamental aquaculture ponds in West-Central Florida. *North American Journal of Aquaculture*, 69(2): 139-146.

Hogstrand, C., Haux, C. (1991). Binding and detoxification of heavy metals in lower vertebrates with reference to metallothionein. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 100(1): 137-141.

Hogstrand, C., Lithner, G., Haux, C. (1991). The importance of metallothionein for the accumulation of copper, zinc and cadmium in environmentally exposed perch, *Perca fluviatilis*. *Pharmacology & Toxicology*, 68(6): 492-501.

Hossner, L. (1996). Dissolution for total elemental analysis. *Methods of Soil Analysis, Part, 3*: 49-64.

Hseu, Z. Y., Chen, Z. S., Tsai, C. C., Tsui, C. C., Cheng, S. F., Liu, C. L. (2002). Digestion methods for total heavy metals in sediments and soils. *Water, Air and Soil Pollution*, 141(1): 189-205.

Hughes, G., Flos, R. (1978). Zinc content of the gills of Rainbow Trout (*S. gairdneri*) after treatment with zinc solutions under normoxic and hypoxic conditions. *Journal of Fish Biology*, 13(6): 717-728.

- Hung, T., Chuang, A., Wu, S., Tsai, C. (1990). Relationships among the species and forms of Copper and biomass along the Erhjin Chi Coastal water. *Acta Oceanographica Taiwanica*, (25): 65-76.
- Huu, H., Rudy, S. An van damme (2010). Distribution and contamination status of heavy metals in estuarine sediments near Cau Ong Harbor, Ha Long Bay, Vietnam. *Geology Belgica*, 13(1-2): 37-47.
- Ikram, M., Ismail, A., Yap, C., Azwady, A. N. (2010). Levels of heavy metals (Zn, Cu, Cd, and Pb) in mudskippers (*Periophthalmodon schlosseri*) and sediments collected from intertidal areas at Morib and Remis, Peninsular Malaysia. *Toxicological and Environ Chemistry*, 92(8): 1471-1486.
- Ismail, A. (1990). Heavy metals Pb, Cu, Cd and Zn in green mussel and catfish from Port Dickson coastal area. *IRPA/UKM Workshop on Heavy Metals I. Frazer Hill*, 25-28.
- Ismail, A. (1993). Heavy metals Cd, Cu, Pb and Zn in green mussel (*Perna viridis* L.) from the west coast of Peninsular Malaysia. *IRPA. UKM Workshop and Seminar, Allison Kelana, Seremban Malaysia*, 9-12.
- Ismail, A. (1994). Heavy metals in freshwater snails of Kuala Klawang's rice field, Negeri Sembilan, Malaysia. *Environmental monitoring and Assessment*, 32(3): 187-191.
- Ismail, A., Badri, M., Ramlan, M. (1991). Heavy metal contamination in fiddler crabs (*Uca annulipes*) and hermit crabs (*Clibanarius sp.*) in a coastal area of northern Peninsular Malaysia. *Environmental Technology*, 12(10): 923-926.
- Ismail, A., Badri, M.A., Ramlan, M. N. (1993). The background levels of heavy metals concentration in sediments of the west coast of Peninsular Malaysia. *Science of the Total Environment*, 134(1):315-323.
- Ismail, A., Ferdaus, M., Syaizwan, Z. (2004). Imposex in *Thais* sp. along the Straits of Malacca. *Proceedings of the First Joint Seminar on Coastal Oceanography*, 189-196.
- Ismail, A., Jazlina, J. (2003). Heavy metals in sediment, *Nerita lineata*, *Rhizophora* sp from selangor coastline. In J. S. Bujang (Ed.), *Aquatic resources and environmental studies of the Straits of Malacca: Managing the Straits through science and technology*, Universiti Putra Malaysia: MASDEC, pp. 219-226.
- Ismail, A., Ramli, R. (1997). Trace metals in sediments and molluscs from an estuary receiving pig farms effluent. *Environmental Technology*, 18(5): 509-515.
- Ismail, A., Safahieh, A. (2005). Copper and zinc in intertidal surface sediment and *Telescopium telescopium* from Lukut River, Malaysia. *Coastal Marine Science*, 29(2): 111-115.

- Ismail, A., Yusof, S. (2011). Effect of mercury and cadmium on early life stages of Java medaka (*Oryzias javanicus*): A potential tropical test fish. *Marine Pollution Bulletin*, 63(5): 347-349.
- Ismail, A., Yusof, S., Ismail, A.R., Omar, H. (2003). Accumulation of copper in fish cage ecosystem of Linggi River, Negeri Sembilan. *JICA-MASDEC Seminar and Workshop 14-16 January, 2003*, Palm Garden, PutraJaya.
- Jacinthe, P., Lal, R., Kimble, J. (2002). Carbon budget and seasonal carbon dioxide emission from a central Ohio Luvisol as influenced by wheat residue amendment. *Soil and Tillage Research*, 67(2): 147-157.
- Jaffar, M., Pervaiz, S. (1989). Investigation on multi-organ heavy trace metal [Mn, Cr, Zn, Cu, As, Hg, Pb, Fe, Ni, Cd] content of meat of selected dairy, poultry, fowl and fish species [*Labeo rohita* and salmon]. *Pakistan Journal of Scientific and Industrial Research (Pakistan)*.
- Jamil, H., Theng, L. P., Jusoh, K., Razali, A. M., Ali, F. B., Ismail, B. (2011). Speciation of heavy metals in paddy soils from selected areas in Kedah and Penang, Malaysia. *African Journal of Biotechnology*, 10(62): 13505-13513.
- Jebali, J., Banni, M., Guerbej, H., Almeida, E., Bannaoui, A., Boussetta, H. (2006). Effects of malathion and cadmium on acetylcholinesterase activity and metallothionein levels in the fish *Seriola dumerilli*. *Fish Physiology and Biochemistry*, 32(1): 93-98.
- Jensen, A., Bro-Rasmussen, F. (1992). Environmental cadmium in Europe. *Reviews of Environmental Contamination and Toxicology* (pp. 101-181). Springer.
- Jezierska, B., Witeska, M. (2001). Metal toxicity to fish. *Monografie. University of Podlasie, Poland*. p. 318.
- Jezierska, B., Witeska, M. (2006). The metal uptake and accumulation in fish living in polluted waters. *Soil and water pollution monitoring, protection and remediation* (pp. 107-114). Springer.
- Jovanović, B., Mihaljev, Ž., Maletin, S., Palić, D. (2011). Assessment of heavy metal load in Chub liver (Cyprinidae–*Leuciscus cephalus*) from the Nišava river (Serbia). *Biologica Nyssana*, 2(1).
- Kabala, C., Singh, B. R. (2001). Fractionation and mobility of Copper, Lead, and Zinc in soil profiles in the vicinity of a copper smelter. *Journal of Environmental Quality*, 30(2): 485-492.
- KADA (Kemubu Agricultural Development Authority). (2011). *Buku panduan pengurusan perosak, penyakit & rumpai padi*. Kelantan: KADA.
- KADA (Kemubu Agricultural Development Authority) (2014). Jadual Tanam Padi. Retrieved from: <http://www.kada.gov.my/web/guest/jadual-tanaman-padi> [23 September 2015]

- Kaegi, J. H., Schaeffer, A. (1988). Biochemistry of metallothionein. *Biochemistry*, 27(23): 8509-8515.
- Kägi, J., Kojima, Y. (1987). Chemistry and biochemistry of metallothionein. *Metallothionein II* (pp. 25-61). Springer.
- Kalay, M., Canli, M. (2000). Elimination of essential (Cu, Zn) and non-essential (Cd, Pb) metals from tissues of a freshwater fish *Tilapia zillii* following an uptake protocol. *Turkey Journal Zoology*, 24: 429-436.
- Kamaruzzaman, B. Y., John, B. A., Megat, M. H. A., Zaleha K. (2011). Bioaccumulation of heavy metals in horseshoe crabs *Tachypleus gigas* from Pekan, Pahang, Malaysia. *Research Journal of Environmental Toxicology*, 222-228.
- Karadede, H., Oymak, S. A., Ünlü, E. (2004). Heavy metals in mullet, *Liza abu*, and catfish, *Silurus triostegus*, from the Atatürk Dam Lake (Euphrates), Turkey. *Environment International*, 30(2): 183-188.
- Kargin, F., Erdem, C. (1991). *Cyprinus carpio* da bakırın karaciğer, dalak, mide, barsak, solungaç ve kas dokularındaki birikimi. *Eğirdir Su Ürünleri Fakültesi Dergisi*, 15: 306-314.
- Kashem, M., Singh, B. (2001). Metal availability in contaminated soils: Effects of flooding and organic matter on changes in Eh, pH and solubility of Cd, Ni and Zn. *Nutrient Cycling in Agroecosystems*, 61(3): 247-255.
- Kendrick, M. J., May, M., Plishka, M., Robinson, K. (1992). *Metals in biological systems*. New York: Ellis Horwood.
- Khairiah, J., Habibah, J., Ahmad Mahir, R., Maimon, A., Aminah, A., Ismail, B.S. (2009a). Studies on heavy metals deposits in soils from selected agricultural areas of Malaysia. *Advances in Environmental Biology*, 3(3):329-336.
- Khairiah, J., Ding-Woei, Y., Habibah, J., Ahmad-Mahir, R., Aminah, A., Ismail, B. (2009b). Concentration of heavy metals in guava plant parts and soil in the Sungai Wangi Plantation, Perak, Malaysia. *International Journal of Agricultural Research*, 4(10): 310-316.
- Khairiah, J., Habibah, H., Anizan, I., Maimon, A., Aminah, A., Ismail, B. (2009c). Content of heavy metals in soil collected from selected paddy cultivation areas in Kedah and Perlis, Malaysia. *Journal Applied Sciences Research*, 5(12): 2179-2188.
- Khairiah, J., Lim, K., Ahmad-Mahir, R., Ismail, B. (2006). Heavy metals from agricultural soils from Cameron Highlands, Pahang, and Cheras, Kuala Lumpur, Malaysia. *Bulletin of Environmental Contamination and Toxicology*, 77(4): 608-615.
- Khan, A. T., Weis, J. (1993). Bioaccumulation of heavy metals in two populations of mummichog (*Fundulus heteroclitus*). *Bulletin of Environmental Contamination and Toxicology*, 51(1): 1-5.

- Khodadoust, D., Ismail, A., Zulkifli, S. Z., Tayefeh, F. H. (2013). Short time effect of Cadmium on juveniles and adults of Java medaka (*Oryzias javanicus*) fish as a bioindicator for ecotoxicological studies. *Life Science Journal*, 10(1): 1857-1861.
- Kidwell, J., Phillips, L., Birchard, G. (1995). Comparative analyses of contaminant levels in bottom feeding and predatory fish using the national contaminant biomonitoring program data. *Bulletin of Environmental Contamination and Toxicology*, 54(6): 919-923.
- Kirkham, M. (2006). Cadmium in plants on polluted soils: Effects of soil factors, hyperaccumulation, and amendments. *Geoderma*, 137(1): 19-32.
- Kögel-Knabner, I., Amelung, W., Cao, Z., Fiedler, S., Frenzel, P., Jahn, R., Schloter, M. (2010). Biogeochemistry of paddy soils. *Geoderma*, 157(1): 1-14.
- Krishnamurti, G., Huang, P., Kozak, L. (1999). Sorption and desorption kinetics of cadmium from soils: Influence of phosphate. *Soil Science*, 164(12), 888-898.
- Lal, R. (2002). Soil carbon sequestration in china through agricultural intensification, and restoration of degraded and desertified ecosystems. *Land Degradation & Development*, 13(6): 469-478.
- Lamas, S., Fernandez, J., Aboal, J., Carballeira, A. (2007). Testing the use of juvenile salmo trutta L. as biomonitors of heavy metal pollution in freshwater. *Chemosphere*, 67(2): 221-228.
- Langston, W., Chesman, B., Burt, G., Pope, N., McEvoy, J. (2002). Metallothionein in liver of eels *Anguilla anguilla* from the thames estuary: An indicator of environmental quality? *Marine Environmental Research*, 53(3): 263-293.
- Laurenti, G. (2002). *1961-1999 Fish and fishery products: World apparent consumption statistics based on food balance sheets*. FAO: Fisheries Circular No.821.
- Levy, D. B., Barbaric, K. A., Siemer, E. G., Sommers, L. E. (1992). Distribution and partitioning of trace metals in contaminated soils near Leadville, Colorado. *Journal of Environmental Quality*, 21(2): 185-195.
- Li, J., Yang, X., He, Z., Jilani, G., Sun, C., Chen, S. (2007). Fractionation of lead in paddy soils and its bioavailability to rice plants. *Geoderma*, 141(3): 174-180.
- Li, S., Migita, J. (1992). Pesticide runoff from paddy field and its impact on receiving water. *Water Science & Technology*, 25(11): 69-76.
- Liem, K. F. (1963). Sex reversal as a natural process in the synbranchiform fish *Monopterus albus*. *Copeia*, 303-312.
- Linde, A., Sánchez-Galán, S., Klein, D., Garcia-Vázquez, E., Summer, K. (1999). Metallothionein and heavy metals in brown trout (*Salmo trutta*)

and European eel (*Anguilla anguilla*): A comparative study. *Ecotoxicology and Environmental Safety*, 44(2): 168-173.

Linde-Arias, A. R., Inácio, A. F., de Albuquerque, C., Freire, M. M., Moreira, J. C. (2008). Biomarkers in an invasive fish species, *Oreochromis niloticus*, to assess the effects of pollution in a highly degraded Brazilian River. *Science of the Total Environment*, 399(1): 186-192.

Liu, C. K. (1944). Rudimentary hermaphroditism in the synbranchoid eel, *Monopterus javanensis*. 15: 1-8.

Liu, J., Zhang, X., Tran, H., Wang, D., Zhu, Y. (2011). Heavy metal contamination and risk assessment in water, paddy soil, and rice around an electroplating plant. *Environmental Science and Pollution Research*, 18(9): 1623-1632.

Liu, W., Zhao, J., Ouyang, Z., Söderlund, L., Liu, G. (2005). Impacts of sewage irrigation on heavy metal distribution and contamination in Beijing, China. *Environment International*, 31(6): 805-812.

Long, E. R., Field, L. J., MacDonald, D. D. (1998). Predicting toxicity in marine sediments with numerical sediment quality guidelines. *Environmental Toxicology and Chemistry*, 17(4): 714-727.

Long, E. R., MacDonald, D. D., Smith, S. L., Calder, F. D. (1995). Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management*, 19(1): 81-97.

Long, Y., Hu, L., Fang, C., Wu, Y., Shen, D. (2009). An evaluation of the modified BCR sequential extraction procedure to assess the potential mobility of copper and zinc in MSW. *Microchemical Journal*, 91(1): 1-5.

Lu, H., Cheng, H., Guo, Y., Zhou, R. (2003). Two alleles of the Sox9a2 in the rice field eel. *Journal of Experimental Zoology Part B: Molecular and Developmental Evolution*, 299(1): 36-40.

Lu, A., Zhang, S., Shan, X. (2005). Time effect on the fractionation of heavy metals in soils. *Geoderma*, 125(3): 225-234.

Luoma, Samuel N., Rainbow, Philip. S. (2008). *Metal contamination in aquatic environments: Science and lateral management* (ed.) Cambridge University Press.

MacDonald, D. D., Carr, R. S., Calder, F. D., Long, E. R., Ingersoll, C. G. (1996). Development and evaluation of sediment quality guidelines for Florida Coastal waters. *Ecotoxicology*, 5(4): 253-278.

MacDonald, D. D., Ingersoll, C. G., Berger, T. (2000). Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Archives of Environmental Contamination and Toxicology*, 39(1): 20-31.

- Magyarosy, A., Laidlaw, R., Kilaas, R., Echer, C., Clark, D., Keasling, J. (2002). Nickel accumulation and nickel oxalate precipitation by *Aspergillus niger*. *Applied Microbiology and Biotechnology*, 59(2-3): 382-388.
- Maiz, I., Arambarri, I., Garcia, R., Millan, E. (2000). Evaluation of heavy metal availability in polluted soils by two sequential extraction procedures using factor analysis. *Environmental Pollution*, 110(1): 3-9.
- Majer, B. J., Tscherko, D., Paschke, A., Wennrich, R., Kundi, M., Kandeler, E., Knasmüller, S. (2002). Effects of heavy metal contamination of soils on micronucleus induction in *Tradescantia* and on microbial enzyme activities: A comparative investigation. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, 515(1): 111-124.
- Malaysian Food Regulation. (1985). *Malaysian Law on food and drugs*. Malaysian Law Publishers.
- Mason, C. (1991). *Biology of freshwater pollution*. Longman Scientific and Technical.
- Mason, C., Barak, N. (1990). A catchment survey for heavy metals using the eel (*Anguilla anguilla*). *Chemosphere*, 21(4): 695-699.
- Matés, J. (2000). Effects of antioxidant enzymes in the molecular control of reactive oxygen species toxicology. *Toxicology*, 153(1-3): 83-104.
- McCormick, J. H., Stokes, G. N., Hermanutz, R. O. (1989). Oocyte atresia and reproductive success in fathead minnows (*Pimephales promelas*) exposed to acidified hardwater environments. *Archives of Environmental Contamination and Toxicology*, 18(1-2): 207-214.
- McFarlane, G., Franzin, W. (1980). An examination of Cd, Cu, and Hg concentrations in livers of northern pike, *Esox lucius*, and white sucker, *Catostomus commersoni*, from five lakes near a base metal smelter at Flin Flon, Manitoba. *Canadian Journal of Fisheries and Aquatic Sciences*, 37(10): 1573-1578.
- McGrath, S. (1995). Chromium and Nickel. In B. W. Alloway (Ed.), *Heavy Metals in Soil*, 2nd edn. (pp 152-178). London: Blackie Academic and Professional.
- McLaughlin, M. J., Hamon, R., McLaren, R., Speir, T., Rogers, S. (2000). Review: A bioavailability-based rationale for controlling metal and metalloid contamination of agricultural land in Australia and New Zealand. *Soil Research*, 38(6): 1037-1086.
- McLaughlin, M. J., Tiller, K., Naidu, R., Stevens, D. (1996). Review: The behaviour and environmental impact of contaminants in fertilizers. *Soil Research*, 34(1): 1-54.
- McLean, E. (1982). Soil pH and lime requirement. *Methods of Soil Analysis. Part 2. Chemical and Microbiological Properties*, (methodsofsoilan2), pp.199-224.

- Megat, AF. (2010). *The extraction of fish oil from eel by using microwave extractor*. Master Thesis, Universiti Malaysia Pahang. umpire.ump.edu.my/3159/1/CD589_MEGAT_AHMAD_FAIZ_ABDUL_AZIZ.pdf
- Melegy, A., El-Kammar, A., Yehia, M. M., Miro, G. (2014). Hydrogeochemical characteristics and assessment of water resources in Beni Suef Governorate, Egypt. *Open Journal of Geology*, 4(2), 44-57.
- Mendiola, L. L., Domínguez, D., González Sandoval, M. (2008). Environmental assessment of an active tailings pile in the state of Mexico (central Mexico). *Research Journal of Environmental Sciences*, 2(3):197-208.
- Merian, E. (1991). *Metals and their compounds in the environment: Occurrence, analysis and biological relevance*. VCH Verlagsgesellschaft mbH.
- Ming-Tsung. (2009). *Study on the muscle characteristics of the swamp eel, *Monopterus albus* during aestivation*. Master Thesis. Retrieved from <http://etd-0812109-231220>
- Mohamat-Yusuff, F., Zulkifli, S. Z., Ismail, A., Harino, H., Yusoff, M. K., Arai, T. (2010). Imposed in *Thais gradata* as a biomarker for TBT contamination on the southern coast of Peninsular Malaysia. *Water, Air, & Soil Pollution*, 211(1-4), 443-457.
- Mohamat-Yusuff, F., Zulkifli, S. Z., Ismail, A. (2011). Imposed study on *Thais tuberosa* from port and non-port areas along the West Coast of Peninsular Malaysia. *Journal of Tropical Marine Ecosystem*, 1(2)
- Monirith, I., Ueno, D., Takahashi, S., Nakata, H., Sudaryanto, A., Subramanian, A., Zheng, J. (2003). Asia-pacific mussel watch: Monitoring contamination of persistent organochlorine compounds in coastal waters of Asian countries. *Marine Pollution Bulletin*, 46(3):281-300.
- Mühlbachová, G., Šimon, T., Pechová, M. (2005). The availability of Cd, Pb and Zn and their relationships with soil pH and microbial biomass in soils amended by natural clinoptilolite. *Plant, Soil and Environment*, 51(1): 26-33.
- Muller, G., Prosi, F. (1978). Verteilung von zink, kupfer und cadmium in verschiedenen organen von plotzen (*Rutilus rutilus* L.) aus Neckar und Elsenz. *Z Naturforsch Sect C Biosci*.
- Myer, S.P., Espinosa, R., Parr, C.S., Jones, T., Hammond, G.S., Dewey, T.A. (2014). *Monopterus albus*. Retrieved from http://animaldiversity.ummz.umich.edu/accounts/Monopterus_albus/classification/ [13 SEPTEMBER 2015]./

- Nair, D. R., Burken, J. G., Licht, L. A., Schnoor, J. L. (1993). Mineralization and uptake of triazine pesticide in soil-plant systems. *Journal of Environmental Engineering*, 119(5): 842-854.
- Needleman, H. (1983). Low level lead exposure and neuropsychological performance. pp. 229-248.
- Needleman, H. L., Schell, A., Bellinger, D., Leviton, A., Allred, E. N. (1990). The long-term effects of exposure to low doses of lead in childhood: An 11-year follow-up report. *New England Journal of Medicine*, 322(2): 83-88.
- Nemati, K., Bakar, N. K. A., Abas, M. R. B., Sobhanzadeh, E., Low, K. H. (2011). Comparison of unmodified and modified BCR sequential extraction schemes for the fractionation of heavy metals in shrimp aquaculture sludge from Selangor, Malaysia. *Environmental Monitoring and Assessment*, 176(1-4): 313-320.
- Neue, H., Gaunt, J., Wang, Z., Becker-Heidmann, P., Quijano, C. (1997). Carbon in Tropical Wetlands. *Geoderma*, 79(1): 163-185.
- Ney, J. J., Van Hassel, J. H. (1983). Sources of variability in accumulation of heavy metals by fishes in a roadside stream. *Archives of Environmental Contamination and Toxicology*, 12(6): 701-706.
- Nicholson, F., Smith, S., Alloway, B., Carlton-Smith, C., Chambers, B. (2003). An inventory of heavy metals inputs to agricultural soils in England and Wales. *Science of the Total Environment*, 311(1): 205-219.
- Noel-Lambot, F., Gerday, C., Disteche, A. (1978). Distribution of Cd, Zn and Cu in liver and gills of the eel *Anguilla anguilla* with special reference to metallothioneins. *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 61(1): 177-187.
- Nordberg, M., Nordberg, G.F. (1987). Biological roles of metallothionein and other high affinity metal binding proteins in regulating cell injury from metals. In B. Fowler (Ed.), *Mechanisms of cell injury: Implications for human health* (pp. 53-65). Chichester: Wiley.
- Nostro, F. L., Grier, H., Andreone, L., Guerrero, G.A. (2003). Involvement of the gonadal germinal epithelium during sex reversal and seasonal testicular cycling in the protogynous swamp eel, *Synbranchus marmoratus* Bloch 1795 (Teleostei, Synbranchidae). *Journal of Morphology*, 257:107-126.
- Nriagu, J. (2007). Zinc toxicity in humans. *Encyclopedia of Environmental Health*, pp. 801-807.
- Nussey, G., Van Vuren, J., Du Preez, H. (2000). Bioaccumulation of chromium, manganese, nickel and lead in the tissues of the moggel, *Labeo umbratus* (Cyprinidae), from Witbank Dam, Mpumalanga. *Water Sa-Pretoria*, 26(2): 269-284.

- Oiadipo, M., Bodunde, J. (1993). ICP-MS analysis of tomato fruits grown on fertilizer amended soil. *Journal of Environmental Science & Health Part A*, 28(4): 809-820.
- Oliveira, M., Serafim, A., Bebianno, M., Pacheco, M., Santos, M. (2008). European eel (*Anguilla anguilla* L.) metallothionein, endocrine, metabolic and genotoxic responses to copper exposure. *Ecotoxicology and Environmental Safety*, 70(1): 20-26.
- Oliver, D. P., Tiller, K., Conyers, M., Slattery, W., Alston, A., Merry, R. H. (1996). Effectiveness of liming to minimise uptake of cadmium by wheat and barley grain grown in the field. *Crop and Pasture Science*, 47(7): 1181-1193.
- Olsson, P., Haux, C., Förlin, L. (1987). Variations in hepatic metallothionein, zinc and copper levels during an annual reproductive cycle in Rainbow Trout, *Salmo gairdneri*. *Fish Physiology and Biochemistry*, 3(1):39-47.
- Olsson, P., Zafarullah, M., Gedamu, L. (1989). A role of metallothionein in zinc regulation after oestradiol induction of vitellogenin synthesis in Rainbow Trout, *Salmo gairdneri*. *Biochemical Journal*, 257: 555-559.
- Ong, M. C., Yunus, K. (2009). An assessment of metals (Pb and Cu) contamination in bottom sediment from South China Sea Coastal Waters, Malaysia. *American Journal of Applied Sciences*, 6(7): 1418-1423.
- Outridge, P., Scheuhammer, A. (1993). Bioaccumulation and toxicology of nickel: Implications for wild mammals and birds. *Environmental Reviews*, 1(2): 172-197.
- Ozawa, T., Ueda, J., Shimazu, Y. (1993). DNA single strand breakage by copper (II) complexes and hydrogen peroxide at physiological conditions. *Biochemistry and Molecular Biology International*, 31(3): 455-461.
- Panda, D., Subramanian, V., Panigrahy, R. (1995). Geochemical fractionation of heavy metals in Chilka Lake (East Coast of India)—a tropical coastal lagoon. *Environmental Geology*, 26(4): 199-210.
- Papagiannis, I., Kagalou, I., Leonardos, J., Petridis, D., Kalfakakou, V. (2004). Copper and zinc in four freshwater fish species from Lake Pamvotis (Greece). *Environment International*, 30(3): 357-362.
- Parlak, H., Katalay, S., Büyükişik, B. (1999). Accumulation and loss of chromium by mussels (*M. galloprovincialis*). *Bulletin of Environmental Contamination and Toxicology*, 62(3): 286-292.
- Peakall, D. B. (1994). The role of biomarkers in environmental assessment (1). Introduction. *Ecotoxicology*, 3(3): 157-160.
- Pekey, H. (2006). Heavy metal pollution assessment in sediments of the Izmit Bay, Turkey. *Environmental Monitoring and Assessment*, 123(1-3): 219-231.

- Pempkowiak, J., Sikora, A., Biernacka, E. (1999). Speciation of heavy metals in marine sediments vs their bioaccumulation by mussels. *Chemosphere*, 39(2): 313-321.
- Pettit, R. E. (2004). Organic matter, humus, humate, humic acid, fulvic acid and humin: Their importance in soil fertility and plant health. *CTI Research*.
- Philips, D.J.H., Rainbow, P.S. (1994). *Biomonitoring of trace aquatic contaminants* (2nd ed.). London: Chapman and Hall.
- Popek, W., Dietrich, G., Glogowski, J., Demska-Zakes, K., Drag-Kozak, E., Sionkowski, J., Szczepkowski, M. (2006). Influence of heavy metals and 4-nonylphenol on reproductive function in fish. *Reproductive Biology*, 6 Suppl 1: 175-188.
- Pourang, N. (1995). Heavy metal bioaccumulation in different tissues of two fish species with regards to their feeding habits and trophic levels. *Environmental Monitoring and Assessment*, 35(3): 207-219.
- Prakongkep, N., Suddhiprakarn, A., Kheoruenromne, I., Smirk, M., Gilkes, R. J. (2008). The geochemistry of Thai paddy soils. *Geoderma*, 144(1): 310-324.
- Pyle, G., Couture, P. (2011). 5-Nickel. *Fish Physiology*, 31: 253-289.
- Qiao-qiao, C., Zhu, G., Langdon, A. (2007). Bioaccumulation of heavy metals in fishes from Taihu Lake, China. *Journal of Environmental Sciences*, 19(12): 1500-1504.
- Rao, C., Sahuquillo, A., Sanchez, J. L. (2008). A review of the different methods applied in environmental geochemistry for single and sequential extraction of trace elements in soils and related materials. *Water, Air, and Soil Pollution*, 189(1-4): 291-333.
- Rashed, M. (2001). Monitoring of environmental heavy metals in fish from Nasser Lake. *Environment International*, 27(1): 27-33.
- Ratuzny, T., Gong, Z., Wilke, B. (2009). Total concentrations and speciation of heavy metals in soils of the Shenyang Zhangshi irrigation area, China. *Environmental Monitoring and Assessment*, 156(1-4): 171-180.
- Rayment, G. E., Barry, G. A. (2000). Indicator tissues for heavy metal monitoring—Additional attributes. *Marine Pollution Bulletin*, 41(7): 353-358.
- Razak, Z., Basri, M., Dzulkefly, K., Razak, C., Salleh, A. (2001). Extraction and characterization of fish oil from *Monopterus albus*. *Malaysian Journal of Analytical Science*, 7: 217-220.
- Reed, S., Martens, D., Sparks, D., Page, A., Helmke, P., Loeppert, R., Sumner, M. (1996). Copper and Zinc. *Methods of Soil Analysis. Part 3- Chemical Methods*. pp. 703-722.

- Resosudarmo, B. P. (2010). Impact of the integrated pest management program on the Indonesian economy.10: 1-30.
- Ridgway, J., Shimmield, G. (2002). Estuaries as repositories of historical contamination and their impact on shelf seas. *Estuarine, Coastal and Shelf Science*, 55(6): 903-928.
- Roach, A. (2005). Assessment of metals in sediments from Lake Macquarie, New South Wales, Australia, using normalisation models and sediment quality guidelines. *Marine Environmental Research*, 59(5): 453-472.
- Roberts, R. J. (1978). *Fish pathology*. Balliere Tindall.London, England.
- Roesijadi, G. (1992). Metallothioneins in metal regulation and toxicity in aquatic animals. *Aquatic Toxicology*, 22(2): 81-113.
- Roesijadi, G. (1994). Metallothionein induction as a measure of response to metal exposure in aquatic animals. *Environmental Health Perspectives*, 102 Suppl 12: 91-95.
- Roesijadi, G. (1996). Metallothionein and its role in toxic metal regulation. *Comparative Biochemistry and Physiology*, 113(2); 117-123.
- Rosen, J. (1993). Health effects of lead in children at low exposure levels: Expert consensus based upon the federal and non-federal literature. *Heavy Metals in the Environment*, 2: 516.
- Roy, J. (1997). Environmental contaminants encyclopedia: Copper entry. National Park Service. *Water Resources Divisions*. pp. 99.
- Rurangwa, E., Roelants, I., Huyskens, G., Ebrahimi, M., Kime, D., Ollevier, F. (1998). The minimum effective spermatozoa: Egg ratio for artificial insemination and the effects of mercury on sperm motility and fertilization ability in clarias gariepinus. *Journal of Fish Biology*, 53(2): 402-413.
- Sahrawat, K. (2005). Fertility and organic matter in submerged rice soils. *Current Science*, 88(5): 735-739.
- Sajwan, K., Lindsay, W. (1986). Effects of redox on Zinc deficiency in paddy rice. *Soil Science Society of America Journal*, 50(5): 1264-1269.
- Salánki, J. (1986). *Biological monitoring of the state of the environment* IRL Press.
- Salomons, W., Förstner, U. (1984). *Metals in the hydrocycle*. Springer-Verlag.
- Samuel, T., Pillai, M. (1989). The effect of temperature and solar radiations on volatilisation, mineralisation and degradation of [¹⁴C]-DDT in soil. *Environmental Pollution*, 57(1): 63-77.
- Sandstead, H. (2015). Chapter 61- Zinc. In Gunnar, F., Nordberg, B. A., Nordberg, M (4th ed) *Handbook on Toxicology of Metals*. Europe: Academic Press

- Sanghi, R., Sasi, K. (2001). Pesticides and heavy metals in agricultural soil of Kanpur, India. *Bulletin of Environmental Contamination and Toxicology*, 67(3): 0446-0454.
- SATO, M., SUZUKI, K. T. (1995). Recent studies on measurement of metallothionein and its isoforms in biological materials. *Biomedical Research on Trace Elements*, 6(1): 13-28.
- Schiaffino, S., Reggiani, C. (1996). Molecular diversity of Myofibrillar proteins: Gene regulation and functional significance. *Physiological Reviews*, 76(2): 371-424.
- Schriver, D.F., Atkins, P.W., Longford, C.H. (1994). *Inorganic chemistry* (2nd ed) Oxford University Press.
- Schumacher, B. A. (2002). Methods for the determination of total organic carbon (toc) in soils and sediments. Ecological Risk Assessment Support Center Office of Research and Development. US. EPA. Retrieved from <http://epa.gov/nerlesd1/cmb/research/papers/bs116.pdf/> [8th November 2016].
- Schuman, G., Janzen, H., Herrick, J. (2002). Soil carbon dynamics and potential carbon sequestration by rangelands. *Environmental Pollution*, 116(3): 391-396.
- Sharma, P., Dubey, R. (2004). Ascorbate peroxidase from rice seedlings: Properties of enzyme isoforms, effects of stresses and protective roles of osmolytes. *Plant Science*, 167(3): 541-550.
- Simon-Hettich, B., Wibbertmann, A., Wagner D. (2001). "Zinc" (*environmental health criteria*, 221). Review. (No. 221). World Health Organization, Geneva
- Sivaperumal, P., Sankar, T., Nair, P. V. (2007). Heavy metal concentrations in fish, shellfish and fish products from internal markets of India vis-a-vis international standards. *Food Chemistry*, 102(3): 612-620.
- Snakin, V., Prisyazhnaya, A. (2000). Lead contamination of the environment in Russia. *Science of the Total Environment*, 256(2):95-101.
- Soares, H., Boaventura, R., Machado, A., Esteves da Silva, J. (1999). Sediments as monitors of heavy metal contamination in the Ave River Basin (Portugal): Multivariate analysis of data. *Environmental Pollution*, 105(3):311-323.
- Sow, A. Y., Ismail, A., Zulkifli, S. Z. (2013a). An assessment of heavy metal bioaccumulation in Asian swamp eel, *Monopterus albus*, during plowing stages of a paddy cycle. *Bulletin of Environmental Contamination and Toxicology*, 91(1): 6-12.
- Sow, A. Y., Ismail, A., Zulkifli, S. Z. (2013b). Geofractionation of heavy metals and application of indices for pollution prediction in paddy field soil of Tumpat, Malaysia. *Environmental Science and Pollution Research*, 20(12), 8964-8973.

- Sudaryanto, A., Takahashi, S., Monirith, I., Ismail, A., Muchtar, M., Zheng, J., Hue, N. D. (2002). Asia-Pacific mussel watch: Monitoring of butyltin contamination in coastal waters of Asian developing countries. *Environmental Toxicology and Chemistry*, 21(10): 2119-2130.
- Sujatha, C., Chacko, J. (1992). Organophosphorus pesticide adsorption variability in diverse Estuarine sediments. *Toxicological & Environmental Chemistry*, 36(1-2): 65-73.
- Sutherland, R. (2000). Bed sediment-associated trace metals in an urban stream, Oahu, Hawaii. *Environmental Geology*, 39(6): 611-627.
- Szczerbik, P., Mikołajczyk, T., Sokołowska-Mikołajczyk, M., Socha, M., Chyb, J., Epler, P. (2006). Influence of long-term exposure to dietary cadmium on growth, maturation and reproduction of goldfish (subspecies: Prussian carp *Carassius auratus gibelio* B.). *Aquatic Toxicology*, 77(2): 126-135.
- Tanji, K., Gao, S., Scardaci, S., Chow, A. (2003). Characterizing redox status of paddy soils with incorporated rice straw. *Geoderma*, 114(3): 333-353.
- Tessier, A., Campbell, P. (1987). Partitioning of trace metals in sediments: Relationships with bioavailability. *Hydrobiologia*, 149(1): 43-52.
- Tessier, A., Campbell, P. G., Bisson, M. (1979). Sequential extraction procedure for the speciation of particulate trace metals. *Analytical Chemistry*, 51(7): 844-851.
- Thomas, D. G., Cryer, A., Solbe, J. F., Kay, J. (1983). A comparison of the accumulation and protein binding of environmental cadmium in the gills, kidney and liver of rainbow trout (*Salmo gairdneri richardson*). *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 76(2): 241-246.
- Tudoreanu, L., Phillips, C. (2004). Modeling cadmium uptake and accumulation in plants. *Advances in Agronomy*, 84: 121-157.
- Turekian, K. K., Wedepohl, K. H. (1961). Distribution of the elements in some major units of the earth's crust. *Geological Society of America Bulletin*, 72(2):175-192.
- Ure, A., Davidson, C. (2002). Chemical speciation in soils and related materials by selective chemical extraction. *Chemical Speciation in the Environment, Second Edition*, pp. 265-300.
- Uriu-Adams, J. Y., Keen, C. L. (2005). Copper, oxidative stress, and human health. *Molecular Aspects of Medicine*, 26(4): 268-298.
- US Agency for Toxic Substances and Disease Registry. (1999). *Lead. toxicological profiles*. (No. PB/99/166704). Centers for Disease Control and Prevention, Atlanta.
- USACE. (2011). *Monopterus albus*. Retrieved from http://el.erdc.usace.army.mil/ansrp/monopterus_albus.pdf [10th June 2014].

- USEPA. (2000). Risk-based concentration table. Washington, DC: United States Environmental Protection Agency.
- USEPA. (2002). Region 9, Preliminary Remediation Goals. Retrieved from <http://www.epa.gov/ncea/pdfs/efh/front.pdf> [10th October 2016].
- Usero, J., Izquierdo, C., Morillo, J., Gracia, I. (2004). Heavy metals in fish (*Solea vulgaris*, *Anguilla anguilla* and *Liza aurata*) from salt marshes on the Southern Atlantic Coast of Spain. *Environment International*, 29(7): 949-956.
- Usman, A.R.A., Kuzyakov, Y., Stahr, K. (2008). *Sorption, desorption, and immobilization of heavy metals by artificial soil*. (Unpublished) University of Hohenheim, Stuttgart. Retrieved from http://www.bodenkunde2.uni-freiburg.de/eurosoil/abstracts/id384_Usman_full.pdf [25th July 2014].
- Van der Oost, R., Beyer, J., Vermeulen, N. P. (2003). Fish bioaccumulation and biomarkers in environmental risk assessment: A review. *Environmental Toxicology and Pharmacology*, 13(2): 57-149.
- Varanasi, U., Markey, D. (1978). Uptake and release of lead and cadmium in skin and mucus of coho salmon (*Oncorhynchus kisutch*). *Comparative Biochemistry and Physiology Part C: Comparative Pharmacology*, 60(2): 187-191.
- Viarengo, A. (1989). Heavy metals in marine invertebrates: Mechanisms of regulation and toxicity at the cellular level. *Rev. Aquat. Sci*, 1(2): 295-317.
- Viarengo, A., Ponzano, E., Dondero, F., Fabbri, R. (1997). A simple spectrophotometric method for metallothionein evaluation in marine organisms: An application to mediterranean and antarctic molluscs. *Marine Environmental Research*, 44(1): 69-84.
- Vinikour, W., Goldstein, R., Anderson, R. (1980). Bioconcentration patterns of zinc, copper, cadmium and lead in selected fish species from the Fox River, Illinois. *Bulletin of Environmental Contamination and Toxicology*, 24(1): 727-734.
- Vinodhini, R., Narayanan, M. (2008). Bioaccumulation of heavy metals in organs of fresh water fish *Cyprinus carpio* (common carp). *International Journal of Environmental Science & Technology*, 5(2): 179-182.
- Voica, C., Dehelean, A., Iordache, A., Geana, I. (2012). Method validation for determination of metals in soils by ICP-MS. *Romanian Report in Physics*, 64(1): 221-231.
- Wang, C., Mo, Z., Wang, H., Wang, Z., Cao, Z. (2003). The transportation, time-dependent distribution of heavy metals in paddy crops. *Chemosphere*, 50(6): 717-723.
- Weast, R. C. (1986). *CRC handbook of chemistry and physics* (67th ed). Boca Raton: CRC Press.
- Wedepohl, K. H. (2004). The composition of earth's upper crust, natural cycles of elements, natural resources. *Elements and their Compounds in*

the Environment: Occurrence, Analysis and Biological Relevance, Second Edition, pp. 2-16.

Wepener, V., Van Vuren, J., Du Preez, H. (2001). Uptake and distribution of a copper, iron and zinc mixture in gill, liver and plasma of a freshwater teleost, *Tilapia sparrmanii*. *Water SA*, 27(1): 99-108.

West, T. O., Marland, G. (2002). A synthesis of carbon sequestration, carbon emissions, and net carbon flux in agriculture: Comparing tillage practices in the United States. *Agriculture, Ecosystems & Environment*, 91(1): 217-232.

WHO. (1991). *Nickel*. Environmental Health Criteria 108.

WHO. (1992a). *Cadmium*. (No. Environmental Health Criteria, 134.). WHO, International Programme on Chemical Safety, Geneva.

WHO. (1992b). *Cadmium. Environmental aspects*. (No. Environmental Health Criteria, 135). WHO, International Programme on Chemical Safety, Geneva.

Wong, S., Li, X., Zhang, G., Qi, S., Min, Y. (2002). Heavy metals in agricultural soils of the Pearl River Delta, South China. *Environmental Pollution*, 119(1): 33-44.

WTS. (2009). Copper (cu) - chemical properties, health and environmental effects
. Retrieved from <http://www.lenntech.com/periodic/elements/cu.htm>

Wuana, R. A., Okieimen, F. E. (2011). Heavy metals in contaminated soils: A review of sources, chemistry, risks and best available strategies for remediation. *International Scholarly Research Network*. Doi: 10.5402/2011/402647

WWF. (2005). Environmental problems in Malaysia. Retrieved from http://www.panda.org/who_we_are/wwf_offices/malaysia/environmental_problems_malaysia/ [5th February 2015].

Xuexiu, C., Xiaodong, S. (2001). Heavy metal pollution and food security. *Yunnan Environmental Science*, 4: 21-24.

Yacoub, A., Gad, N. (2012). Accumulation of some heavy metals and biochemical alterations in muscles of *Oreochromis niloticus* from the river Nile in upper Egypt. *International Journal of Environmental Science and Engineering*, 3: 1-10.

Yang, Q., Shu, W., Qiu, J., Wang, H., Lan, C. (2004). Lead in paddy soils and rice plants and its potential health risk around lechang Lead/Zinc mine, Guangdong, China. *Environment International*, 30(7): 883-889.

Yap, C., Ismail, A., Tan, S., Omar, H. (2002a). Concentrations of Cu and Pb in the offshore and intertidal sediments of the west coast of Peninsular Malaysia. *Environment International*, 28(6): 467-479.

- Yap, C., Ismail, A., Tan, S., Omar, H. (2002b). Correlations between speciation of Cd, Cu, Pb and Zn in sediment and their concentrations in total soft tissue of green-lipped mussel, *Perna viridis* from the west coast of Peninsular Malaysia. *Environment International*, 28(1): 117-126.
- Yap, C. K., Ismail, A., Tan, S. G. (2003b). Cd and Zn concentrations in the straits of Malacca and intertidal sediments of the west coast of Peninsular Malaysia. *Marine Pollution Bulletin*, 46(10), 1349-1353.
- Yap, C. K., Ismail, A., Tan, S. G. (2003a). Mercury concentrations in the surface sediments of the intertidal area along the west coast of Peninsular Malaysia. *Toxicological & Environmental Chemistry*, 85(1-3), 13-21.
- Yap, D., Adezrian, J., Khairiah, J., Ismail, B., Ahmad-Mahir, R. (2009). The uptake of heavy metals by paddy plants (*Oryza sativa*) in Kota Marudu, Sabah, Malaysia. *American Eurasian Journal Agricultural Environment Science*, 6(1): 16-19.
- Yarlagadda, P. S., Matsumoto, M. R., VanBenschoten, J. E., Kathuria, A. (1995). Characteristics of heavy metals in contaminated soils. *Journal of Environmental Engineering*, 121(4):276-286.
- Yasmin, S., D'Souza, D. (2010). Effects of pesticides on the growth and reproduction of earthworm: A review. *Applied and Environmental Soil Science*. Doi:10.1155/2010/678360
- Yi, Y., Yang, Z., Zhang, S. (2011). Ecological risk assessment of heavy metals in sediment and human health risk assessment of heavy metals in fishes in the middle and lower reaches of the Yangtze River Basin. *Environmental Pollution*, 159(10): 2575-2585.
- Yilmaz, F. (2006). Bioaccumulation of heavy metals in water, sediment, aquatic plants and tissues of *Cyprinus carpio* from Kizilirmak, Turkey. *Fresenius Environmental Bulletin*, 15(5): 360-369.
- Yilmaz, F. (2009). The comparison of heavy metal concentrations (Cd, Cu, Mn, Pb, and Zn) in tissues of three economically important fish (*Anguilla anguilla*, *Mugil cephalus* and *Oreochromis niloticus*) inhabiting Koycegiz Lake-Mugla (Turkey). *Turkish Journal of Science & Technology*, 4(1):7-15
- Young, R. A. (1995). Toxicity profiles. Toxicity summary for nickel and nickel compounds. Retrieved from <http://www.risk.lsd.ornl.gov/tox/profiles/nickel>. [8th January 2012].
- Yruela, I. (2005). Copper in plants. *Brazilian Journal of Plant Physiology*, 17(1): 145-156.
- Zakaria, M. P., Horinouchi, A., Tsutsumi, S., Takada, H., Tanabe, S., Ismail, A. (2000). Oil pollution in the Straits of Malacca, Malaysia: Application of molecular markers for source identification. *Environmental Science & Technology*, 34(7): 1189-1196.

- Zarcinas, B. A., Ishak, C. F., McLaughlin, M. J., Cozens, G. (2004). Heavy metals in soils and crops in Southeast Asia. *Environmental Geochemistry and Health*, 26(4): 343-357.
- Zeyl, F. N., Love, O. P., Higgs, D. M. (2014). Evaluating gonadosomatic index as an estimator of reproductive condition in the invasive round goby, *Neogobius melanostomus*. *Journal of Great Lakes Research*, 40(1): 164-171.
- Zhao, K., Liu, X., Xu, J., Selim, H. (2010). Heavy metal contaminations in a soil-rice system: Identification of spatial dependence in relation to soil properties of paddy fields. *Journal of Hazardous Materials*, 181(1): 778-787.
- Zhou, H., Cheung, R., Chan, K., Wong, M. (1998). Metal concentrations in sediments and tilapia collected from inland waters of Hong Kong. *Water Research*, 32(11): 3331-3340.
- Zimmerman, A. J., Weindorf, D. C. (2010). Heavy metal and trace metal analysis in soil by sequential extraction: A review of procedures. *International Journal of Analytical Chemistry*. Doi:10.1155/2010/387803
- ZI-TONG, G. (1983). Pedogenesis of paddy soil and its significance in soil classification. *Soil Science*, 135(1): 5-10.
- Zulkifli, S. Z., Mohamat-Yusuff, F., Arai, T., Ismail, A., & Miyazaki, N. (2010). An assessment of selected trace elements in intertidal surface sediments collected from the Peninsular Malaysia. *Environmental Monitoring and Assessment*, 169(1-4), 457-472.
- Zulkifli, S. Z., Mohamat-Yusuff, F., Ismail, A., Miyazaki, N. (2012a). Food preference of the giant mudskipper *Periophthalmodon schlosseri* (Teleostei: Gobiidae). *Knowledge and Management of Aquatic Ecosystem*. Doi:10.1051/kmae/2012013.
- Zulkifli, S. Z., Ismail, A., Mohamat-Yusuff, F. (2012b). Bioaccumulation of selected heavy metals in Soldier Crabs, *Dotilla myctiroides* (Decapoda: Ocypodidae) from Bagan Lalang, Selangor, Malaysia. *Acta Biologica Malaysiana*. 1(3): 94-100.

LIST OF PUBLICATIONS

- Sow Ai Yin, Ahmad Ismail, & Syaizwan Zahmir Zulkifli. (2013). Geofractionation of heavy metals and application of indices for pollution prediction in paddy field soil of Tumpat, Malaysia. *Environmental Sciences Pollution Research*, 20(12): 8964-8973.
- Sow, A. Y., Ismail, A., & Zulkifli, S. Z. (2013). An assessment of heavy metal bioaccumulation in Asian swamp eel, *Monopterus albus*, during plowing stages of a paddy cycle. *Bulletin of Environmental Contamination and Toxicology*, 91(1): 6-12.
- Yin, S. A., Ismail, A., & Zahmir Zulkifli, S. (2012). Heavy metals uptake by Asian swamp eel, *Monopterus albus* from paddy fields of Kelantan, Peninsular Malaysia: Preliminary study. *Tropical Life Sciences Research*, 23(2)
- Sow, A.Y., Ismail, A., & Zulkifli, S.Z. (2012). Cu and Zn in selected tissues of *Monopterus albus*, Asian swamp eel from paddy cultivation areas of Tumpat, Kelantan. *Proceeding Conference of I-Simbiomas 2012*.
- Sow, A.Y., Ismail, A., & Zulkifli, S.Z. (2013). Accumulation of lithogenic and non-lithogenic heavy metals in paddy soils of Kelantan. *Proceeding Conference in Fundamental Science Congress 2013*.
- Sow, A.Y., Ismail, A., & Zulkifli, S.Z. (2013). Health risk from Cu and Zn contamination through consumption of paddy eel, *Monopterus albus* from Kelantan. *iENFORCE*, November, 2013.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

BIOACCUMULATION OF HEAVY METALS AND METALLOTHIONEIN EFFECTS ON
REPRODUCTIVE BIOLOGY OF ASIAN SWAMP EEL (*Monopterus albus* ZUIEW, 1793) IN
PADDY FIELDS IN TUMPAT, KELANTAN, MALAYSIA

NAME OF STUDENT : SOW AI YIN

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (v)

☐

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

☐

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

☐

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

☐

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is **CONFIDENTIAL** or **RESTRICTED**, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]