



UNIVERSITI PUTRA MALAYSIA

***ELECTRICAL PERFORMANCE OF MONOCRYSTALLINE AND
POLYCRYSTALLINE PHOTOVOLTAIC PANELS UNDER LIGHTNING
IMPULSE VOLTAGE CONDITION***

NOR IZZATI BINTI AHMAD

FK 2016 172



**ELECTRICAL PERFORMANCE OF MONOCRYSTALLINE AND
POLYCRYSTALLINE PHOTOVOLTAIC PANELS UNDER LIGHTNING
IMPULSE VOLTAGE CONDITION**

By

NOR IZZATI BINTI AHMAD

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirements for the Degree of Master of Science**

December 2016

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

**ELECTRICAL PERFORMANCE OF MONOCRYSTALLINE AND
POLYCRYSTALLINE PHOTOVOLTAIC PANELS UNDER LIGHTNING
IMPULSE VOLTAGE CONDITION**

By

NOR IZZATI AHMAD

December 2016

Chair: Mohd. Zainal Abidin B. Ab. Kadir, PhD

Faculty: Engineering

Photovoltaic (PV), directly converts light from the sun into electricity and widely used in countries with high irradiation such as Malaysia. However, Malaysia is also recognised as a country prone area with lightning occurrences. Sustainable Energy Development Authority of Malaysia (SEDA) has received several complaints on damaged components and distribution boards of PV system installations and the chances of lightning strikes causing damage can be somewhat high since life span of PV systems could achieved up to 21 years or more. Therefore, this research aims to investigate the effect of lightning impulse voltage for monocrystalline and polycrystalline PV panels, the effect of temperature on the faulty PV panels and the estimation of the reduction factors of the PV panels.

In this research, there are twelve PV panels in total, six monocrystalline and polycrystalline PV panels each. A PV panel was selected from each type and labelled as healthy to be the base PV panels whilst the other five PV panels of each type were taken for the lightning impulse voltage test of 100 kV, 150 kV, 200 kV, 250 kV and 300 kV each, and all are labelled as faulty. The efficiency of the PV panels were analysed through the laboratory testing for open-circuit voltage, short-circuit current, and maximum power.

The findings indicated that the maximum power of healthy polycrystalline PV panel has affected about 2.88% (at 25°C) and 11.07% (up to 70°C) which is higher than healthy monocrystalline PV panel which only 1.84% (at 25°C) and 10.19% (up to 70°C). When the lightning impulse voltage is increased from 100 kV to 300 kV, the open circuit voltage and maximum power output gradually decreases for both types of PV panels demonstrating a non-linear trend for both. The percentage difference of maximum power for faulty monocrystalline is increased from 8.08% to 36.22% and for faulty polycrystalline it is increased from 0.77 % to 10.22%. Then, both types of faulty PV panels were taken for different temperature testings and the maximum power of the faulty PV panels is gradually reduced. For 300 kV (up to 70°C), the percentage difference is reduced from 9.84% to 7.11% for faulty polycrystalline PV panels. Whilst

for faulty monocrystalline it is 36.22% to 32.66%, at the same trend, which the temperature affects the maximum power of both types of faulty PV panels.

It was found that both healthy and faulty monocrystalline PV panels indicate the percentage difference more than 5% as stated in IEC 61215. This shown that the faulty polycrystalline PV panels performed better compared to the faulty monocrystalline PV panels. Overall, the higher the voltage stress, the degradation became severe and it becomes more serious as the faulty PV panels were exposed under high temperature. Thus, several proper forms of lightning protection system and planning for installation locations are able to be proposed in order to avoid excessive heat. Indirectly, it will reduce the cost by not having to repair the damage caused by lightning strikes as well as succeeding in investment.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

PRESTASI ELEKTRIK FOTOVOLTAIK PANEL MONOHABLUR DAN POLIHABLUR DIBAWAH DEDENYUT VOLTAN KILAT

Oleh

NOR IZZATI AHMAD

Disember 2016

Pengerusi: Mohd. Zainal Abidin B. Ab. Kadir, PhD
Fakulti: Kejuruteraan

Fotovoltaik (PV); terus menukarkan cahaya matahari kepada elektrik dan digunakan secara meluas di negara yang mempunyai penyinaran tinggi seperti Malaysia. Walau bagaimanapun, Malaysia juga diiktiraf sebagai kawasan terdedah negara dengan kejadian kilat. Lestari Pihak Berkuasa Pembangunan Tenaga Malaysia (SEDA) telah menerima beberapa aduan mengenai komponen rosak dan papan agihan pemasangan sistem PV dan peluang untuk kilat menyebabkan kerosakan boleh agak tinggi kerana jangka hayat sistem PV boleh mencapai sehingga lebih 21 tahun. Oleh itu, kajian ini bertujuan untuk mengkaji kesan kilat voltan dedenyut untuk panel monokristal dan polihabluran PV, kesan suhu ke atas panel PV rosak dan anggaran faktor pengurangan.

Terdapat dua belas panel PV dalam jumlah; enam panel PV monokristal dan polihabluran setiap satu. Satu panel PV telah dipilih dari setiap jenis dan dilabelkan sebagai sihat untuk menjadi panel asas PV manakala panel PV lain telah diambil untuk ujian kilat dorongan voltan 100 kV, 150 kV, 200 kV, 250 kV dan 300 kV setiap satu, dan semua dilabel sebagai rosak. Kecekapan panel PV dianalisis melalui ujian makmal untuk voltan litar terbuka, litar pintas semasa, dan kuasa maksimum.

Dapatan kajian menunjukkan bahawa kuasa maksimum polihabluran sihat telah memberi kesan kepada kira-kira 2.88% (pada 25°C) dan 11.07% (sehingga 70°C) daripada monoberablur sihat yang hanya 1.84% (pada 25°C) dan 10.19% (sehingga 70°C). Apabila voltan kilat dorongan dinaikkan daripada 100 kV hingga 300 kV, voltan litar terbuka dan kuasa maksimum secara beransur-ansur berkurangan bagi kedua-dua jenis panel PV menunjukkan trend bukan linear untuk kedua-duanya. Perbezaan peratusan kuasa maksimum untuk monokristal rosak dinaikkan daripada 8.08% kepada 36.22% dan untuk polihabluran rosak ia meningkat daripada 0.77% kepada 10.22%. Kemudian, kedua jenis panel PV rosak telah diambil untuk ujian suhu yang berbeza dan kuasa maksimum panel PV rosak secara beransur-ansur dikurangkan. Untuk 300 kV (sehingga 70°C), perbezaan peratusan berkurangan daripada 9.84% kepada 7.11% bagi panel polihabluran PV yang rosak. Manakala bagi monokristal rosak adalah 36.22% kepada 32.66%, pada trend yang sama, bahawa suhu memberi kesan kuasa maksimum kedua jenis panel PV rosak.

Ia telah mendapati bahawa kedua panel PV monokristal sihat dan rosak menunjukkan perbezaan peratusan lebih daripada 5% sebagaimana di IEC 61215. Ini menunjukkan bahawa yang rosak panel polihabluran PV mencatatkan prestasi berbanding dengan panel PV monocrystalline rosak. Secara keseluruhan, semakin tinggi tekanan voltan, kemerosotan menjadi teruk dan ia menjadi lebih serius kerana panel PV rosak telah terdedah di bawah suhu yang tinggi. Oleh itu, beberapa sistem perlindungan kilat yang betul dan perancangan untuk lokasi pemasangan dapat dicadangkan bagi mengelakkan haba yang berlebihan. Dengan meningkatkan perlindungan sistem PV, secara tidak langsung mengurangkan kos dengan tidak perlu untuk membaiki kerosakan yang disebabkan oleh kilat dan berjaya dalam pelaburan.



ACKNOWLEDGEMENTS

First and foremost, I would like to express my sincere and firm gratitude to honourable supervisor, Prof. Ir. Dr. Mohd. Zainal Abidin Ab Kadir for his great effort in guiding me towards successfully accomplishing this project. My grateful thanks to his moral support, technical and financial assistance as well. My full appreciation also goes to my co-supervisors Dr. Mahdi Izadi, Assoc. Prof. Dr. Mohd. Amran Mohd. Radzi, and Dr. Norhafiz Azis for their guiding the steps and ideas, patience, encouragements, and supports in many ways. In addition, a great deal, appreciated goes to all staffs and colleagues from the Center of Electromagnetic and Lightning Protection Research (CELP) and Department of Electrical and Electronic Engineering for all their support during my work. Last but not least, I would like to dedicate many thanks and love to my parents, Ahmad Hamid and Noraishah A. Kadir for their supporting and encouraging in moral and spiritual support from time to time which has motivated me to complete my Master degree.

I certify that a Thesis Examination Committee has met on 2 December 2016 to conduct the final examination of Nor Izzati binti Ahmad on her thesis entitled "Electrical Performance of Monocrystalline and Polycrystalline Photovoltaic Panels under Lightning Impulse Voltage Condition" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Suhaidi bin Shafie, PhD
Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Wan Fatinhamamah binti Wan Ahmad, PhD
Senior Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Azhar bin Khairuddin, PhD
Associate Professor
Universiti Teknologi Malaysia
Malaysia
(External Examiner)



NOR AINI AB. SHUKOR, PhD
Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 22 March 2017

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Mohd Zainal Abidin Ab. Kadir, PhD

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Mohd Amran Mohd. Radzi, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Norhafiz Azis, PhD

Senior Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Mahdi Izadi, PhD

Research Fellow
Faculty of Engineering
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: _____

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of Chairman of
Supervisory
Committee: Mohd. Zainal Abidin Ab. Kadir, PhD

Signature: _____
Name of Member of
Supervisory
Committee: Mohd. Amran Mohd. Radzi, PhD

Signature: _____
Name of Member of
Supervisory
Committee: Norhafiz Azis, PhD

Signature: _____
Name of Member of
Supervisory
Committee: Mahdi Izadi, PhD

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	ix
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xiv
LIST OF SYMBOLS	xv
CHAPTER	
1 INTRODUCTION	1
1.1 Research overview	1
1.2 Problem statement	2
1.3 Research aim and objectives	3
1.4 Scope and limitations of work	3
1.5 Contribution of the research	4
1.6 Thesis outline	4
2 LITERATURE REVIEW	5
2.1 Introduction	5
2.2 Lightning Occurrence and Its Situation in Malaysia	5
2.3 PV technology in Malaysia	7
2.4 Relation between Photovoltaic and Lightning	12
2.5 Necessity of Lightning Protection System	15
2.6 Summary	16
3 METHODOLOGY	17
3.1 Introduction	17
3.2 Research flow chart	17
3.3 Set parameters of PV Panels	18
3.4 Construction of PV panel tester	19
3.5 Experimental setup	22
3.6 Equipment for data collection	24
3.7 Summary	27
4 RESULTS AND DISCUSSION	28
4.1 Introduction	28
4.2 Effect of temperature on healthy PV panels	28
4.3 Effect of lightning impulse voltage on PV panels	32
4.4 Effect of temperature on faulty PV panels	34

4.5	Summary	38
5	SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	39
	REFERENCES	41
	APPENDICES	47
	BIODATA OF STUDENT	52
	LIST OF PUBLICATIONS	53



LIST OF TABLES

Table		Page
2.1	Types of lightning	5
2.2	PV Panel Comparison Chart	8
2.3	Advantages and Disadvantages of PV Panels	9
2.4	Typical damage caused by lightning strikes	13
2.5	Previous research based on the effect of lightning on a PV panel	14
3.1	Specifications of halogen lamps	21
3.2	Description of PV panel tester radiation source	22
4.1	Percentage difference, $\Delta\%$ for both types of healthy PV panels	30
4.2	Estimation of the return on investment	31
4.3	Percentage difference, $\Delta\%$ under different lightning impulse voltages	34
4.4	Percentage difference, $\Delta\%$ of P_{\max} for faulty PV panels with respect to the different temperatures	36

LIST OF FIGURES

Table		Page
2.1	Map of lightning density in Malaysia	6
2.2	Types of PV panels	8
2.3	The I-V and P-V curves of a PV	9
2.4	The performance levels under high irradiance	11
2.5	The performance levels under high temperature	12
2.6	PV systems damaged due to lightning strike	12
2.7	Classification of LPS for PV	15
3.1	Flow chart outline of the research	17
3.2	Types of PV panels	19
3.3	Sketch of PV panel tester	19
3.4	Distance of each lamp	20
3.5	Halogen lamp	21
3.6	View of light source in the panel tester	21
3.7	Circuit diagram of lightning impulse testing on the PV panel	23
3.8	Experimental setup for lightning impulse testing of the PV panel	23
3.9	Example of arcing discharge on the surface of PV panels	23
3.10	Experimental setup of laboratory testing using the PV panel tester	24
3.11	Three-stage Impulse Voltage Generator Set-up in High Voltage Laboratory	25
3.12	Solar analyser PROVA 210	25
3.13	List of parameters displayed by the solar analyser	26
3.14	Working window	26
3.15	TES 1333R Datalogging Solar Power Meter	26
3.16	FLUKE Thermal Imager	27
4.1	The electrical characteristics for healthy PV panels.	29
4.2	The electrical characteristics for faulty PV panels.	33
4.3	The electrical characteristics for faulty PV panels under different temperatures.	35

LIST OF ABBREVIATIONS

AC	Alternating current
AM	Air mass
DC	Direct current
FiT	Feed-In Tariff
I-V	Current-Voltage
IEC	International Electrotechnical Commission
kV	Kilo Voltage
LPMS	Lightning protection measure system
LCD	Liquid crystal display
MS	Malaysian Standard
PV	Photovoltaic
RE	Renewable energy
ROI	Return of investment
SPD	Surge protection device
SEDA	Sustainable Energy Development Authority Malaysia
STC	Standard Test Condition
TNB	Tenaga Nasional Berhad
UV	Ultra-violet
AC	Alternating current
AM	Air mass
DC	Direct current
FiT	Feed-In Tariff
I-V	Current-Voltage
IEC	International Electrotechnical Commission
kV	Kilo Voltage
LPMS	Lightning protection measure system
LCD	Liquid crystal display
MS	Malaysian Standard
PV	Photovoltaic
RE	Renewable energy
ROI	Return of investment
SPD	Surge protection device
SEDA	Sustainable Energy Development Authority Malaysia
STC	Standard Test Condition
TNB	Tenaga Nasional Berhad
UV	Ultra-violet

LIST OF SYMBOLS

A	Area at working plane height
D	Diffusivity of the minority carrier
d	Diameter
E	Illuminance level required
F	Average luminous flux
H	Height
H_m	Mounting height
I_{sc}	Short Circuit Current
I_o	Reverse saturation current
I_{mp}	Maximum power current
K	Room index
L	Length
MF	Maintenance factor
N	Number of lamps
N_i	Intrinsic carrier concentration
N_D	Doping
P_{max}	Maximum power
q	Electronic charge
S	Distance
UF	Utilisation factor
V_{mp}	Maximum power voltage
V_{oc}	Open Circuit Voltage
V_{ref}	Reference temperature
W	Width
η	Efficiency

CHAPTER 1

INTRODUCTION

1.1 Research Overview

At present, solar energy is the most promising source of renewable energy (RE) [1, 2]. Photovoltaic (PV) technology directly converts sunlight into electricity through a solar cell which is usually mounted on the surface of a rooftop, facades, and generally in open areas [3]. It comprise several benefits such as economic advantages, it is clean and unobtrusive, environmentally friendly and require less maintenance [4]. PV systems are regarded as one of the best RE sources in terms of cost of installation, return of investment (ROI), incentive and benefit to the end users.

Malaysia as a tropical country enjoys abundant sunshine and solar radiation, as well as receives at least 6 hours of sunshine per day which enable a high potential to generate electricity by employing PV systems [5-8]. There is a statutory body formed under the Sustainable Energy Development Authority Act 2011 known as Sustainable Energy Development Authority of Malaysia (SEDA) [9]. Feed-in Tariff (FiT) system also has been implemented through SEDA where it would ensure RE to became practice as it can be a long-term investment in industries and also for individuals since it is guaranteeing access to the grid and setting a favourable price per unit of RE. Throughout this system, it would fulfil the RE policy where it would enhance the application of RE resources by contributing towards national electricity supply security and sustainable socioeconomic development.

However, since Malaysia is located in a region of high lightning density, lightning frequently occurs and can lead to severe damage to electrical systems including cause failure on power lines, substations and power outages to the customers[10]. Statistically, lightning cause the damage on power system distribution is about 35% where it is the major contributor whilst about 32% of damage cause by surge overvoltage to electronic devices [11].

SEDA also has received several complaints on damaged components and distribution boards of PV system installations where the main reason is due to the lack of knowledge and exposure on the necessity of protection of PV systems against lightning. However, the subject of lightning protection itself is wide and has to be understood through experience and exposure.

In fact, the chances of lightning strikes and surge overvoltage disturbance causing damage can be somewhat high due to life span of PV systems normally can be achieved up to 21 years or more. Therefore, a guideline covering lightning protection for PV systems is highly needed which will help to ensure in maintaining and prolong the life span of PV systems due to safety aspect.

1.2 Problem Statement

Lightning has potential in affecting the whole of PV system, by both direct and indirect strikes, and other surge overvoltage. Due to fully exposure to lightning strike, it can lead to malfunction or destruction of PV panels. Direct strikes would destroy PV panels, inverters, cables, and fuses. Indirect strikes would induce high voltages into the system and subsequently affect the conductors, PV panels and other components, eventually emit spark that could kindle inflammable material. Various studies to investigate direct lightning strikes on a PV panel have been carried out by considering [12-15];

1. The spark-over characteristics between a rod and a PV panel where direct lightning strike was applied to a PV panel.
2. The effect of lightning impulse voltages to the polycrystalline PV panel with considering the aging effect as well.
3. The effect of lightning impulse voltage with relatively lower magnitude to the polycrystalline PV panel.

However, considering on the previous studies [12, 14-19] there is still lacking as;

1. There is no significant study has been done on the effect of lightning impulse voltage for both monocrystalline and polycrystalline PV panels.
2. There is no significant study has been done on the effect of temperature on the damaged PV panels due to a lightning impulse voltage.
3. There is no significant study has been done on the estimation of the reduction factors. Several electrical parameters such as maximum power, short circuit current and open circuit voltage under different value of impulse voltages and temperature also need to be considered thoroughly for evaluation of the performance of a PV panel.

Consequently, the benefits of this study can form part of the requirement for PV installation and also to improve the existing standards which are IEC 62305 and MS 1837.

1.3 Research Aim and Objectives

This proposed project aims to investigate the performance of PV panels under lightning impulse voltage conditions, with consideration of other important conditions such as temperature and irradiance with regard to the electrical performance of a PV panel. The objectives of this research are:

1. To investigate the effect of lightning impulse voltage on the electrical performance of monocrystalline and polycrystalline PV panels.
2. To determine the effect of temperature on the electrical performance of damaged PV panels due to a lightning impulse voltage.
3. To estimate the reduction factors for both monocrystalline and polycrystalline PV panels parameters.

1.4 Scope and Limitations of Work

The scope and limitations of this research work are:

1. This research focuses on the effect of a lightning impulse voltage on the electrical performance of monocrystalline and polycrystalline PV panels.
2. This research considers only on positive impulse voltage on the electrical performance of monocrystalline and polycrystalline PV panels.
3. This research only focuses on analysing the electrical performance of monocrystalline and polycrystalline PV panels without considering the load.
4. This research assumes there is no insulation part (tempered glass) of monocrystalline and polycrystalline PV panels as our focus is only on electrical performance of solar cell itself.
5. Both the irradiance and temperature under this laboratory work are produced by a set of lamp in the PV panel tester.

1.5 Contribution of the Research

In this research, there are several contributions which are:

1. The benefits of this study can form part of the requirement for PV installation and also to improve the existing standards which are IEC 62305 and MS 1837.
2. Technically, it could assist designers to generate an idea to improve the protection of PV systems against lightning strikes by observing a correlation between the isolated and non-isolated LPS to select suitable surge protection elements.
3. By improving the protection of the system, indirectly reduce the cost by not having to repair the damage caused by lightning strikes as well as succeeding in investment.

1.6 Thesis Outline

This thesis consists of five chapters, which cover the introduction, literature review, methodology, results and discussion and finally conclusions and recommendations for future study.

This thesis starts with Chapter 1 which presents a general introduction to the subject and the problem statement. It also introduces the aims, objectives, scope and limitation of work, the contribution of the study and a brief summary of the structure of the thesis.

Chapter 2 provides a literature review of related fields to this study, which includes an overview of a PV and its characteristics. It also includes the lightning phenomenon and its effects and the necessity for lightning protection.

Chapter 3 describes the research methodology that is carried out to achieve the objectives. This consists of research flow charts, the specifications of the PV panel, construction of a PV panel tester, experimental setup and the selection of the equipment for data collection.

Chapter 4 presents the results, discussion and the comparison of the results by conducting laboratory tests to validate the proposed method which displays the efficiency of the PV panels.

Chapter 5 concludes the conclusion of this project and presents suggestions for future study.

REFERENCES

- [1] R. K. Agarwal, "Renewable Energy Programmes in India: Status & Future Prospects," *IC*, vol. 77, pp. 1-25, 2010.
- [2] R. Thomas, *Photovoltaics and architecture*: Taylor & Francis, 2003.
- [3] H. Patel and V. Agarwal, "MATLAB-based modeling to study the effects of partial shading on PV array characteristics," *IEEE Transactions on Energy Conversion*, vol. 23, pp. 302-310, 2008.
- [4] G. Singh, "Solar power generation by PV (photovoltaic) technology: a review," *Energy*, vol. 53, pp. 1-13, 2013.
- [5] S. Mekhilef, A. Safari, W. Mustaffa, R. Saidur, R. Omar, and M. Younis, "Solar energy in Malaysia: current state and prospects," *Renewable and Sustainable Energy Reviews*, vol. 16, pp. 386-396, 2012.
- [6] A. M. Nugroho, "The Impact Of Solar Chimney Geometry For Stack Ventilation In Malaysia Single Storey Terraced House," 2010.
- [7] A. Jamaludin, "Energy mix and alternatives energy for sustainable development in Malaysia," *Tokyo, Japan: 9th International Students Summit on Food, Agriculture and Environment in the New Century*, 2009.
- [8] M. Z. A. Ab Kadir, Y. Rafeeu, and N. M. Adam, "Prospective scenarios for the full solar energy development in Malaysia," *Renewable and Sustainable Energy Reviews*, vol. 14, pp. 3023-3031, 2010.
- [9] Overview of SEDA in Guideline on Lightning Protection for Photovoltaic (PV) Systems, Sustainable Energy Development Authority Malaysia (SEDA), 2017.
- [10] M. Kadir, N. Misbah, C. Gomes, J. Jasni, W. W. Ahmad, and M. Hassan, "Recent statistics on lightning fatalities in Malaysia," *International Conference on Lightning Protection (ICLP)*, 2012, pp. 1-5.
- [11] M. Paolone, F. Rachidi-Haeri, and C. A. Nucci, "IEEE Guide for Improving the Lightning Performance of Electric Power Overhead Distribution Lines," IEEE2011.
- [12] S. Sekioka, "An experimental study of sparkover between a rod and a photovoltaic panel," *International Conference on Lightning Protection (ICLP)*, 2012, pp. 1-5.
- [13] T. Jiang and S. Grzybowski, "Electrical degradation of Photovoltaic modules caused by lightning induced voltage," in *IEEE Electrical Insulation Conference (EIC)*, 2014, pp. 107-110.
- [14] T. Jiang and S. Grzybowski, "Impact of lightning impulse voltage on polycrystalline silicon photovoltaic modules," *International Symposium on Lightning Protection (XII SIPDA)*, 2013, pp. 287-290.
- [15] T. Jiang and S. Grzybowski, "Influence of lightning impulse voltages on power output characteristics of Photovoltaic modules," *International Conference on High Voltage Engineering and Application (ICHVE)*, 2014, pp. 1-4.
- [16] T. Jiang and S. Grzybowski, "Electrical degradation of Photovoltaic modules caused by lightning induced voltage," in *IEEE Electrical Insulation Conference (EIC)*, 2014, pp. 107-110.
- [17] M. Belik, "PV panels under lightning conditions," *Proceedings of the 2014 15th International Scientific Conference on Electric Power Engineering (EPE)*, 2014, pp. 367-370.

- [18] N. H. A. Rahim, Z. A. Baharudin, and M. N. Othman, "Investigation of Wave Propagation to PV-Solar Panel Due to Induced Overvoltage Generated by Lightning Impulse Generator," 2013.
- [19] C. Dechthummarong, S. Thepa, D. Chenvidhya, C. Jivacate, K. Kirtikara, and J. Thongpron, "Lightning impulse test of field-aged PV modules and simulation partial discharge within MATLAB," *9th International Conference Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON)*, pp. 1-4, 16-18 May 2012.
- [20] M. A. Uman, *The lightning discharge*: Courier Corporation, 2001.
- [21] K. Srinivasan and J. Gu, "Lightning as atmospheric electricity," *CCECE'06. Canadian Conference on Electrical and Computer Engineering*, 2006, pp. 2258-2261.
- [22] V. Cooray, *Lightning protection*: The Institution of Engineering and Technology, 2009.
- [23] V. Cooray, *The lightning flash* vol. 34: Iet, 2003.
- [24] C. Bouquegneau, "Lightning density based on lightning location systems," in *Lightning Protection (ICLP), 2014 International Conference o*, 2014, pp. 1947-1951.
- [25] V. A. Rakov and M. A. Uman, *Lightning: physics and effects*: Cambridge University Press, 2003.
- [26] S. E. D. A. Malaysia, "Guideline on Lightning Protection for Photovoltaic (PV) Systems," in *Lightning Flash Density Distribution*, ed. Malaysia: Sustainable Energy Development Authority Malaysia, 2016.
- [27] *Lightning Flash Density Distribution* in Guideline on Lightning Protection for Photovoltaic (PV) Systems, Sustainable Energy Development Authority Malaysia (SEDA), 2016.
- [28] P. Frankl, S. Nowak, M. Gutschner, S. Gnos, and T. Rinke, "International energy agency technology roadmap: solar photovoltaic energy," 2010.
- [29] S. I. Mustapa, L. Y. Peng, and A. H. Hashim, "Issues and challenges of renewable energy development: A Malaysian experience," *Proceedings of the international conference on Energy and Sustainable Development: Issues and Strategies (ESD)*, 2010, pp. 1-6.
- [30] S. Yuosoff and R. Karooni, "Barriers and challenges for developing RE policy in Malaysia," *International Conference on Future Environment and Energy IPCBEE*, 2012.
- [31] G. Bhuvanewari and R. Annamalai, "Development of a solar cell model in MATLAB for PV based generation system," *Annual IEEE India Conference (INDICON)*, 2011, pp. 1-5.
- [32] A. Kane and V. Verma, "Characterization of PV cell-environmental factors consideration," *International Conference on Power, Energy and Control (ICPEC)*, 2013, pp. 26-29.
- [33] Renewables 2010 Global Status Report, <http://www.ren21.net> [accessed 21.05.16].
- [34] P. Frankl, S. Nowak, M. Gutschner, S. Gnos, and T. Rinke, "International energy agency technology roadmap: solar photovoltaic energy," 2010.
- [35] T. Tsoutsos, N. Frantzeskaki, and V. Gekas, "Environmental impacts from the solar energy technologies," *Energy Policy*, vol. 33, pp. 289-296, 2005.
- [36] S. Ahmad, M. Z. A. Ab Kadir, and S. Shafie, "Current perspective of the renewable energy development in Malaysia," *Renewable and Sustainable Energy Reviews*, vol. 15, pp. 897-904, 2011.

- [37] K. Solangi, M. Islam, R. Saidur, N. Rahim, and H. Fayaz, "A review on global solar energy policy," *Renewable and sustainable energy reviews*, vol. 15, pp. 2149-2163, 2011.
- [38] A. Shah, P. Torres, R. Tscharnner, N. Wyrsh, and H. Keppner, "Photovoltaic technology: the case for thin-film solar cells," *science*, vol. 285, pp. 692-698, 1999.
- [39] M. A. Green, "Solar cells: operating principles, technology, and system applications," 1982.
- [40] F. Falk and G. Andra, *Crystalline Silicon Thin Film Solar Cells*: INTECH Open Access Publisher, 2011.
- [41] M. Hourai and E. Kajita, "Manufacturing method for a silicon single crystal wafer," ed: Google Patents, 1999.
- [42] A. Goetzberger and V. U. Hoffmann, *Photovoltaic solar energy generation* vol. 112: Springer Science & Business Media, 2005.
- [43] Y. Zhao, "Thesis Master of Science: Fault analysis in solar photovoltaic arrays," *Electrical Engineering, Northeastern University*, 2011.
- [44] S. R. Wenham, *Applied photovoltaics*: Routledge, 2012.
- [45] H. Häberlin, *Photovoltaics system design and practice*: John Wiley & Sons, 2012.
- [46] Y. Zhao, "Thesis Master of Science: Fault analysis in solar photovoltaic arrays," *Electrical Engineering, Northeastern University*, 2011.
- [47] Solmetric, "Guide To Interpreting I-V Curve Measurements of PV Arrays," Application Note PVA-600-1 March 1 2011.
- [48] M. Hasan and S. Parida, "Effect of non-uniform irradiance on electrical characteristics of an assembly of PV panels," *India International Conference on Power Electronics (IICPE)*, 2014, pp. 1-3.
- [49] M. Islam, M. Z. Rahman, and S. M. Mominuzzaman, "The effect of irradiation on different parameters of monocrystalline photovoltaic solar cell," *International Conference on the Developments in Renewable Energy Technology (ICDRET)*, 2014, pp. 1-6.
- [50] E. Gordo, N. Khalaf, T. Strangeowl, R. Dolino, and N. Bennett, "Factors affecting solar power production efficiency," 2015.
- [51] M. Ab Kadir, N. Misbah, C. Gomes, J. Jasni, W. W. Ahmad, and M. Hassan, "Recent statistics on lightning fatalities in Malaysia," *International Conference on Lightning Protection (ICLP)*, 2012, pp. 1-5.
- [52] General Climate Information, <http://www.met.gov.my/web/metmalaysia/education/climate/generalclimateinformation>; 2016 [accessed 27.12.16].
- [53] E. Radziemska, "The effect of temperature on the power drop in crystalline silicon solar cells," *Renewable Energy*, vol. 28, pp. 1-12, 2003.
- [54] M. Belik, "PV panels under lightning conditions," in *Proceedings of the 2014 15th International Scientific Conference on Electric Power Engineering (EPE)*, 2014, pp. 367-370.
- [55] L. Ryan, J. Dillon, S. La Monaca, J. Byrne, and M. O'Malley, "Assessing the system and investor value of utility-scale solar PV," *Renewable and Sustainable Energy Reviews*, vol. 64, pp. 506-517, 2016.
- [56] R. Koppelaar, "Solar-PV energy payback and net energy: Meta-assessment of study quality, reproducibility, and results harmonization," *Renewable and Sustainable Energy Reviews*, 2016.
- [57] H. Zou, H. Du, J. Ren, B. K. Sovacool, Y. Zhang, and G. Mao, "Market dynamics, innovation, and transition in China's solar photovoltaic (PV)

- industry: A critical review," *Renewable and Sustainable Energy Reviews*, vol. 69, pp. 197-206, 2017.
- [58] P. Halder, "Potential and economic feasibility of solar home systems implementation in Bangladesh," *Renewable and Sustainable Energy Reviews*, vol. 65, pp. 568-576, 2016.
- [59] C. O. Okoye, O. Taylan, and D. K. Baker, "Solar energy potentials in strategically located cities in Nigeria: Review, resource assessment and PV system design," *Renewable and Sustainable Energy Reviews*, vol. 55, pp. 550-566, 2016.
- [60] D. D. Milosavljević, T. M. Pavlović, D. L. Mirjanić, and D. Divnić, "Photovoltaic solar plants in the Republic of Srpska-current state and perspectives," *Renewable and Sustainable Energy Reviews*, vol. 62, pp. 546-560, 2016.
- [61] M. A. B. Sidik, H. B. Shahroom, Z. Salam, Z. Buntat, Z. Nawawi, H. Ahmad, *et al.*, "Lightning monitoring system for sustainable energy supply: A review," *Renewable and Sustainable Energy Reviews*, vol. 48, pp. 710-725, 2015.
- [62] Y. Méndez, I. Acosta, J. Rodriguez, J. Ramírez, J. Bermúdez, and M. Martínez, "Effects of the PV-generator's terminals connection to ground on electromagnetic transients caused by lightning in utility scale PV-plants," *33rd International Conference on Lightning Protection (ICLP)*, 2016, pp. 1-8.
- [63] C. Christodoulou, V. Kontargyri, K. Damianaki, A. Kyritsis, I. Gonos, and N. Papanikolaou, "Lightning performance study for photovoltaic systems," in *19th International Symposium on High Voltage Engineering. Pilsen. Czech Republic*, 2015.
- [64] N. Ahmadi, V. Mashayekhi, S. Sadeghi, and A. Nasiri, "Frequency-dependent modeling of grounding system in EMTP for lightning transient studies of grid-connected PV systems," in *2015 International Conference on Renewable Energy Research and Applications (ICRERA)*, 2015, pp. 989-993.
- [65] Damage Statistic for Solar PV due to lightning, <https://www.dehn-international.com>; 2016 [accessed 13.05.16].
- [66] MS 1837 (2010) Installation of Grid-Connected Photovoltaic (PV) System
- [67] DIN EN 62305-3, (supplement 5) (2014) Protection against lightning - Part 3: Physical damage to structures and life hazard; Supplement 5: Lightning and overvoltage protection for photovoltaic power supply systems
- [68] IEC 62305-2 (2006) Protection Against Lightning - Part 2: Risk Management
- [69] IEC 62305-3 (2006) Protection Against Lightning - Part 3: Physical Damage to Structures and Life Hazard
- [70] C. A. Christodoulou, L. Ekonomou, I. F. Gonos, and N. P. Papanikolaou, "Lightning protection of PV systems," *Energy Systems*, vol. 7, pp. 469-482, 2016.
- [71] T. Funabashi and S. Sekioka, "Smart grid in Japan associated with lightning protection of renewable energies," *33rd International Conference on Lightning Protection (ICLP)*, 2016, pp. 1-6.
- [72] H. E. Rojas, F. Santamaría, O. F. Escobar, and F. J. Román, "Lightning research in Colombia: Lightning parameters, protection systems, risk assessment and warning systems," *Ingeniería y Desarrollo*, vol. 35, 2017.
- [73] N. Fallah, C. Gomes, M. Kadir, G. Nourirad, M. Baojahmadi, and R. J. Ahmed, "Lightning protection techniques for roof-top PV systems," *International Conference on Power Engineering and Optimization (PEOCO)*, 2013, pp. 417-421.
- [74] V. Cooray, *The lightning flash: Iet*, 2003.

- [75] N. Fallah, C. Gomes, M. Kadir, G. Nourirad, M. Baojahmadi, and R. J. Ahmed, "Lightning protection techniques for roof-top PV systems," *International Conference on Power Engineering and Optimization (PEOCO)*, 2013, pp. 417-421.
- [76] S. Ittarat, S. Hiranvarodom, and B. Plangklang, "A Computer Program for Evaluating the Risk of Lightning Impact and for Designing the Installation of Lightning Rod Protection for Photovoltaic System," *Energy Procedia*, vol. 34, pp. 318-325, 2013.
- [77] C. C. A. Charalambous, N. D. Kokkinos, and N. Christofides, "External lightning protection and grounding in large-scale photovoltaic applications," *IEEE Transactions on Electromagnetic Compatibility*, vol. 56, pp. 427-434, 2014.
- [78] E. Pons and R. Tommasini, "Lightning protection of PV systems," *International Youth Conference on Energy (IYCE)*, 2013, pp. 1-5.
- [79] N. Fallah, C. Gomes, M. Z. A. Ab Kadir, G. Nourirad, and M. Baojahmadi, "Lightning protection techniques for roof-top PV systems," *International Conference on Power Engineering and Optimization (PEOCO)*, 2013, pp. 417-421.
- [80] D. Moongilan, "Residential solar system bonding and grounding methods for lightning protection," *IEEE Symposium on Product Compliance Engineering (ISPC)*, 2013, pp. 1-6.
- [81] K. Sakai and K. Yamamoto, "Lightning protection of photovoltaic power generation system: Influence of grounding systems on overvoltages appearing on DC wirings," in *International Symposium on Lightning Protection (XII SIPDA)*, 2013, pp. 335-339.
- [82] N. Kokkinos, N. Christofides, and C. Charalambous, "Lightning protection practice for large-extended photovoltaic installations," in *International Conference on Lightning Protection (ICLP)*, 2012, pp. 1-5.
- [83] C. A. Charalambous, N. D. Kokkinos, and N. Christofides, "External lightning protection and grounding in large-scale photovoltaic applications," *IEEE Transactions on Electromagnetic Compatibility*, vol. 56, pp. 427-434, 2014..
- [84] IEC 61730 "Photovoltaic (PV) module safety qualification - Part 2: Requirements for Testing," 2010.
- [85] IEC60904 "Photovoltaic Devices - Part 1: Measurement of Photovoltaic Current-Voltage Characteristics," 2013.
- [86] Temperature <http://www.met.gov.my/web/metmalaysia>; 2016 [accessed 21.1.16].
- [87] R. H. Simons and A. R. Bean, *Lighting engineering: applied calculations*: Routledge, 2008.
- [88] D. Bickler, "The simulation of solar radiation," *Solar Energy*, vol. 6, pp. 64-68, 1962.
- [89] E. Beeson, "The CSI lamp as a source of radiation for solar simulation," *Lighting research and technology*, vol. 10, pp. 164-166, 1978.
- [90] A. El-Shaer, M. Tadros, and M. Khalifa, "Effect of Light intensity and Temperature on Crystalline Silicon Solar Modules Parameters," *International Journal of Emerging Technology and Advanced Engineering*, vol. 4, pp. 311-326, 2014.
- [91] Q. A. H. Al-Naser, A.-b. NMA, and N. A. S. Al-Ali, "The effect of temperature variations on solar cell efficiency," *International Journal Engineering.*, vol. 13, 2012.

- [92] V. J. Fesharaki, M. Dehghani, J. J. Fesharaki, and H. Tavasoli, "The effect of temperature on photovoltaic cell efficiency," in *Proceedings of International Conference on Emerging Trends in Energy Conservation–ETEC, Tehran, Iran*, 2011, pp. 20-21.
- [93] M. Belik, "PV panels under lightning conditions," in *Proceedings of International Scientific Conference on Electric Power Engineering (EPE)*, 2014.
- [94] IEC 61215 "Crystalline silicon terrestrial photovoltaic (PV) modules-Design qualification and type approval," 2006.



BIODATA OF STUDENT

The student was born in Johor, Malaysia on 17th September 1991. She completed her Bachelor of Electrical & Electronic Engineering degree in UPM in 2014. Currently she is studying for her M. Sc. Degree in Master of Science in the Department of Electrical and Electronic Engineering, University of Putra Malaysia. While pursuing her Master, she had been tutoring courses including Engineering Mathematics I and II, and laboratory of power electronics and power electrical.



LIST OF PUBLICATIONS

Journals

- N. I. Ahmad**, M. Z. A. AbKadir, M. Izadi, N. H. Zaini, M. M. Radzi, and N. Azis, M.S. Nasir, "Lightning Protection on Photovoltaic Systems: A Review on Current and Recommended Practices," *Renewable and Sustainable Energy Reviews*, 2016. **(Submitted)**
- N. I. Ahmad**, M. Z. A. AbKadir, M. Izadi, N. H. Zaini, M. M. Radzi, and N. Azis, "Thermal Behaviour between Crystalline Panel under Temperature Effect," *International Conference on Power, Energy & Communication Systems (IPECS)* 2015.
- N. H. Zaini, M. Z. A. AbKadir, M. Izadi, **N. I. Ahmad**, M. M. Radzi, and N. Azis, "Temperature Effect on the Electrical Performance of Poly-crystalline Solar PV Panel," *International Conference on Power, Energy & Communication Systems (IPECS)* 2015.

Conference proceedings

- N. I. Ahmad**, M. Z. A. AbKadir, M. Izadi, N. H. Zaini, M. M. Radzi, and N. Azis, "Effect of temperature on a poly-crystalline solar panel in large scale solar plants in Malaysia," *IEEE Conference on Energy Conversion (CENCON)*, 2015, pp. 244-248. **(Published) (Author)**
doi: 10.1109/CENCON.2015.7409547
URL: <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7409547&isnumber=7409498>
- N. H. Zaini, M. Z. A. AbKadir, M. Izadi, **N. I. Ahmad**, M. M. Radzi, and N. Azis, "The effect of temperature on a mono-crystalline solar PV panel," *IEEE Conference on Energy Conversion (CENCON)*, 2015, pp. 249-253. **(Published) (Co-Author)**
doi: 10.1109/CENCON.2015.7409548
URL: <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7409548&isnumber=7409498>
- N. I. Ahmad**, M. Z. A. AbKadir, M. Izadi, N. H. Zaini, M. M. Radzi, and N. Azis, "Temperature Effect on the Electrical Performance of Solar Panels," *MyHVnet Colloquium*, Vol. 1, January 2016. **(Published in UTM Handbook) (Author)**
- N. I. Ahmad**, M. Z. A. AbKadir, M. Izadi, N. H. Zaini, M. M. Radzi, and N. Azis, "On the Performance of a Polycrystalline PV Panel under Different Impulse Voltages and Temperature," *International Conference on Lightning Protection (ICLP)*, 2016. **(Published - SCOPUS) (Author)**
doi: 10.1109/ICLP.2016.7791417
URL: <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7791417&isnumber=7791333>

N. H. Zaini, M. Z. A. AbKadir, M. Izadi, **N. I. Ahmad**, M. M. Radzi, and N. Azis, "On the Effect of Lightning on a Solar Photovoltaic System," *International Conference on Lightning Protection (ICLP)*, 2016. (**Published - SCOPUS**) (**Co-Author**)
doi: 10.1109/ICLP.2016.7791421
URL: <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7791421&isnumber=7791333>





UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

ELECTRICAL PERFORMANCE OF MONOCRYSTALLINE AND POLYCRYSTALLINE
PHOTOVOLTAIC PANELS UNDER LIGHTNING IMPULSE VOLTAGE CONDITION

NAME OF STUDENT : NOR IZZATI BINTI AHMAD

I acknowledge that the copyright and other intellectual property in the thesis/project report *belonged* to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]