UNIVERSITI PUTRA MALAYSIA

ASSOCIATION BETWEEN OCCUPATIONAL AND NON-OCCUPATIONAL RISK TO WORK-RELATED MUSCULOSKELETAL DISORDERS AMONG TRAFFIC POLICE RIDERS

NUR ATHIRAH DIYANA BT MOHAMMAD YUSOF

FPSK(m) 2016 64

ASSOCIATION BETWEEN OCCUPATIONAL AND NON-OCCUPATIONAL RISK TO WORK-RELATED MUSCULOSKELETAL DISORDERS AMONG TRAFFIC POLICE RIDERS

By

NUR ATHIRAH DIYANA BT MOHAMMAD YUSOF

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Master of Science

October 2016

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment for the degree of Master of Science

ASSOCIATION BETWEEN OCCUPATIONAL AND NON-OCCUPATIONAL RISK TO WORK-RELATED MUSCULOSKELETAL DISORDERS AMONG TRAFFIC POLICE RIDERS

By

NUR ATHIRAH DIYANA BINTI MOHAMMAD YUSOF

October 2016

Chairman : Karmegam Karuppiah, PhD
Faculty : Medicines and Health Sciences

Approximately 50% of the traffic police use a motorcycle as their main vehicle while on duty. These professional motorcycle riders are ride for many hours while on duty with the mean 5.64 hours per day which the exposure of vibration becomes critical since overexposure may cause discomfort, decrease their performance and even health risk including work-related musculoskeletal disorders (WMSDs). However, there have been no studies on vibration and WMSDs has been conducted among this group of workers in Malaysia. Thus, it is important that this research needs to be completed in order to identify the factors that can give health effects in developing WMSDs among traffic police riders. A cross-sectional study was done in Traffic Police Station in Kuala Lumpur and Johor Bahru on January until June 2015. One-hundred-and-thirty-seven riders participated in this study. A set of questionnaire which included Standardized Nordic Questionnaire was used. The Svantek 106 is a six-channel human vibration meter was also used to assess and measure the level of Whole Body Vibration (WBV) and Hand Arm Vibration (HAV). The one-year prevalence of WMSDs among the traffic police riders was 67.9%. The highest WMSDs symptom was reported at the neck (35.8%) and shoulder (35.8%). The mean WBV and HAV of frequency-weighted acceleration in eight hours, A(8) was 0.44 m/s^2 and 2.25 m/s^2 respectively. Meanwhile, the level of Vibration Dose Value (VDV) in WBV exposure was 13.85 m/s^2. Multiple logistic regression analysis revealed that duration of riding traffic police motorcycle (OR= 0.175, 95% CI:0.052, 0.581), year of services as traffic police riders (OR=0.152, 95% CI: 0.040, 0.567), and HAV in A(8) (OR=3.053, 95% CI: 1.126, 8.280) were significant risk factors to one-year prevalence of WMSDs. As a conclusion, although the level of WBV and HAV did not exceed both Exposure Action Value (EAV) and Exposure Limit Value (ELV) in term of A(8), the VDV level in WBV was exceeded EAV. In addition, ninety-three of the traffic police riders reported WMSDs symptoms for the past 12 months. Duration of riding (OR= 0.175, 95% CI:0.052, 0.581), year of services as traffic police riders (OR=0.152, 95% CI: 0.040, 0.567) and HAV in A(8) (OR= 3.053, 95% CI: 1.126, 8.280) were found to be most important risk factors for WMSDs among traffic police rider

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk Ijazah Master Sains

HUBUNGAN DI ANTARA RISIKO PERKERJAAN DAN BUKAN PEKERJAAN TERHADAP KERJA BERKAITAN GANGGUAN MASALAH OTOT RANGKA DI KALANGAN POLIS TRAFIK YANG MENUNGGANG MOTOSIKAL

Oleh

NUR ATHIRAH DIYANA BINTI MOHAMMAD YUSOF

Oktober 2016

Pengerusi : Karmegam Karuppiah, PhD
Fakulti : Perubatan dan Sains Kesihatan

Hampir 50% polis trafik menggunakan motosikal sebagai kenderaan utama mereka semasa bertugas. Penunggang motosikal profesional ini menunggang motosikal dalam jangka masa yang lama semasa bertugas dengan min 5.64 jam satu hari di mana pendedahan getaran menjadi kritikal memandangkan pendedahan getaran yang terlalu lama boleh menyebabkan ketidakselesaan, mengurangkan prestasi mereka dan juga risiko kesihatan termasuk kerja berkaitan gangguan masalah otot rangka (KGMOR). Namun begitu, tiada kajian mengenai getaran dan KGMOR telah dijalankan di kalangan kumpulan pekerja ini di Malaysia. Oleh itu, ia adalah penting bahawa kajian ini perlu dijalankan untuk mengenal pasti faktor-faktor yang boleh memberi kesan kesihatan dalam menyebabkan KGMOR di kalangan penunggang polis trafik. Satu kajian keratan rentas telah dijalankan di Balai Polis Trafik di Kuala Lumpur dan Johor Bahru pada Januari hingga Jun 2015. Satu ratus tiga puluh tujuh penunggang motosikal mengambil bahagian dalam kajian ini. Satu set soal selidik yang merangkumi standard soal selidik Nordic telah digunakan. Meter mengukur getaran manusia, Svantek 106 yang mempunyai enam saluran juga telah digunakan untuk menilai dan mengukur tahap getaran seluruh badan (GSB) dan getaran tangan-lengan (GTL). Prevalan satu tahun menghidapi masalah otot rangka di kalangan penunggang polis trafik adalah 67.9%. Gejala masalah otot rangka tertinggi dilaporkan pada bahagian leher (35.8%) dan bahu (35.8%). Min getaran bagi GSB dan GTL pada pecutan frekuensi berwajaran dalam 8 jam, A(8) adalah 0.43m/s^2 dan 2.23m/s^2. Sementara itu, Getaran Nilai Dos (GND) dalam pendedahan GSB adalah 13.85 m/s^2. Analisis regresi logistik menunjukkan bahawa tempoh menunggang motosikal polis trafik (OR= 0.175, 95% CI:0.052, 0.581), tempoh berkhidmat sebagai penunggang motosikal polis trafik (OR=0.152, 95% CI: 0.040, 0.567) dan GTL dalam A(8) (OR= 3.053, 95% CI: 1.126, 8.280) merupakan faktor risiko yang ketara kepada prevalan satu tahun menghidapi masalah otot rangka. Sebagai kesimpulan, walaupun tahap GBL dan GTL tidak melebihi kedua-dua Tindakan Pendedahan Nilai (TPN) dan Pendedahan Nilai Had (PNH) tetapi GND melibihi TPN yang telah ditetapkan.. Selain itu, sembilan puluh enam penunggang polis trafik dilaporkan menghidapi

masalah otot rangka bagi 12 bulan yang lalu. Tempoh menunggang motosikal (OR= 0.175, 95% CI:0.052, 0.581), tempoh berkhidmat sebagai penunggang motosikal polis trafik (OR=0.152, 95% CI: 0.040, 0.567) dan GTL dalam A(8) (OR= 3.053, 95% CI: 1.126, 8.280) adalah faktor risiko yang paling penting untuk masalah otot rangka di kalangan penunggang motosikal polis trafik.

ACKNOWLEDGEMENTS

Here I would like to praise to Allah because, for His permission, this thesis could be completed. Without his permission, I would not have the will and power to run this research and to produce this complete thesis. This project would not be completed if not because of the contributions from important people. I would also like to show my greatest appreciation to my supervisor, Dr. Karmegam Karuppiah, for his supervision, teaching, and guidance through all the processes in this research. Without his commitment, dedication, support, and patience, this thesis cannot be completed as it can be seen today. He had given me a lot of opportunities to explore an important knowledge and a lot of important chance to improve myself and my research.

I would also like to thank my co-supervisor, Dr. Irniza Rasdi, who also had spent extra time and effort by helping and guiding me in stimulating my idea related to this project. I would also like to show sincere appreciation to the Traffic Police Officer, ASP Taufik, and ASP Khairi, which had given an enormous cooperation during the data collection process. This also includes traffic police riders who were willing to act as the respondent and gave me their precious time to help me along the way.

Lastly, I would like to thank my family for their support and motivation given to me throughout my study here until this project was completed. They are the core of inspiration for a developing student as myself. In addition, I would like to thank my project mates, Putri Anis Syahira Mohd Jamil and Ihtifazuddeen Azmi for being there with me during data collection and analysis and also supported each other throughout this research. Last but not least, to all who had directly and indirectly given their hands and words in helping me during my pursuit of knowledge here in Universiti Putra Malaysia.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Karmegam Karuppiah, PhD
Senior Lecturer
Faculty of Medicines and Health Sciences
Universiti Putra Malaysia
(Chairman)

Irniza Rasdi, PhD
Senior Lecturer
Faculty of Medicines and Health Sciences
Universiti Putra Malaysia
(Member)

_____
ROBIAH BINTI YUNUS, PhD
Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature : _____
Name of Chairman of Supervisory Committee: Dr Karmegam A/L Karuppiah

Signature :_____
Name of Member of Supervisory Committee: Dr Irniza Binti Rasdi

TABLE OF CONTENTS

LIST OF TABLES

LIST OF FIGURES

LIST OF ABBREVIATIONS

A(8)	Total vibration dose calculated for a standard eight hours per day
BMI	Body Mass Index
CCOSH	Canadian Centre of Occupational Safety and Health
DOS	Department of Statistics
DOSH	Department of Occupational Safety and Health
EASHW	European Agency for Safety and Health at Work
EAV	Exposure Action Limit
ELV	Exposure Limit Value
EU	European Union
GDP	Gross Domestic Product
HAV	Hand-Arm Vibration
HAVS	Hand-Arm Vibration Syndrome
Hz	Hertz
ISO	International Organization of Standard
LBDs	Low Back Disorders
MIROS	Malaysian Institute of Road Safety Malaysia
MSDs	Musculoskeletal Disorders
NHIS	National Health Interview Survey
NIOSH	National Institute of Occupational Safety and Health
OSHA	Occupational Safety and Health Administration
RMP	Royal Malaysia Police
RMS	Root-Mean-Square
SNQ	Standardized Nordic Questionnaire
SOCSO	Social Security Organisation
UEMSD	Upper Extremity Musculoskeletal Disorder
UKIOSH	United Kingdom Institution of Occupational Safety and Health
UPM	Universiti Putra Malaysia
UUM	University of Maryland Medical Center
VDV	Vibration Dose Value
WBV	Whole-Body Vibration
WHO	World Health Organisation
WMSDs	Work-related Musculoskeletal Disorders

CHAPTER 1

INTRODUCTION

1.1 Background

The workplace is the one of important environment for workers. In 2004, World Health Organisation (WHO) stated that around 2.9 billion workers across the world are exposed to the hazard and risk in the occupational sector. There is five main type of hazards that workers may expose which are ergonomic, chemical, biological, psychosocial, and physical hazard. However, the ergonomic hazard is the hardest hazard to spot since it does not immediately give harm and strain to the body but long-term exposure can result in serious long-term illness. In a recent year, the ergonomic factors role of the workplace in the development of musculoskeletal disorders has been a topic of interest and debate worldwide. Ergonomics is defined as adapting task, tools, equipment and work stations to fit the workers which can help in reducing physical stress and eliminating any potentially serious and disabling work-related musculoskeletal disorders (WMSDs) among workers (McPhee, 2005).

One of the ergonomic hazards is vibration. The vibration always occurs among workers who are involved in a mobile machine, hand-held tools and vehicle including riding a motorcycle (Donati et al., 2008; Moreno et al., 2011). Human vibrations are divided into two categories which are whole body vibration or also known as WBV and hand-arm vibration (HAV). WBV presents when workers sit or stand on vibrating machine. Long exposure in a high level of WBV can cause motion sickness, headaches and fatigue (Patil and Salunke, 2016). Meanwhile, HAV is defined as a vibration transmitted from hand-held equipment such as handlebar and steering wheel into the hand-arm of operators. This exposure can lead to vibration induced white finger or also known as VWF. However, if this problem detected early, this disease can be cured and if not, it can cause permanent disability in the workers' hand (Patil and Salunke, 2016).

Motorcycles are a common type of transportation mode in Malaysia. An estimated 11 million motorcycles are used in Malaysia followed by 10 million cars, 62 thousand buses, 99 thousand taxies and 862 thousand for other vehicles which led to the number of vehicles available in Malaysia about 26 million in 2015 (Road and Transport Department, 2016). Although motorcycles are usually used for short-distance transport since they are most convenient and effective, they are also used as a main transportation mode for some occupations such as courier, food delivery, and postal delivery including traffic police.

According to Sunderlal et al. (2007) there are three type of hazard factors involving motorcycle riders which are i) Environmental factor such as inadequate road networks and surfaces, less physical space, overcrowded road conditions

and objects or obstruction in the road; ii) Human factor including poor visual acuity, impaired hearing, physical defect, negligence of personal protective measures, psychosocial problems, addiction and abuse of substance and; iii) Machine factor such as bad maintenance and poor monitoring.

Ndimila et al. (2013) stated that the type of interruption mostly affecting rider's comfort while riding a motorcycle is random vibration which due to the unpredicted loads and road roughness. WBV exposed to the human can result transmission of vibration energy to the whole the entire body and leads to localised effects that affect normal functioning of the body and health (Satou et al., 2007; Shivakumara et al., 2011). Chen et al. (2009) conducted research in Taiwan found that WBV exposure level for motorcycle riders are higher compared to car drivers. The previous study in Tanzania also found that motorcycle riders have higher health risk compare to car drivers due to vibration (Ndimila et al., 2013). Besides that, the rates of finger numbness and shoulder pain were significantly higher among traffic police riders compared to control group due to vibration from motorcycle itself especially handlebar in Japan (Mirbod et al., 1997).

One of the occupation that involving motorcycles are traffic police. Traffic police are defined as a uniformed body who are ordered by national authorities to facilitate the movement of traffic flow and to prevent any breach of road traffic regulations (The Free Dictionary, 2014). In Malaysia, traffic police are responsible for investigating all traffic accidents, coordinating special event traffic control and control the traffic congestion. Traffic police use various type of vehicles including motorcycles in carrying out their duties. Most of the motorcycles that used are high-powered motorcycle which average of the engine power is 750 to 1300 cc. Based on European Occupational Safety and Health Risk Observatory report, occupational safety and health issues for the riders profession are always related to ergonomic hazards and risks especially exposure to work posture, prolonged sitting, and fatigue. CCOSH (2014) stated that over exposure to this ergonomic hazards could contribute to the stress, muscle fatigue, tingling and numbness in the body area that exposed which related to musculoskeletal disorders.

Work-related Musculoskeletal Disorders (WMSDs) can involve suffering and extensive economic consequences among workers, employer and society in the form of medical care, sick leave and early retirement pension. Weinstien et al. (2014) wrote a book about "The Burden of Musculoskeletal Diseases in the United Stated" stated that the musculoskeletal disorders (MSD) are the leading cause of disorders or physical inability in United State country. Besides, a study on the Global Burden of Disease proved that MSD affects more than 1.7 billion people worldwide. In 2012, National Health Interview Survey (NHIS) found that approximately 126.6 million adults in US were reported in a musculoskeletal medical condition which 76% of them were rated under chronic MSD greater than chronic circulatory conditions. Thus, the cost is rising rapidly to treat this pain and disability which the annual average cost (because of lost work)

attributable to persons with a MSD were $213 billion between 2009 and 2011 (Weinstein et al. 2014).
Various risk factors are known to be associated with WMSDs, including vibration exposure, repetitive movement, heavy lifting, bending and twisting, uncomfortable working condition, exerting too much force, working too long without break, and psychosocial factors (Institution of Occupational Safety and Health (IOSH), 2016). Other risk factors may be the workplace design, long working hour, age, body mass index (BMI), and smoking (Choobineh et al., 2009). WMSDs continues to present a challenge in virtually every occupational sector (Haukka, 2010; Szeto and Lam, 2007).

1.2 Problem Statement

In Malaysia, an increase in economic growth and in the standard of living have made the total number of vehicles on the road also increase from year to year (Figure 1.1) (Department of Road Transport, 2014). The highest number of vehicles that used by road users is motorcycle especially in Kuala Lumpur (1,626,718) and Johor Bahru (1,646,941). Thus, it makes the responsibility of traffic police in patrolling and control traffic congestion and burden in work task become greater from year to year.

Traffic police are the one of the occupational vehicles that involve a motorcycle. Approximately 50% of the traffic police use a motorcycle as their main vehicle while on duty. These professional motorcycle riders are ride for many hours while on duty with the mean 5.64 hours per day which the exposure of vibration becomes critical since overexposure may cause discomfort, stress, decrease their performance and even health risk including WMSDs (Moreno et al., 2011). Mirbod et al. (1997) suggested that the rider who ride a motorcycle more than 5 hours per day was categorised as overexposure which the WMSDs symptoms will start develop after a few hours in riding motorcycle among respondents. However, health problem especially in vibration injuries and WMSDs among motorcycle riders are often overlooked in research area although they are large size of users in Malaysia.

There are many motorcycle contributing factors influencing the vibration level such as type of motorcycle, engine power, year of manufacturer, and maintenance. The results for factors that contribute to the vibration level in vehicles is inconsistent. Moreno et al. (2011) proved that motorcycle age, engine size, speed and driver weight had been important factors in determine the level of vibration which the most unfavourable combination factors are old motorcycle (more than 3 years), small engine and slow speed but Khamis et al. (2014), Chen et al.(2009) and Ismail et al. (2010) found that slower riding speed may lower the vibration exposure. Besides, different types of road also give different level in vibration such as bituminous road (0.1794 m/s^2), dirt road (0.381 $m/s^{2)}$, concrete road (0.516 m/s^2), tarmac road (0.649 $m/s^{1.75}$) and pavement road (0.725 $m/s^{1.75}$) (Czech, 2016; Khamis et al. 2014). However, there is not much different in vibration level to the same type of road (paved road) with different location urban and province area with 0.88 m/s^2 and 0.82 m/s^2 respectively (Chen et al., 2009).

Several studies from other countries have conducted research to evaluate the relation between vehicle vibration and disease. Bovenzi and Huslof (1999) found that WBV was related to the low back pain development in review of epidemiologic study and Mirbod et al. (1997) found that the HAV exposure (2.0 m/s^2) was considered as a risk factor in suffering hand-arm symptoms among riders with 750 cc motorcycle engine and 5.5 hours in duration of riding motorcycle per day. Meanwhile, Stark et al. (1990) concluded that one cause of white finger was excessive motorcycle riding. The WBV exposure level and health risk of motorcycle riders (1.11 m/s^2) are higher compare to car drivers (0.55 m/s^2) with the motorcycle engine of 125 cc (Chen et al., 2009; Wang et al., 2006).

WMSDs is one of the most important causes of occupational injury and disability in developed and developing countries including Malaysia (Gardner et al., 2014). Bevan et al. (2009) also stated that WMSDs is the most prevalence of all work-related injury and it is costly. Even mortality rate related with WMSDs are low, it can give impact in the form of disability rates, medical costs, and quality of life of an individual (Ogdie et al., 2014).

Research in other countries among police officers showed that more than fifty percent of respondents suffered WMSDs such as the study done in Bangladesh with 80% respondents with WMSDs (Nazmul, 2013). In Korea, 76.8% of police officers and 75.0% of respondents in Brazil suffered WMSDs (Cho et al., 2014; Ana et al., 2015). The vibration exposure during driving or riding is one of the factors that suggested by researchers that caused a high number of the prevalence of WMSDs among police officers. However, there is no exact value for vibration level exposed by the respondents.

The consequence of WMSDs is significant for employee and employer which it can give impact to lost workdays, early retirement, and reduce productivity of workers Based on the Integrated Benefits Institute (IBI) in 2014 for the US workforce, among hundred working people in the population, at least 28% of them reporting one WMSDs condition, fifty-nine of them had short-term disability days and forty-one had long-term disability days for WMSDs (Summers et al., 2015). Medical Expenditure Panel Survey (2011) also estimated that total medical costs for MSDs treatment were $1,745and $1,938 for back problems per person. Due to this reason, WMSDs have been established as a top cause of work disability in the US (Summers et al., 2015). Besides, Centre of Excellence for Ergonomics had conducted study on overall compensation for occupational disease in Malaysia which they found that the cost of permanent disability compensation related to ergonomics was RM 25 313 per case compared with the average compensation costs for other cases which is RM 22 841.

The epidemiological studies and literature review stated that there are two categories of risk factors can be considered in developing of WMSDs which are occupational and non-occupational factors (Nunes, 2009a). The occupational factors include awkward posture (Karmegam et al., 2011), vibration (Okunribido

et al., 2006; Lopez-Alonso et al., 2013), rank (Rhee et al., 2013), year of service (Ghasemkhani & Mahmudi, 2008) and long riding duration (Bovenzi et al.,2006). Meanwhile, non-occupational factors are race (Weinstein et al., 2014), marital status (Amin et al., 2014), educational level (Ekpenyong and Inyang, 2014), age (Deborah et al., 2010), body mass index (Maria et al., 2009; Viester et al., 2013), history of injury (Yu et al., 2012), and smoking (Govindu and Babski-Reeves, 2012). These problem highlights the need for studying risk factors in develop WMSDs problem among traffic police in Malaysia. Thus, it is very crucial to investigate the factors contribute to the development of WMSDs including vibration exposure among traffic police in Malaysia.

1.3 Study Justification

In Malaysia, traffic police riders are qualified and well-trained to ride a high-powered motorcycle of traffic police. Their work task requires them to physically fit and medically healthy at all times. Any WMSDs linked to long term occupational vibration exposure might decrease their performance, strength, and capability. However, there is scanted reference data, profiles and even baselines regarding statistics among traffic police on occupational health especially in vibration and its adverse health effects. This limited availability of data makes it difficult to develop evidence-based prevention programs for workers. There is also no such specific guideline related to the law enforcement workers on occupational safety and health in Malaysia compared to developed country such as United State of America. Thus, this study can be one of the baseline data for vibration and WMSDs among traffic police in Malaysia to use in developing the guidelines for workers in law enforcement.

The study on incidence and prevalence of WMSDs related with HAV or WBV exposure among tractor drivers (Ramazan & Mostafa, 2010), military armoured vehicle drivers (Rozali et al., 2009), mail delivery (Stefano et al., 2011), truck drivers (Stephan, 2008), and motorcycle riders (Shivakumara & Sridhar, 2009; Jaimon et al., 2013; Khamis et al., 2014) have been widely conducted and published in the scientific literature. However, there is still no study in Malaysia related with vibration exposure and WMSDs has yet been conducted among traffic police riders.

Besides, traffic polices also play a vital role in managing road traffic that always involved many injuries and mortality cases among road users. They are involved in many aspects of task from general duty, facilitate the movement of traffic flow and proactive patrol to the specific criminal activities. Since traffic police involved such a wide scope of activities, they may expose to various hazards and risks on health and safety. One of the hazard that they were exposed is vibration from motorcycle, which they need to ride the motorcycle daily in the line of duty. Thus, it is important that this research need to be completed in order to identify the level of vibration exposure and the effect on traffic police health which any hazard that poses a threat to their health cannot be neglected.

1.4 Research Objective

1.4.1 General Objective

The general objective of this study is to identify the occupational and non-occupational risk factors of Work-related Musculoskeletal Disorders (WMSDs) among traffic police riders.

1.4.2 Specific Objectives

The specific objectives of this study were as follows:

1. To determine the socio demographic profile, lifestyle and occupational profile of the respondents.
2. To determine the level of whole body vibration (WBV) and hand arm vibration (HAV) exposure among traffic police riders.
3. To determine the overall prevalence of work-related musculoskeletal disorders (WMSDs) among traffic police riders within the past 12 months.
4. To compare the median of whole body vibration (WBV) between traffic police riders with WMSDs and without WMSDs.
5. To compare the median of hand-arm vibration (HAV) between traffic police riders with WMSDs and without WMSDs.
6. To determine the association between non-occupational factors and occupational factors with WMSDs.
7. To determine the risk factors associated with WMSDs among traffic police riders.

1.5 Study Hypotheses

1. There is a significant difference median of WBV between traffic police riders with WMSDs and without WMSDs.
2. There is a significant difference median of HAV between traffic police riders with WMSDs and without WMSDs.
3. There is a significant association between non-occupational factors and occupational factors with WMSDs.
4. There is a significant association between associated risk factors with WMSDs among traffic police riders.

1.6 Definition Of Terms

1.6.1 Hand-Arm Vibration (HAV)

Conceptual

Hand-Arm Vibration is known as segmented vibration which the vibration is transferred from a work process to a workers' hand and arm through operating hand-held power tools or by holding machine (Middlesworth, 2015).

Operational

The measurement of HAV was done by using Human Vibration Meter (Svantek 106). To measure hand-arm vibration a tri-axial accelerometer (SV 105A) was used and attached at Svantek 106 meter which wore by the rider while riding motorcycle. The daily exposure action value standardized for hand-arm vibration is 2.5 m/s^2 based on European Union (EU) Directive (2002).

1.6.2 Whole-Body Vibration (WBV)

Conceptual

Whole-body vibration is defined as mechanical vibration which transmitted to a person's entire body when contact with vibration source which leads to localized effect (Benjamin et al., 2015)

Operational

The measurement was done by using Human Vibration Meter (Svantek 106) with a seat accelerometer (SV 38V) which was setup on the rider's seat and measured during riding. The results then were compared with EU Directive (2002) of 0.5 m/s^2 as daily exposure action value.

1.6.3 Work-related Musculoskeletal Disorders (WMSDs)

Conceptual

WMSDs is a condition which effects muscles, tendons, nerves, and supporting structures of the body initiated by the work performance and cause of pain, disability, reduce productivity, high financial cost and absenteeism among workers (Collins et al., 2011; Tinubu et al., 2010).

Operational

Prevalence of WMSDs in this study was determined by using Standardized Nordic Questionnaire (SNQ) adopted from Shahmi et al. (2014) with translated Malay language version. The questionnaire set enables the researcher to obtain information about WMSDs symptoms experienced by the respondents in their lifetime, in the past 12 months. The specific body parts affected by WMSDs includes neck, shoulders, elbows, upper and lower back, wrists and hands, hips and thighs, knees, and ankles and feet. The overall prevalence of WMSDs was determined based on complaints concerning any body parts.

1.6.4 Riding Back Posture

Conceptual

Riding back posture refers to the possibility of developing any of the WMSDs symptoms due to the characteristics or the way in which someone hold their body when sitting while riding motorcycle. In other word, riding posture refers to the likelihood of getting WMSDs from different body positioning (Karmegam et al.,2011).

Operational

In this study, postural WMSDs risk was measured by using most preferred riding back posture questionnaire adopted from Karmegam et al. (2011). This riding posture was categorised into four type of postures which were slump, flat, long lordosis and short lordosis.

1.6.5 WMSDs Risk Factors

Conceptual

WMSDs risk factors refers to the conditions by which when it is present, it will cause the WMSDs symptoms to develop in an individual. The risk factors can be divided to occupational and non-occupational factors. (Tamrin et al., 2007; Middlesworth, 2013; CCOSH, 2014).

Operational

Occupational and non-occupational (individual) risk factors information was obtained by using the self-constructed questionnaire.

1.7 Conceptual Framework

In work-related transportation, workers are mainly exposed to five types of hazards which are biological, chemical, physical, psychosocial, and ergonomics (Kudasz et al., 2010). However, the main hazard of this study was ergonomic hazard which focused on vibration exposure and WMSDs as the outcome of this study. The motorcyclist can be exposed to the two type of vibrations: hand-arm vibration and whole-body vibration (Jaimon et al., 2013).

Motorcyclist who are exposed to the high level of vibration during work which riding in long period of time, will tend to get WMSDs. However, the severity of this problem is also depends on other risk factors such as age (Deborah et al., 2010), race (Weinstein et al., 2014), marital status (Amin et al., 2014), body mass index (BMI) (Maria et al., 2009; Viester et al., 2013), history of injury (Yu et al., 2012), smoking (Govindu & Babski-Reeves, 2012) and education level (Ekpenyong & Inyang, 2014) for individual factors which also known as non-occupational factors.

Meanwhile, duration of riding motorcycle (Bovenzi et al.,2006), riding posture (Karmegam et al., 2011), rank (Rhee et al., 2013) and year of services (Ghasemkhani & Mahmudi, 2008) for occupational factors. WMSDs can be worst if these risk factors are present and does not being assessed and control. The conceptual framework was visualised in Figure 1.1 and the subject of interest in this study were highlighted with blue colour, red and green color were used to highlight dependent variable and independent variables respectively.



Figure 1.1: The Conceptual Framework

REFERENCES

Aaboshkair, K. A., Phil, M., Amri, S., Yee, K. L., Abu Samah, B. (2012). Assessment of implementation level of the physical education program in selangor secondary schools, Malaysia. *Wulfenia Journal 19,* 108-124

Aghilinejad, M., Choobineh, A. R., Sadeghi, Z., Nouri, M. K., & Ahmadi, A. B. (2012). Prevalence of musculoskeletal disorders among Iranian steel workers. *Iranian Red Crescent Medical Journal, 14*(4), 198.

Alias, A. N., Karuppiah, K., Tamrin, B. M. T., Abidin, E. Z., Shafie, U. K. M., & Sambasivam, S. (2016). Risk factors of muscular discomfort among motorcyclist- review article. *Iran Journal Public Health, 45*(1):35-43.

Amin, N. A., Nordin, R., Fatt, Q. K., Noah, R. M., & Oxley, J. (2014). Relationship between psychosocial risk factors and work-related musculoskeletal disorders among public hospital nurses in Malaysia. *Annals of Occupational and Environmental Medicine, 26*(23):1-9.

Ana P.N.T, Luis C.N.O, Branca M.O.S, Fabricio B.O, Paulo R.V.Q. (2015). Symptoms of musculoskeletal disorders among police officers. *Arq. Ciênc. Saúde, 22*(2):42-45.

Anderson, G. S., Amber, Z., and Darryl, B. P. (2011) Police Officer Back Health. *The Journal of Criminal Justice Research (JCJR), 2*(1), 1-17.

Andrew, W. (2010). Innova Pain Clinic: Motorcycle riding posture. Retrieved from http://www.innova-pain.com/2012/03/02/motorcycle-riding-posture/

Ariëns, G. A. M., Van, M.W., & Bongers, P. M. (2010). Physical risk factors for neck pain. *Scand J Work Environ Health,* 26:7–19.

Arora N., & Grenier S.G. (2013) Acute effects of whole body vibration on directionality and reaction time latency of trunk muscles: the importance of rest and implications for spine stability. *J Electro myogr Kinesiol 23*(2):394–401.

Aseanapol. (2013). The Royal Malaysia Police. Retrieved from http://www.aseanapol.org/information/royal-malaysia-police

AstrÖm, C., Rehn, B., LundstrÖm, R., Nilsson, T., BurstrÖm, L., & Sundelin, G. (2006). Hand-arm vibration syndrome (HAVS) and musculoskeletal symptoms the neck and upper limbs in professional drivers of terrain vehicles – A cross sectional study. *Applied Journal,* 793-799.

Atwood, & Michalak, M. C. (1992). The occurrence of cumulative trauma in dental hygienists. *American Journal of Prevention, Assessment, and Rehab*, 17-31.

Azli, B. (2015). Escalating prevalence of overweight and obesity among Malaysian adults: after a 10 years period. *The Medical Journal of Malaysia 70*(16).

Bedru, W. (2016).Self-reported work-related musculoskeletal disorders and determinant factors of female beauty hair salon hair dressers, in Addis Ababa, Ethhiopia. University College of Health Science School of public health.

Beeck,R. O. D., & Hermans, V. (2000). *Work-related low back disorder.* Luxembourg*:* European Agency for Safety and Health at Work*.*

Benjamin, N. W., Bashira, M. A., Erasto, E., & Noel, N. G. (2015). Investigation of motorcycle design improvements with respect to whole body vibration exposure to the rider. *Journal of Multidisciplinary Engineering Science and Technology, 2*(3); 321-327.

Bernard, B. P. (1997). Musculoskeletal Disorders and Workplace Factors: A critical review of epidemiologic evidence for work-related disorders of the neck, upper extremity, and low back. *DHHS (NIOSH).* Publication No. 97-141. Cincinnati, OH.

Bevan, S., Quadrello, T., McGee, R., Mahdon, M., Vavrovsky, A., & Barham, L. (2009). *Musculoskeletal disorders in the European workforce.* London: The Work Foundation.

Björkstén, M.G., Boquist, B., Talbäck, M., & Edling C. (2001). Reported neck and shoulder problems in female industrial workers: The importance of factors at work and at home. *International Journal of Industrial Ergonomics 27*(3):159–170.

Bhattacharya, A. & McGlothlin, J. D. (2012). *Occupational Ergonomics:Theory and Applications*. CRC Press: Boca Raton, FL.

Booth-Jones, A. D., Lemasters, G. K., & Succop, P. (1998). Reliability of questionnaire information measuring musculoskeletal symptoms and work histories. *Am Ind Hyg Assoc J, 59*:20–4

Bonde, J. P. E., & Viikari-Juntura, E. (2013). The obesity epidemic in the occupational health context. *Scandinavian Journal of Work, Environmental & Health, 39*(3):217-220.

Bongers, P. M., Kremer, A. M., Ter Laak, J. (2002). Are psychosocial factors, risk factors for symptoms and signs of the shoulder, elbow, or hand/wrist?: A review of the epidemiological literature. *Am J Ind Med*, 41**:**315-342.

Börje, R. (2004). Musculoskeletal disorders and whole-body vibration among professional drivers of all-terrain vehicles. Department of Public Health and Clinical Medicine, Occupational Medicine, Umeå University, Umeå, Sweden.

Borle, A., Gunjal, S., Jadhao, A., Ughade, S., & Humne, A. (2012). Musculoskeletal morbidities among bus drivers in city of Central India.

Bovenzi, M. & Hulshof, C. T. (1999). An updated review of epidemiologic studies on the relationship between exposure to whole-body vibration and low back pain (1986-1997). *International Arch Occupational Environmental Health, 72*,(6):351-65.

Bovenzi, M., D'Agostin, F., Rui, F., & Negro, C. (2008). A longitudinal study of finger systolic blood pressure and exposure to hand-transmitted vibration. *International Archives of Occupational and Environmental Health, 81*(5):613-23.

Bovenzi, M., Rui, F., Negro,C., D'Agostion, F., Angotzi, G., & Bianchi, S. (2006). An epidemiological study of low back pain in professional drivers. *Journal of Sound and Vibration, 298,* 514-539.

Brown, J.J. (1998). Back Pain in a Large Canadian Police Force. *Spine,* 23(7): 821-827.

Brüel & Kjær. (2014). *Human vibration.* Retrieved from Brüel & Kjær Beyond Measure:
http://www.bksv.com/Applications/OccupationalHealth/HumanVibration

Buchman, A.S., Boyle, P.A., Wilson, R.S., Bienias, J.L. & Bennet, D.A. (2007) Physical activity and motor decline in older persons Muscle Nerve, 35, 354-362.

Burton, A. K., Tillotson, K. M., Symonds, T. I., Burke, C., & Mathewson, T. (1996). Occupational Risk Factors for the First-Onset and Subsequent Course of Low Back Trouble: A Study of Serving Police Officers. *Spine,21*(22): 2612-2620.

Canadian Centre of Occupational Safety and Health (CCOSH). (2014). Work-related Musculoskeletal Disorders (WMSDs) – Risk factors. Retrieved from http://www.ccohs.ca/oshanswers/ergonomics/risk.html

Cann, A. P., Salmoni, A. W., & Eger T, R. (2004). Predictors of whole-body vibration exposure experienced by highway transport truck operators. *Ergonomics 47*:1432–1453

Centres for Disease Control and Prevention (CDC). (2014). Vibration Syndrome. Retrieved from http://www.cdc.gov/niosh/docs/83-110/

Centres for Disease Control and Prevention (CDC): NIOSH. (2012). Musculoskeletal Disorders. Retrieved from http://www.cdc.gov/niosh/programs/msd/

Chen J. C., Chang W. R., Shih T. S, Chen C. J., & Chang W. P. (2003) Predictors of whole-body vibration levels among urban taxi drivers. *Ergonomics 46*:1075–1090.

Chen, H.C., W.C. Chen, Y.P. Liu, C.H. Chen & Y.T. Pan. (2009). Whole-body vibration exposure experienced by motorcycle riders – An evaluation according to ISO 2631-1 and ISO 2631-5 standards. *International Journal of Industrial Ergonomics, 39*: 708–718.

Cho, T.S., Jeon, W.J., Lee, J.G., Seok, J.M., & Cho, J.H. (2014). Factors Affecting the Musculoskeletal Symptoms of Korean Police Officers. *J Phys Ther Sci., 26*(6): 925–930.

Choobineh, A., Sani, G. P., Rohani, M. S., Pour, M. G., & Neghab, M. (2009). Perceived demands and musculoskeletal symptoms among employees of an Iranian petrochemical industry. *International Journal of Industrial Ergonomics 39.* 766-770.

Christopher, L. C. (2002). An analysis of the prevalence of musculoskeletal disorders in heavy, civil construction operations and the impact of job, age and experience. The Graduate College, University of Wisconsin-Stout.

Claveland Clinic. (2013). *Normal structure and function of the musculoskeletal system.* Retrieved from http://my.clevelandclinic.org/anatomy/musculoskeletal_system/hic_normal_structure_and_function_of_the_musculoskeletal_system.aspx

Collins, R. M., Rensburg, D. C. J. V., & Patricios, J. S. (2011). Common work-related musculoskeletal strains and injuries. *S Afr Fam Pract, 53*:240-6.

Costa, B. R., & Vieira, E. R. (2009). Risk factors for work-related musculoskeletal disorders: a systematic review of recent longitudinal studies. *American journal of industrial medicine,* 1-39.

Craig, L., T., & Robert, J., S. (2014). The Anatomy and Mechanics of Human Hand. Retrieved from https://www.google.com.my/url?sa=t&rct=j&q=&esrc=s&

Crawford, J. O. (2007). The Nordic musculoskeletal questionnaire. *Occupational Medicine, 57*(4):300-301.

Crawford, J.M., Wilkins, J.R., Mitchell, G.L., Moeschberger, M.L., Bean, T.L. & Jones, L.A. (1998). A cross-sectional case control study of work-related injuries among Ohio farmers. *Am J Ind Med,* Vol. 34, pp. 588-599.

Cui, X., Rockett, I. R. H., Yang, T., & Cao, R. (2012). Work stress, life stress, and smoking among rural–urban migrant workers in China. *BMC Public Health, 12:*979 doi: 10.1186/1471-2458-12-979.

Czech, K. (2016). The Impact of the Type and Technical Condition of Road Surface on the Level of Traffic-Generated Vibrations Propagated to the Environment. *Procedia Engineering,* 143:1358-1367.

Daltroy, L. H., Iversen, M. D., Larson, M. G., Lew, R., Wright, E., Ryan, J., Zwerling, C., Fossel, A. H, Liang, M. H. (1997). A controlled trial of an educational program to prevent low back injuries. *N Engl J Med. 1997 Jul 31;337*(5):322-8.

Daraiseh, N. M., Cronin, S. N., Davis, L. S., Shell, R. L. & Karwowski W. (2010). Low back symptoms among hospital nurses, associations to individual factors and pain in multiple body regions. *Int J Ind Ergonom, 40*: 19-24.

Deborah, A., Yoav, S., Youssef, M., Michal, K., Diana, U.,& Leonid, K. (2010). Low back pain among professional bus drivers: Ergonomic and occupational-psychosocial risk factors. *Israel Medical Association Journal, 12*: 26-31.

Department of Occupational Safety and Health. (2003). *Guidelines on occupational vibration.* Malaysia: Ministry of Human Resource.

Department of Road Transport. (2014). *Number of vehicle registration according to year*. Retrieved from Official Portal of Road Transport Department Malaysia: http://www.jpj.gov.my/en/statistics.

Department of Statistics Malaysia. (2015). *Labour force survey report, Malaysia, 2015.* Retrieved from https://www.statistics.gov.my/index.php?r=column/cthemeByCat&cat=126&bul_id=TFVqZ2NtWW9iNlJBV0pTQnZUUzBEZz09&menu_id=U3VPMldoYUxzVzFaYmNkWXZteGduZz09

Deros, B. M., Daruis, D. D. I., Ismail, A. R., Sawal, N. A., & Ghani, J. A. (2010). Work-related musculoskeletal disorders among workers' performing manual material handling work in an automotive manufacturing company. *American Journal of Applied Sciences, 7* (8), 1087-1092.

Donati, P., Schust, M., Szopa, J., Starck, J., Iglesias, E. G., Senovilla, L. P., Fischer, S., Flaspoler, E., Reinert, D., Beeck, R. O. D. (2008). *Workplace exposure to vibration in Europe: an expert review.* Luxembourg, Belgium*:* European Agency for Safety and Health at Work.

Dutta, K., Basu, B., & Sen, D. (2014). Identification and quantification of stressors affecting

Ekenvall, L., & Carlsson, A. (1987). Vibration white finger: a follow up study. *Br J Ind Med*; 44:476-478.

Ekpenyong, C. E., & Inyang, U. C. (2014). Associations between worker characteristics, workplace factors, and work-related musculoskeletal disorders: a cross-sectional study of male construction workers in Nigeria. *International Journal of Occupational Safety and Ergonomics, 20*(3):447-462.

EU Directive. (2002). Directive 2002/44/EC of the European Parliament and of the Council. Official Journal of the European Communities.

Evanoff, B., & Rempel, D. (2006). *Interventions, Controls, and Applications in Occupational Ergonomics: Epidemiology of upper extremity disorders.* Florida, US: CRC Press.

Frank R. S. (2006). Industrial Hygiene Simplified. The Scarecrow Press Inc., United States of America.

Franzblau, A, Salerno, D., Armstrong, T. J., & Werner, R. A. (1997). Test-retest reliability of an upper extremity discomfort questionnaire in an industrial population. *Scand J Work Environ Health 23*:299-30

Futatsuka, M., & Ueno, T., A. (1986). A follow-up study of vibration-induced white finger due to chain-saw operation. *Scand J Work Environ Health;* 12:304-306.

Gardner, B. T., Dale, A. M., Descatha, A., & Evanoff, B. (2014). Natural history of upper extremity musculoskeletal symptoms and resulting work limitations over 3 years in a newly hired working population. *Journal of Occupational and Environmental Medicine, 55*(6):588-594.

Gemne, G. (1994). Pathophysiology of white fingers in workers using hand-held vibrating tools. *Nagoya J. Med. Sci.57*:87 – 97.

Ghasemkhani, M., & Mahmudi, E. (2008). Musculoskeletal symptoms in workers. *International Journal of Occupational Safety and Ergonomics, 14*(4): 455-462.

Govindu, N. K., & Babski-Reeves, K. (2012). Effects of personal, psychosocial and occupational factors on low back pain severity in workers. *International Journal of Industrial Ergonomics*, *44*:335-341

Griffin M. J., & Bovenzi, M. (2002). The diagnosis of disorders caused by hand-transmitted vibration: Southampton Workshop 2000. *International archives of occupational and environmental health*, *75*(1-2): 1-5.

Griffin, M.J. (2004a). *Handbook of human vibration*. Reprinted. Academic Press, London.

Griffin, M.J. (2004b). Minimum health and safety requirements for workers exposed to hand-transmitted vibration and whole-body vibration in European Union; A review. *Occup Environ Med, 61*:387-97.

Gyi, D.E., & Porter, J.,M. (1998). Musculoskeletal Problems and Driving in Police Officers. *Occupational Medicine(London)* 48.3: 153-160.

Hafidzul, H. M. N. (2016). Polis wujud Jabatan Trafik Mac ini. *myMetro.* Retrieved from http://www.hmetro.com.my/node/104175

Hafzi, M. I. M., Rohayu, S., Faradila, P. N., & Wong, S. V. (2011). Prevalence and risk factor of musculoskeletal disorder of motorcyclists. Asia pacific symposium on advancements in Ergonomics and safety.

Halaki, M., O'Dwyer, N., Cathers, I., & Heritier, S. (2012). Systematic nonlinear relations between joint mechanics and the neural reflex response with changes in stretch amplitude at the wrist. *J Biomech*;45(16):2755-62.

Hammad, M., Sajid, H. A., Akhtar, C. S. & Imdadadullah, M. (2012). Investigating Stress and Employee Performance in Traffic Police. *International Proceedings of Economics Development and Research*, *55*(28):141-144.

Harada, N. (2002). Cold-stress tests involving finger-skin temperature measurement for evaluation of vascular disorders in hand-arm vibration syndrome: review of the literature. *International Archives of Occupational Environmental Health*, *75*: 14-19.

Haukka, E. (2010). Musculoskeletal disorders and psychosocial factors at work effects of a participatory ergonomics intervention in a cluster randomized controlled trial. Department of Public Health, University of Helsinki.

Health and Safety Executive (HSE). (2010). Ageing and work-related musculoskeletal disorders. Health and Safety Laboratory.

Heiden, B., Weigl, M., Angerer, P., & Muller, A. (2013). Association of age and physical job demands with musculoskeletal disorders in nurses. *Applied Ergonomics, 44*(4):652-8.

Heneweer, H., Picavet, H. S. J., Staes, F., Kiers, H., Vanhees, L. (2012) Physical fitness, rather than self-reported physical activities, is more strongly associated with low back pain: evidence from a working population. *Eur Spine J 21.* 1265-1272

Hewitt, S. (2010). *Triaxial measurements of the performance of anti-vibration gloves.* Buxton, England: Health and Safety Laboratory.

Hines, E., A., & Christensen, N., A. (1945). Raynaud's disease among men. *J Am Med Assoc* 129:1-4.

Holmström, E.B., Lindell, J., & Moritz, U. (1992). Low back and neck/shoulder pain in construction workers: Occupational workload and psychosocial risk factors. Part 2: Relationship to neck and shoulder pain. *Spine, 17*(6) : 672-677.

Holti, G. (1982). Raynaud's phenomenon--Raynaud features acrocyanosis, cryoimmunoproteins, in Altura BM, Davis E, Harders H (eds): Advances in Microcirculation. New York, S Karger-Basel, vol 10, pp 1-16.

Honda. (1996). *Ride Smart.* Canada: Forest Stewardship Council.

House, R., Krajnak, K., Manno M. & Lander, L. (2009). Current perception threshold and the HAVS Stockholm sensorineural scale. *Occupational Medicine*, *58*(476-482).

http://www.ibiweb.org/tools/full-cost-estimator;

Inbaraj, L. R., Haebar, O. J., Saj, F., Dawson, S., Paul, P., Prabhakar, A. K. P., Mohan, V. R., Alex, R. G. (2013). Prevalence of musculoskeletal disorders among brick kiln workers in rural southern india. *Indian Journal of Occupational and Environmental Medicine 17 (2).* 71-75.

Institution of Occupational Safety and Health (IOSH). (2016). Musculoskeletal Disorders. Retrieved from https://www.iosh.co.uk/Books-and-resources/Our-OH-toolkit/Musculoskeletal-disorders.aspx

Integrated Benefits Institute. (2014). Full Cost Estimator tool. Retrieved from

International Organization for Standardization (ISO) 2631. (1997). *Mechanical vibration and shock-Evaluation of human exposure to whole-body vibration. Part 1: General Requirements.* International Organization for Standardization (ISO), Geneva.

International Organization for Standardization (ISO) 5349-1. (2001). *Mechanical vibration-Measurement and evaluation of human exposure to hand-transmitted vibration-Part 1: General Requirements*. International Organization for Standardization (ISO), Geneva.

International Organization for Standardization. (2016). *List of Human Vibration Standard.* Retrieved from http://www.iso.org/iso/home/search.htm?qt=Human+vibration&sort=rel&type=simple&published=on

Irurhe, N. K., Okafor, U. A. C., Adekola, O. O., Odebiyi, D. O., Habeebu, M. Y. M., & Sowunmi, A. C. (2013). Work Related Musculoskeletal Discomforts (WRMD) in Ultrasonologists: Prevalence and Risk Factors. World Journal of Medical Sciences, 8(3), 199-204.

Ismail, A. R., Nuawi, M. Z., Kamaruddin , N. F., & Bakar, R. A. (2010). Comparative Assessment of the Whole Body Vibration Exposure under different car speed based on Malaysian Road Profile. *Journal of Applied Sciences, 10*(14): 1428-1434.

Jaimon, D. Q., Suhas, Vaishak, N. L., & Shilpa, B. (2013). Study of Vibration and Its Effects on Health of a Two Wheeler Rider. *IJRET: International Journal of Research in Engineering and Technology*; 2319-1163, Vol. 02 Iss. 08.

Jennifer G.A. (2006). Low back pain in police officers. Grand Valley State University Allendale, Michigan.

Jeon, K. & Fahmi, A. S. (2010). *Polis Diraja Malaysia.* Selangor, Malaysia: NR Red One Network Enterprise.

Jordan, J.M., Linder, G.F., Renner J.B., & Fryer, J.G. (1995). The impact of arthritis in rural populations. *Arthritis Care Res, 8*:242-50.

Joubert, D. M., & London, L. (2007). A cross-sectional study of back belt use and low back pain amongst forklift drivers. *Int J Ind Ergonom*, *37*(6): 505-513.

Kaewboonchoo, O., Yamamoto, H., Miyai, N., Mirbod, S. M., Morioka, I., & Miyashita, K. (1998). The Standardized Nordic Questionnaire Applied to Workers Exposed to Hand-Arm Vibration. *Journal of Occupational Health, 40*(3):218-222.

Kaka, B., Opeyemi, A. I., Henrietta, O. F., Ade, F. A., Omoyemi, O. O., & Mark, T. T. (2016). An Analysis of Work-Related Musculoskeletal Disorders Among Butchers in Kano Metropolis, Nigeria. *Safety and Health at Work,* 1-7.

Karjalainen, A., &. Niederlaender, E. (2004). *Statistics in Focus: Population and Social Conditions.* Oficina de Publicaciones Oficiales de la Comunidad Europea.

Karmegam, K., Sapuan, S. M., Ismail, M. Y., Ismail, N., and Shamsul, B. M. T. (2011). Motorcyclist's riding discomfort in Malaysia: Comparison of BMI, riding experience, riding duration and riding posture. *Human Factors and Ergonomics in Manufacturing & Services Industries.* DOI: 10.1002/hfm

Karmegam, K., Sapuan, S. M., Ismail, M. Y., Ismail, N., and Shamsul, B. M. T. (2012). Evaluation of Motorcyclist's Discomfort during Prolonged Riding Process with and without Lumbar Support. *Annals of the Brazilian Academy of Sciences, 84*(4): 1169-1188.

Karwan, M.K., Azuhairi, A.A. , & Hayati, K.S. (2015). Predictors of Upper Limb Disorders among a Public University Workers in Malaysia. *International Journal of Public Health and Clinical Sciences, 2*(3): 133-150.

Kenny, G.P., Yardley, J.E., Martineau, L. & Jay, O. (2008) Physical work capacity in older adults: Implications for the aging worker *American Journal of Industrial Medicine*, 51, 610-625.

Khamis, N. K., Nuawi, M.Z., Deros, B. M., Ismail, F. R., Mohamad, D. & Md Tahir, N. H. (2014). Assessment of Whole Body Vibration Exposure among Motorcyclist in Malaysia under Different Speeds and Different Road Profiles: A Preliminary Study. *Advances in Environmental Biology*, 8(15), Pp. 160-163

Kijima, Y., & Viegas, S., F. (2009). Wrist anatomy and biomechanics. *J Hand Surg Am*;*34*(8):1555-63.

Ksenia, Z., Lisa, O., & Stephen, B. (2012). Taking the strain: The impact of musculoskeletal disorders on work and home life. UK: The work foundation part of Lancaster University.

Kudasz, F., Liddle, M., Makowski, K., & Schmitz-Felten, E. (2010). *Delivery and despatch riders' safety and health: A European review of good practice guidelines.* Luxembourg: European Agency for Safety and Health at Work (EASHW).

Kuorinka, I., Jonsson, B., Kilbom, A., Vinterberg, H., Biering-Sorensen, F., Andersson, G., & Jorgensen, K. (1987). Standardized Nordic Questionnaires for the analysis of musculoskeletal symptoms. *Applied Ergonomics* 18, 233-237.

Kyung, G., Nussbaum, M. A., & Babski-Reeves, K. (2008). Driving sitting comfort and discomfort. International Journal of Industrial Ergonomics, 38(5-6), 516-525.

Lalanne, C. (2009). *Random Vibration: Mechanical Vibration and Shock Analysis, Volume 3, Second Edition.* ISTE Ltd: London, UK.

Landis, J. R., & Koch, G. G. The measurement of observer agreement for categorical data. *Biometrics. 33* (1): 159-174.

Layne, L.A. & Pollack, K.M. (2008). Nonfatal occupational injuries from slips, trips and falls among older workers treated in hospital emergency departments, United States 1998. *American Journal of Industrial Medicine*, 46, 1, 32-41.

Leaviss, J., Gibb, A.G.F. and Bust, P.D. (2008). Aging workforce in construction – equipment use and the prevention of early retirement. In: Bust, P.D. (ed), Contemporary Ergonomics, Taylor & Francis, London, 221-226.

Lee, J., & Cho, J.,H. (2011). Survey of the musculoskeletal disorders of radiological technol*. JKSR*, *6*:53–61.

Leino-Arjas, P. (1998). Smoking and musculoskeletal disorders in the metal industry: a prospective study. *Occup Environ Med* 55:828–833.

Lewis, M. Q., N. L. Sprince, L. F. Burmeister, P. S. Whitten, J. Torner, and C. Zwerling. (1998). Work-related injuries among Iowa farm operators: An analysis of the Iowa Farm Family Health and Hazard Surveillance Project. *American J. Ind. Med*. 33(5): 510-517.

Lindsell, C.J., & Griffin, M.J. (2002). Normative data for vascular and neurological tests of the hand-arm vibration syndrome. *International Archives of Occupational and Environmental Health 75*,(1-2): 43-54.

Lipman, F. (2014). *An overview of your musculoskeletal system.* Retrieved from http://www.drfranklipman.com/an-overview-of-your-musculoskeletal-system/

Lipscomb, J., Trinkoff, A., Brady, B., Geiger-Brown, J. (2004). Health care system changes and reported musculoskeletal disorders among registered nurses. *American Public Health Association, 94*(8):1431-1435.

Lopez-Alonso, M., Torres, R. P., Gago, E., J., Garcia, J., O. (2013). The health effects of vibrations on the upper extremities of workers. *Global Virtue Conference,* 560-567.

Mansfield, H. J. (2006). *Proceedings of the First American Conference on Human Vibration:Variation in the vibration emission of rotary hammer drills under simulated work-site conditions.* West Virginia, USA: NIOSH.

Maria, S., M., Juhani, I., & Cinthia, M., R. (2009). Work Ability and Musculoskeletal Disorders Among Workers From a Public Health Institution. *International Journal of Occupational Safety and Ergonomics 15* (3), 319-324.

Marieb, E. N., Wilhelm, P. B., & Mallat, J. (2012). *Human Anatomy.* Pearson Education Inc: San Francisco, CA.

Martini, F. H., Nath, J. L., & Bartholomew, E. F. (2015). *Fundamentals of anatomy & physiology.* Pearson Education:San Francisco, CA.

Mats, H., Lage, B., Anna, E., & Rebecka, V. (2006). The association between whole body vibration exposure and musculoskeletal disorders in the

Swedish work force is confounded by lifting and posture. *Journal of Sound and Vibration,* 298:492–498.
McPhee, B. (2015). *Practical ergonomics: Application of ergonomics principles in the workplace.* Coal Services Health & Safety Trust: Sydeny,NSW.
Medical Dictionary for the Dental Professions. (2014). Musculoskeletal disorder. Retrieved from http://medical-dictionary.thefreedictionary.com/Musculoskeletal+disorders>
Middlesworth, M. (2015). Hand-Arm Vibration (HAV) – A Step by Step Guide to Evaluate & Control Risk. Retrieved from http://ergo-plus.com/hand-arm-vibration-hav/
Middlesworth, M. (2016). The Definition and Causes of Musculoskeletal Disorders (MSDs). *Ergonomics Plus.* Retrieved from http://ergo-plus.com/musculoskeletal-disorders-msd/
Mirbod, S. M., Yoshida, H., Jamali, M., Kazuhito, M., Ryoichi, I., & Hirotoshi, I. (1997). Assessment of hand-arm vibration exposure among traffic police motorcyclists. *Int Arch Occup Environ Health*, 70:22-28.
Mirmohammadi, S. (2012). Prevalence of Musculoskeletal Symptoms among Foam Industry Workers, 1(7), 3–6. 1:371. doi:10.4172/scientificreports.371
Mobius Institute. (2015). Dictionary: Vibration Analysis. Retrieved from http://www.mobiusinstitute.com/site2/item.asp?LinkID=2002
Moreno, R., Cardona, J., Pintado, P., & Chicharro, J. (2011). Predictors of whole body vibration exposure in motorcycle riders. Rev. Fac. Ing. Univ. Antioquia N., 61:93-103.
motorized two wheeler riders: an ergonomic attempt. *International Journal of Research-Granthaalayah, 2*(1):13-25.
Munabi, I. G., Buwembo, W., Kitara, D. L., Ochieng, J., Nabirye, R. C., & Mwaka, E. S. (2014). Musculoskeletal disorders among nursing staff: a comparison of five hospitals in Uganda. *The Pan African Medical Journal, 17:*81doi:0.11604/pamj.2014.17.81.3213
Nadirah H. R. (2016). Fat's off to the police force. *The Star Online.* Retrieved from http://www.thestar.com.my/news/nation/2016/01/07/fats-off-to-the-police-force-pilot-project-to-get-officers-to-be-slim-and-healthy/
Nasaruddin, A. F. A., Tamrin, S. B. T., Karuppiah, K. (2014). The prevalence of Musculoskeletal disorders and association with risk factors among auto repair machine in Klang Valley, Malaysia. *Iranian J Publ Health, 43*(3):34-41.
National Instruments (NI). (2008). Overview of human vibration weighting filters. Retrieved from http://www.ni.com/white-paper/6957/en/
National Research Council- Institute of Medicine, (2001). Musculoskeletal Disorders and at the workplace. Washington, DC: National Academy Press.
Nazmul H. (2013). *Prevalance of low back pain among the traffic police*. Department of Physiotherapy, Bangladesh Health Professions Institute, Bangladesh.
Ndimila, B. W., Majaja, B. A., Elias, E., & Nalitolela, N. G. (2013). Evaluation of the extent of whole body vibration exposure among urban motorcycle commercial riders a case of dar es salaam commercial riders. *Year 2013 Annual Roads convention*, Dar es Salaam, Tanzania Roads association.

Nega, A., & Yosief, T. (2003). Human Anatomy and Physiology. Ethiopia Public Health Training Initiative, The Carter Center, the Ethiopia Ministry of Health, and the Ethiopia Ministry of Education.

Nelson, C.M., & Brereton, P.F. (2005). The European Directive. *Industrial Health, 43*:472-9.

Nichols, J., A., Bednar, M., S., & Murray, W., M. (2013). Orientations of wrist axes of rotation influence torque required to hold the hand against gravity: a simulation study of the nonimpaired and surgically salvaged wrist. *Journal of Biomech*;46(1):192-6

NIOSH (1973). The Industrial Environment: In Evaluation and Control. Cincinnati, Ohio: National Institute for Occupational Safety and Health.

Njobvu, P., Hunt, I., Pope, D., & Macfarlane, G. (1999). Pain amongst ethnic minority groups of south Asian origin in the United Kingdom: A review. *Rheumatology (Oxford), 38*:1184-7.

Nunes, I. L. (2009a). FAST ERGO_X – a tool for ergonomic auditing and work-related musculoskeletal disorders prevention. WORK: *A Journal of Prevention, Assessment, & Rehabilitation, 34*(2): 133-148

Nunes, I. L., & Bush, P. M. (2012). *Ergonomics-A system approach: Work-related Musculoskeletal Disorders assessment and prevention.* Rijeka, Crotia: InTech Europe

Occupational Safety & Health Administration. (2014). Prevention Of Work-Related Musculoskeletal Disorders Retrieved from https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=UNIFIED_AGENDA&p_id=4481

Ogdie, A., Haynes, K., Troxel, A. B., Love, T., Hennessey, S., Choi, H. & Gelfand, J. M. (2014). The risk of mortality in patients with psoriatic arthritis, rheumatoid arthritis, and psoriasis: A longitudinal cohort study. *Annals of the Rheumatic Diseases,73*(1), 149–153.

Okunribido, O. O., Magnusson, M., & Pope, M. H. (2006). LBP in drivers: the relative role of whole-body vibration, posture and manual materials handling. *Journal of Sound and Vibration.298*(3): 540-555.

Okunribido, O., & Wynn, T. (2010). *Ageing and work-related disorders.* UK: Health and Safety Executive.

Padilla, G.V., & Perez, E. (1995). Minorities and arthritis. *Arthritis Care Res, 8*:251-6.

Palmer, K. T., Griffin, M. J., Syddall, H. E., Pannett, B., Cooper, C. & Coggon, D. (2003). The relative importance of whole body vibration and occupational lifting as risk factors for low-back pain. *Journal of Occupational and Environmental Medicine*, pp. 715–721.

Pancheri, P., Martini, A., Tarsitani, L., Rosati, M. V., Biondi, M., & Tomei, F. (2002). Assessment of subjective stress in the municipal police force of the city of Rome. *Stress and Health18:* 127-32.

Park, B. C., Cheong, H. K., Kim, E. A., Kim, S. G. (2010). Risk factors of work-related upper extremity musculoskeletal disorders in male shipyard workers: structural equation model analysis. *Safety Health Work 1.* 124-133.

Paschold, H. W., & Mayton, A. G. (2011). *Whole body vibration building awareness in SH&E.* U.S: ProfesionalSafety.

Patil, N. B., & Salunke, J. J. (2016). Design and analysis of viscous damper for vibration reduction in hand operated power tools. *International Journal Of Engineering Sciences & Research Technology, 5*(2): 514-524.

Phadke, S. S. D., Revati, R., & Iqbal., R. (2015). Work Related Musculoskeletal Symptoms among Traffic Police: Cross Sectional Survey Using Nordic Musculoskeletal Questionnaire. *International Journal of Recent Research in Interdisciplinary Sciences, 2*(2): 26-29.

Phillips, B. Z., & Schmidt, S. T. (2013). Wrist Joint Anatomy. *Medscape.* Retrieved from http://emedicine.medscape.com/article/1899456-overview

Podniece, Z., Terry, N. T., Takala, E., David, G., Kudasz, F., Heuvel, S., Roman-Liu, D., Eeckelaert, L., Lomi, K., Papale, A., Nunes, I. L., & Rainert, D. (2008). *Work-related musculoskeletal disorders:Prevention report*. Belgium: European Agency for Safety and Health at Work.

Police Act. (1967). Law of Malaysia: Nasional Malaysia Bhd.

Potter, J. M. & Gyi, D. E. (2002). The prevalence of musculoskeletal troubles among car drivers. *Occupational Medical (London), 52*(1):4-12.

Punnett, L., & Wegman, D. H. (2004). Work-related musculoskeletal disorders: the epidemiologic evidence and the debate. *Journal of Electromyography and Kinesiology*, 14:13-23.

Putz-Anderson, V. (1997). Cumulative Trauma Disorders: A Manual for Musculoskeletal Diseases of the Upper Limbs. Cincinatti, OH; Taylor & Francis.

Radwin, R. G. (2003). *Hand Tools: Design and Evaluation.* Occupational Ergonomics. Florida, US: CRC Press.

Ramazan, M., & Mostafa, M. (2010). Survey of vibration exposure and musculoskeletal disorders of Zahedan City tractor drivers by Nordics questionnaire. *International Journal of Ovvupational Hygiene, 2:*46-50.

Rawaf, S., Owen, F., & Gilffilian, V. (1998). Lifestyle and health choices. In: Rawaf S, Bahl V, eds. *Assessing health needs of people from minority ethnic groups.* London: RCP.

Rhee, H.Y., Cho, J.H., Seok, J.M., Cho, T. S., Jeon, W. J., Lee, J. G., & Kim, S. K. (2013). Prevalence of musculoskeletal disorders among Korean police personnel. *Archives of Environmental & Occupational Health*, *70*(4): 177-188.

Rima, R. H., Monia, H, Iman, N., Fatma, O. (2005). Musculoskeletal Disorders Among Full-Time Homemakers inPoor Communities. *Women Health*, *42*(2): 1–14.

Ritch, A.E., Ehtisham, M., Guthrie, S., Talbot, J.M., Luck, M., & Tinsley, R.M. (1996). Ethnics influence on health and dependency of elderly inner city residents. *J R Coll Physicians Lond, 30*:215-20.

Road and Transport Department. (2016). Malaysia. Retrieved from http://www.jpj.gov.my/web/guest/pendaftaran-kenderaan-perdagangan

Robertson, S. A. and Minter, A. (1996). A study of some anthropometric characteristics of motorcycle riders. *Applied ergonomics, 27*(4), 223-229.

Rosecrance, J. C., Ketchen, K. J., Merlino, L. A., Anton, D. C., & Cook, T. M. (2002). Test-retest reliability of a self-administered musculoskeletal and job factors questionnaire used in ergonomics research. *Appl Occup Environ Hyg, 17*(9):613–621

Rozali, A., Rampal, K. G., Shamsul, B., Sherina, M. S., Shamsul, A., Khairuddin, H., & Sulaiman, A. (2009). Low Back Pain and Association with Whole Body Vibration Among Military Armoured Vehicle Drivers in Malaysia. *Med J Malaysia* Vol 64. Pp. 197-204.

Ruhuşen, K., Selma, Çivi., & Onur, K. (2008). The Effects of Depression and Smoking Upon the Quality of Life of Municipal Police Officers. *Marmara Medical Journal 21*(3): 220-230.

Satou, Yuka, Hideo, A., Makoto, N., Kaori, N., Yoshie, Y., Michiko, H., Yoshiyasu, T., Junko, M., Mihoko, M., Kunio, H., & Tatsuya, I. (2007). Effects of Short-Term Exposure to Whole-Body Vibration on Wakefulness Level. *Industrial Health, 45*,(2): 217–223.

Satapathy, D. M., Behera, T. R., & Tripathy, R. M. (2009). Health status of traffic police personnel in Brahmapur city. *Indian Journal of Community Medicine, 34*(1):71-72.

Seyed, M. E., Habashy, S., & Adawy, M. E. (2012). Evaluation of whole-body-vibration exposure to cairo subway (metro) passengers. *International Journal of Computer Applications, 55*(8): 7-15.

Shahmi, R., Karmegam, K., & Shamsul, B. M. T. (2014). Musculoskeletal Disorder: The prevalence among workers in selected palm oil mills in Malaysia. *Advances in Environmental Biology*, *8*(15) 277-284

Shea, J., & Poliquin, C. (2011). Low back stretches for law enforcement officers. Retrieved from www.charlespoliquin.com

Shivakumara, B. S., & Sridhar, V. (2010). Study of vibration and its effect on health of the motorcycle rider. *Online J Health Allied Scs*, 9(2):9

Simona, L., and Bianca, P. (2007). Hand-arm vibrations. An interdisciplinary engineering and medical study. *ResearchGate: Fascicle of Management and Technological Engineering, Volume VI (XVI),* 536-541.

Singh, J., Kocher, G., & Lal, H. (2012). Musculoskeletal disorder among workers in small scale forging industry. *International Journal of Applied Research in Mechanical Engineering, 2*(2):52-59.

Social Security Organization (SOCSO): Annual Report. (2014). Ministry of Human Resources, Malaysia. Retrieved from www.perkeso.gov.my/images/Laporan_Tahunan_2014.pdf

Stark, G., Pilger, E., Klein, G. E., Melzer, G., Decrinis, M., Bertuch, H., & Krejs, G. J. (1990). White fingers after excessive motorcycle driving: a case report. *VASA, 19*(3):257-9.

Stefano, M., Francesca, G., Roberta, B., Giuseppe, B., Sandra, B., Luciano, A., Francesco, S., V., Andrea, F., and Mats, H. (2011). A case report of vibration-induced hand comorbidities in a postwoman. *BMC Musculoskeletal Disorders,* 12:47.

Stephan, J. B. (2008). Long driving hours and health of truck drivers. Department of Industrial and Manufacturing Engineering, Faculty of New Jersey Institute of Technology.

Stevenson, J. M., Weber, C. L., Smith, J. T., Dumas, G. A., Albert, W. J. (2001). A longitudinal study of the development of low back pain in an industrial population. *SPINE 26 (12).* 1370-1377.

Summers, K., Jinnett, K., & Bevan, S. (2015). *Musculoskeletal disorders, workforce health and productivity in the United State.* Lancaster, UK: The Work Foundation.

Sunderlal, Adarsh, & Pankaj (2007). Textbook of Community Medicine: Preventive and Social Medicine. New Delhi India: CBS Publishers.

Szeto, G. P. Y., & Lam, P. (2007). Work-related Musculoskeletal Disorders in Urban Bus Drivers of Hong Kong. *Journal of Occupational Rehabilition, 17:*181-198.

Taanila, H. P., Suni, J. H., Pihlajamaki, H. K., Mattila, V. M., Ohrankammen, O., Vuorinen, P., Parkkari, J. P. (2012). Predictor of low back pain in physically active conscripts with special emphasis on muscular fitness. *The Spine Journal 12*, 737-748.

Tamrin, S. B. M., Kazuhito, Y., Juliana, J., Nasaruddin, A. A., Nizam, J., Rusli, N., Ayub., L. N., Yunus, A., and Mazlan, A. (2007). The Association between risk factors and low back pain among commercial vehicle drivers in Peninsular Malaysia: A preliminary result. *Industrial Health, 45*,268-278.

Tamrin, S. B. M., Yokoyama, K., Aziz, N., & Maeda, S. (2011). Association of risk factors with musculoskeletal disorders among male commercial bus drivers in Malaysia. *Human Factors and Ergonomics in Manufacturing & Service Industries, 24*(4): 369-385.

Tamrin, S. B. M., Yokoyama, K., Aziz, N., & Maeda, S. (2012). Association of risk factors with musculoskeletal disorders among male commercial bus drivers in Malaysia. *Human Factors and Ergonomics in Manufacturing and Service Industries,* 1-17.

Tang, J.,B., & Chen, Y., R. (2012). In vivo changes in contact regions of the radiocarpal joint during wrist hyperextension. *J Hand Surg Am.*;*37*(11):2257-62.

Teschke K., Nicol, A.M., Davies, H., & Ju, S. (1999). *Whole body vibration and back disorders among motor vehicles drivers and heavy equipment operators*. Department of Health Care and Epidemiology, University of British Columbia, Vancouver, BC.

The free dictionary. (2014). Traffic control police. Retrieved from http://www.thefreedictionary.com/traffic+control+police.

The Official Portal of Royal Malaysia Police. (2015). *Mengenai Polis Diraja Malaysia*. Retrieved from http://www.rmp.gov.my/infor-korporate/polis-diraja-malaysia.

Tiemessen, I. J. H., Hulshof, C. T. J., & Frings-Dresen, M. H. W.(2007). The development of an intervention programme to reduce whole-body vibration exposure at work induced by a change in behavior: a study protocol. *BMC Public Health,* 7:329.

Tim, T. (2014). *Innerbody: Hand and Wrist*. Retrieved from http://www.innerbody.com/image/skel13.html

Timpka, S., Petersson, I. F., Englund, M. (2010). The grade in physical education in adolescence as predictor for musculoskeletal pain diagnoses three decades later. *PAIN 150,* 414-419.

Tinubu, B. M. S., Mbada, C. E., Oyeyemi, A. L., & Fabunmi, A. A. (2010). Work-related musculoskeletal disorders among nurses in Ibadan, South-west Nigeria: a cross-sectional. *BMC Musculoskeletal Disorders, 11*(12).

Tolosa, C., Simeón, C. P., & Gabarro, L. (2009). El fenómeno de Raynaud. *Medicina Clínica, 132*(712-718).

Uchikune, M., (2004). Study of the effects of whole-body vibration in the low frequency range. *Journal of Low Frequency Noise, Vibration and Active Control*, 23(2), 132-138.

Umi, K. M. S., Karmegam, K., Shamsul. B. M. T., Irniza, R., & Ayuni, N. A. (2014). Interventions to reduce musculoskeletal disorders among motor vehicle workers: A review. *Advances in Environmental Biology, 8*(15):219-224.

University of Maryland Medical Center (UMM). (2013). Carpal Tunnel Syndrome. Retrieved from http://umm.edu/health/medical/reports/articles/carpal-tunnel-syndrome

Urwin, M., Symmons, D., Allison, T., Brammah, T., Busby, H., & Roxby, M. (1998). Estimating the burden of musculoskeletal disorders in the community: the comparative prevalence of symptoms at different anatomical sites and the relation to social deprivation. *Ann Rheum Dis, 109*:18-24.

Vessey, M.P., Villard-Mackintosh, L. & Yeates, D. (1990). Epidemiology of carpal tunnel syndrome in women of childbearing age. Findings in a large cohort study. *International Journal of Epidemiology, 19*(3): 655–659

Vieira, E. R., Kumar, S., Narayan, Y. (2008). Smoking, no-exercise, overweight and low back disorder in welders and nurses. *International Journal of Industrial Ergonomics 38.* 143-149.

Viester, L. Verhagen, E. A., Hengel, K. M. O., Koppes, L. L. J., Beek, A. J. V. D., Bongers, P. M. (2013). The relation between body mass index and musculoskeletal symptoms in the working population. *BMC Musculoskeletal Disorders.* DOI: 10.1186/1471-2474-14-238.

Waldemar, K. and William, S. M. (2003). *Occupational ergonomics: engineering and administrative control.* Florida, US: CRC Press.

Wang, W., Rakheja, S., & Boileau, P. E. (2006). The role of seat geometry and posture on the mechanical energy absorption characteristics of seated occupants under vertical vibration. *International journal of Industrial Ergonomics, 36*:171-184.

Weil, Y., Weil, D., Donchin, M., Mann, G., & Hasharoni, A. Correlation between pre-employment screening X-ray finding of spondylolysis and sickness absenteeism due to low back pain among policemen of the Israeli police force. *Spine, 29*(19):2168-2172.

Weinstein, S. I., Yelin, E. H., & Watkins-Castillo, S. I. (2014). The Burden of Musculoskeletal Diseases in the United State. Retrieved from http://www.boneandjointburden.org

Welch, L.S., Haile, E., Boden, L.I. & Hunting, K.L. (2008) Age, work limitations and physical functioning among construction roofers *Work*, 31, 377-385.

Weng. (2001). Motorcycle News: How to avoid aches and pains when riding. Retrieved from http://www.motorcyclenews.com/news/2001/may/how-to-avoid-aches-and-pains-when-riding/

Werner, S., Albers, J.W., Franzblau, A., Armstrong, T.J. (1994). The relationship between body mass index and the diagnosis of carpal tunnel syndrome. *Muscle & Nerve,17(*6):632-636

Wilhelmi, B. J. (2013). Digital Amputations Treatment & Management. Medscape. Retrieved from http://emedicine.medscape.com/article/1238395-treatment.

World Health Organization (WHO). (2004). Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factors.

Xiang H., W. Z., Stallones L. (2000). Agricultural work-related injuries among farmers in Hubei, People's Republic of China. *American Journal of Public Health 90*, 1269-1276.

Yu, W.., Ignatius, T. S. Y., Zhimin, L., Xiaorong, W., Trevor, S., Hui, L., Sabrina, W., Hong, Q., & Shaohua, X. (2012). Work-related injuries and musculoskeletal disorders among factory workers in a major city of China. *Accident Analysis and Prevention 48*, 457.

Yun, M.H., Yun, G.L., Hong, J.E., & Sang, H.L. (2001). Results of a survey on the awareness and severity assessment of upper-limb work-related

musculoskeletal disorders among female bank tellers in Korea. *International Journal of Industrial Ergonomics 27*(5):347–357. doi:10.1016/S0169-8141(00)00062-7.

PUBLICATION

Accepted

Nur Athirah D. M. Y., Karmegam, K., & Irniza, R. The Exposure of Vibration among Traffic Police Riders in Malaysia: A Review.

UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

ASSOCIATION BETWEEN OCCUPATIONAL AND NON-OCCUPATIONAL RISK TO WORK-RELATED MUSCULOSKELETAL DISORDERS AMONG TRAFFIC POLICE RIDERS

NAME OF STUDENT: NUR ATHIRAH DIYANA BT MOHAMMAD YUSOF

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (√)

☐	**CONFIDENTIAL**	(Contain confidential information under Official Secret Act 1972).
☐	**RESTRICTED**	(Contains restricted information as specified by the organization/institution where research was done).
☐	**OPEN ACCESS**	I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

☐	**PATENT**	Embargo from _____ (date) until _____ (date)

Approved by:

_____	_____
(Signature of Student)	(Signature of Chairman of Supervisory Committee)
New IC No/ Passport No.:	Name:
Date :	Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]