



UNIVERSITI PUTRA MALAYSIA

***GASTROPROTECTIVE ACTIVITY OF SEMI-PURIFIED (PARTITIONS)
METHANOLIC LEAF EXTRACT OF MELASTOMA MALABATHRICUM L.
(SENDUDUK***

NOOR WAHIDA BINTI ISMAIL SUHAIMY

FPSK(m) 2016 62



**GASTROPROTECTIVE ACTIVITY OF SEMI-PURIFIED (PARTITIONS)
METHANOLIC LEAF EXTRACT OF *MELASTOMA MALABATHRICUM* L.
(SENDUDUK)**

By

NOOR WAHIDA BINTI ISMAIL SUHAIMY

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirements for the Degree of Master of Science**

September 2016

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Master of Science

**GASTROPROTECTIVE ACTIVITY OF SEMI-PURIFIED (PARTITIONS)
METHANOLIC LEAF EXTRACT OF *MELASTOMA MALABATHRICUM* L.
(SENDUDUK)**

By

NOOR WAHIDA BT ISMAIL SUHAIMY

September 2016

Chairman : Associate Professor Zainul Amiruddin Zakaria, PhD
Faculty : Medicine and Health Science

Melastoma malabathricum L. (Melastomaceae) is traditionally used by the Malays to treat gastric ulcer and this claim was supported by the gastroprotective activity observed with methanolic extract of *M. malabathricum* leaves (MEMM). The present study aimed to determine the gastroprotective activity of the methanolic crude extract of *Melastoma malabathricum* (MEMM) by semi-purified extract (partitions) using solvents of different polarities. The study began with screening the potential acute toxicity of MEMM before it was partitioned using different solvents. The petroleum ether partition (PEMM) was non-polar, ethyl acetate partition (EAMM) was intermediate polar and aqueous extract (AQMM) was polar. Next, we screened their phytochemical compounds followed by evaluation of their *in vitro* antioxidant activities using total phenolic content (TPC), 2,2-diphenyl-1-picrylhydrazyl (DPPH), superoxide dismutase (SOD) and oxygen radical absorbance capacity (ORAC) assays and screened their *in vitro* anti-inflammatory activities using xanthine oxidase (XO) and lipoxygenase (LOX) assays. All partitions were investigated for possible gastroprotective activity against ethanol-induced gastric ulcer. Rats ($n = 6$) received 10% dimethyl sulfoxide (DMSO, negative control), 100 mg ranitidine (positive control) or semi-purified extract (50, 250, 500 mg/kg) orally once daily for 7 days followed by ulcer induction using absolute ethanol (1 mL/200 gm). The gastric tissues were collected for macroscopic and microscopic examination to determine the most effective partition. The most effective partition was selected for studied their anti-secretory activity by using a pylorus ligation model to determine the gastric juice volume, pH, free and total acidity, and mucus content. The selected partition progressed to the next stage of the study, to determine the antioxidant enzyme activity (SOD, catalase [CAT], glutathione [GSH], thiobarbituric acid-reactive substances [TBARS]) and cytoprotective activity (prostaglandin E₂ [PGE₂]) in gastric tissues. The effective dose of the partition was investigated to determine the possible involvement of endogenous nitric oxide (NO) and sulfhydryl (SH) compounds in the gastroprotective effects. Finally, the compounds responsible for gastroprotection in the effective partition were identified. Result showed phytochemical screening of PEMM,

EAMM and AQMM revealed the presence of saponins, flavonoids, triterpenes, tannins and polyphenolic, but not alkaloids. In the *in vitro* antioxidant assay, i) EAMM showed high TPC content compared to PEMM and AQMM, ii) all partitions showed high scavenging activity in the SOD assay; EAMM and AQMM showed better results as compared to PEMM in the iii) DPPH and iv) ORAC assays. In the *in vitro* anti-inflammatory assay, the partitions had low activity in the XO assay while EAMM and AQMM had moderate and low activity, respectively, in the LOX assay. All partitions exerted significant ($p < 0.05$) gastroprotection against ethanol-induced gastric ulcer in the following order: EAMM > AQMM > PEMM. EAMM was the most effective partition as proven via its mechanisms of action: i) anti-secretory activity as shown by the reduction of gastric juice volume, free and total acidity as well as increased pH and gastric wall mucus, ii) antioxidant enzyme activity as shown by the increased SOD, CAT, GSH and decreased malondialdehyde (MDA) in gastric tissues, iii) cytoprotective activity as shown by the increased PGE₂ levels in gastric tissue. The gastroprotective activity involved NO and SH compounds, as shown by the partition being ineffective in iv) assay when N-omega-nitro-L-arginine methyl ester (L-NAME; a NO blocker) and v) N-ethylmaleimide (NEM; a SH blocker) were used. In conclusion, EAMM showed better *in vitro* antioxidant and antiinflammatory activity partly attributed to its gastroprotective activity demonstrated via the mechanisms of action of its anti-secretory, antioxidant and cytoprotective activity that depend on the presence of NO and SH. The presence of flavonoids-based compounds and hydrocinnamic acid compounds which might act synergistically was believed to contribute to this gastroprotective activity.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

AKTIVITI GASTROPROTEKTIF OLEH SEMI-ASLI (PECAHAN) EKSTREK METANOL DARI DAUN *MELASTOMA MALABATHRICUM* L. (SENDUDUK)

Oleh

NOOR WAHIDA BT ISMAIL SUHAIMY

September 2016

Pengerusi : Profesor Madya Zainul Amiruddin Zakaria, PhD
Fakulti : Perubatan dan Sains Kesihatan

Melastoma malabathricum L. (Melastomaceae) secara tradisional digunakan oleh orang Melayu dalam merawat gastrik ulser dan ini disokong dengan aktiviti gastroprotektif yang diperhatikan dari daun-daun *Melastoma malabathricum* (MEMM) ekstrak methanol. Kajian ini bertujuan untuk menentukan aktiviti gastroprotektif daun-daun *Melastoma malabathricum* (MEMM) ekstrak metanol untuk disemi-pecahkan menggunakan pelarut yang berbeza polariti. Kajian bermula dengan pemeriksaan potensi toksisiti akut pada MEMM sebelum dipecahkan menggunakan pelarut berbeza. Pecahan dari ekstrak petroleum eter (PEMM) ialah tidak-polar, pecahan dari ekstrak etil asetat (EAMM) ialah pertengahan polar dan ekstrak dari akueus (AQMM) ialah polar. Berikutnya, kami memeriksa kompaun fitokimia diikuti penilaian beberapa aktiviti *in vitro* antioksidan diantaranya bagi menentukan kandungan jumlah fenol (TPC), cerakin 2,2-diphenyl-1-picrylhydrazyl radikal (DPPH), penguji perangkap aktiviti superoxide dismutase (SOD) dan cerakin penyerapan oksigen radikal kapasiti (ORAC) dan pemeriksaan aktiviti *in vitro* anti-radang menggunakan analisis aktiviti xanthine oxidase (XO) and lipoxygenase (LOX). Semua ekstrak semi-pecahan telah diuji aktiviti gastroprotektif dengan memberi rangsangan etanol penyebab gastrik ulser. Tikus ($n = 6$) menerima 10% dimethyl sulfoxide (DMSO, kawalan negatif), 100 mg ranitidine (kawalan positif) atau ekstrak semi-pecahan (50, 250, 500 mg/kg) secara oral sekali setiap hari untuk 7 hari diikuti dengan rangsangan ulser menggunakan etanol (1 mL/200 gm). Tisu gastrik telah diambil untuk penilaian makroskopik dan mikroskopik bagi menentukan ekstrak semi-pecahan paling berkesan. Ekstrak semi-pecahan paling berkesan telah dipilih untuk mengkaji aktiviti anti-sekresi dengan menggunakan model pilorus ligation untuk menentukan jumlah jus gastrik, pH, jumlah asiditi dan tanpa asiditi dan kandungan mucus. Ekstrak semi-pecahan yang terpilih dilanjutkan dengan kajian berikutnya, menentukan aktiviti enzim antioksidasi (SOD, catalase [CAT], glutathione [GSH], thiobarbituric acid-reactive substances [TBARS]) dan aktiviti sitoprotektif (prostaglandin E_2 [PGE_2]) dalam tisu gastrik. Dos ekstrak semi-pecahan paling berkesan akan dikaji bagi menentukan kemungkinan penglibatan kompaun nitrik oksid (NO) dan sulfidril (SH) dalam keberkesanan gastroprotektif. Akhirnya kompaun yang bertanggungjawab untuk gastroprotektif dari ekstrak semi-pecahan yang berkesan

telah dikenalpasti. Keputusan menunjukkan pemeriksaan fitokimia ke atas PEMM, EAMM dan AQMM mendedahkan kewujudan saponin, flavonoid, triterpene, tannin dan polifenolik, tetapi tidak alkaloid. Dalam asai *in vitro* antioksidan, i) EAMM menunjukkan tinggi jumlah TPC dibandingkan PEMM dan AQMM., ii) semua ekstrak semi-pecahan menunjukan tinggi aktiviti memerangkap dalam asai SOD; EAMM dan AQMM menunjukkan keputusan yang bagus berbanding PEMM dalam asai iii) DPPH dan iv) ORAC. Dalam asai *in vitro* anti-radang, semua ekstrak semi-pecahan menunjukkan aktiviti rendah dalam asai XO manakala EAMM dan AQMM menunjukkan aktiviti sederhana dan rendah dalam asai LOX. Semua ekstrak semi-pecahan menunjukkan signifikan gastroprotektif ($p < 0.05$) menentang etanol merangsang gastrik ulser dalam susunan berikut: EAMM > AQMM > PEMM. EAMM adalah ekstrak semi-pecahan paling berkesan dan terbukti melalui tindakan mekanisme: i) aktiviti anti-sekresi yang menunjukkan pengurangan jumlah jus gastrik, jumlah asiditi dan tanpa asiditi begitu juga peningkatan pH dan mukus dinding gastrik, ii) aktiviti enzim antioksidan menunjukkan peningkatan SOD, CAT, GSH dan pengurangan malondialdehyde (MDA) dalam tisu gastrik, iii) aktiviti sitoprotektif menunjukkan peningkatan tahap PGE₂ dalam tisu gastrik. Aktiviti gastroprotektif melibatkan kompaun NO dan SH yang menunjukkan ekstrak semi-pecahan kurang berkesan dalam asai iv) omega-nitro-L-arginine methyl ester (L-NAME; pemblok NO) dan v) N-ethylmaleimide (NEM; pemblok SH). Kesimpulan, EAMM menunjukkan bagus dalam aktiviti *in vitro* antioksidan dan anti-radang dimana menyumbang kepada aktiviti gastroprotektif yang telah dipamerkan melalui tindakan mekanisme aktiviti anti-sekresi, antioksidan dan sitoprotektif dengan bergantung pada kewujudan kompaun NO dan SH. Kewujudan kompaun asas flavonoid dan acid hidrosinamik yang mungkin bertindak secara sinergistik dipercayai menyumbang kepada aktiviti gastroprotektif ini.

ACKNOWLEDGEMENT

Alhamdulillah, All Praise and Thanks for Allah Subhanahu wa ta'ala for helping me in coordinating my life.

I wish to extend my deepest appreciation to my supervisor, Associate Professor Dr Zainul Amiruddin Zakaria for his guidance, valuable advice, patience, support and continuous supervision throughout the course of this project. I truly thank him for giving me the opportunity to be his postgraduate student.

I would like to express my gratitude and appreciation to my co-supervisors, Dr Norhafizah Mokhtaruddin and Dr Manraj Singh for their kindness to teach and guide me in this study that is definitely important in order to complete this project.

My sincere appreciation dedicates to the Faculty of Medicine and Health Sciences, Universiti Putra Malaysia for giving me the opportunity to carry out this project.

My special dedication to the staffs of Pharmacology laboratory, staffs of Histology laboratory and to all my fellow friends for their kindness, patience, and cooperation in completing this project successfully.

I would like to express to my beloved family, especially my dearest parents, Ismail Suhaimy Bin Mat Hussain and Noor Zipah Bt Samsudin, my auntie Dr Noor Fidak Bt Samsudin, Norizah Bt Samsudin, Norul Haya Bt Samsudin, siblings and the whole family for their love, comfort, encouragement, support and advice that truly motivated me to accomplish my master successfully. I owe a depth gratitude to them, which can never be repaid. May Allah shower His countless blessings upon them.

Thank you so much.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Zainul Amiruddin bin Zakaria, PhD

Associate Professor
Faculty of Medicine and Health Science
Universiti Putra Malaysia
(Chairman)

Norhafizah bt Mohtarruddin, MBBS

Associate Professor
Faculty of Medicine and Health Science
Universiti Putra Malaysia
(Member)

Manraj Singh Cheema, PhD

Senior Lecturer
Faculty of Medicine and Health Science
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia (Research Rules 2012);
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____

Date: _____

Name and Matric No.: _____

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of
Chairman of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENT	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF ABBREVIATIONS	xv
 CHAPTER	
1 INTRODUCTION	
1.1 Introduction	1
1.2 Problem statement	2
1.3 General objective	2
1.4 Specific objectives	2
 2 LITERATURE REVIEW	
2.1 Stomach anatomy	4
2.2 Stomach functions	5
2.3 Gastric secretions	5
2.3.1 Gastric acid secretion	6
2.3.2 Mucus secretion	7
2.3.3 Pepsinogen secretion	7
2.3.4 Hormone secretion	7
2.4 Peptic ulcer	7
2.5 Epidemiology	8
2.6 Clinical symptoms	8
2.7 Cause of peptic ulcer	8
2.7.1 Acid and pepsin	8
2.7.2 <i>Helicobacter pylori</i>	8
2.7.3 Non-steroidal anti-inflammatory drugs (NSAIDs)	9
2.7.4 Alcohol	9
2.8 Current antiulcer drugs and their effects	9
2.8.1 Antacids	9
2.8.2 Histamin H ₂ -receptor antagonists	10
2.8.3 Proton pump inhibitor	10
2.8.4 Misoprostol	10
2.8.5 Bismuth compounds	11
2.9 Antioxidants	11
2.10 Plant Natural Product	13
2.11 Plants with gastroprotective activity	13
2.12 <i>Melastoma malabathricum</i> L.	14
2.12.1 Geographical distribution	14
2.12.2 Botanic description	14
2.12.3 Traditional practices	15
2.12.4 Scientific findings	16

3	METHODOLOGY	
3.1	Leaf collection	18
3.2	Methanolic crude extract	18
3.3	Toxicity study	18
3.3.1	Acute toxicity study	18
3.3.2	Biochemical analyses	19
3.3.3	Macroscopic analyses	19
3.3.4	Histopathological analyses	19
3.4	Semi-purification (partitioning) of MEMM	19
3.5	Phytochemical screening	21
3.5.1	Test for alkaloids	21
3.5.2	Test for saponins	21
3.5.3	Test for flavonoids	21
3.5.4	Test for tannins and polyphenolics	21
3.5.5	Test for triterpenes/steroids	21
3.6	Antioxidant assays	22
3.6.1	Total phenolic content (TPC)	22
3.6.2	2,2-diphenyl-1-picrylhydrazyl (DPPH) radical scavenging assay	22
3.6.3	Superoxide anion radical scavenging (SOD)	22
3.6.4	Oxygen radical absorbance capacity (ORAC)	23
3.7	Anti-inflammatory assays	23
3.7.1	Lipoxygenase (LOX) assays	23
3.7.2	Xanthine oxidase (XO) assays	23
3.8	Gastroprotective activity of partitions	24
3.8.1	Experimental animals	24
3.8.2	Pre-treatments and ulcer induction	24
3.8.3	Gross examination of the stomach	25
3.8.4	Histopathological analysis	25
3.9	Pylorus ligation-induced ulceration	25
3.9.1	Analysis of gastric juice volume, pH, free and total acidity of	26
3.9.2	Analysis of gastric mucus content	26
3.10	Antioxidant enzymes activity	26
3.10.1	Determination of SOD level	27
3.10.2	Determination of CAT level	27
3.10.3	Determination of Glutathione (GSH) level	28
3.10.4	Determination of Malondialdehyde level	28
3.11	Cytoprotective activity	28
3.12	Determination of endogenous gastroprotection mechanisms of the most effective partition dose	29
3.12.1	Effect of the nitric oxide (NO) on the gastroprotection against ethanol-induced ulcer	29
3.12.2	Effect of sulphhydryl (SH) compounds on the gastroprotection against ethanol-induced ulcer	30
3.13	High-performance liquid chromatography (HPLC) identification of compounds present in the most effective partition	30
3.14	Statistic analysis	31

4	RESULT	
4.1	Acute toxicity study of MEMM	32
4.2	Phytochemical screening	34
4.3	Antioxidant activity	34
4.3.1	Total phenolic content	34
4.3.2	DPPH radical scavenging activity	35
4.3.3	Superoxide scavenging activity	36
4.3.4	ORAC	36
4.4	LOX and XO activity	36
4.5	Gastroprotective activity of each partition	37
4.5.1	PEMM ulcer induction	37
	(a) Total ulcer area (mm ²) from gross examination of the stomach	37
	(b) Histopathological analysis	40
4.5.2	EAMM ulcer induction	45
	(a) Total ulcer area (mm ²) from gross examination of the stomach	45
	(b) Histopathological analysis	48
4.5.3	AQMM ulcer induction	53
	(a) Total ulcer area (mm ²) from gross examination of the stomach	53
	(b) Histopathological analysis	56
4.6	Effect of EAMM on pylorus ligation–induced ulcer	61
4.7	Antioxidant activity	65
4.8	Cytoprotective activity	67
4.9	Effect of nitric oxide (NO) on gastroprotective activity of EAMM	67
4.10	Effect of sulfhydryl (SH) compound in gastroprotective activity of EAMM	70
4.11	HPLC identification of compounds present in EAMM	72
5.	DISCUSSION	73
6	SUMMARY, CONCLUSION AND RECOMMENDATION FOR FUTURE STUDY	81
	REFERENCES	82
	APPENDICES	102
	BIODATA OF STUDENT	111
	LIST OF PUBLICATIONS	112

LIST OF TABLES

Table	Page
2.1 Ethnomedicinal uses of <i>M. malabathricum</i>	15
2.2 Pharmacological activity of <i>M. malabathricum</i>	16
2.3 Compounds in <i>M. malabathricum</i>	17
3.1 Pre-treatment of each partition and ulcer induction	24
3.2 Pre-treatment for determination of the effect of NO on gastroprotection	29
3.3 Pre-treatment for determination of the effect of SH compounds on gastroprotection	30
3.4 Solvent system used for HPLC profiling	31
4.1 Percentage changes in body weight of mice in acute oral toxicity study of MEMM	32
4.2 ROW of mice in acute oral toxicity study of MEMM	32
4.3 Biochemical analysis of mice in acute oral toxicity study of MEMM	33
4.4 Phytochemical screening of <i>M. malabathricum</i> partition	34
4.5 TPC of each partition	34
4.6 Superoxide scavenging activity of each partition	36
4.7 Oxygen radical absorbance capacity of each partition	36
4.8 Effect of each partition on <i>in vitro</i> anti-inflammatory activity using LOX and XO assays	37
4.9 Effect of PEMM of ethanol-induced gastric ulcer	37
4.10 Histopathological evaluation of effect of PEMM on ethanol-induced gastric ulcer	44
4.11 Effect of EAMM on ethanol-induced gastric ulcer	45
4.12 Histopathological evaluation of effect of EAMM on ethanol-induced gastric ulcer	52
4.13 Effect of AQMM on ethanol-induced gastric ulcer	53
4.14 Histopathological evaluation of effect of AQMM on ethanol-induced gastric ulcer	60
4.15 Effect of EAMM pre-treatment on gastric ulcer-induced using pylorus ligation	64
4.16 Antioxidant activity levels in ethanol-induced gastric tissues	66
4.17 PGE ₂ levels in ethanol-induced gastric tissues	67
4.18 Effects of L-NAME pre-treatment	67
4.19 Effects of NEM pre-treatment	70
4.20 Compounds identified in EAMM by HPLC	72

LIST OF FIGURES

Figure		Page
2.1	Stomach regional anatomy	4
2.2	Stomach physiology	5
2.3	Mechanisms of hydrochloric acid formation and secretion	6
2.4	Mechanisms of endogenous antioxidant system	12
2.5	<i>M. malabathricum</i> leaves	15
3.1	Semi-purification schematic of the MEMM	20
4.1	Histological sections in acute toxicity study	33
4.2A	DPPH scavenging activity of PEMM	35
4.2B	DPPH scavenging activity of EAMM	35
4.2C	DPPH scavenging activity of AQMM	35
4.3	Gross examination of gastric mucosa pre-treated with PEMM and induced with ethanol	38
4.4	Histological sections of gastric mucosa pre-treated with PEMM and induced with ethanol	41
4.5	Gross examination of gastric mucosa pre-treated with EAMM and induced by ethanol	46
4.6	Histological section of gastric mucosa pre-treated with EAMM and induced by ethanol	49
4.7	Gross examination of gastric mucosa pre-treated with AQMM and induced with ethanol	54
4.8	Histological section of gastric mucosa pre-treated with AQMM and induced with ethanol	57
4.9	Appearance of gastric mucosa following ulcer induction by pylorus ligation	62
4.10	Gross examination of gastric mucosa pre-treated with saline or L-NAME	69
4.11	Gross examination of gastric mucosa pre-treated with saline or NEM	71
4.12	HPLC chromatography of EAMM showed nine peaks was detected at 280m	72

LIST OF ABBREVIATIONS

AAPH	2,2'-azobis (2-amidinopropane) dihydrochloride
Ach	Acetylcholine
ALP	Alkaline phosphatase
ALT	Alanine transaminase
ANOVA	One-way analysis of variance
AQMM	Aqueous
AST	Aspartate aminotransferase
AUC	Area under the curve
BPLC	High-performance liquid chromatography
CAT	Catalase
CBX	Carbenoxolone
CCK	Cholecystokinin
dH ₂ O	Distilled water
DMSO	Dimethyl sulfoxide
DPPH	2,2-diphenyl-1-picrylhydrazyl
EAMM	Ethyl acetate
ECL	Enterochromaffin-like
FRAP	Ferric reducing/antioxidant power
G-6-PDH	Glucose-6-phosphate dehydrogenase
GIP	Gastric inhibitory polypeptide
GPX	Glutathione peroxidase
GR	Glutathione reductase
GSH	Glutathione
<i>H. pylori</i>	<i>Helicobacter pylori</i>
H ₂ O ₂	Hydrogen peroxide
HCl	Hydrochloric acid
IF	Intrinsic factor
L-NAME	N ^G -nitro-L-arginine methyl ester
LOO•	Lipid peroxyl
LOX	Lipoxygenase
MEMM	Methanol extract of <i>M. malabathricum</i>
NADPH	Nicotinamide adenine dinucleotide phosphate
NaOH	Sodium hydroxide
NBT	Nitroblue tetrazolium
NDGA	Nordihydroguaiaretic acid
NEM	N-ethylmaleimide
NO	Nitric oxide
NSAIDs	Non-steroidal anti-inflammatory drugs
O ₂ ⁻	Superoxide
OH•	Hydroxyl
ORAC	Oxygen radical absorbance capacity
PEMM	Petroleum ether
PGs	Prostaglandins
PMS-NADH	Phenazine methosulfate–nicotinamide adenine dinucleotide
PPI	Proton pump inhibitors
p.o	Oral administration
ROO•	Peroxyl
ROS	Reactive oxygen species

ROW	Relative organ weight
R _T	Retention time
SEM	Standard error of the mean
SH	Sulphydryl
SOD	Superoxide dismutase
UA	Ulcer area
UV-vis	Ultraviolet/visible
XO	Xanthine oxidase



CHAPTER 1

INTRODUCTION

1.1 Introduction

The stomach is part of the gastrointestinal system and is where food or any substance received from the oesophagus will be digested before it is released to the small intestine. However, the constant exposure of the stomach to a variety of substances has a tendency to cause injury (Saladin, 2012).

The stomach injury associated with gastric ulcer, described as erosions of the stomach wall or deep lesions penetrating the mucosa and muscularis mucosa and cause persistent damage (Vimala and Shoba, 2014; Kaur et al., 2012; Marieb and Hoehn, 2007). This disease is widely experienced by most people worldwide, where prevalence is 10% in the Western countries (Barkun and Leontiadis, 2010) and 11.5% in the Asian and South Pacific countries (Scott et al., 2013).

There are various factors for gastric ulcer occurrence, including disproportion between the protective factors (e.g. mucus, prostaglandins [PGs], mucosal blood flow and mucosal epithelial regeneration) and aggressive factors (gastric acid and pepsin) in the stomach (Nugroho et al., 2016; Srikanth and Muralidharan, 2009; Lima et al., 2006). Furthermore, the unlimited consumption of non-steroidal anti-inflammatory drugs (NSAIDs), *Helicobacter pylori* infection, inappropriate habits or lifestyle such as smoking, stress, poor diet and alcohol are among the factors that increase the risk of ulcers (Nugroho et al., 2016; Konturek et al., 2005).

Currently, there are two main approaches for treating gastric ulcer: the inhibition of gastric acid production, and increasing gastric mucosa protection (McQuaid, 2012; Valle 2005). The current medications available for treating gastric ulcers are commonly referred to as H₂ receptor antagonists, proton pump inhibitors (PPI) and antacids. Unfortunately, they have several adverse effects after long-term use or high-dose intake. The common side effects are constipation, diarrhoea and hypophosphatemia, thrombocytopenia (34%), disruption of central nervous system such as confusion, restlessness, somnolence, agitation, headaches and dizziness (~80%), 170 cases of hepatotoxicity, 16 cases and 25 published reports of acute interstitial nephritis (AIN), dyspepsia, heartburn, or regurgitation (22%), nausea (3.2%), flatulence (2.9%), dyspepsia (2.0%), vomiting (1.3%), gynaecological disorder such as spotting (0.7%), cramps (0.6%), hypermenorrhea (0.5%), menstrual disorder (0.3%) and dysmenorrhea (0.1%) (Neena, 1991; Lam et al., 2013; McQuaid, 2012; Reimer et al. 2009; Ecker et al., 2004; Fisher and Le Couteur, 2001; Cantu and Korek, 1991; Berardi et al., 2008; Shields, 1978; <https://www.drugs.com/pro/misoprostol.html>).

In this context, there is a strong need for extensive research to discover new treatments for gastric ulcer. Plant natural products have been proven centuries ago as alternative medicine, including for gastric ulcer, and the pharmacological activity of some of these products has been well established (Wasman et al., 2011; Stege et al., 2006). In addition, there are many reports on the various bioactive compounds in plant products (Yadav et al., 2011; Alama et al 2009).

Melastoma malabathricum, commonly known as *senduduk* in Malaysia, is used as folk medicine (Joffry et al., 2012). The crude extract of this plant has effective gastroprotective activity (Zainulddin et al., 2016; Zakaria et al., 2015; Balamurugan et al., 2013; Zabidi et al., 2012; Hussain et al., 2008; Nazlina et al., 2008). The present study used semi-purified extracts (partitions) from the methanol crude extract of *M. malabathricum* (MEMM) to investigate their mechanisms of action and to identify the compound responsible.

1.2 Problem statement

Gastric ulcers are peptic ulcers which are a serious gastrointestinal disorder. Gastric ulcer occurs when there is an imbalance between the protective and aggressive factors of the stomach and can also be due to lifestyle habits that lead to perforations of the stomach lining and cause bleeding in the stomach wall. Many commercially drugs are available for treating this, but are accompanied by unpleasant side effects following long-term use or high-dose intake. The use of natural plant-based products as alternative medicine is believed to be safer and cheaper. Accordingly, *M. malabathricum* leaves were selected based on the traditional belief for treating gastric ulcers. However, there is still a lack of scientific proof, thus this plant was chosen to prove its ethnomedicinal benefits in gastroprotection.

1.3 General objective

To study the gastroprotective activity and mechanism of action of the effective partition of MEMM.

1.4 Specific objectives

- To assess the toxicity of MEMM prior to semi-purifying the extract.
- To analyse the *in vitro* antioxidant and anti-inflammatory activities, and gastroprotective activity of each partition against ethanol-induced gastric ulcer model in rats.
- To determine the involvement of anti-secretory, endogenous antioxidant enzymes and cytoprotective activities, as well as the role of nitric oxide (NO) and sulfhydryl (SH) compounds in the modulation of gastroprotection exerted by the most effective partition.

- To identify the compounds present in the effective partition using high-performance liquid chromatography (HPLC).



REFERENCES

- Abdelwahab, S.I., Mohan, S., Abdulla, M.A., Sukari, M.A., Abdul, A.B., Taha, M.M., Syam, S., Ahmad, S. and Lee, K.H. 2011. The methanolic extract of *Boesenbergia rotunda* (L.) Mansf. and its major compound pinostrobin induces anti-ulcerogenic property in vivo: possible involvement of indirect antioxidant action. *Journal of Ethnopharmacology* 137: 963-970.
- Abdul Hisam E.E., Zakaria, Z.A., Mohtaruddin, N., Rofiee, S.M., Hamid, H.A. and Othman, F. Antiulcer Activity of the Chloroform Extract of *Bauhinia purpurea* Leaf. *Pharmaceut Biol.* 2012; 50; 1498–1507.
- Abdulla, M.A., Ahmed, K.A., Al-Bayat, F.H. and Masood, Y. 2010. Gastroprotective effect of *Phyllanthus niruri* leaf extract against ethanol-induced gastric mucosal injury in rats. *Afr J Pharm Pharmacol* 4: 226-230.
- Ahmadi Motamayel, F. 2011. Oxidative Stress and Antioxidants. *DJH* 3(1): 1-11.
- Aihara, T., Nakamura, E., Amagase, K., Tomita, K., Fujishita, T., Furutani, K. 2003. Pharmacological control of gastric acid secretion for the treatment of acid-related peptic disease: past, present, and future. *Pharmacol Ther* 98:109-127.
- Alama, S., Asada, M., Asdaq, S., Mohammed, Basheeruddin, and Prasadb, V., Satya. 2009. Antiulcer activity of methanolic extract of *Momordica charantia* L. in rats. *Journal of Ethnopharmacology*, 123, 464-469.
- Ali, D.M.H., Wong, K.C. and Boey, L.P. 2010. Triterpenoids, Glycolipids and Flavonoids of *Melastoma malabathricum*: Isolation, Spectrometric Characterization and Antibacterial Activity, VDM, Saarbrücken, Germany.
- Alnajjar, Z.A.A., Abdulla, M.A., Ali, H.M., Alshawsh, M.A. and Hadi, A.H.A. 2012. Acute toxicity evaluation, antibacterial, antioxidant and immunomodulatory effects of *Melastoma malabathricum*. *Molecules* 17: 3547-3559.
- Amaral, G.P., de Carvalho, N.R., Barcelos, R.P., Dobrachinski, F., Portella, R. de L., da Silva, M.H., Lugokenski, T.H., Dias, G.R., da Luz, S.C., Boligon, A.A., Athayde, M.L., Villetti, M.A., Antunes Soares, F.A. and Fachinnetto, R. 2013. Protective action of ethanolic extract of *Rosmarinus officinalis* L. in gastric ulcer prevention induced by ethanol in rats. *Food and Chemical Toxicology* 55: 48-55.
- Andreo, M.A., Ballesteros, K.V., Hiruma-Lima, C.A., Machado da Rocha, L.R., Souza Brito, A.R. and Vilegas, W. 2006. Effect of *Mouriri pusa* extracts on experimentally induced gastric lesions in rodents: role of endogenous sulfhydryls compounds and nitric oxide in gastroprotection. *Journal of Ethnopharmacology* 107:431-441.
- Araki, H., Ukawa, H., Sugawa, Y., Yagi, K., Suzuki, K. and Takeuchi, K. 2000. The roles of prostaglandin E receptor subtypes in the cytoprotective action of

prostaglandin E₂ in rat stomach. *Alimentary Pharmacology & Therapeutics* 14:116-124.

Arun, K., Rao, Ch.V., Kumar, V.M., Ayaza, A., Naiyera, S. and Irfan, K.M. 2010. Anti-ulcerogenic and ulcer healing effects of *Zingiber officinale* (L.) on experimental ulcer models: possible mechanism for the inhibition of acid formation. *International Journal of Pharmaceutical Research* 1: 75-85.

Australian Adverse Drug Reaction Advisory Committee.

Avila, J.R., de la Lastra, C.A., Martin, M.J., Motilva, V., Luque, I. and Delgado, D. 2005. Role of endogenous sulphhydryls and neutrophil infiltration in the pathogenesis of gastric mucosal injury induced by piroxicam in rats. *Inflamm Res* 45: 83–88.

Awaad, A.S., El-Meligy, R.M., and Soliman G.A. 2013. Natural products in treatment of ulcerative colitis and peptic ulcer. *Journal of Saudi Chemical Society* 17: 101–124.

Azhar-Ul-Haq, Malik, A., Anis, I., Khan, S.B., Ahmed, E., Ahmed, Z., Nawaz, S.A. and Choudhary, M.I. 2004. Enzymes inhibiting lignans from *Vitex negundo*. *Chemical and Pharmaceutical Bulletin* 52: 1269-1272.

Baggio, C.H., Freitas, C.S., Rieck, L., and Marques, M.C. 2003. Gastroprotective effects of a crude extract of *Baccharis illinita* DC in rats. *Pharmacol. Res* 47: 93-98.

Balamurugan, K., Sakthidevi G and Mohan V.R. 2012. Anti-inflammatory activity of *Melastoma malabathricum* L. (Melastomataceae). *IJRAP* 3: 6.

Balan, T., Sani, M.H.M., Mumtaz Ahmad, S.H., Suppaiah, V., Mohtarrudin, N. and Zakaria, Z.A. 2015. Antioxidant and anti-inflammatory activities contribute to the prophylactic effect of semi-purified fractions obtained from the crude methanol extract of *Muntingia calabura* leaves against gastric ulceration in rats. *J Ethnopharmacol* 164:1–15.

Barchan, A., Bakkali, M., Arakrak, A., Pagán, R., and Laglaoui, A. 2014. The effects of solvents polarity on the phenolic contents and antioxidant activity of three *Mentha* species extracts. *International Journal of Current Microbiology and Applied Sciences* 3(11) 399-412.

Bardi, D.A., Halabi, M.F., Abdullah, N.A., Rouhollahi, E., Hajrezaie, M. and Abdulla, M.A. 2013. In Vivo Evaluation of Ethanolic Extract of *Zingiber officinale* Rhizomes for Its Protective Effect against Liver Cirrhosis. *BioMed Research International* 2013: 1-10.

Barkun, A. and Leontiadis, G. 2010. Systematic review of the symptom burden, quality of life impairment and costs associated with peptic ulcer disease. *The American Journal of Medicine* 123;4: 358-366.

- Baron, J.H. 1977. Effect of carbenoxolone sodium on human gastric acid secretion. *Gut* 18: 721–722.
- Barros, M.P., Lemos, M., Maistro, E.L., Leite, M.F., Sousa, J.P., Bastos, J.K. and Andrade, S.F. 2008. Evaluation of antiulcer activity of the main phenolic acids found in Brazilian Green Propolis. *Journal of Ethnopharmacology* 120:372–377.
- Batista, L.M., de Almeida, A.B., Lima, G.R., Falcão Hde, S., Magri Lde, P., Luiz-Ferreira, A., dos Santos, L.C., Hiruma-Lima, C.A., Vilegas, W. and Brito, A.R. 2014. Gastroprotective effects (in rodents) of a flavonoid rich fraction obtained from *Syngonanthus macrolepis*. *Journal of Pharmacy and Pharmacology* 66: 445–452.
- Battino, M., Greabu, M. and Celenic, B. 2016. Chapter 10: Oxidative stress in oral cavity, interplay between ROS and Antioxidant in health, inflammation and cancer. In *Oxidative stress and antioxidant protection: The sciences of free radical biology and disease*, First Edition. John Wiley & Sons, Inc., Hoboken, New Jersey.
- Beil, W., Birkhoiz, C. and Sewing, K.F. 1995. Effects of flavonoids on parietal cell acid secretion, gastric mucosal prostaglandin production and *Helicobacter pylori* growth. *Arzneimittel-Forschung* 45: 697–700.
- Benjamin Cummings. 2001. Addison Wesley Longman, Inc.
- Berardi, R.R. and Welage, L. 2008. Peptic ulcer disease. In *A Pathological Approach. Pharmacotherapy 6th ed.* DiPiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. eds. New York, NY: McGraw-Hill.
- Bernards, M.A. 2010. Plant natural products: a primer. *Can. J. Zool* 88: 601–614.
- Bettaieb, I., Hamrouni-Sellami, I., Bourgo, S., Limam, F. and Marzouk, B. 2011. Drought effects on polyphenol composition and antioxidant activities in aerial parts of *Salvia officinalis* L. *Acta Physiol Plant* 33:1103–1111.
- Bhattacharyya, A., Chattopadhyay, R., Mitra, S. and Crowe, S.E. 2014. Oxidative Stress: An essential factor in the pathogenesis of gastrointestinal mucosal diseases. *Physiol Rev* 94: 329–354.
- Bigoniya, P. and Singh, K. 2014. Ulcer protective potential of standardized hesperidin, a citrus flavonoid isolated from *Citrus sinensis*. *Rev Bras Farma* 24: 330–340.
- Birdane, F.M., Cemek, M., Birdane, Y.O., Gulcin, I. and Buyukokuroglu, M.E. 2007. Beneficial effects of *Foeniculum vulgare* on ethanol-induced acute gastric mucosal injury in rats. *World Journal of Gastroenterology* 13(4): 607–611.
- Blois, M.S. 1958. Antioxidant determinations by the use of a stable free radical. *Nature* 181: 1199–1200.

- Boligon, A.A., Freitas, R.B., de Brum, T.F., Waczuk, E.P., Klimaczewski, C.V., Ávila, D.S., Athayde, M.L. and Bauermann, L.F. 2014. Antiulcerogenic activity of *Scutia buxifolia* on gastric ulcers induced by ethanol in rats. *Acta Pharmaceutica Sinica B* 4: 358-367.
- Bonini, M.G., Miyamoto, S., Di Mascio, P., and Augusto, O. 2004. Production of the carbonate radical anion during xanthine oxidase turnover in the presence of bicarbonate. *Journal of Biological Chemistry* 279: 51836-51843.
- Borrelli, F. and Izzo, A.A. 2000. The Plant kingdom as a source of anti-ulcer remedies. *Phytother. Res.* 14: 581-591.
- Bouayed, J. and Bohn, T. 2010. Exogenous antioxidants—Double-edged swords in cellular redox state Health beneficial effects at physiologic doses versus deleterious effects at high doses. *Oxidative Medicine and Cellular Longevity* 3(4): 228-237.
- Brewer, M.S. 2011. Natural antioxidants: sources, compounds, mechanisms of action, and potential applications. *Comprehensive Reviews in Food Science and Food Safety* 10.
- Bryngelson, S., Mannerstedt-Fogelfors, B., Kamal Eldin, A., Andersson, R. and Dimberg, L.H. 2002. Lipids and antioxidants in groats and hulls of Swedish oats (*Avena sativa* L.). *J Sci Food Agric* 82: 606–614.
- Burkill, I.H. 1966. *A dictionary of economic products of Malay Peninsula*, Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia.
- Cambridge Advanced Learner's Dictionary. 4th Edition.
- Cantú, T.G. and Korek, J.S. 1991. Central nervous system reactions to histamine-2 receptor blockers. *Ann Intern Med* 114: 1027.
- Carotenuto, A., Fattorusso, E., Lanzotti, V., Magno, S., De Feo, V., Cicala, C. 1997. The flavonoids of *Allium neapolitanum*. *Phytochemistry* 44: 949-957.
- Cheong, H., Ryu, S.Y., Oak, M.H., Cheon, S.H., Yoo, G.S., Kim, K.M. 1998. Studies of structure activity relationship for the anti-allergic actions. *Arch. Pharmacol Res* 21: 478-480.
- Chew, R. and Long, M.S. 2008. The stomach. In *Crash Course 3rd Edition: Gastrointestinal System* pp 41-63. London. Elsevier Sciences Limited.
- Chey, W.D. and Scheiman, J.M. 2003. Peptic Ulcer Diseases. In *Current Diagnosis and Treatment in Gastroenterology*. Friedman, S. L., McQuaid, K. R. And Grendell, J. H. (Eds.), pp 323-339. US. McGraw-Hill.
- Cho, J. 2006. Antioxidant and neuroprotective effects of hesperidin and its aglycone hesperetin. *Arch. Pharm. Res.* 29: 699-706.

- Cho, J.Y., Moon, J.H., Seong, K.Y. and Park, K.H. 1998. Antimicrobial activity of 4-hydroxybenzoic acid and trans 4-hydroxycinnamic acid isolated and identified from rice hull. *Biosci Biotechnol Biochem* 62:2273-6.
- Choudhary, M., Kumar, V. And Singh, S. 2014. Gastric antisecretory and cytoprotective effects of hydroalcoholic extracts of *Plumeria alba* Linn. leaves in rats. *Journal of Integrative Medicine* 12: 42-51.
- Clifford, M. 1999. Chlorogenic acids and other cinnamates-nature, occurrence and dietary burden. *Journal of the Science of Food and Agriculture* 79: 362-372.
- Corne, S.J., Morrissey, S.M. and Woods, R.J. 1974. A method for the quantitative estimation of gastric barrier mucus. *Journal of Physiology* 242: 116-117.
- Corner, E.J.H. 1951. *Wayside trees of Malaya* 1: 445-453. Malayan Nature Society: Kuala Lumpur.
- Cristians, S., Bye, R., Navarrete, A., Mata, R. 2013. Gastroprotective effect of *Hintonia latiflora* and *Hintonia standleyana* aqueous extracts and compounds. *Journal of Ethnopharmacology* 145: 530-535.
- Cross, C., Halliwell, B. and Allen, A. 1984. Antioxidant protection: a function of tracheobronchial and gastrointestinal mucus. *Lancet* 1: 1328-1330.
- Dass, K.K. and Kotoky, J.J. 1988. A new aliphatic constituent of *Melastoma malabathricum* Linn. *Journal of the Indian Chemical Society* 65: 385-386.
- Day, R.A., Paul, P. and Williams, B. 2009. In *Brunner and Suddarth's Textbook of Canadian Medical-Surgical Nursing*, Lippincott Williams & Wilkins.
- de la Lastra, C.A., Lopez A. and Motilva, V. 1993. Gastroprotection and prostaglandin E2 generation in rats by flavonoids of *Dittrichia viscosa*. *Planta Med.* 59: 497-501.
- de la Lastra, C.A., Martin, M.J. and Motilva, V. 1994. Antiulcer and gastroprotective effects of quercetin, a gross and histologic study. *Pharmacology* 48: 56-62.
- de-Faria, F.M., Almeida, A.C.A., Luiz-Ferreira, A., Takayama, C., Dunder, R.J., da Silva, M.A., da Silva, M.S., Vilegas, W., Rozza, A. L., Pellizzon, C. H., Toma, W. and Souza-Brito, A.R.M. 2012. Mechanisms of action underlying the gastric antiulcer activity of the *Rhizophora mangle* L. *Journal of Ethnopharmacology* 139:234- 243.
- de Jesus, N.Z.T., de Souza, F.H., Gomes, I.F., de Almeida Leite, T.J., de Moraes Lima, G.R., Barbosa-Filho, J.M., Tavares, J.F., da Silva, M.S., de Athayde-Filho, P.F. and Batista, L.M. 2012. Review: Tannins, Peptic Ulcers and Related Mechanisms. *Int. J. Mol. Sci.*13: 3203-3228.
- Di Carlo, G., Mascolo, N., Izzo, A.A. and Capasso, F. 1999. Flavonoids: old and new aspects of a class of natural therapeutic drugs. *Life Sci* 64: 337-353.

- Diplock, A.T., Charleux, J.L., Crozier, W.G., Kok, F.J., Rice, E.C. and Roberfroid, M. 1998. Functional food science and defense against reactive oxidative species. *British Journal of Nutrition* 80: 77–112.
- Dixon, R.A., Xie, D.Y. and Sharma, S.B., 2005. Proanthocyanidins—a final frontier in flavonoid research? *New Phytology* 165: 9–28.
- Ecker, R.D., Wijedicks, E.F., Wix, K. and McClelland, R. 2004. Does famotidine induce thrombocytopenia in neurosurgical patients?. *J Neurosurg Anesthesiol* 16: 291.
- Elufioye, T.O., Alatise, O.I., Fakoya, F.A., Agbedahunsi, J.M. and Houghton, P.J. 2009. Toxicity studies of *Tithonia diversifolia* A. Gray (Asteraceae) in rats. *J. Ethnopharmacol* 122: 410–415.
- Encyclopaedia Britannica. 2003. <http://global.britannica.com/science/stomach>
- Faravani, M. 2009. *The population biology of Straits Rhododendron (Melastoma malabathricum L.)*, PhD Thesis, University of Malaya, Kuala Lumpur, Malaysia.
- Farzaei, M.H., Abdollahi, M. and Rahimi, R. 2015. Role of dietary polyphenols in the management of peptic ulcer. *World J Gastroenterol* 21: 6499–6517.
- Fazlin, A.S.M., Ahmad, Z. and Lim, H.H. 2002. *Compendium of Medicinal Plants Used in Malaysia*, vol. 2, Herbal Medicine Research Centre, Institute for Medical Research, Kuala Lumpur, Malaysia.
- Ferguson, L.R., Zhu, S.T. and Harris, P.J. 2005. Antioxidant and antigenotoxic effects of plant cell hydroxycinnamic acid in cultured HT-29 cells. *Mol Nutr Food Res* 49: 585–93.
- Fisher, A.A. and Le Couteur, D.G. 2001. Nephrotoxicity and hepatotoxicity of histamine H2 receptor antagonists. *Drug Saf* 24: 39.
- Fujikawa T., Yamaguchi A., Morita I., Takeda H., and Nishibe S. 1996. Protective effects of *Acanthopanax senticosus* Harms from Hokkaido and its components on gastric ulcer in restrained cold water stressed rats. *Biol. Pharm. Bull* 19: 1227–1230.
- Furst, D.E. and Ulrich, R. W. 2007. Nonsteroidal anti-Inflammatory drugs, disease modifying antirheumatic drugs, nonopioid analgesics, and drugs used in gout. In *Basic and Clinical Pharmacology*. Katzung, B. G. (Ed.). Singapore. McGraw-Hill.
- Galvez, J., De Medina S.J., Jimenez, J. and Zarzuelo, A. *Effects of flavonoids on gastrointestinal disorders*. Atta-ur-Rahman (Ed.) Studies in Natural Products Chemistry, Vol 25.
- Ghasemi, K., Ghasemi, J. and Ebrahimzadeh, M.A. 2009. Antioxidant activity, phenol and flavonoid contents of 13 citrus species peels and tissues. *Pak. J. Pharm. Sci.* 22: 277–281.

- Ghayur, M.N., Khan, H. and Gilani, A.H., 2007. Antispasmodic, bronchodilator and vasodilator activities of (+)-catechin, a naturally occurring flavonoid. *Archives of Pharmacal Research* 30: 970–975.
- Gill, S., Bondy, G., Lefebvre, D.E., Becalski, A. and Kavanagh, M. 2010. Subchronic oral toxicity study of furan in Fischer-344 rats. *Toxicol. Pathol.* 38: 619-630.
- Gondier, J.E.W., Horwich, L. and Galloway, R. 1967. *Gut* 8: 554.
- Gorbach, S.L. 1990. Bismuth therapy in gastrointestinal diseases. *Gastroenterology* 99: 863.
- Grosvenor, P.W., Supriono, A. and Gray, D.O. 1995. Medicinal plants from Riau Province, Sumatra, Indonesia. Part 2: Antibacterial and antifungal activity. *Journal of Ethnopharmacology* 45(2): 97–111.
- Grujic, N., Lepojevic, Z., Srdjenovic, B., Vlastic, J. and Sudji, J. 2012. Effects of different extraction methods and conditions on the phenolic composition of mate tea extracts. *Molecules* 17: 2518-2528.
- Guslandi, M. 1987. Effects of Ethanol on the Gastric Mucosa. *Dig. Dis.* 5: 21-32.
- Guth, P.H., Paulsen, G. and Nagata, H. 1984. Histologic and microcirculatory changes in alcohol-induced gastric lesions in rat: Effect of prostaglandin cytoprotection. *Gastroenterology* 87: 1083-1090.
- Halliwell, B. 2007. Biochemistry of oxidative stress. *Biochem Soc Trans* 35: 1147-1150.
- Hatler, F., Schmassmann, A. and Peskar, B.M. 2001. Cyclooxygenase 2-implications on maintenance of gastric mucosal integrity and ulcer healing: Controversial issues and perspectives. *Gut* 49:443-453.
- Hirata, A., Murakami, Y., Shoji, M., Kadoma, Y. and Fujisawa, S. 2005. Kinetics of radical-scavenging activity of hesperetin and hesperidin and their inhibitory activity on COX-2 expression. *Anticancer Res.* 25: 3367-3374.
- <https://www.drugs.com/pro/misoprostol.html>
- Huang, D., Ou, B., Hampch-Woodill, M., Flanagan, J.A. and Prior, R.L. 2002. High throughput assay of oxygen radical absorbance capacity (ORAC) using a multichannel liquid handling system coupled with a microplate fluorescence reader in 96-well format. *Journal of Agricultural and Food Chemistry* 5: 4437–4444.
- Hussain, F., Abdulla, M.A., Noor, S.M., Ismail, S. and Ali, H.M. 2008. Gastroprotective effects of *Melastoma malabathricum* aqueous leaf extract against ethanol-induced gastric ulcer in rats. *American Journal of Biochemistry and Biotechnology* 4: 438–441.

- Hussain, M.T., Verma, A.R., Vijayakumar, M., Sharma, A., Mathela, C.S. and Rao, C.V. 2009. Rutin, a natural flavonoid, protects against gastric mucosal damage in experimental animals. *Asian J Tradit Med* 4: 188–97.
- Iwamoto, J., Mizokami, Y., Saito, Y., Shimokobe, K., Honda, A., Ikegami, T. and Matsuzaki, Y. 2014. Small-bowel mucosal injuries in low-dose aspirin users with obscure gastrointestinal bleeding. *World J Gastroenterol* 20(36):13133-13138.
- Jaganath, I.B. and Ng, L.T. 2000. *Herbs: The Green Pharmacy of Malaysia*. Kuala Lumpur, Malaysia: Vinpress Sdn. Bhd.
- Jain, S.K. and De Filippis, R.A. *Medicinal Plants of India*. Reference Publication Inc. Algonac, Mich, USA. 1991.
- Jeong, J.M., Choi, C.H., Kang, S.K., Lee, I.H., Lee, J.Y. and Jung, H., 2007. Antioxidant and chemosensitizing effects of flavonoids with hydroxy and/or methoxy groups and structure-activity relationship. *J. Pharm. Sci.* 10: 537-546.
- Johnny, L., Yusuf, U.K. and Nulit, R. 2010. The effect of herbal plant extracts on the growth and sporulation of *Colletotrichum gloeosporioides*. *Journal of Applied Biosciences* 34: 2218–2224.
- Kabel, A.M. 2014. Free radicals and antioxidants: Role of enzymes and nutrition. *World Journal of Nutrition and Health* 2(3): 35-38.
- Kahraman, A., Erkasap, N., Koken, T., Serteser, M., Aktepe, F. and Erkasap, S. 2003. The antioxidative and antihistaminic properties of quercetin in ethanol-induced gastric lesions. *Toxicology* 183: 133-142.
- Kamarolzaman, M.F.F., Yahya, F., Mamat, S.S., Jakius, K.F., Mahmood, N.D., Shahril, M. S., Mohtarrudin, N., Suhaili, Z. and Zakaria, Z.A. 2014. Gastroprotective activity and mechanisms of action of *Bauhinia purpurea* Linn (Leguminosae) leaf methanol extract. *Tropical Journal of Pharmaceutical Research* 13;11: 1889-1898.
- Kasparaviciene, G., Ramanauskienė, K., Savickas, A., Velžienė, S., Kalvėnienė, Z., Kazlauskienė, D., Ragažinskienė, O. and Ivanauskas, K. 2013. Evaluation of total phenolic content and antioxidant activity of different *Rosmarinus officinalis* L. ethanolic extracts. *Biologija* 59(1): 39–44.
- Kaur, A., Robin, S., Sharma, R. and Kumar, S. 2012. Peptic ulcer: a review on etiology and pathogenesis. *International Research Journal of Pharmacy* 3: 2230-8407.
- Khare, S., Asad, M., Dhamanigi, S.S., and Prasad, V.S. 2008. Antiulcer activity of cod liver oil in rats. *Indian Journal of Pharmacology* 40 (5), 209-214.
- Kimura, M., Goto, S., Ihara, Y., Wada, A., Yahiro, K., Niidome, T., Aoyagi, H., Hirayama, T. and Kondo, T. 2001. Impairment of glutathione metabolism in human gastric epithelial cells treated with vacuolating cytotoxin from *Helicobacter pylori*. *Microb. Pathog* 31: 29-36.

- Koay, S.S. 2008. *Establishment of cell suspension culture of Melastoma malabathricum L. for the production of anthocyanin*, PhD Thesis, Universiti Sains Malaysia, Pulau Pinang, Malaysia.
- Konturek, P.K., Brzozowski, T., Konturek, S.J. and Dembinski, A. 1990. Role of epidermal growth factor, prostaglandin, and sulfhydryls in stress-induced gastric lesions. *Gastroenterology* 99: 1607–1615.
- Konturek, S.J., Konturek, P.C., Brzozowski, T., Konturek, J.W. and Pawlik, W.W. 2005. From nerves and hormones to bacteria in the stomach; Nobel prize for achievements in gastrology during last century. *J Physiol Pharmacol* 56(4): 507-530.
- Kopjar, M., Tadić, M. and Piližota, V. 2015. Phenol content and antioxidant activity of green, yellow and black tea leaves. *Chemical and Biological Technologies in Agriculture* 2:1-6.
- Krishnaiah, D., Sarbatly, R. and Nithyanandam, R. 2011. A review of the antioxidant potential of medicinal plant species. *Food and Bioproducts Processing* (89): 217-233.
- Kumar, M.R., Mohamed Niyas, K., Tamizah Mani, T., Fasalu Rahiman, O.M. and Satya Kumar, B. 2011. A review on medicinal plants for peptic ulcer. *Scholar Research Library. Der Pharmacia Lettre* 3(3): 414–420.
- Kumaraswamy, M.V. and Satish, S. 2008. Antioxidant and anti-lipoxygenase activity of *Thespesia lampas* Dalz & Gibs. *Advances in Biological Research*. 2: 56-59.
- Lam, J.R., Schneider, J.L., Zhao, W. and Corley, D.A. 2013. Proton pump inhibitor and histamine 2 receptor antagonist use and vitamin B12 deficiency. *Journal of the American Medical Association* 310: 2435.
- La Casa, C., Villegas, I., Alarcon De La Lastra, C., Motilva, V. and Martin, M.J. 2000. Evidence for protective and antioxidant properties of rutin, a natural flavone, against ethanol induced gastric lesions. *Journal of Ethnopharmacology* 71: 45-53.
- Laine, L., Takeuchi, K. and Tarnawski, A. 2008. Gastric mucosal defense and cytoprotection: bench to bedside. *Gastroenterology* 135: 41-60.
- Latiff, A. and Zakri, A.H. 2000. Protection of traditional knowledge, innovations and practices: The Malaysian Experience in *the UNCTAD Expert Meeting on Systems and National Experiences for Protecting Traditional Knowledge, Innovations and Practices*, Geneva, Switzerland, October-November 2000.
- Lewis, D.A. and Shaw, G.P. 2001. A natural flavonoid and synthetic analogues protect the gastric mucosa from aspirin-induced erosions. *J. Nutr. Biochem* 12: 95-100.

- Ligumsky, M., Sestieri, M., Okon, E. And Ginsburg, I. 1995. Antioxidants inhibit ethanol-induced gastric injury in the rat: role of manganese, glycine, and carotene. *Scandinavian journal of gastroenterology* 30: 854-860.
- Lima, Z.P., Severi, J.A., Pellizzon, C.H., Brito, A.R., Solis, P.N., Cáceres, A., Girón, L.M., Vilegas, W. and Hiruma-Lima C.A. 2006. Can the aqueous decoction of mango flowers be used as an antiulcer agent?. *J Ethnopharmacol.* 106(1): 29-37.
- Lin, K.W. 2005. Ethnobotanical study of medicinal plants used by the Jah Hut peoples in Malaysia. *Indian Journal of Medical Sciences* 59(4): 156–161.
- Lohezic-Le Devehat, F., Bakhtiar, A., Bezivin, C., Amoros, M. and Boustie, J. 2002. Antiviral and cytotoxic activities of some Indonesian plants. *Fitoterapia* 73(5): 400–405.
- Long, M.S. and Cheshire, E. 2002. Gastrointestinal System. *Elsevier Sciences Limited*. 2nd Edition pp. 37-55. London.
- Lowry, J.B. 1968. The distribution and potential taxonomic value of alkylated ellagic acids. *Phytochemistry* 7(10): 1803–1813.
- Luiz-Ferreira, A., de Almeida, A.C.A., Cola, M., Barbastefano, V., de Almeida, A.B.A., Batista, L.M., Farias-Silva, E., Pellizzon, C.H., Hiruma-Lima, C.A., Santos, L.C., Vilegas, W., Brito, A.R.M.S., 2010. Mechanisms of the gastric antiulcerogenic activity of *Anacardium humile* St. Hill on ethanol-induced acute gastric mucosal injury in rats. *Molecules* 15: 7153–7166.
- Luo, X.J., Liu, B., Dai, Z., Li, T.B., Li, N.S., Zhang, X.J. 2013. Expression of apoptosis-associated microRNAs in ethanol-induced acute gastric mucosal injury via JNK pathway. *Alcohol* 47(6): 481-493.
- Ma, L. and Wallace, J.L. 2000. Endothelial nitric oxide synthase modulates gastric ulcer healing in rats. *Am J Physiol Gastrointest Liver Physiol* 279: G341-G346.
- Madalosso, R.C., Oliveira, G.C., Martins, M.T., Vieira, A.E., Barbosa, J., Caliar, M.V., Castilho, R.O. and Tagliati, C.A. 2012. *Campomanesia lineatifolia* Ruiz & Pav. as a gastroprotective agent. *J Ethnopharmacol* 139(3): 772-9.
- Mahmood, A.A., Mariod, A.A., Al-Bayaty, F. and Abdel-Wahab, S.I. 2010. Anti-ulcerogenic activity of *Gynura procumbens* leaf extract against experimentally-induced gastric lesions in rats. *Journal of Medicinal Plant Research* 4: 685-691.
- Maisuthisakul, P., Suttajit, M., and Pongsawatmanit, R. 2007. Assessment of phenolic content and free radical-scavenging capacity of some Thai indigenous plants. *Food Chemistry* 100: 1409–1418.

- Maity, S., Vedasiromoni, J.R. and Ganguly, D.K. 1998. Role of glutathione in the antiulcer effect of hot water extract of black tea (*Camellia sinensis*). *Jpn J Pharmacol.* 78:285–92.
- Maji, S., Dandapat, P. and Ojha, D. 2010. In vitro antimicrobial potentialities of different solvent extracts of ethnomedicinal plants against clinically isolated human pathogens. *Journal of Phytology* 2: 57–64.
- Mamat, S.S., Kamarolzaman, M.F.F., Yahya, F., Mahmood, N.D., Shahril, M.S., Jakius, K.F., Mohtarrudin, N., Ching, S. M., Susanti, D., Taher, M. and Zakaria, Z.A. 2013. Methanol extract of *Melastoma malabathricum* leaves exerted antioxidant and liver protective activity in rats. *BMC Complementary and Alternative Medicine* 13:326
- Manicam, C., Abdullah, J.O., Mohd Tohit, E.R., Seman, Z., Sieo, C.C. and Hamid, M. 2010. In vitro anticoagulant activities of *Melastoma malabathricum* Linn. aqueous leaf extract: a preliminary novel finding. *Journal of Medicinal Plants Research* 4: 1464–1472.
- Manzoor-I-Khuda, M., Chowdhury, S.A., Reza, T. and Chowdhury, A.K. 1981. Chemical investigation on *Melastoma malabathricum*. Part 1: Isolation of Melastomic acid and betasitosterol from the roots. *Journal of the Bangladesh Academy of Sciences* 5: 55–59.
- Marhuenda, E., Martin, M.J. and Dela, A.C. 1993. Antiulcerogenic activity of aescine in different experimental models. *Phytotherapy Research* 7:13-16.
- Marieb, E.N. and Hoehn K. 2007. Human Anatomy & Physiology 7th ed. San Francisco: Pearson/Benjamin Cummings. Barkun & Leontiadis.
- Martin, M.J., La-Casa, C., Alarcon De La Lastra, C., Cabeza, J., Villegas, I. and Motilva, V. 1998. Anti-oxidant mechanisms involved in gastroprotective effects of quercetin. *Zeitschrift für Naturforschung C - A Journal of Biosciences* 53: 82-88.
- Martin, M.J., Motilva, V. and Alarcon De La Lastra, C. 1993. Quercetin and naringenin, effects on ulcer formation and gastric secretion in rats. *Phytotherapy Research* 7: 150-153.
- McQuaid, K.R. 2012. Drugs Used in the Treatment of Gastrointestinal Disease. In *Basic and Clinical Pharmacology* 12th. B.G. Katzung, S.B. Masters, and A.J. Trevor, pp 1081-1114.
- Mehta, A.K., Arora, N., Gaur, S.N. and Singh, B.P. 2009. Acute toxicity assessment of choline by inhalation, intraperitoneal and oral routes in Balb/c mice. *Regulatory Toxicology and Pharmacology* 54: 282-286.
- Michiels, J.A., Kevers, C., Pincemail, J., Defraigne, J.O. and Dommes, J. 2012. Extraction conditions can greatly influence antioxidant capacity assays in plant food matrices. *Food Chemistry* 130(4): 986-993.

- Middleton, E.Jr., Kandaswami, C., and Theoharides, T.C. 2000. The effects of plant flavonoids on mammalian cells: implications for inflammation, heart disease, cancer. *Pharmacol. Rev.* 52: 673-751.
- Miller T.A., Li D., Kuo Y.J., Schmidt K. and Shanbour L. 1985. Nonprotein sulfhydryl compounds in canine gastric mucosa: Effects of PGE₂ and ethanol. *Am.J. Physiol.* 12: G137-144.
- Mohandoss, S. and Ravindran, P. 1993. Flavonoids from *Melastoma melabathricum*. *Fitoterapia* 64 (3): 277-278.
- Mohd. Joffry, S., Yob, N.J., Rofiee, M.S., Meor Mohd. Affandi, M.M.R., Othman, F., Abdah, M.A., Desa, M.N.M. and Zakaria, Z.A. 2012. *Melastoma malabathricum* (L.) Smith: a review of its ethnomedicinal, chemical and pharmacological uses. *Evid-Bsed Compl Alt Medicine* 1-48.
- Mohemmadi, Z. 2011. Impact of solvent extraction type on total polyphenols content and biological activity from *Tamarix aphylla* (L.) Karst. *International Journal of Pharma and Bio Sciences* 2(1): 609-615.
- Mota, K.S., Dias, G.E., Pinto, M.E., Luiz-Ferreira, A., Souza-Brito, A.R., Hiruma-Lima, C.A., Barbosa-Filho, J.M. and Batista, L.M. 2009. Flavonoids with gastroprotective activity. *Molecules* 14: 979-1012.
- Mounnissamy, V.M., Kavimani, S., Sankari, G., Quine, S.D. and Subramani, K. 2010. Evaluation of acute and sub-acute toxicity of ethanol extracts of *Cansjera rheedii*. *J. Gmelin (Opiliaceae). J. Brew. Distill.* 1: 11-14.
- Murakami, S., Muramatsu, M. and Otomo S. J. 1992. *Pharm. Pharmacol* 44, 926-928.
- Murugan, R. and Parimelazhagan, T. 2014. Comparative evaluation of different extraction methods for antioxidant and anti-inflammatory properties from *Osbeckia parvifolia* Arn. – An in vitro approach. *Journal of King Saud University – Science* 26: 267-275.
- Naczki, M. and Shahidi, F. 2006. Phenolic in cereals, fruit and vegetables: Occurrence, extraction and analysis. *Journal of Pharmaceutical and Biomedical Analysis* 1523-1542.
- Nagasaka R., Chotimarkorn C., Shafiqul I.M., Hori, M., Ozaki, H. and Ushio, H. 2007. Anti-inflammatory effects of hydroxycinnamic acid derivatives. *Biochem Biophys Res Communications* 358: 615-9.
- Nanjundaiah, S.M. and Dharmesh, S.M. 2007. Inhibition of gastric H⁺, K⁺-ATPase and *Helicobacter pylori* growth by phenolic antioxidants of *Zingiber officinale*. *Mol Nutr Food Res.* 51(3): 324-32.
- Nanjundaiah, S.M., Annaiah, H.N. and Dharmesh, S.M. 2011. Gastroprotective effect of ginger rhizome (*Zingiber officinale*) extract: Role of gallic acid and cinnamic acid in H⁺, K⁺-ATPase/H. pylori inhibition and anti-oxidative mechanism. *Evid Based Complement Alternat Med* 2011:1-13.

- Nazlina, I., Norha, S., Noor Zarina, A.W. and Ahmad, I.B. 2008. Cytotoxicity and antiviral activity of *Melastoma malabathricum* extracts. *Malaysian Journal of Applied Biology* 37: 53-55.
- Nićiforović, N., Mihailović, V., Mašković, P., Solujić, S., Stojković, A. and Pavlović Muratspahić, D. 2010. Antioxidant activity of selected plant species; potential new sources of natural antioxidants. *Food and Chemical Toxicology* 48(11): 3125-3130.
- Nikhat, S., Khan, J.A. and Ahmad, G. 2012. Some experimentally proved herbs in peptic ulcer disease. *International Journal of pharmaceutical sciences and research* 3: 2387-2392.
- Nimse, S.B. and Pal, D. 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *Royal Society of Chemistry Advances (RSC Adv)* 5: 27986–28006.
- Nordin, N., Salama, S.M., Golbabapour, S., Hajrezaie, M., Hassandarvish, P., Kamalidehghan, B., Majid, N.A., Hashim, N.M., Omar, H., Fadaienasab, M., Karimian, H., Taha, H., Ali, H.M. and Abdulla, M.A. 2014. Anti-ulcerogenic effect of methanolic extracts from *Enicosanthellum pulchrum* (King) Heusden against ethanol-induced acute gastric lesion in animal models. *PLoS One* 9: e111925.
- Noro, T., Miyase, T. and Kuroyanagi, M., 1983. Monoamine oxidase inhibitor from the rhizomes of *Kaempferia galanga* L.. *Chemical and Pharmaceutical Bulletin* 31: 2708-2711.
- Nugroho, A.E., Wijayanti, A., Mutmainah, M., Susilowati, R. and Rahmawati, N. 2016. Gastroprotective effect of combination of hot water extracts of Licorice (*Glycyrrhiza glabra*), Pulasari stem bark (*Alyxia reinwardtii*), and Sembung leaf (*Blumea balsamifera*) against aspirin-induced gastric ulcer model rats. *Journal of Evidence-Based Complementary & Alternative Medicine* 1-8.
- Nuresti, S., Baek, S.H. and Asari, A. 2003. Chemical components of *Melastoma malabathricum*. *ACGC Chemical Research Communications* 16: 28–33.
- OECD. 2001. Guideline for testing of chemicals: Acute oral toxicity No.423.
- Okado-Matsumoto, A. and Fridovich, I., 2001. Subcellular distribution of superoxide dismutases (SOD) in rat liver: Cu,Zn-SOD in mitochondria. *The Journal of Biological Chemistry* 276: 38388-38393.
- Orallo, F., Alvarez, E., Basaran, H. and Lugnier, C., 2004. Comparative study of the vasorelaxant activity, superoxide-scavenging ability and cyclic nucleotide phosphodiesterase-inhibitory effects of hesperetin and hesperidin. *Naunyn Schmiedebergs Arch. Pharmacol* 370: 452-463
- Pan, J.S., He, S.Z., Xu, H.Z. 2008. Oxidative stress disturb senery metabolism of mitochondria in ethanol-induced gastric mucosa injury. *World Journal of Gastroenterology* 14: 5857–5867.

- Parmar, N.S. and Parmar, S. 1998. Anti-ulcer potential of flavonoids. *Indian J Physiol Pharmacol* 42(3): 343-351.
- Parmar, N.S. and Prakash, S. 2006. Screening methods in pharmacology. UK. Alpha Science International Limited. 258-273.
- Patel, T.P., Patel, B.K., and Patel, P.M. 2012. Antiulcer activity of Saponins of *Albizzia Lebbeck* Bark and Leave. *International Journal of Pharmaceutical Research and Bio-Science* 6: 426-438
- Penissi, A. and Piezzi R. 1999. Effect of dehydroleucodine on mucus production. A quantitative study. *Digestive Diseases and Sciences* 44(4): 708-712.
- Pop Cuceu, A-V., Tofana, M., Socaci, S.A., Varban, D., Nagyi, M., Borsi, M.D. and Sfechis, S. 2015. Evaluation of antioxidant activity and phenolic content in different *Salvia officinalis* L. Extracts. *Bulletin UASVM Food Science and Technology* 72(2): 210-214.
- Priya, G., Parminder, N. and Jaspreet, S. 2012. Oxidative stress induced ulcer protected by natural antioxidants: a review. *International Journal of Pharmacy* 3: 76-81.
- Prosper-Cabral, N.B., Gabriel, A.A., Julius, E.O. and Jeanne, Y.N. 2007. Phytochemical studies and antioxidant properties of four medicinal plants used in Cameroon. *Afr. J. Trad. CAM* 4(4): 495 – 500.
- Rahim, N.A., Hassandarvish, P., Golbabapour, S., Ismail, S., Tayyab, S. and Abdulla. M.A. 2014. Gastroprotective effect of ethanolic extract of *Curcuma xanthorrhiza* leaf against ethanol-induced gastric mucosal lesions in Sprague-dawley rats. *BioMed Research International*.
- Raju, D., Ilango, K., Chitram, V.I. and Ashish, K. 2009. Evaluation of anti-ulcer activity of methanolic extract of *Terminalia chebula* fruits in experimental rats. *Journal of Pharmaceutical Sciences and Research* 1: 101-107.
- Rao, C.V., Govindarajan, S.K.O.R., Rawat, A.K.S., Mehrotra, S. and Pushpangadan, P. 2003. Quercetin, a bioflavonoid, protects against oxidative stress-related gastric mucosal damage in rats. *Nat. Prod.Sci.* 9: 68-72.
- Repetto, M.G. and Llesuy, S.F. 2002. Antioxidant properties of natural compounds used in popular medicine for gastric ulcers. *Brazilian Journal of Medical and Biological Research* 35: 523-534.
- Reimer, C., Sondergaard, B., Hilsted, L. and Bytzer, P. 2009. Proton-pump inhibitor therapy induces acid-related symptoms in healthy volunteers after withdrawal of therapy. *Gastroenterology* 137: 80–87.
- Ribeiro-Junior, J.A., Franchin, M., Cavallini, M.E., Denny, C., de Alencar, S.M., Ikegaki, M. and Rosalen, P.L. 2015. Gastroprotective effect of geopropolis from *Melipona scutellaris* is dependent on production of nitric oxide and prostaglandin. Hindawi Publishing Corporation *Evidence-Based Complementary and Alternative Medicine*. Volume 2015, Article ID 459846

- Rice-Evans, C. 2004. Flavanoids and isoflavones; absorption, metabolism, and bioactivity. *Free Radical Biology and Medicine* 36: 827–828.
- Robert A. 1976. Antisecretory, antiulcer, cytoprotective and diarrhoeogenic properties of prostaglandins. In *Advances in Prostaglandin and Thromboxane Research*, Vol 2. B Samuelsson, R Paoletti (eds), pp 507-520. New York, Raven Press.
- Robert, A., Nezamis, J.E. and Lancaster, C. 1979. Cytoprotection by prostaglandins in rats: Prevention of gastric necrosis produced by alcohol, HCl, NaOH, hypertonic HCl and thermal injury. *Gastroenterology* 77(3): 433-443.
- Rolfes, S.R., Pinna, K. and Whitney, E. 2008. Understanding Normal and Clinical Nutrition, *Cengage Learning*.
- Rozza, A.L., Hiruma-Lima, C.A., Tanimoto, A., and Pellizzon, C.H. 2012. Morphologic and pharmacological investigations in the epicatechin gastroprotective effect. *Evidence-Based Complementary and Alternative Medicine*.
- Sai, K.B., Radha, K.L. and Gowrinath, R.M. 2011. Anti-ulcer effect of *Aloe vera* in non-steroidal anti-inflammatory drug induced peptic ulcers in rats. *African Journal of Pharmacy and Pharmacology* 5(16).
- Saladin Fifth Edition. 2012. Chapter 25 The Stomach: Microscopy anatomy and gastric function. In *Anatomy & Physiology: The unity of form and function*. The McGraw-Hill Companies.
- Santin, J.R., Lemos, M., Klein-Júnior, L.C., Machado, I.D., Costa, P., de Oliveira, A.P., Tilia, C., de Souza, J.P., de Sousa, J.P., Bastos, J.K. and De Andrade, S.F. 2011. Gastroprotective activity of essential oil of the *Syzygium aromaticum* and its major component eugenol in different animal models. *Naunyn-Schmiedeberg's Arch Pharmacol* 383:149-158.
- Sato, H., Matsui, T. and Arakawa, Y., 2002. The protective effect of catechin on gastric mucosal lesions in rats, and its hormonal mechanisms. *Journal of Gastroenterology* 37: 106–111.
- Saxena, M., Saxena, J., Nema, R., Singh, D. and Gupta, A. 2013. Phytochemistry of medicinal plants. *Journal of Pharmacognosy and Phytochemistry* 1(6): 168.
- Scott, K.M., Alonso, J., de Jonge, P., Viana, M.C., Liu, Z., O'Neill, S., et al. 2013. Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. *Journal of Psychosomatic Research* 75(2): 121-127.
- Shahidi, F. and Wanasundara P.K. 1992. Phenolic antioxidants. *Crit Rev Food Sci Nutr* 32 (1): 67– 103.
- Shaker, E., Mahmoud, H. and Mnaa, S. 2010. Anti-inflammatory and anti-ulcer activity of the extract from *Alhagi maurorum* (camelthorn). *Food Chem Toxicol* 48: 2785–90.

- Sharma, H.K., Chhange, L. and Dolui, A.K. 2001. Traditional medicinal plants in Mizoram, India. *Fitoterapia* 72 (2): 146–161.
- Shay, H., Komarov, S.A., Fels, S.S., Meranze, D., Gruenstein, M. and Siplet, H. 1945. A simple method for the uniform production of gastric ulceration in the rat. *Gastroenterology* 5: 43-61.
- Shields, H.M. 1978. Rapid fall of serum phosphorus secondary to antacid therapy. *Gastroenterology* 75: 1137-1141.
- Shimoyama, A.T., Santin, J.R., Machado, I.B., Silva, A.M.O., Illana, L., de Melo, P., Mancini-Filho, J. and Sandra H.P.F. 2013. Antiulcerogenic activity of chlorogenic acid in different models of gastric ulcer. *Naunyn-Schmiedeberg's Arch Pharmacol* 386: 5–14.
- Simanjuntak, M. 2008. Ekstraksi and fraksinasi komponen ekstrak daun tumbuhan senduduk (*Melastoma malabathricum*) serta pengujian efek sediaan krim terhadap penyembuhan luka bakar, MSc Thesis, Universitas Sumatera Utara, Sumatera, Indonesia.
- Singleton, V.L. and Rossi Jr, J.A. 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture* 16: 144-158.
- Singleton, V.L. and Rossi, V.L. 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of enology and Viticulture* 16: 144-158.
- Skotti, E., Anastasaki, E., Kanellou, G., Polissiou, M. and Tarantilis, P.A. 2014. Total phenolic content, antioxidant activity and toxicity of aqueous extracts from selected Greek medicinal and aromatic plants. *Industrial Crops and Products* 53: 46– 54.
- Spencer, J.P.E., 2007. *Genes Nutr.* 2: 257–273.
- Spigno, G., Tramelli, L., and De Faveri, D.M. 2007. Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of Food Engineering* 81(1): 200-208.
- Srikanth, J. and Muralidharan P. 2009. Antiulcer activity of *Morinda citrifolia* Linn. fruit extract. *J Sci Res* 1(2): 345-352.
- Steghe, P.W., Davicino, R.C., Vega, A.E., Casali, Y.A., Correa, S. and Micalizzi, B. 2006. Antimicrobial activity of aqueous extracts of *Larrea divaricata* Cav (jarilla) against *Helicobacter pylori*. *Phytomedicine* 3(9-10): 724-727.
- Stickel, F., Patsenker, E., and Schuppan, D. 2005. Herbal hepatotoxicity. *J. Hepatol* 43: 901-910.

- Suja, P.R., Anuradha, C.V. and Viswanathan, P. 2000. Gastroprotection effect of fenugreek seeds (*Trigonella foenum graecum*) on experimental gastric ulcer in rats. *Journal of Ethnopharmacology* 73: 415-421.
- Sun, T., Xu, Z., Wu, C-T., Janes, M., Prinyawiwatkul, W. and No, H.K. 2007. Antioxidant activities of different colored sweet bell peppers (*Capsicum annuum* L.). *J Food Sci* 72: S98-102.
- Sunilson, J.A.J., Anandarajagopal, K., Kumari, A.V.A.G. and Mohan, S. 2009. Antidiarrhoeal activity of leaves of *Melastoma malabathricum* Linn. *Indian Journal of Pharmaceutical Sciences* 71(6): 691-695.
- Sunilson, J.A.J., James, J., Thomas, J., Jayaraj, P., Varatharajan, R. and Muthappan, M. 2008. Antibacterial and wound healing activities of *Melastoma malabathricum* Linn. *African Journal of Infectious Disease* 2: 68-73.
- Susanti, D., Sirat, H.M., Ahmad, F., Ali, R.M. 2008. Bioactive constituents from the leaves of *Melastoma malabathricum* L. *Jurnal Ilmiah Farmasi* 5: 1-8.
- Susanti, D., Sirat, H.M., Ahmad, F., Ali, R.M., Aimi, N. and Kitajima, M. 2007. Antioxidant and cytotoxic flavonoids from the flowers of *Melastoma malabathricum* L. *Food Chemistry* 103(3): 710-716.
- Szabo S. 1989. Gastric Cytoprotection. In *A Clinician's Guide*; Hollander D. and Tarnawski A., eds., pp. 54-55, Plenum, New York.
- Szabo, S., Trier, J.S., Brown, A. and Schnoor, J. 1985. Early vascular injury and increased vascular permeability in gastric mucosal injury caused by ethanol in the rat. *Gastroenterology* 210: 15-18.
- Szabo, S., Vincze, A., Sandor, Z., Jadus, M., Gombos, Z., Pedram, A., Levin, E., Hagar, J. and Iaquinto, G. 1998. Vascular approach to gastroduodenal ulceration: new studies with endothelins and VEGF. *Digestive Diseases and Sciences* 43: 40-45.
- Taha, M.M.E., Salga, M.S., Ali, H.M., Abdulla, M.A., Abdelwahab, S.I. and Hadi, A.H.A. 2012. Gastroprotective activities of *Turnera diffusa* Willd. ex Schult. revisited: role of arbutin. *Journal of Ethnopharmacology* 141: 273-281.
- Tamura, M., Matsui, H., Kaneko T., and Hyodo I. 2013. Alcohol is an oxidative stressor for gastric epithelial cells: detection of superoxide in living cells. *J. Clin. Biochem. Nutr.* 53(2): 75-80.
- Tapas, A.R., Sakarkar, D.M. and Kakde, R.B. 2008. Flavonoids as Nutraceuticals: A Review. *Tropical Journal of Pharmaceutical Research* 7(3): 1089-1099.
- Tariq M., Parmar N.S. and Ageel A.M. 1987. Gastric and duodenal antiulcer cytoprotective effects of proglumide in rats. *J. Pharmacol. Exp. Ther.* 241: 602-607.

- Thatoi, H.N., Panda, S.K., Rath, S.K. and Dutta, S.K. 2008. Antimicrobial activity and ethnomedicinal uses of some medicinal plants from Similipal Biosphere Reserve, Orissa. *Asian Journal of Plant Sciences* 7(3): 260–267.
- Tiong, C., Liang, W-L., Liu, H-Y., Wang, K-T., Chang, C-C and Wang C-C. 2011. Gastroprotective Effects of Ping-Wei San on Indomethacin-Induced Gastric Ulcer. *Journal of Food and Drug Analysis* 19(4): 509-516.
- Tolman, K.J. and Rej, R. 2009. Liver function. In *Text Book of Clinical Chemistry*, Burtis, C.A., Ashwood, E.R. (Eds.), pp 1123-1127, Philadelphia PA, W. B. Saunders Company.
- Tomsone, L., Kruma, Z. and Galoburda R. 2012. Comparison of different solvents and extraction methods for isolation of phenolic compounds from horseradish roots (*Armoracia rusticana*). *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering* 6(4).
- Tortora, G.J. and Derrickson, B.H. 2008. *Principles of Anatomy and Physiology*, John Wiley and Sons.
- Trabelsi, N., Megdiche, W., Ksouri R., Falleh, H., Oueslati, S., Soumaya, B., Hajlaoui, H. and Abdelly, C. 2010. Solvent effects on phenolic contents and biological activities of the halophyte *Limoniastrum monopetalum* leaves. *LWT - Food Science and Technology* 43: 632–639.
- Tsimogiannis, D., Samiotaki, M., Panayotou, G. and Oreopoulou, V. 2007. Characterization of flavonoid subgroups and hydroxy substitution by HPLC-MS/MS. *Molecules* 12: 593-606.
- Tuorkey, M.J. and Abdul-Aziz, K.K. 2011. Gastric ulcer's diseases pathogenesis, complications and strategies for prevention. *Webmed Central Gastroenterology* 2: 3.
- Turkmen, N., Sari, F., Calikoglu, E. and Sedat Velioglu, Y. 2009. Green and roasted mate: Phenolic compound and antioxidative activity. *Turk. J. Agric. For.* 33: 353–362.
- Umali-Stuart, G. and Stiuart-Santiago, A. 2010. Phillippine medicinal plants: Family Melastomaceae from [http:// www.stuartxchange.org/Malatungaw.html](http://www.stuartxchange.org/Malatungaw.html).
- Valle, D.L. 2005. Peptic ulcer diseases and related disorders. In: Braunwald E, Fauci A.S., Kasper, D.L., Hauser, S.L., Longo, D.L., Jameson, J.L.. Harrison's principles of internal medicine. 16th ed. pp. 1746-1762. New York: McGraw-Hill Professional.
- Vimala, G. and Shoba, F.G. 2014. A review on antiulcer activity of few indian medicinal plants. *International Journal of Microbiology*.
- Vimala, S., Rohana, S., Rashih, A.A., and Juliza, M. 2012. Antioxidant evaluation in Malaysian medical plant: *Persicaria minor* (Huds.) Leaf. *Science Journal of Medicine and Clinical Trials*.

- Vinay, S.C., Pushpesh, K.M., Rakesh, M., Dharmani, P. and Gautam, P. 2005. *Allophylus serratus*: a plant with potential anti-ulcerogenic activity. *Journal of Ethnopharmacology* 99: 361–366.
- Wallace, J.L. 1992. Prostaglandins, NSAIDs, and cytoprotection. *Gastroenterology Clinics of North America* 21(3): 631–641.
- Wallace, J.L. and Miller, M.J. 2000. Nitric oxide in mucosal defense: A little goes a long way. *Gastroenterology* 119: 512–520.
- Washington, N. 1991. Antacids and Anti Reflux Agents. *CRC Press*: 162.
- Wasman, S., Mahmood, A., Salehuddin, H., Zahra, A. and Salmah, I. 2010. Cytoprotective activities of *Polygonum minus* aqueous leaf extract on ethanol-induced gastric ulcer in rats. *J. Med. Plants Res* 4: 2658–2665.
- Wasman, S.Q., Mahmood, A.A., Chua, L.S., Alshawsh, M.A. and Hamdan, S. 2011. Antioxidant and gastroprotective activities of *Andrographis paniculata* (Hempedu Bumi) in Sprague Dawley rats. *Indian Journal of Experimental Biology* 49: 767–772.
- World Health Organization (WHO). 2014. Global status report on noncommunicable diseases 2014.
- Wiat, C., Mogana, S., and Khalifah, S. 2004. Antimicrobial screening of plants used for traditional medicine in the state of Perak, Peninsular Malaysia. *Fitoterapia* 75(1) 68–73.
- Wong, K.C., Boey, L.P. and Ali, D.M.H. 2004. Phytochemical and biological study of *Melastoma malabathricum* L., a local plant used in traditional medicine. *MIDAS Bulletin* 32: 8.
- Yadav, D.K., Singh, N., Dev, K., Sharma, R., Sharma, M., Palit, G., et al. 2011. Antiulcer constituents of *Annona squamosa* twigs. *Fitoterapia* 82: 666–675.
- Yahya, F., Mamat, S.S., Kamarolzman, M.F.F., Seyyedat, A., Jakius, K.F., Mahmood, N.D., Shahril, M.S., Suhaili, Z., Mohtarrudin, N., Susanti, D., Somchit, M.N., Teh, L.K., Salleh, M.Z. and Zakaria, Z.A. 2013. Hepatoprotective activity of methanolic extract of leaves of *Bauhinia purpurea* in paracetamol-induced hepatic damage in rats. *Evid Compliment Altern Med* 2013; 2013: 1–10.
- Zabidi, Z., Wan Zainulddin, W.N., Mamat, S.S., Shamsah Din, S., Kamisan, F.H., Yahya, F., Ismail, N.A., Rozi, R., Hassan, H., Mohtaruddin, N., Somchit, M.N. and Zakaria, Z.A. 2012. Antiulcer activity of methanol extract of *Melastoma malabathricum* leaves in rats. *Med Princ Pract* 21: 501–503.
- Zainulddin, W.N.W., Zabidi, Z., Kamisan, F.H., Yahya, F., Ismail, N.A., Din, N.S.S., Mamat, S.S., Hassan, H., Mohtarrudin N. and Zakaria Z.A. 2016. Anti-ulcer activity of the aqueous extract of *Melastoma malabathricum* L. leaf in rats. *Pak. J. Pharm. Sci.* 29(1): 35–38.

- Zakaria, Z.A., Balan, T., Azemi, A.K., Omar, M.H., Mohtarrudin, N., Ahmad, Z., Abdullah, M.N.H., Desa, M.N.M., Teh, L.K. and Salleh, M.Z. 2016. Mechanism(s) of action underlying the gastroprotective effect of ethyl acetate fraction obtained from the crude methanolic leaves extract of *Muntingia calabura*. *BMC Complementary and Alternative Medicine* 16:78.
- Zakaria, Z.A., Balan, T., Mamat, S.S., Mohtarrudin, N., Teh, L.K. and Salleh, M.Z. 2015. Mechanisms of gastroprotection of methanol extract of *Melastoma malabathricum* leaves. *BMC Complementary and Alternative Medicine* 15:135.
- Zakaria, Z.A., Mohd, R.N., Mohd, N.R., Kumar, G.H., Ghani, Z.D.F.A., Sulaiman, M.R., Devi, G.R., Jais, A.M.M., Somchit, M.N. and Fatimah, C.A.F. 2006. Antinociceptive, anti-inflammatory and antipyretic properties of *Melastoma malabathricum* leaves aqueous extract in experimental animals. *Canadian Journal of Physiology and Pharmacology* 84(12): 1291–1299.

LIST OF PUBLICATIONS

Journal

Noor Wahida Ismail Suhaimy, Ahmad Khusairi Noor Azmi, Norhafizah Mohtarrudin, Maizatul Hasyima Omar, Siti Farah Md. Tohid, Manraj Singh Cheema, Teh Ley Kek, Mohd. Zaki Salleh And Zainul Amiruddin Zakaria. 2016. Semi-Purified Ethyl Acetate Partition Of Methanolic Extract Of *Melastoma Malabathricum* Leaves Exerts Gastroprotective Activity Partly Via Its Antioxidant-Antisecretory-Anti-Inflammatory Action And Synergistic Action Of Several Flavonoid-Based Compounds. *Oxidative Medicine And Cellular Longevity*. (Research Article 6542631: Impact Factor 4.492).

Proceeding

Noor Wahida Ismail Suhaimy, Noorsyaza Eddrina Kamsani, Norhafizah Mohtaruddin, Manraj Singh Cheema, Zainul Amiruddin Zakaria. 2015. Gastroprotective Activity Of Various Methanolic Extract Partitions Of *Melastoma Malabathricum* Against Ethanol-Induced Gastric Ulcer In Rats: The Role Of Antioxidant And Cytoprotective. Poster Presented At The 29th Scientific Meeting Of Malaysian Society Of Pharmacology And Physiology, 24th – 25th August 2015, Setia City Convention Centre, Selangor, Malaysia.

N. E. Kamsani, **N. W. Ismail Suhaimy**, M. K. Hussain, S. F. Md Tohid, Z. A. Zakaria. 2014. Melatea – Antioxidant Activity And Total Phenolic Content From Methanol Extract Of *Melastoma Malabathricum* Leaves. Poster Presented At The 2nd International Innovation Design And Articulation, 16th – 19th September 2014, Universiti Teknologi Mara (Uitm) Perlis, Malaysia.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

GASTROPROTECTIVE ACTIVITY OF SEMI-PURIFIED (PARTITIONS) METHANOLIC LEAF EXTRACT
OF MELASTOMA MALABATHRICUM L. (SENDUDUK)

NAME OF STUDENT: NOOR WAHIDA BINTI ISMAIL SUHAIMY

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

☐

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

☐

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

☐

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

☐

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is **CONFIDENTIAL** or **RESTRICTED**, please attach with the letter from the organization/institution with period and reasons for confidentiality or restricted.]