



UNIVERSITI PUTRA MALAYSIA

***DESIGN AND DEVELOPMENT OF AN
INTERACTIVE DIGITAL SPECTRAL LIBRARY***

SITI NOORADZAH BINTI ADAM

ITMA 2012 16

**DESIGN AND DEVELOPMENT OF AN
INTERACTIVE DIGITAL SPECTRAL LIBRARY**

By

SITI NOORADZAH BINTI ADAM

**Thesis Submitted to the School of Graduate Studies,
Universiti Putra Malaysia, in Fulfillment of the Requirements for the
Degree of Master of Science**

February 2012

Specially dedicated

to

My Husband, Azreul Ahmad

My Son, Muhammad Ameer Syahmi Azreul

My Parents, Adam Daim and Noorazizah Othman

My Brother, Muhammad Nooradzam

My Sisters, Siti Hawa Noor and Siti Noor Hamizah

My In-Laws

For their

**Love, Patience, Understanding and endless Encouragement
when it is most needed**

Abstract of thesis to the Senate of Universiti Putra Malaysia in fulfillment of
the requirement for the Degree of Master of Science

**DESIGN AND DEVELOPMENT OF AN INTERACTIVE DIGITAL
SPECTRAL LIBRARY**

By

SITI NOORADZAH BINTI ADAM

February 2012

Chairman: Assoc. Prof. Helmi Zulhaidi Mohd Shafri, PhD

Institute: Institute of Advanced Technology

Spectral library is a database system that stores the spectral data of materials. The materials include vegetations, soils, minerals, rocks, water and manmade. Many spectral libraries were already available online and being referred by end users. However, these libraries of materials were specifically designed for their own use. Therefore, there is a need to develop a practical spectral library towards facilitating spectral remote sensing technological development in Malaysia. This library will be made available in public domain as these data are useful as reference material for future study.

Spectral data from laboratory or field measurements, need to be stored and managed in a specially designed database that act as a unified repository of

spectral signatures as well as additional information (metadata or ancillary data) which describes the relationship to specific physiographic and ecological background conditions of the areas under observation.

The process of designing and developing the library involves selecting documents for inclusion, suitable metadata set, assigning metadata to each document or group of documents, designing the form for the collection in terms of document formats, searchable indexes, browsing facilities, building the necessary indexes and data structures and putting the collection in place for others to use. Furthermore, it will be developed in such a way so that registered users can contribute to the richness of the data in the library.

The developed spectral library is online or web based, so it provides the convenient share of spectral information not only in Malaysia but throughout the world. The spectral library also acts as a center for spectral identification and cataloguing as well as providing useful information for any remote sensing based research in Malaysia.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk Ijazah Master Sains

REKABENTUK DAN PEMBANGUNAN PERPUSTAKAAN DIGITAL INTERAKTIF SPEKTRUM

Oleh

SITI NOORADZAH BINTI ADAM

Februari 2012

Pengerusi: Prof. Madya Helmi Zulhaidi Mohd Shafri, PhD

Institut: Institut Teknologi Maju

Perpustakaan spektrum ialah sebuah sistem pangkalan data yang menyimpan data spektrum untuk bahan-bahan. Bahan-bahan tersebut termasuklah tumbuh-tumbuhan, tanah-tanah, mineral, batu-batan, air dan buatan manusia. Banyak perpustakaan spektrum yang telah sedia ada digunakan atas talian dan menjadi rujukan oleh pengguna akhir. Tetapi, perpustakaan bahan-bahan ini direkabentuk khas untuk kegunaan mereka sendiri. Oleh itu, terdapat keperluan untuk membangunkan sebuah perpustakaan spektrum yang praktikal ke arah memudahkan pembangunan teknologi spektrum penderiaan jauh di Malaysia. Perpustakaan ini akan disediakan dalam domain awam kerana data ini berguna sebagai bahan rujukan untuk kajian masa depan.

Data spektrum daripada pengukuran makmal atau lapangan, perlu disimpan dan diuruskan di dalam sistem pangkalan data yang direka khas yang bertindak sebagai repositori bersatu bagi pengenalan spektrum serta maklumat tambahan (metadata atau data sampingan) yang menggambarkan hubungan kepada syarat-syarat latar belakang khusus fisiografi dan ekologi kawasan-kawasan di bawah pemerhatian.

Proses merekabentuk dan membangunkan perpustakaan melibatkan pemilihan dokumen untuk dimasukkan, set metadata yang sesuai, memberikan metadata untuk setiap dokumen atau kumpulan dokumen, merekabentuk borang bagi pengumpulan format dokumen, indeks pencarian, kemudahan pelayaran, membina indeks yang diperlukan dan struktur data dan meletakkan koleksi tersebut ditempatnya untuk kegunaan pengguna. Selain itu, ia akan dibangunkan dalam cara yang berkesan supaya pengguna yang berdaftar boleh menyumbang kepada kekayaan data di perpustakaan tersebut.

Perpustakaan spektrum yang dibangunkan adalah dalam talian atau berasaskan web, jadi ia memudahkan perkongsian maklumat spektrum bukan sahaja di Malaysia tetapi di seluruh dunia. Perpustakaan spektrum juga bertindak sebagai pusat untuk mengenal pasti spektrum dan pengkatalogan serta menyediakan maklumat yang berguna untuk apa-apa penyelidikan penderiaan jauh yang berpangkalan di Malaysia.

ACKNOWLEDGEMENTS

I would like to express my gratitude and *syukur* to Allah SWT for His blessings and guidance to me throughout these years by giving me the strength to move on and finish my master studies by hook or by crook.

I wish to express my profound appreciation and thanks to my supervisor Assoc. Prof. Dr. Helmi Zulhaidi Mohd Shafri for his patience, guidance, supervision and encouragement throughout the duration of the study. Appreciation also extended to my co-supervisor, Prof. Dr. Shattri Mansor for sharing his knowledge and guidance.

Finally, I want to express my love, gratefulness and many thanks to my dear husband, Mr. Azreul Ahmad who without fail keep on supporting me no matter what happen. Not forgetting my parents, my siblings and my in-laws for their endless prayers, moral supports and understanding.

Thank you all and May Allah blesses all of you with good health and great life.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Helmi Zulhaidi Mohd Shafri, PhD

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Shattri Mansor, PhD

Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

DECLARATION

I declare that the thesis is my original work expect for quotations and citations which have been duly acknowledged. I also declare that is has not been previously, and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.

SITI NOORADZAH BINTI ADAM

Date:

TABLE OF CONTENTS

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	v
ACKNOWLEDGEMENTS	vii
APPROVAL	viii
DECLARATION	x
LIST OF TABLES	xv
LIST OF FIGURES	xvi

CHAPTER

1	PREAMBLE	
	1.1 Introduction	1
	1.2 Applications of Hyperspectral Imaging	4
	1.3 Hyperspectral sensors	7
	1.4 Spectral Library	9
	1.5 Problem Statement	10
	1.6 Aim and Objective of Study	12
	1.7 Scope and Limitation of the Study	12
	1.8 Organization of Chapter	13
2	LITERATURE REVIEW	
	2.1 Introduction	15
	2.2 John HopkinUniversity (JHU) Spectral Library	15
	2.3 Jet Propulsion Laboratory (JPL) Spectral Library	16
	2.4 United States Geological Survey (USGS), Digital Spectral Library	17
	2.5 ASTER Spectral Library	20
	2.6 MedSpec	23
	2.7 LILIAN	25
	2.8 Spectral Analysis and Management System (SAMS)	27
	2.9 Spectral Library of Featured Crops of South China	28
	2.10 Local Spectral Library	31
	2.11 Spectral Signatures	32
	2.12 Database Systems	36

2.13 Summary	39
3 METHODOLOGY	40
3.1 Introduction	40
3.2 System component and structure	40
3.2.1 Input	43
3.2.1.1 Spectral Signature	43
3.2.1.2 Metadata	46
3.2.2 Process – Organization of the Spectral Data	47
3.2.2.1 Description of Entity for Each Table	49
3.3 Classification of Materials	54
3.3.1 Vegetation	55
3.3.1.1 Sandy Beach and Rocky Shore	56
3.3.1.2 Mangrove	57
3.3.1.3 Freshwater and Peat Swamp Forest	57
3.3.1.4 Limestone, Quartzite and Ultramafic	58
3.3.1.5 Lowland and Hill Dipterocarp Forests	58
3.3.1.6 Montane Forest	58
3.3.1.7 Manmade	59
3.3.2 Mineral	59
3.3.3 Rock	60
3.3.3.1 Igneous	61
3.3.3.2 Sedimentary	61
3.3.3.3 Metamorphic	62
3.3.4 Soils	63
3.3.5 Water	66
3.3.6 Manmade	67
3.4 User Management	68
3.4.1 Admin Level	69
3.4.2 Provider Level	69
3.4.3 User Level	69
3.5 Spectral Data Management	70
3.5.1 File System Interfaces	71
3.5.2 Spectral Processing Concept	72
3.5.3 Analysis Functionality	74
3.6 Search Query	76
3.7 Development Software	78
3.7.1 PHP (Hypertext Preprocessor Programming Language)	78
3.7.2 MySQL	79

	3.7.3 GD Library	79
	3.7.4 Google Maps Javascript API	80
	3.8 Test Data	82
	3.9 Framework	82
	3.10 Summary	84
4	RESULTS AND ANALYSIS	85
	4.1 Introduction	85
	4.2 Main, Login and Registration Page	86
	4.3 Data Management	88
	4.3.1 Equipment	92
	4.4 Data Query Management	93
	4.4.1 Search by Category	93
	4.4.2 Search by Keywords, Author or Organization	93
	4.4.3 Search by Map	93
	4.4.4 Results	95
	4.5 Reporting	96
	4.6 Spectral Signature Display	97
	4.7 Analysis Features	98
	4.7.1 Two/four graph at a time	99
	4.7.2 Two plots in one graph	102
	4.8 Platform Dependent	104
	4.9 Performance Evaluation	106
	4.10 Summary	108
5	SUMMARY, CONTRIBUTIONS AND RECOMMENDATIONS	109
	5.1 Summary	109
	5.2 Contributions	110
	5.3 Recommendations and Future Works	111
	REFERENCES	112
	APPENDICES	
	Appendix A	116
	Appendix B	117
	Appendix C	120
	Appendix D	124
	Appendix E	133
	Appendix F	137
	Appendix G	141
	Appendix H	142
	Appendix I	143
	Appendix J	150
	Appendix K	156

Appendix L	161
Appendix M	163
BIODATA OF STUDENT	164
LIST OF PUBLICATIONS	165



LIST OF TABLES

Table		Page
3.1	List of the descriptions of all metadata	53
3.2	Vegetation classification	56
3.3	Summary of Malaysian mineralogy	60
3.4	Classification of Common Malaysian Rocks	63
3.5	Soil Classification	66
3.6	Water Classification	66
3.7	Manmade Classification	67
4.1	Summary of the spectral libraries	107

LIST OF FIGURES

Figure		Page
1.1	The concept of imaging spectroscopy	3
1.2	AVIRIS hyperspectral image of the Leadville mining district in Colorado	3
1.3	Relationship among radiometric, spectrometric and imaging techniques	8
1.4	Summary of the study	14
2.1	Main page of USGS Spectral Library	18
2.2	Main page of USGS Digital splib04 Spectral Library	18
2.3	Some of the list of available material in the library	20
2.4	UV-NIR Plot of Actinolite HS22	20
2.5	Main page of ASTER Spectral Library	21
2.6	Summary of selected materials	22
2.7	MedSpec browsing spectral data interface	23
2.8	Main page of LILIAN Spectral Library	25
2.9	Complete view page for selected material	26
2.10	SAMS main page	27
2.11	The data model of spectral library of featured crops of Guangdong province using entity-relationship	29
2.12	The interface of the spectral library of featured crops of Guangdong province	30
2.13	Spectral reflectance curves for different materials	35
3.1	System structure of UPMSpecLib	41

3.2	System components of UPMSpecLib	42
3.3	Spectral Reflectance Curves of four different targets	44
3.4	Spectral data of grass	45
3.5	The converted spectral data of grass	46
3.6	Database structure of UPMSpecLib	48
3.7	Hierarchical directory structure of the materials	54
3.8	Soil Classification in Peninsular Malaysia (adapted from Jabatan Pertanian Negeri Perak, 1993)	65
3.9	Three levels of the system user management	68
3.10	File system interfaces	70
3.11	Flowchart of stroking spectral signature graph by jpgraph	72
3.12	Simple linked scatter plot	73
3.13	Online Analysis model of the library	74
3.14	Search model of the library	78
3.15	Part of districts in the 'district' table in the MySQL database 'upmspecLib_spectro' with its unique ID	81
3.16	Flowchart of Web Based Development Using PSPad Editor	83
4.1	UPMSpecLib Main Page	86
4.2	Login form	87
4.3	Registration form	88
4.4	Email notification of new registration	91

4.5	Different authorization of applications for (a) administrator (b) provider and (c) user	88
4.5	List of data added by the provider	89
4.6	List of new data waiting for approval	90
4.7	Details of the data to be approved or rejected	90
4.8	Add new data form	91
4.9	Report of new added data	91
4.10	Spectroradiometer information form	93
4.11	Search by Category	93
4.12	Search by Keywords, Author or Organization	94
4.13	Search by Map	95
4.14	List of results obtained	95
4.15	Data reporting in a) view format, b) print format, c) PDF format and d) .txt format	97
4.16	Spectral signature graph display of UPMSpeclib	98
4.17	Two types of graph analysis features of the library	99
4.18	Observing two graphs of same category; a) the query form and b) the results	100
4.19	Observing four graphs of different categories; a) the query form and b) the results	101
4.20	Observing two plots in one graph of same category a) the query form and b) the results	102
4.21	Reflectance readings at the pointed wavelength	103
4.22	Zooming in of the selected peak of the spectral signatures	104
4.23	Dependent free browser	105

CHAPTER 1

PREAMBLE

1.1 Introduction

The most significant recent breakthrough in remote sensing has been the development of hyperspectral sensors and software to analyze the resulting image data (Shippert, 2003). Multispectral remote sensing is defined as the collection of reflected, emitted or backscattered energy from an object or area of interest in multiple bands (regions) of the electromagnetic spectrum. Multispectral remote sensors produces images with a few relatively broad wavelengths bands whilst hyperspectral remote sensors collect image data simultaneously in dozens or hundreds of narrow, adjacent spectral bands (Smith, 2008). Most multispectral and hyperspectral remote sensing systems collect data in a digital format.

In more detailed description, the “hyper” in hyperspectral means “over” as in “too many” and refers to the large number of measured wavelength bands. Hyperspectral images are spectrally over determined, which means that they provide ample spectral information to identify and distinguish spectrally unique materials. Hyperspectral imagery provides the potential for more accurate and detailed information extraction than possible with any other type of remotely sensed data (Shippert, 2003). Other than that, Jensen (2000) defined hyperspectral imaging as the simultaneous acquisition of images in many

relatively narrow, contiguous and/or non-contiguous spectral bands throughout the ultraviolet, visible and infrared portions of the spectrum. While Kruse (1994) states that hyperspectral imaging sample at close intervals (bands on the order of tens of nanometers wide) and have a sufficient number of spectral bands to allow construction of spectra that closely resemble those measured on laboratory instruments.

Figure 1.1 shows the schematic illustration of the imaging spectrometry concept that is shown with a spectrum measured for each spatial element in an image. Measurements are made at many narrow contiguous wavelength bands, resulting in a complete spectrum for each pixel (Green et al., 1998). Besides that, hyperspectral images are sometimes referred to as “image cubes” because they have a large spectral dimension as well as the two spatial dimensions as shown in Figure 1.2. This figure shows an AVIRIS hyperspectral image of the Leadville mining district in Colorado with the spectral dimension shown as the top and right faces of the cube. The front of the cube is a true color composite, with areas containing secondary minerals from acid mine drainage highlighted in red, orange and yellow. This cube was processed using ENVI (Shippert, 2004).




Figure 1.1: The concept of imaging spectroscopy




Figure 1.2: AVIRIS hyperspectral image of the Leadville mining district in Colorado

This emerging technology uses sensor fusion techniques to detect and identify an object through multi-dimensional aspects involving spatial, spectral, radiometric and temporal data from the combined capabilities of imagery, spectrometry and radiometry instruments (Gomez, 2001).

Although most hyperspectral sensors measure hundreds of bands, it is not the *number* of measured wavelength bands that qualifies a sensor as hyperspectral but rather the *narrowness* and *contiguous nature of the measurements*. A hyperspectral sensor is one that oversamples the phenomena of interest. Because of this, the number and spacing of bands required to qualify a sensor as hyperspectral somewhat depends on the spectral characteristics of the materials under study (Shippert, 2004).

Furthermore, even though hyperspectral images contain a wealth of data, but interpreting them requires an understanding of exactly what properties of ground materials to be measured, and how they relate to the measurements actually made by the hyperspectral sensor.

1.2 Applications of Hyperspectral Imaging

Projects utilizing hyperspectral imagery usually have one of the following objectives:

- I. *Target detection.* Investigators are generally trying to locate known target materials. This can sometimes involve distinguishing targets

from very similar backgrounds, or locating examples of targets that are smaller than the normal pixel size.

- II. *Material identification.* Investigators do not know which materials are present in the scene. Under this scenario, the analysis is designed to use hyperspectral imagery for identifying the unknown materials.

This analysis may also be accompanied by material mapping in which the identified materials are geographically located throughout the image. Material mapping is also performed with hyperspectral imagery when the materials present in the scene are known beforehand.

- III. *Material mapping and mapping details of surface properties.*

Material mapping is use to represent an area, a symbolic depiction highlighting relationships between elements of that space such as objects, regions, and themes and hyperspectral imagery has also been used to study details of surface properties that are undetectable using other types of imagery (Shippert, 2004).

Other than that, hyperspectral imagery also being applied to the following:

- *Transportation analysis:* obtaining crucial transportation information in and around major national highways and centers

of freight transportation activity (Gomez, 2001) and asphalt road conditions (Herold, 2005).

- *Precision agriculture.* Detecting crop stress, early detection of crop infestation (Gomez, 2001), vegetation species (Clark et al, 1995), study plant canopy chemistry (Aber and Martin, 1995), spectral of featured crop (Chen et al., 2005), crop stress detection (Shibendu et al., 2010), bamboo mapping (Kamaruzaman, 2007), agricultural business (Kamaruzaman et al, 2008) and disease infection in oil palm plantation (Shafri et al., 2009)
- *Military applications.* Detecting military vehicles under partial vegetation canopy (Pabich, 2002)
- *Geology.* Mineral mapping (Clark et al., 1995, Roger et al., 2006), detection of soil properties including moisture, organic content and salinity (Ben-Dor, 2002), lithologic recognition and mapping (Salvi et al., 2001) and mapping acidic mine waste (Swayze, 2000)
- *Ocean.* Coastal characterization (Shaw and Burke, 2003) and detecting onshore oil seeps (Ellis et. al., 2001)

Hence, hyperspectral technology is an excellent complement to the large investment in conventional image processing by adding quantitative physical information to each pixel in a scene thereby adding an entirely new dimension for object location, classification and identification (Gomez, 2001).

These signatures often provide enough information to identify and quantify the material(s) existing within the pixels. A user could, for instance, employ a hyperspectral image to locate and quantify different types of building materials or minerals that might be present within an area of interest or even within a single pixel (Shippert, 2002).

1.3 Hyperspectral sensors

Hyperspectral images are produced by an instrument called *imaging spectrometers*. Two related technologies that were involved in the development of the instrument were *spectroscopy* and *remote imaging* of Earth and planetary surfaces (Smith, 2008).

Spectroscopy is the study of light that is emitted by or reflected from materials and its variation in energy with wavelength. As applied to the field of optical remote sensing, spectroscopy deals with spectrum of sunlight that is diffusely scattered by materials at the Earth's surface.




Figure 1.3: Relationship among radiometric, spectrometric and imaging techniques

Figure 1.3 illustrates the different type of information sought after and the type of sensor to acquire the information. For instance, spectral information is acquired with a spectrometer. Two-dimensional surface spatial information is acquired with an imager such as camera. An imaging spectrometer also acquires data for each pixel in the image spectral information (Elachi, 2006). Most hyperspectral sensors detect reflected energy between 0.3 to 2.5 micron wavelengths in the electromagnetic spectrum (Jackson, 2000).

1.4 Spectral Library

Spectral library, as being described by Preissler (1998) was; besides the spectral signatures of natural materials components, additional elements describing the relationship to specific physiographic and ecological background conditions of the areas under observation.

Bainbridge (2003) describes that in developing a digital library, the process that involves are selecting documents for inclusion, coming up with a suitable metadata set, assigning metadata to each document or group of documents, designing the form for the collection in terms of document formats, searchable indexes, and browsing facilities, building the necessary indexes and data structures, and putting the collection in place for others to use.

The time and effort that is spent in collecting spectral data, combined with characteristically large number of files, makes it clear that spectral data should be well organized. Otherwise, valuable data can be lost or loses its value because of missing metadata (Hueni and Tuohy, 2006).

The spectral library is a database that consists of literally thousands of individual spectral curves, obtained by spectrometers applied to discrete materials (as pure as possible) and classes in laboratory and field settings. Metadata/ancillary data need to be gathered as well to describe the characteristics of the spectra.

1.5 Problem Statement

Although the development of spectral library is hot at home and abroad since 90's, it has defects and cannot meet the demands of theory research and application of remote sensing nowadays (Chen et al, 2005). Gomez (2001) explains that as result of abundant of data that were collected using hyperspectral sensors, the users have to spend considerable time gathering spectral data and identifying knowledgeable points of contacts as they try to answer such question as: has the type of work being done before? If so, what specifically was done and how does it relate to the application of interest to us? Who did the work, for what application, in what timeframe? How did the user evaluate the spectral sensor's performance? Without a single reference source to help answer all these questions, the user will not only be less efficient, but will risk the possibility of not exploiting key and relevant experience in the field.

Moreover, the data to be referred existed in assortment of media including laboratory books, floppy disks, zip disks, CDs and internal hard disks. So, to perform what would seem to be relatively simple tasks, such as extracting all signatures of vegetation, could actually take several days due to searching through all the storage medias as well as have to reformatting the formats. In order to further complete and make practical of the library, the data need to have additional information (metadata or ancillary data) which describes the relationship to specific physiographic and ecological background conditions of

the areas under observation. Thus, in order to combine all the information in a manageable format, it is essential that a well-populated spectral library exists and be accessible in a user-friendly way by the user of this technology.

At the present time, especially in Malaysia, there is no single Internet place for spectral sensing users to rely on to gather comprehensive data of spectral signatures of materials that are available for their field of study. Currently the user can only retrieve the end data or result from available stand-alone spectral libraries without having the opportunity to contribute towards the richness of spectral data in the library in real-time. With the development of UPM Spectral Library (UPMSpecLib), it is a hope that this will be the place for Malaysian spectral sensing users turn to when they demand for various spectral sensing data to carry out their research.

The gap that can be filled in this research is to develop a spectral library that represents Malaysian materials with its own classification of materials and their environment parameters. It can be accessible online (web based) to provide the convenient sharing of data with collaborative research peers, storing and distributing the hyperspectral signatures as well as their metadata. It also provides interactiveness in terms of searching methods, spectral signature analyses and data management.

1.6 Aim and Objective of Study

The aim of this study is to design and develop an interactive spectral library of materials for hyperspectral data utilisation. The objectives of this study are as follows:

- To design a database for storing and distributing hyperspectral signatures and their metadata
- To determine and develop the most practical and user friendly web-based spectral library to facilitate the sharing of stored data of materials that is known as UPM Spectral Library (UPMSpecLib)
- To evaluate the performance of the developed system

1.7 Scope and Limitation of the Study

This study only concentrates on the design, development and data handling of the spectral library. Test data from ASTER Spectral Library is used to test the spectral graphing (spectral signature) of the materials as the matter of fact that it can show the comparison for the quality and accuracy of the graph.

Furthermore, this research does not deal with how the measurement of the spectral signature was collected or obtained but it is more focused on providing a repository for collection of spectral data.

1.8 Organization of Chapters

This study comprises of five phases shown in Figure 1.4 and the chapters are organized as follows. Chapter 2 critically reviews the relevant literature of this study. In this chapter, existing international and local spectral libraries that have been developed are reviewed and analysed in terms of their purposes and covered spectral signature and research area. From this chapter, the gaps that need to be filled for this study are identified.

Management of the library that comprises of design structure, relationship model, materials classification, metadata, test data, software and applications that is being used and user management concept are discussed in Chapter 3. The final Graphical User Interface (GUI) of the library, query features, graphing techniques and interactivity are discussed in Chapter 4. Finally, the last chapter summarizes the findings of this study by highlighting the relationship between the objectives and studies achievements, limitations of the study and suggestions for future studies.




Figure 1.4: Summary of the study

REFERENCES

- Aber, J. D., and Martin, M. E. 1995. High spectral resolution remote sensing of canopy chemistry. In Summaries of the Fifth JPL Airborne Earth Science Workshop. *JPL Publication*. Vol. 1. pp. 1-4.
- Baldrige, A. M., S.J. Hook, C.I. Grove and G. Rivera. 2009. The ASTER Spectral Library Version 2.0. Remote Sensing of Environment, Vol 113. pp. 711-715.
- Ben-Dor, E. 2002. Quantitative remote sensing of soil properties. *Advances in Agronomy*. Volume 75, pp. 173–243.
- Chen, S., Fang, L., Liu, Q., Chen, L., and Tong, Q. 2005. The design and development of spectral library of featured crops of South China. *IEEEExplore*. pp. 817-820.
- Clark, R.N., Swayze, G., Kruse, F., Sutley, S. and Gallagher, A. 1992. Ground-truthing AVIRIS mineral mapping at Cuprite, Nevada. JPL, Summaries of the Third Annual JPL Airborne Geoscience Workshop. Volume 1: AVIRIS Workshop pp. 47-49.
- Clark, R.N. and Swayze, G.A. 1995. Mapping minerals, amorphous materials, environmental materials, vegetation, water, ice, and snow, and other materials: The USGS Tricorder Algorithm. In Summaries of the Fifth Annual JPL Airborne Earth Science Workshop. *JPL Publication*. Vol. 1. pp. 39- 40.
- Clark, R.N., Swayze, G.A., Wise, R., Livo, K.E., Hoefen, T.M., Kokaly, R.F. and Sutley, S.J. 2003. USGS Digital Spectral Library splib05a, U.S. Geological Survey, Open File Report 03-395.
- Content Standard for Digital Geospatial Metadata Workbook, Federal Geographic Data Committee. 2000. Version 2.0. pp. 1-126.
- Elachi C and van Zyl, J. 2006. Introduction to the Physics and Techniques of Remote Sensing, *Wiley Interscience*. Second Edition. pp. 1-157.
- Ellis, J.M., Davis, H.H. and Zamudio, J.A. 2001. Exploring for onshore oil seeps with hyperspectral imaging. *Oil and Gas Journal*. Volume 99.37. pp. 49-58p
- Green, R.O., Eastwood, M.L., Sarture, C.M., Chrien, T.G., Bruce M.A.J.C., Jessica A.F., Pavri, B.E., Chovit, C.J., Solis, M., Olah M.R. and Williams, O. 1998. Imaging Spectroscopy and the Airborne Visible/Infrared Imaging Spectrometer (AVIRIS), *Remote Sens. Environ.* Vol. 65. pp. 227 – 248.
- Gomez, R.B. 2001. Spectral Library Issues in Hyperspectral Imaging Applications. 5th Joint Conference of Standoff Detection for Chemical and Biological Defense, 24-28 September 2001. Williamsburg, Virginia.

- Gomez, R.B. 2002. Hyperspectral Imaging: A Useful Technology for Transportation Analysis. *Opt. Eng.* 41(9) 2137-2143.
- Gupta R.V. 2003. Remote Sensing Geology. Second Edition. ISBN 3-540-43185-3. Springer-Verlag Berlin Heidelberg New York.
- Helmi Zulhaidi Mohd Shafri and Nasrulhapiza Hamdan. 2009. Hyperspectral Imagery for Mapping Disease Infection in Oil Palm Plantation Using Vegetation Indices and Red Edge Techniques. *American Journal of Applied Sciences*. Vol 6 (6). pp. 1031-1035.
- Herold, A.M. and Roberts, B.D.A. 2005. Mapping Asphalt Road Conditions with Hyperspectral Remote Sensing. *Proceedings of URS2005 conference*. Phoenix, AZ, March 2005.
- Hueni A. and Tuohy M. 2006, Spectroradiometer Data Structuring, Pre-Processing and Analysis: An IT based approach. *Journal of Spatial Science*. Vol. 51: 2. pp. 93-102.
- Isa Ipor. 1998. Sandy beach and rocky shore vegetation. In *The Encyclopedia of Malaysia: Plants*. Volume 2 of the Encyclopedia of Malaysia. ed. E. Soepadmo. Archipelago Press. ISBN: 9813018402. pp. 20-25.
- Jensen, J. R. 2000. Remote Sensing of the Environment: An Earth Resource Perspective. *Prentice-Hall*. Inc.: Upper Saddle River, NJ. pp. 592.
- Jusoff, Kamaruzaman and Taha, Dahlan. 2008. Managing Sustainable Mangrove Forests in Peninsular Malaysia. *Journal of Sustainable Development*. Vol. 1 (1). pp. 88-96. ISSN 1913-9063.
- Kamaruzaman Jusoff. 2007. Mapping Bamboo in Berangkat Forest Reserve, Kelantan, Malaysia using Airborne Hyperspectral Imaging Sensor. *International Journal of Energy and Environment*. Issue 1. Volume 1.
- Kamaruzaman Jusoff and Hj. Malek Hj. Mohd Yusoff. 2008. Airborne Hyperspectral Imagery for Agricultural Businesses in Malaysia. *International Business Research*. Volume 1. No 3.
- Kamaruzaman Jusoff, Malek Mohd Yusoff and Nurul Hidayah Mohd Ali. 2010. Spectral Signatures of Leaf Fall Diseases in Hevea Brasiliensis Using a Handheld Spectroradiometer. *Modern Applied Sciences Journal*. Vol. 4. No. 2. pp. 78-84.
- Keys to Soil Taxonomy. 1992. Pocahontas Press Inc. ISBN 0-936015-39-X. Fifth Edition
- Kiew, R. 1998. Limestone, quartzite and ultramafic vegetation. In *The Encyclopedia of Malaysia: Plants*. Volume 2 of the Encyclopedia of Malaysia. ed. E. Soepadmo. Archipelago Press. ISBN: 9813018402. pp. 36-42.

- Kiew, R. 1998. Montane forests. In *The Encyclopedia of Malaysia: Plants*. Volume 2 of the Encyclopedia of Malaysia. ed. E. Soepadmo. Archipelago Press. ISBN: 9813018402. pp. 50-55.
- Kruse F.A. 1994. Imaging spectrometer data analysis: A tutorial. International Symposium on Spectral Sensing Research '94, San Diego, CA.
- Lau, Alvin Meng Shin and Hashim, Mazlan. 2007. The Design and Building of Spectral Library of Tropical Rain Forest in Malaysia. In The 28th Asian Conference on Remote Sensing 2007. 12-16 November 2007. PWTC, Kuala Lumpur, Malaysia.
- Leyton, R. 2001. A Quick Introduction to Database Systems. *Programming, Computing*. Vol. 26. No. 8.
- Mohanlall, P. 2002. Green Malaysia: Rainforest Encounters. Malaysian Timber Council. ISBN 9814068535. pp. 197.
- Pabich, P.J. 2002. Hyperspectral Imagery: Warfighting Through a Different Set of Eyes, Air University Maxwell AFB.
- Panduan Siri-siri Tanah Utama Di Semenanjung Malaysia, Jabatan Pertanian Semenanjung Malaysia, 1993, Publication Number RT 76/11-93/7R-Disember 1993
- Preissler H., Bohbot H., Mehl W. and Sommer S. 1998. MedSpec, a spectral database as a tool to support the use of imaging spectrometry data for environmental monitoring. 1st EARSeL Workshop on Imaging Spectrometry, Zurich.
- Ray, S.S., Singh, J.P. Panigraphy, S. 2010. Use of Hyperspectral Remote Sensing Data for Crop Stress Detection: Ground-Based Studies. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science*. Volume XXXVIII, Part 8, Kyoto Japan.
- Roger, N.C. 2006. Mineral Mapping and Applications of Imaging Spectroscopy. U.S. Geological Survey in 2006 IEEE International Symposium on Geoscience and Remote Sensing
- Ruby, J.G. and Fischer, R.L. 2002. Spectral signatures database for remote sensing applications. *Imaging Spectrometry VIII, Proceedings of SPIE*. Vol 481.
- Rueda, C.A. and A.F. Wrona. 2003. SAMS Spectral Analysis & Management System Users Manual. University of California, Davis.
- Salvi, S., Mazzarini, F., Doumaz, F., Lombardo, V. and Tolomei, C. 2001. Spectral Reflectance measurements of geological materials in Northern Victoria Land, Antarctica. AIT Informa, Rivista Italiana di Telerilevamento, n. 23. pp 45-54
- Salisbury, J.W., L.S. Walter, N. Vergo, and D.M. D'Aria. 1991. Infrared (2.1 – 25 Micrometers) Spectra of Minerals. pp. 294. Johns Hopkins.

Shamsuddin Ibrahim. 1998. Freshwater and peatswamp forests. In *The Encyclopedia of Malaysia: Plants*. Volume 2 of the Encyclopedia of Malaysia. ed. E. Soepadmo. Archipelago Press. ISBN: 9813018402. pp. 31-34.

Shippert, P. 2002. Spotlight on Hyperspectral. *Geospatial Solutions*. February 1, 2002

Shippert, P. 2003. Introduction to Hyperspectral Image Analysis. *Online Journal of Space Communication*. Issue 3: Remote Sensing of Earth via Satellite.

Smith, R.B. 2008. Introduction to Hyperspectral Imaging. Retrieved 11 March 2008 from <http://www.microimages.com>.

Swayze, G.A., Smith K.S., Clark, R.N., Sutley, S.J., Pearson, R.M., Vance, J.S., Hageman, P.L., Briggs, P.H., Meier, A.L., Singleton, M.J. and Roth, S. 2000. Using imaging spectroscopy to map acidic mine waste. *Environ. Sci. Technol.* 34 (1), pp. 47–54.

Soepadmo, E. 1998. Man-made vegetation. In *The Encyclopedia of Malaysia: Plants*. Volume 2 of the Encyclopedia of Malaysia. ed. E. Soepadmo. Archipelago Press. ISBN: 9813018402. pp. 58-65.

Introduction to PHP.

Retrieved July 2007 from <http://en.wikipedia.org/wiki/Php>.

MySQL Tutorial.

Retrieved July 2007 from <http://www.tizag.com/mysqlTutorial/>.

JPL Spectral Library.

Retrieved 11 November 2007 from <http://speclib.jpl.nasa.gov>.

Soil classification in Peninsular Malaysia. Retrieved 12 September 2009 from <http://www.pertanianperak.gov.my>

Mineral overview. Retrieved 20 August 2009 from

<http://malaysianminerals.com/overview.html>

Common rocks of Malaysia. Retrieved 25 August 2009 from

<http://www.gsm.org.my/geosciences/geoscience/rocks/rocks.htm>

Univ. Press, Baltimore, Md. USGS Spectral Library. Retrieved 11 November 2009

from <http://speclab.cr.usgs.gov/spectral-lib.html>.

LIST OF PUBLICATIONS

1. Siti Nooradzah Adam, Helmi Zulhaidi Mohd Shafry. 2007. Design and Development of an Interactive Digital Spectral Library of Spectral Data. Pameran Rekacipta, Penyelidikan dan Inovasi (PRPI) 2007, 27-29 November 2007, Dewan Besar, PKKSSAAS, Universiti Putra Malaysia. Bronze Medal.
2. Adam, S.N.A., Shafri, H.Z.M., Mansor S. 2010. Design and Development of Online Spectral Library of Spectral Data: UPMSPECLIB. Proceedings of MRSS 6th International Remote Sensing & GIS Conference and Exhibition. 28-29 April 2010. Putra World Trade Centre, Kuala Lumpur.
3. Siti Nooradzah Adam, Helmi Zulhaidi Mohd Shafri, Shattri Mansor. Digital Hyperspectral Library of Materials UPMSPECLIB. Pameran Rekacipta, Penyelidikan dan Inovasi (PRPI) 2011, 19-21 July 2011, Dewan Besar, PKKSSAAS, Universiti Putra Malaysia. Silver Medal.
4. Siti Nooradzah Adam, Helmi Zulhaidi Mohd Shafri, Shattri Mansor. UPMSpeclib. Copyright SD Date 11 May 2011.