

## **UNIVERSITI PUTRA MALAYSIA**

CHARACTERIZATION OF CAUSAL AGENT OF BROWN SPOT AND USE OF SILICON AND MANGANESE FOR DISEASE MANAGEMENT IN RICE

AINU SHAHIRAH BT MAHMAD TOHER

FP 2016 62



# CHARACTERIZATION OF CAUSAL AGENT OF BROWN SPOT AND USE OF SILICON AND MANGANESE FOR DISEASE MANAGEMENT IN RICE



## AINU SHAHIRAH BT MAHMAD TOHER

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirement for the Degree of Master of Science

August 2016

## COPYRIGHT

All materials contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright materials of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia

Abstract of thesis presented to the Senate to Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

## CHARACTERIZATION OF CAUSAL AGENT OF BROWN SPOT AND USE OF SILICON AND MANGANESE FOR DISEASE MANAGEMENT IN RICE

By

## AINU SHAHIRAH BT MAHMAD TOHER

August 2016

Chairman Faculty : Assoc. Prof. Wong Mui Yun, PhD : Agriculture

Brown spot is one of the diseases that became a new threat to rice production and was reported to reduce the yield up to 45% under severe infection. However, pathological related information on this disease is lacking in Malaysia. This study focused on identification of the causal agent through morphological and molecular methods, as well as determination of the effects of silicon (Si) and manganese (Mn) on disease severity and PR-proteins gene expression. A total of 15 isolates were isolated, identified and screened with pathogenicity test before characterized culturally. Two isolates of Bipolaris oryae and 13 isolates of Exserohilum rostratum were identified based on morphology and internal transcribe spacer (ITS) region of rDNA. AS.P2 (Gene bank accession number KT831962) as one of the most virulent isolates in pathogenicity test was further studied for cultural characterization. Highest spore production was recorded in T2 (12 h flourescent light + 12 h complete darkness) and T4 (24 h darkness) cultured on corn meal agar (CMA) with no significant difference between them (21.67 x 10<sup>6</sup> spores/mL and 21.50 x 10<sup>6</sup> spores/mL, respectively). The lowest spore production was shown by cultures grown on malt extract agar (MEA) (0.83 x 10<sup>6</sup> spores/mL). Two sources of Si, namely calcium silicate (CaSiO<sub>3</sub>) and black rice husk ash (BRHA) were tested in combination with Mn to determine a cheaper source with the same effectiveness. Results showed significantly higher value of brown spot index (BSI) for T1 (control) where no Si and Mn were applied with 41.14%. Addition of Si and Mn increased 38.65 to 51.25% for grain yield production, if compared to T1 (control). BRHA showed good performance comparable to CaSiO<sub>3</sub> in tiller number, percentage of filled grains, spikelet number per panicle, panicle length and 1000 grains weight. Plants treated with Mn showed differential expression of  $\beta$ -1,3-glucanase and chitinase with  $\beta$ -1,3-glucanase showed the highest expression at 2 DAI and chitinase at 1 DAI. Similarly, plants treated with Si showed differential expression of  $\beta$ -1.3-qlucanase and chitinase with the highest expression recorded at 3 DAI and 1 DAI, respectively. This study found E. rostratum a new causal agent for rice brown spot disease in Malaysia and BRHA has the potential to be a cheaper source of Si to be applied in agriculture sector compared to  $\text{CaSiO}_3.$ 



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Sarjana Sains

## PENCIRIAN AGEN PENYEBAB BINTIK PERANG DAN PENGGUNAAN SILIKON DAN MANGAN UNTUK PENGURUSAN PENYAKIT TERSEBUT PADA PADI

Oleh

#### **AINU SHAHIRAH BT MAHMAD TOHER**

Ogos 2016

Pengerusi Fakulti : Prof. Madya Wong Mui Yun, PhD : Pertanian

Bintik perang merupakan salah satu penyakit yang memberi ancaman kepada penghasilan padi dan dilaporkan mampu menurunkan 45% hasil pada tahap infeksi yang teruk. Walau bagaimanapun, maklumat berkaitan patologi penyakit ini masih kurang di Malaysia. Kajian ini memfokuskan kepada pengenalpastian agen penyebab melalui kaedah morfologi dan molekular, serta menentukan kesan silikon (Si) dan mangan (Mn) terhadap kadar keterukan penyakit dan ekspresi gen protein PR. Sejumlah 15 pencilan telah diasing, dikenalpasti dan disaringkan melalui ujian kepatogenan sebelum dicirikan secara kultur. Dua pencilan Bipolaris orvae dan 13 pencilan Exserohilum rostratum berjaya dikenalpasti berdasarkan morfologi dan jujukan DNA kawasan ITS dalam gen rDNA. AS.P2 (nombor aksesi Gen Bank, KT831962) sebagai salah satu pencilan yang getir dalam ujian kepatogenan, dipilih untuk kajian pencirian kultur. Penghasilan spora tertinggi dicatatkan oleh T2 (12 jam berpendarfluor + 12 jam gelap) dan T4 (24 jam gelap) yang telah dikulturkan di atas 'corn meal agar' (CMA) dan tiada perbezaan signifikan ditunjukkan (21.67 x 10<sup>6</sup> spora/mL and 21.50 x 10<sup>6</sup> spora/mL, masing-masing). Penghasilan spora terendah ditunjukkan oleh pencilan di atas 'malt extract agar' (MEA) (0.83 x 10<sup>6</sup> sporea/mL). Dua sumber silikon, iaitu kalsium silikat (CaSiO<sub>3</sub>) dan abu hitam sekam padi (BRHA) telah dikombinasikan dengan Mn untuk menentukan sumber yang lebih murah dengan keberkesanan ya sama. Hasil kajian menunjukkan nilai indeks bintik perang (BSI) lebih tinggi dan signifikan pada T1 (kawalan) dimana tiada Si dan Mn digunakan, 41.14%. Penggunaan Si dan Mn meningatkan 38.65 ke 51.25% hasil padi, berbanding T1 (kawalan). BRHA menunjukkan pretasi yang setanding dengan CaSiO<sub>3</sub> berdasarkan bilangan tiller, peratusan biji padi penuh, bilangan spikelet per panicle, panjang panicle dan berat 1000 biji padi. Pokok padi yang dirawat dengan Mn menunjukkan perbezaan ekspresi  $\beta$ -1.3-qlukanase and kitinase dimana  $\beta$ -1.3-qlukanase menunjukkan ekspresi tertinggi pada 2 DAI dan kitinase pada 1 DAI. Begitu juga dengan pokok yang dirawat dengan Si, ia menunjukkan ekspresi tertinggi  $\beta$ -1,3-glukanase dan kitinase pada 3 DAI dan 1 DAI, masing-masing. Kajian ini menemukan *E. rostratum* sebagai agen penyebab baru penyakit bintik perang padi di Malaysia dan BRHA mempunyai potensi untuk dijadikan sumber Si yang lebih murah untuk di aplikasikan dalam sektor pertanian berbanding CaSiO<sub>3</sub>.



## ACKNOWLEDGEMENTS

#### In the name of Allah, the Most Gracious, the Most Merciful,

I am grateful to the Head and members of Department of Plant Protection, Dean and entire members of the Faculty of Agriculture for their assistance during my graduate study at Universiti Putra Malaysia.

I am heartily thankful to my supervisor, Assoc. Prof. Dr. Wong Mui Yun whom encourages, suggest, guide and support from the initial to the final level enabled me to develop an understanding of the research topics. In particular, I owe you my gratitude for sharing me a lot of knowledge.

I wish to express my thanks to all of my friends who were helpful and for their support in allowing me the time to complete this thesis. I also thanked my beloved family, for their support and inspire me in completing this work.

Lastly, I offer my regards and blessings to all of those who supported me in any aspect during the completion of this project. Not to forget, Ministry of Education, Malaysia for the support through Long Term Research Grant Scheme (LRGS).

I certify that a Thesis Examination Committee has met on 1 August 2016 to conduct the final examination of Ainu Shahirah binti Mahmad Toher on her thesis entitled "Characterization of Causal Agent of Brown Spot and Use of Silicon and Manganese for Disease Management in Rice" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Radziah binti Othman, PhD Associate Professor Faculty of Agriculture Universiti Putra Malaysia (Chairman)

Mohamed Hanafi bin Musa, PhD Professor Faculty of Agriculture Universiti Putra Malaysia (Internal Examiner)

Latiffah binti Zakaria, PhD Professor University of Science, Malaysia Malaysia (External Examiner)

NOR ALH AB. SHUKOR, PhD Professor and Deputy Dean School of Graduate Studies Universiti Putra Malaysia

Date: 3 November 2016

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

**Wong Mui Yun, PhD** Associate Professor Faculty of Agriculture Universiti Putra Malaysia (Chairman)

Jugah bin Kadir, PhD Associate Professor Faculty of Agriculture Universiti Putra Malaysia (Member)

> **BUJANG BIN KIM HUAT, PhD** Professor and Dean School of Graduate Studies Universiti Putra Malaysia

Date:

## Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of the thesis are fullyowned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules, or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature:

Date:

Name and Matric No: Ainu Shahirah bt Mahmad Toher, GS36268

## **Declaration by Members of Supervisory Committee**

This is to confirm that;

- the research conducted and the writing of this thesis was under our supervision
- the supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to:

Signature: Name of Chairman of Supervisory Assoc. Prof. Dr. Wong Mui Yun Committee: Signature: Name of Member of Supervisory Committee: Assoc. Prof. Dr. Jugah b. Kadir

## TABLE OF CONTENTS

					Page
AB	STRAC	т			i
AB	STRAK	(			iii
AC	KNOW	LEDGEN	<b>IENTS</b>		v
AP	PROVA	AL.			vi
DE	CLARA	TION			viii
LIS	T OF T	ABLES			xiii
LIS	T OF F	IGURES	;		xiv
LIS	T OF A	BBREV	ATIONS		XV
СН	APTER				
1	INTR		ON		1
•					
2	LITE				3
-	21	Rice ((	Orvza sativa	a)	3
	2.1	2 1 1	Introduct	ion to Rice Industry	3
		2.1.1	Rice Var	iety - MP210 and MP253	1
	2.2	Z. I.Z	Spot Dipor		
	2.2		Sympton	as of Prown Spot Discass of Pice	5
		2.2.1	Sympton	is of Brown Spot Disease of Rice	5
		2.2.2	Losses C	a of Drown Coot Disease	0
		2.2.3	Life Cycl	e of Brown Spot Disease	0
	0.0	Z.Z.4			/
	2.3	Taxon	omy of Bipo	blaris oryzae and Exseronilum rostratum	8
	2.4	Minera	I Nutrition a	and Plant Disease	10
		2.4.1	Nitrogen		10
		2.4.2	Phospho	rus	10
		2.4.3	Potassiu	m	11
		2.4.4	Silicon		11
			2.4.4.1	Calcium silicate	12
			2.4.4.2	Rice Husk Ash	12
		2.4.5	Mangane	ese	13
	2.5	Gene I	Expression	Study	14
		2.5.1.	Pathoger	nesis-related Protein	14
	2.6	Summ	ary		15
	IDEN	TIFICAT	ION AND (	CHARACTERIZATION OF CAUSAL AGENT	OF
3	BRO	WN SPO	DI DISEAS		16
	AND	WOLEC		HODS	10
	3.1	Introdu		1 I.	10
	3.2	Materia	als and iviet		17
		3.2.1	Sample		17
		3.2.2	Isolation	or ⊢ungi	1/
		3.2.3	worpholo		1/
		3.2.4	Molecula	r Identification	18
			3.2.4.1	UNA Extraction	18
			3.2.4.2	Polymerase Chain Reaction of ITS Region	19
			3.2.4.3	Gel Electrophoresis and DNA Sequencing	19
			3.2.4.4	Phylogenetic Analysis	19
		3.2.5	Pathoger	nicity Test	20

	3.2.6	Cultural C	Characterization of the Causal Agent	21
	3.2.7	Statistica	Analysis	21
3.3	Results	s and Discu	ssion	21
	3.3.1	Brown Sp	oot Disease Symptom and Isolates Collected	21
	3.3.2	Morpholo	gical Identification	22
	3.3.3	Molecula	Identification	25
		3.3.3.1	DNA Extraction	25
		3.3.3.2	PCR Amplification and BLAST Search	25
		3.3.3.3	Phylogenetic Analysis	26
	3.3.4	Pathoger	icity Test	28
	3.3.5	Cultural C	Characterization of the Pathogen of Brown Spot	29
		3.3.5.1	Effect of Culture Media and Light Cycle on Mycelial Diameter Growth	29
		3.3.5.2	Effect of Culture Media and Light Cycle on Spore Production	30
		3.3.5.3	Effect of Culture Media and Light Cycle on	33
2.4	Summe		Length and which of Conidia	24
5.4	Summa	ary		34
4 EFFI			N COMBINATION WITH MANGANESE TO	35
4 1	Introdu	ction	T DISEASE OF RICE	35
4.2	Materia	als and met	ands	36
7.2	4 2 1	Evnerime	ntal Site and Planting Materials	36
	422		aration	36
	423	Seedling	Preparation	36
	424	Water Le	vel and Maintenance	37
	425	Fortilizor		37
	426	Evperime	ntal Design	37
	427		n Prenaration	38
	12.7	Data Coll	ection	30
	4.2.0		Plant Height and Tiller Number	30
		4.2.0.1	Measurement of Vield Component	30
		4.2.0.2	Disease Evaluation and Calculation for Brown	29
		4.2.8.3	Spot Index	39
	4.2.9	Gene Exr	pression Analysis	40
		4.2.9.1	Experimental Design	40
		4.2.9.2	Inoculation and Sampling Procedure	40
		4.2.9.3	RNA Extraction and Quantification	40
		4.2.9.4	Synthesis of cDNA	41
		4.2.9.5	Amplification of cDNA Template	42
		4.2.9.6	Analysis of RT-PCR Products	42
	4.2.10	Statistic	al Analysis	42
4.3	Results	and Discu	ssion	43
	4.3.1	Soil Anal	/sis	43
	4.3.2	Plant Hei	aht	43
	4.3.3	Tiller Nur	nber	45
	4.3.4	Percenta	ge of Filled Grains	46
	4.3.5	Spikelet N	Number	46
	4.3.6	Panicle L	ength	47
	4.3.7	Weiaht of	1000 Grains	47
	4.3.8	Grain Yie	ld	48
		-		

## xi

		4.3.9 4.3.10	Brown Spot Index Gene Expression	50 51		
	4.4	Summa	ry	54		
5	SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE			E 55		
	5.1	Summa	ry and Conclusion	55		
	5.2	Recomm	nendations for Future Research	56		
REFERENCES 5						
APPENDICES						
BIODATA OF STUDENT						
LIST	LIST OF PUBLICATIONS					



 $\bigcirc$ 

## LIST OF TABLES

Table		Page
3.1	Visual rating of brown spot symptoms was determined according to modified scale stated by IRRI (1996)	20
3.2	Fungal isolate isolated from brown spot lesion from various states in Peninsular Malaysia	22
3.3	Morphological characteristics of <i>E. rostratum</i> and <i>B. oryzae</i> isolates	24
3.4	Quantity and quality of extracted DNA using using Multiscan <sup>™</sup> GO microplate spectrophotometer (Thermoscientific, US)	25
3.5	Results of BLAST search and accession number of isolates deposited in GenBank	26
3.6	Rating value of pathogenicity test of brown spot disease on detach leaves method, together with the species name, location and also the standard deviation.	28
3.7	Effect of media and light cycle on morphological characteristics of the isolates	31
3.8	Comparison between media and light cycle towards morphological characteristics of the isolates.	32
4.1	Experimental design with 5 treatments involving different combination of soil nutrients using both MR219 and MR253 rice varieties	38
4.2	Score scale of infected leaf area to evaluate the brown spot disease severity	39
4.3	List of gene used in this experiment together with the accession number and primer sequences	42
4.4	Plant heights of two rice varieties tested at 40, 70 and 100 day after planting (DAP)	44
4.5	Number of tiller production based on two rice varieties (MR219 and MR253) and treatments at 30, 60and 90 DAP	45
4.6	Tiller production by rice varieties MR219 and MR253 at tillering until harvesting stage	45
4.7	Yield component parameters of MR219 and MR253	49
4.8	Least significant difference (LSD) of brown spot index (BSI) of both MR219 and MR253.	51

## LIST OF FIGURES

Figure		Page
2.1	Syptoms of brown spot disease on rice leaves	5
2.2	Life cycle of brown spot disease on rice plants	7
2.3	Figure on left side showed conidia of <i>Bipolaris oryzae</i> while on the right side, it belongs to Exserohilum rostratum.	9
3.1	Culture of <i>Exserohilum rostratum</i> (A) and its conidia (D) with darkened cylinder and protruding hilum. Figure (B) showed culture of <i>Bipolaris oryzae</i> (B) and its light hilum minute conidia (C) with curved and almost cylindrical shape (E)	23
3.2	PCR amplification of 15 isolates using universal primers, ITS4 and ITS5. The bands size were between 500 to 600 bp with 2 isolates of <i>Bipolaris oryzae</i> (2 and 14) and the others are <i>Exserohilum</i> rostratum	26
3.3	Phylogenetic tree showing the relationships of <i>Exserohilum rostratum</i> and <i>Bipolaris oryzae</i> based on rDNA-ITS sequences. The evolutionary history was inferred using the Neighbor-Joining method with 500 replications	27
4.1	Germinated seeds of MR219 (left) and MR253 (right) 6 days after incubation on wet tissue at 24±2°C	37
4.2	Analysis of RT-PCR gene expression of rice infected with <i>E. rostratum</i> in response to silicon and manganese treatments. T1: Control, T2) Manganese and T3) Silicon	53

## LIST OF ABBREVIATIONS

ATP	Adenosine Tri-phosphate			
Вр	Base pair			
BRHA	Black rice husk ash			
BSI	Brown spot index			
CA	Czapex-doc agar			
CaSiO₃	Calcium silicate			
cDNA	Complementary Deoxyribonucleic acid			
CMA	Corn meal agar			
cmolckg <sup>-1</sup>	Centimoles per kilogram			
DAI	Day after inoculation			
DAP	Day after planting			
DOA	Department of Agriculture			
FOA	Food and Agriculture Organization of the United Nations			
g	Gravitational force			
IRRI	International Rice Research Institute			
К	Potassium			
LKPP	Lembaga Kemajuan Perusahaan Pertanian			
MEA	Malt extract agar			
Mn	Manganese			
N	Nitrogen			
NPK	Nitrogen, Phosphorus, Potassium			
ОСМ	Organic clay muck			
Р	phosphorus			
PDA	Potato dextrose agar			
PR protein	Pathogeneisis related protein			
RHA	Rice husk ash			
rpm	Rotation per minute			
RT-PCR	Reverse transcriptase Polymerase Chain Reaction			
S	Silicon			
spore/mL	Spore per milliliter			
V	Volt			
w/v	Weight/Volume			

6

## CHAPTER 1

#### INTRODUCTION

Rice supplying 20% of energy to the consumers, containing high thiamine, riboflavin and niacin, covers 17 countries in Asia and Asia Pacific, 9 in North and South America and 8 from Africa (FAO, 2004). In Asia, approximately 640 million tons of rice was produced per year, covering 90% of worlds total rice production (IRRI, 2008).

The infection caused by pests and diseases may become the main factors preventing from getting good quality and high quantity of rice yield. The common disease caused by both fungal and bacteria are bacterial leaf streak, sheath blight, false smut, blast, brown spot and stem rot whereas green leaf hopper, leaf folder, stem borer, plant hopper and black bug are the insects that often infected rice plants (Rice Knowledge Bank, IRRI). Brown spot is one the diseases that causing seedling blight and it may damage the foliage and rice panicle when grown under unfavorable and low nutrient content of soil (Marchetti and Peterson, 1984). Gray center or light reddish brown lesions surrounded by a dark reddish brown margin with bright yellow halo can be observed as symptom of brown spot disease (Ou, 1985).

Low level of calcium, potassium, magnesium, manganese, iron, and silicon may enhance the occurrence of brown spot disease on the grains (Webster and Gunnel, 1992). Combination of plant physiological disorders, process of disease development and mechanism of disease resistant was regarded as the factors enhance the spread of the disease. Brown spot disease may reduce 12 to 30% of rice weight and 18 to 22% of filled grains per panicles, depending on the resistant variety being used (Prabhu and Lopes, 1980). In the Philippines, brown spot disease was described as a minor disease, however, the occurrence was repeatedly observed (Estrada, 1984).

Silicon (Si) is one of the important element that alleviate both biological and physiological stresses has been applied to control brown spot disease of which low Si available for plant uptake (Datnoff *et al.*, 1997). However, the importance of this element in agronomy and horticulture are not very well applied (Heckman, 2013) and plant physiologist always ignored Si as the deficiency or toxicity of this element did not show any symptoms (Ma *et al.*, 2006).

The availability of certain micronutrients in soil may be reduced due to water shortage as they mainly dependent on the water uptake by the plants (Allaway, 1968; Gardner *et al.*, 1985; Weil and Holah, 1989). Manganese is one of the micronutrients that may reduce or increase brown spot disease in rice plant (Kaur *et al.*, 1979). It helps in production of lignin and soluble phenolic compounds as well as inhibiting lytic enzyme produced by the pathogen

(Graham and Webb, 1991). Plant with low level of manganese (Mn) showed amino acids, lignin and phenolic compounds reduction, all involves in resistant mechanism against pathogen attack (Brown *et al.*, 1984; Burnell, 1988).

Good quality rice should be grown as it will determine the price of the rice (Soave *et al.*, 1984). Thus, a good source of fertilizer should be implemented so that farmers will not be burdened by new practices to control brown spot disease and at the same time they can produce a very good and high production. This study investigated whether the uses of Si and Mn as a new cultural practice could solve the problems. In addition, new source of Si which is cheaper and affordable to the farmers were accounted, and therefore RHA was tested in this study. The main objectives were:

- i. To isolate and identify brown spot fungal pathogen *via* morphological and molecular methods.
- ii. To determine the effects of Si and Mn on disease incidence and rice yield under glasshouse conditions.
- iii. To study the effect of Si and Mn on gene expression of PR-proteins.

#### REFERENCES

Abo-Soliman, M.S., Ghanem, S.A., Abd El-Hafez, S.A. and El-Mowelhi, N. 1990. Effect of irrigation regimes and nitrogen levels on rice production and nitrogen losses under tile drainage. *Ministry of Agriculture and Land Reclamation Research*. 1:14-15.

Agrios N.G. 2005. Plant Pathology, 5<sup>th</sup> edition, *Elsevier*, Amsterdam, pp. 635.

- AICOAF. 2001. Application of rice husk charcoal. Food and Fertilizer Technology Center for the Asian and Pacific region leaflet for Agriculture: Practical Technologies 4. *Association for International Cooperation in Agriculture and Forestry (AICOAF)*, Japan.
- Alcorn, J.L. 1983. Generic concepts in *Drechslera, Bipolaris* and *Exserohilum. Mycotaxon* 17:1-86.
- Allaway, W.W. 1968. Agronomic controls over the environ-mental cycling of trace elements. *Advances in Agronomy* 20:235–274.
- Aluko, M.O. 1975. Crop losses caused by the brown leaf spot disease of rice in Nigeria. Plant Disease Reporter 59:609-613.
- Alvarez, J., Datnoff, L.E. 2001. The economic potential of silicon for integrated management and sustainable rice production. *Crop Protection* 20:43–48.
- Anita, R., Monika, X., Ratika, M. and Kunnal. 2011. Use of rice husk ash as fertilizer amendment to soil and its effect on crop germination. *National Conference on emerging trends in Chemistry-Biology interface*. Department of Chemistry, D.S.B Campus, Kumaun University, Nainital, Uttarakhand, India.
- Anonymous. 1979. Rice situation, economics and cooperative service. US Department of Agriculture, Washington, D.C. 20250.
- Antoniw, J.F., Ritter, C.E., Pierpoint, W.S., Van Loon, L.C. 1980. Comparison of three pathogenenis-related proteins from plants of two cultivars of tobacco infected with TMV. *Journal of General Virology* 47:79-87.
- Ariffin, T. 1998. Kegawatan ekonomi dan pengeluaran beras negara: Satu penilaian semula. *Agromedia* 4:4-9.
- ASEAN Food Security Information System. 2002. The First Technical Meeting Bangkok, Thailand.
- Baba, I., Takahashi, Y. 1957. Growth and susceptibility to *Helmintosporium* leaf spot disease of rice plants grown in different soils under different water temperature. *Journal of Agricultural Meteorology* 13:41–44.
- Belanger, R.R., Benhamou, N. and Menzies, J.G. 2003. Cytological evidence of an active role of silicon in wheat resistance to powdery mildew (*Blumeria graminis* f. sp. *trritici*). *Phytopathology* 93: 402-412.
- Bengal Famine of 1943. Retrieved 10 December 2013 from https://en.wikipedia.org/wiki/Bengal\_famine\_of\_1943.

- Berbee. M.L., Pirseyedi, M., Hubbard, S. 1999. *Cochliobolus* phylogenetics and the origin of known, highly virulent pathogens, inferred from ITS and glyceraldehyde-3-phosphate dehydrogenase gene sequences. *Mycologia* 91:964–77.
- Biswas, S.K., Ratan, V., Srivastava, S.S.L. and Singh, R. 2008. Influence of seed treatment with biocides and foliar spray with fungicides for management of brown leaf spot and sheath blight of paddy. *Indian Phytopathology* 61, 55–59.

Boateng. A.A., Skeete, D.A. 2000. Cement and Concrete Research 30:1139

- Brescht, M.O., Datnoff, L.E., Kucharek, T.A., Nagata, R.T. 2004. Influence of silicon and chlorothalonil on the suppression of grey leaf spot and increase plant growth in St. Augustine grass. *Plant Disease* 88:338–344.
- Brown, P.H., Graham, R.D., Nicholas, J.D. 1984. The effects of manganese and nitrate supply on the levels of phenolics and lignin in young wheat plants. *Plant and soil* 81:437-440.
- Burnell, J.N. 1988. The biochemistry of manganese in plants. In: Garaham, R.D., Hannam, R.J., Uren, N.C. Manganese in soils and plants. Dordrecht: *Kluwer Academic*. pp.125-137.
- Cardona, R., Gonzales, M.S. 2008. Characterization and pathogenicity of fungi complex *Helminthosporium* associated with rice cultivation in Venezuela. [Electronic version]. *Bioagro:* http://www.scielo.org.ve/scielo.php?script=sci\_arttext&pid=S1316-33612008000200009&Ing=en&nrm=iso.
- Cardona. R., Gonzales, M.S. 2007. First Report of *Exserohilum rostratum* associated with rice seed in Venezuela. *Plant Disease* 91:226.
- Carver, T.L.W., Thomas, B.J., Robbins, M.P., Zeyen, R.J. 1998. Phenylalanine ammonia-lyase inhibition, autofluorescence and localized accumulation of silicon, calcium and manganese in oat epidermis attacked by the powdery mildew fungus *Blumeria graminis* (DC) Speer. *Physiological and Molecular Plant Pathology* 52:223–243.
- Chattopadhay, S.B., Das Gupta, D. 1965. Factors affecting conidial production of *Helminthosporium oryzae. Indian Phytopathology* 18:160-167.
- Cherif, M., Asselin, A. and Belanger, R.R. 1994. Defense response induced by soluble silicon in cucumber roots infected by *Phythium* spp. *Phytopathology* 84:236-242.
- Cherif, M., Menzies, J.G., Ehret, D.L., Bogdanoff, C. and Belanger, R.R. 1994b. Yield of cucumber infected with *Phythium aphanidermatum* when grown with soluble silicon. *Horticulture Science* 29: 896-897.
- Clarkson, D.T. 1988. The uptake and translocation of manganese by plant roots. In: Graham, R.D., Hannam, R.J., Uren N.J. (eds). Manganese in Soil and Plants. *Kluwer Academic Publishers*, Dordrecht, The Netherlands, pp.101-111.
- Dallagnol, L.J., Rodrigues, F.A., DaMatta, F.M., Mielli, M.V.B., and Pereira, S.C. 2011. Deficiency in silicon uptake affects cytological, physiological, and biochemical events in the rice–*Bipolaris oryzae* interaction. *Phytopathology* 101:92-104.

- Dallagnol, L.J., Rodrigues, F.A., Ielli, M.V.B., Ma, J.F., Datnoff, L.E. 2009. Defective active silicon uptake affects some components of rice resistance to brown spot. *Phytopathology* 99:116-121.
- Dallagnol, L.J., Rodriguez, F.A., Mielli, M.V.B. and Ma, J.F. 2014. Rice grain resistance to brown spot and yield are increased by silicon. [Electronic version]. *Tropical Plant Pathology.* http://www.scielo.br/scielo.php?script=sci\_arttext&pid=S1982-56762014000100007.
- Damicone, J., Moore, B., Fox, J. and Sciumbato, G. 2001. Rice diseases in Mississippi: A guide to identification. *Mississippi State University Extension Service*.
- Datnoff, L.E., Derem, C.W., Synder, G.H. 1997. Silicon fertilization for disease management of rice in Florida. *Crop Protection* 16:525-531.
- DeDatta, S.K. 1981. Principles and Practices of Rice Production. John Wiley, New York.
- Dela Paz, M.A.G., Goodwin, P.H., Raymundo, A.K., Ardales, E.Y. and Vera Cruz, C. M. 2006. Phylogenetic analysis based on ITS sequences and conditions affecting the type of conidial germination of *Bipolaris oryzae*. *Plant Pathology* 55:756-765.
- Della, V.P., Kuhn, I. and Hotza, D. 2002. Rice husk ash as an alternate source for active silica production. *Elsevier Science* 57:818-821.
- DOA. 2012. Paddy Statistics of Malaysia. First edition. Department of Agriculture Peninsular Malaysia.
- Dobermann, A., Fairhurst, T. 2000. Rice nutrient disorders and nutrient management. Los Banos, Philippines, International Rice Research Institute, Manila, Philippines, and Saskatoon, Canada, Potash and Phosphate Institute.
- Domsch, K.H. 1980. Compendium of Soil Fungi. London: Academic Press 141-2.
- Dordas, C. 2009. Role of nutrients in controlling plant diseases in sustainable agriculture: A Review. *Springer Science* + *Business Media* B.V. 33–46.
- Drechsler, C. 1934. Phytopathological and taxonomic aspects of *Ophiobolus, Pyrenophora, Helminthosporium,* and a new genus, *Cochliobolus. Phytopathology* 24:953–83.
- Dyson, T. 1999. World food trends and prospects to 2025. *Proceedings of the National Academy of Sciences, USA* 96:5929-5936.
- Ebaid, R.A. and El-Refaee, I.S. 2007. Utilization of rice husk as an organic fertilizer to improve productivity and water use efficiency in rice fields. *African Crop Science Conference Proceedings* 8:1923-1928.
- Ebaid, R.A., El-Hessiwy A.A. and El-Dalil, M. 2005. Preliminary study on utilization of rice husk in rice cultivation. *Egyptian Journal of Agricultural Research* 83:369–376.
- Elixon, S., Azlan, S., Zainudin, P.M.D.H., Saad, A., Alias, I., Othman, O., Naim, M.F.A.R., Muhamad, H., Asfaliza, R., Mohamad, N.M.Y., Amirrudin, M.A.B., Maisarah, M.S., Shahida, H. dan Siti Nurkhairani, N.M. 2012. MR253: Varieti padi baharu rintang terhadap penyakit karah dan sesuai ditanam di tanah bermasalah. *Buletin Teknologi MARDI* 1:23-31.

- El-Jaoual, T., Cox, D.A. 1998. Manganese toxicity in plants. *Journal of Plant Nutrition* 21:353–386.
- Estrada, A.B. 1984. Selection of differential varieties for race study of Helminthosporium oryzae. MS thesis. Collage, Laguna, the Philippines: University of the Philippines at Los Banos.
- FAO Food and Nutrition Division. 2004. Rice and human nutrition: International Year of Rice 2004, Rice is Life. Retrieved 20 October 2014 from http://www.fao.org/rice2004/en/f-sheet/factsheet3.pdf.
- Fauteux, F., Remus-Borel, W., Menzies, J.G. and Belanger, R.R. 2005. Silicon and plant disease resistance against pathogenic fungi. *FEMS Microbiology Letters* 249:1–6.
- Felsenstein, J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39:783-791.
- Fuad, M.Y.A., Ismail, Z., Mansor, M.S., Mohd Ishak, Z.A., Mohd Omar, A.K. 1995. Mechanical properties of rice husk ash / polypropylene composites. *Polymer Journal* 27:1002-1015.
- Funnell, D.L., Lawrence, C.B., Pedersen, J.F., Schardl, C.L. 2004. Expression of the tobacco β-1,3-glucanase gene, PR-2d, following induction of SAR with Peronospora tabacina. *Physiological and Molecular Plant Pathology* 65:285-296.
- Gardner, F.P., Pearce, R.B., and Mitchell, R.L. 1985. Physiology of crop plants. Ames: *The Iowa State University Press*. pp.327.
- Gomez, K.A. 1972. Techniques for field experiments with rice. International Rice Research Institute.
- Gottstein, H.D., Kuc, J. 1989. Induction of systemic resistance to anthracnose in cucumber by phosphates. *Phytopathology* 79:176–179.
- Goussias, C., Boussac, A., Rutherford, W. 2002. Photosystem II and photosynthetic oxidation of water: an overview. Philosophical *Transactions of the Royal Society of London. Series B, Biological Sciences* 357:1369-1381.

Govindarao, V.M.H. 1980. Journal of Scientific and Industrial Research 39:495.

- Graham, D.R., Webb, M.J. 1991. Micronutrients and disease resistance and tolerance in plants. In: Mortvedt, J.J., Cox, F.R., Shuman, L.M., Welch, R.M. (Eds.), Micronutrients in Agriculture, 2<sup>nd</sup> Edition. *Soil Science Society of America* Inc., Madison, pp.329-370.
- Guerra, L.C., Bhuiyan, S.I., Tuong, T.P. and Barker, R. 1998. Producing more rice with less water from irrigated systems. SWIM Paper 5. *International Water Management Institute/*IRRI, Colombo, Sri Lanka.
- Hall, T.A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series No.* 41:95-98

- Hashim, A.B., Aminuddin, H. and Siva, K.B. 1996. Nutrient content in rice husk ash of some Malaysian rice varieties. *Pertanika Journal of Tropical Agricultural Science* 19:77-80.
- Hau, F.C., Rush, M.C. 1980. A system for inducing sporulation of *Bipolaris oryzae*. *Plant Disease* 64:788-798.
- Heckman, J.R., Clarke, B.B., Murphy, J.A. 2003. Optimizing manganese fertilization for the suppression of take-all patch disease on creeping bentgrass. *Crop Science* 43:1395–1398.
- High Yielding Rice Varieties. Retrieved 15 March 2014 from http://www.mardi.gov.my/c/document\_library/get\_file?uuid=bb09dde5-5bda-45ce-8d37-4eeeeb177cf4&groupId=10138.
- Hodson, M.J., White, P.J., Mead, A., Broadley, M.R. 2005. Phylogenetic variation in the silicon composition of plants. *Annals of Botany* 96:1027-1046.
- Honda, Y., Aragaki, M. 1978 Photosporogenesis in *Exserohilum rostratum*: temperature effects on sporulation and spore morphology. *Mycologia* 70:343–354.
- Houston, D.F. 1972. Rice Chemistry and Technology. St. Paul, Mn, USA. American Association of Cereal Chemists.
- Huber, D.M., Graham, R.D. 1999. The role of nutrition in crop resistance and tolerance to disease. In: Rengel Z. (Ed.), *Mineral Nutrition of Crops Fundamental Mechanisms and Implications*. Food Product Press, New York, pp. 205–226.
- Huber, D.M., Watson, R.D. 1974. Nitrogen form and plant disease. Annual Review of Phytopathology 12:139–165.
- Humphries, J., Stangoulis, J., Graham, R. 2007. Manganese. In: Barker, A., Pilbeam, D. (eds). Handbook of Plant Nutrition, *Taylor and Francis*, USA, pp.351-366.
- Igawa, T., Tokal, T., Kudo, T., Yamagushi, I. and Kimura, M. 2005. A wheat xylanase inhibitor gene, Xip-I, but not Taxi-I, is significantly induced by biotic and abiotic signals that trigger plant defense. *Bioscience, Biotechnology, and Biochemistry* 69:1058–1063.
- International Rice Research Institute. 1996. Standard evaluation system for rice. 4<sup>th</sup> edition. Los Banos, Phillippines, *International Rice Research Institute*.
- International Rice Research Institute. 2008. Background Paper: The rice crisis: What needs to be done? *IRRI*. Los Baños, Philippines.
- International Rice Research Institute. 2009. Annual Reports for 2002. *IRRI*. Los Baños, Philippines.
- Ishizuka, Y. 1978. Nutrient Deficiencies of Crops, Book Series No 1. Taipei, Taiwan, *Food and Fertilizer Technology Center.*
- Ito, S. 1930. On some new ascigerous stages of the species of Helminthosporiumparasitic on cereals. *Proceedings of the Imperial Academy of Japan* 6:352–5.

- Ito, S., Kuribayashi, K. 1927. Production of ascigerous stage in culture of Helminthosporium oryzae. Annals of the Phytopathological Society of Japan 2:1– 8
- Jabatan Pertanian Malaysia. 2013. Booklet Statistik Tanaman (Subsektor Tanaman Makanan) 2013. Unit Perangkaan, Bahagian Perancangan, Teknologi Maklumat & Komunikasi, *Jabatan Pertanian Semenanjung Malaysia*.
- Jain, M., Nijhawan, A., Tyagi, A.K., Khurana, J.P. 2006. Validation of Housekeeping genes in internal control for studying gene expression in rice by quantitative realtime PCR. *Biochemical and Biophysical Research Communication* 345:646-651.
- Joseph Heckman. 2013. Silicon: A Beneficial substance. Better Crops. 97.
- Juliano, B.O. 1985. Rice hull and rice straw. Pages 689–755 in: Rice: Chemistry and Technology, 2<sup>nd</sup> ed. Juliano, B.O., Ed. *American Association of Cereal Chemists*, St. Paul, MN.
- Kaur, P., Kaur, S., Padmanabhan, S.Y. 1979. Effect of manganese and iron on incidence of brown spot disease of rice. *Indian Phytopathology* 32:287-288.
- Keizrul, A., Azuhan, M. 1998. An overview of water resources utilization and management in Malaysia. Seminar on "Local communities and the environment II". Environment Protection Society Malaysia, Petaling Jaya. pp. 24-25.
- Khaing, E.E. 2015. Characterizations of Rhizoctonia isolates and improved cultural practices for rice sheath blight management. Master Science Thesis. Universiti Putra Malaysia.
- Kim, S.G., Kim, K.W., Eun, W.P. and Choi, D. 2002. Silicon-induced cell wall fortification of rice leaves: A possible cellular mechanism of enhanced blast. *Phytopathology* 92:1095-1103.
- Kirubakaran, S.I., Sakhtivel, N. 2007. Cloning and over expression of antifungal barley chitinase gene in Escherichia coli. *Protein Expression and Purification* 52:1159-1166.
- Kochian, L., Hoekenga, O., Piñeros, M. 2004. How do crops plants tolerate acid soils? Mechanisms of aluminum tolerance and phosphorus efficiency. *Annual Review* of *Plant Biology* 55:459-93.
- Kombrink, E., Ancillo, G., Buchter, R., Dietrich, J., Hoegen, E., Ponath, Y., Schmelzer, E., Stromberg, A., Wegener, S. 2001. *The role of chitinases in plant defense and plant proteins*. May 20-24. Spa, Belgium. Book of abstract. pp. 11.
- Koutroubas, S.D., Katsantonis, D., Ntanos, D.A., Lupotto, E. 2009. Blast disease influence on agronomic and quality traits of rice varieties under Mediterranean conditions. *Turkish Journal of Agriculture and Forestry* 33:487-494.
- Larrad, F., Gorse, J.F., Puch, C. 1992. Materials and Structures 25:265.
- Lea, P.J., Azevedo, R.A. 2006. Nitrogen use efficiency. 1. Uptake of nitrogen from the soil. *Annals of Applied Biology* 149:243–247.

- Leach, C.M. 1961. The sporulation of *Helminthosporium oryzae* as affected by exposure to near ultraviolet radiation and dark periods. *Canadian Journal of Botany* 39:705-715.
- Lee, F.N. 1992. Brown spot. In: Webster, R.K., Gunnell, P.S. (eds) Compendium of rice diseases. *The American Phytopathological Society*, St. Paul, pp.14–17.
- Leonard, K.J., Thakur, R.P., Leath, S. 1988. Incidence of *Bipolaris* and *Exserohilum* species in corn leaves in North Carolina. Plant Disease 72:1034–1038.
- Leonard. K.J., Suggs, E.G. 1974. Setosphaeria prolata, the ascigerous state of Exserohilum prolatum. Mycologia 66:281–97.
- Leubner-Metzger, G., Meins, F.Jr. 1999. Functions and regulation of plantb-1,3glucanases (PR-2). In Datta, S.K., Muthukrishnan, S. eds, Pathogenesis-Related Proteins in Plants. *CRC Press*, Boca Raton, Philippines. pp. 49–76.
- Liang, Y., Zhang, W., Chenc, Q. and Ding, R. 2005. Effects of silicon on H+-ATPase and H+-Ppase activity, aftty acid composition and fluidity of tonoplast vesicles from roots of salt-stressed barley (*Hordeum vulgare* L.). *Environmental and Experimental Botany* 53:29-37.
- Lidon, F.C., Barreiro, M., Ramalho, J. 2004. Manganese accumulation in rice: implications for photosynthetic functioning. *Journal of Plant Physiology* 161: 1235-1244.
- Lin. S.H., Huang, S.L., Li, Q.Q., Hu, C.J., Fu, G., Qin, L.P., Ma, Y.F., Xie, L., Cen, Z.L. and Yan, W.H. 2011. Characterization of *Exserohilum rostratum*, a new causal agent of banana leaf spot disease in China. *Australasian Plant Pathology*. 40:246–259.
- LKPP Padi Sdn. Bhd. 2015. Retrieved 20 September 2014 from http://lkpppadi.com.my/informasi-padi/padi-semangat-padi/.
- Luan, F.G., Qiang, S., Ma, D.Y., Riziwangguli. 2004. The primary studies on isolation and identification of wheat black embryo in Xinjiang. *Xinjiang Agriculture Science* 41:357–360. (in Chinese with English abstract).
- Luo, W. H. 1996. Simulation and measurement of leaf wetness formation in paddy rice crops. PhD Thesis, Wageningen Agricultural University.
- Ma, J., Nishimura, K. and Takahashi, E. 1989. Effect of silicon on the growth of rice plant at different growth stages. *Soil Science and Plant Nutrition* 35:347-356.
- Ma, J.F. 2004. Role of silicon in enhancing the resistance of plants to biotic and abiotic stresses. *Soil Science and Plant Nutrition* 50:11–18.
- Ma, J.F. and Takahashi, E. 2002. Soil, Fertilizer and Plant Silicon Research in Japan, *Elsevier Science*.
- Ma, J.F., Takahashi, E. 2002. Soil, Fertilizer, and Plant Silicon Research in Japan. *Elsevier Science*, Amsterdam.
- Ma, J.F., Tamai, K., Ichii, M., Wu, K. 2002. A rice mutant defective in active Si uptake. *Plant Physiology* 130:2111–2117.

- Ma, J.F., Tamai, K., Yamaji, N., Mitani, N., Konishi, S., Katsuhara, M., Ishiguro, M., Murata, Y., Yano, M. 2006. A silicon transporter in rice. *Nature* 440:688–691.
- Ma, J.F., Yamaji, N. 2006. Silicon uptake and accumulation in higher plants. *Trends Plant Science* 11:392–397.
- Ma, J.F., Yamaji, N., Mitani, N., Tamai, K., Konishi, S., Fujiwara, T., Katsuhara, M., Yano, M. 2007. An efflux transporter of silicon in rice. *Nature* 448:209–211.
- Ma, J.M. and Yamaji, N. 2006. Silicon uptake and accumulation in higher plants. *Trends in Plant Science* 11:8.
- Maas, E., Moore, D. 1968. Manganese absorption by excised barley roots. *Plant Physiology* 43:527-530.
- Mahmad Toher, A.S., Mior Ahmad, Z.A. and Wong, M.Y. 2016. First report of Exserohilum rostratum as pathogen of rice brown spot in Malaysia. *Disease Notes. The American Phytopathological Society* 100:226.
- Marchetti, M.A., Petersen, H.D. 1984. The role of *Bipolaris oryzae* in floral abortion and kernel discoloration in rice. *Plant Disease* 68:288-291.
- Marschner, H. 1995. Mineral Nutrition of Higher Plants, 2<sup>nd</sup> ed. Academic, London, pp. 889.
- Mateila, T. 1994. Biology of the plant nematode relationship-physiological changes and the defense mechanism of plants. *Nematologica* 40: 276-311.
- McKinney, H.H. 1923. Influence of soil temperature and moisture on infection of wheat seedlings by *Helminthosporium sativum*. *Journal of Agricultural Research* 26:195-218.
- Menzies, J.G., Ehret, D.L., Glass, A.D.M. and Samuels, A.L. 1991. The influence of silicon on cytological interactions between *Sphaerotheca fuliginea* and *Cucumis* sativus. Physiological and Molecular Plant Pathology 39:403-414.
- Miller, H.N. 1950. Soil sterilization. Florida Agricultural Experiment Station, Gainesvilla. *Florida State Horticultural Society*.
- Mitani, N. and Ma, J.F. 2005. Uptake System of Silicon in Different Plant Species. *Journal of Experimental Botany* 56:1255-1261.
- Mitani, N. and Ma, J.F. and Iwashita, T. 2005. Identification of silicon form in the xylem of rice (*Oryza sativa* L.). *Plant Cell Physiology* 46:279-283.
- Mitani, N., Ma, J.F. 2005. Uptake system of silicon in different plant species. *Journal of Experimental Botany* 56:1255–1261.
- Motlagh, M.R. and Kaviani, B. 2008. Characterization of new *Bipolaris* spp.: the causal agent of rice brown spot disease in the North of Iran. *International Journal of Agricultural and Biology* 10:638–42.
- Moura, J.C.M.S., Bonine, C.A.V., De Oliveira Fernandes Viana, J., Dornelas, M.C. and Mazzafera, P. 2010. Abiotic and biotic stresses and changes in the lignin content and composition in plants. *Journal of Integrative Plant Biology*, 52:360-376.

- Muriithi, C., Mugai, E., Kihurani, A.W., Nafuma, C.J. and Amboga, S. 2010. Determination of silicon from rice by-product and chemical sources on rice blast management. *Kenya Agricultural Research Institute*.
- Naim, F.A.R.M., Najib, M.Y.M., Shahida, H., Elixon, S., Asfaliza, R. 2015. Soil fertility and nutrient management for rice crop in Malaysia. *Buletin Teknologi MARDI* 8:37 – 44
- Nei, M. and Kumar, S. 2000. *Molecular Evolution and Phylogenetics*. Oxford University Press, New York.
- Neuhaus, J.M. 1999. Plant chitinases. In: Datta, S.K., Muthukrishnan, S., eds, Pathogenesis-Related Proteins in Plants. *CRC Press*, Boca Raton, Philipppines, pp. 77–105.
- NPCS. 2015. Rice Husk, rice hull, rice husk ash (agricultural waste) based projects. Retrieved 28 August 2015 from http://npcs.in/profiles/profiles/rice-husk-rice-hullrice-husk-ash-agricultural-waste-based-projects/z,,81,0,a/index.html.
- Oborn, I., Edwards, A.C., Witter, E., Oenema, O., Ivarsson, K., Withers, P.J.A., Nilsson, S.I., Richert Stinzing, A. 2003. Element balances as a toll for sustainable nutrient management: a critical appraisal of their merits and limitations within an agronomic and environmental context. *European Journal of Agronomy* 20:211–225.
- Ocfemia, G.O. 1924. The *Helminthosporium* disease of rice occurring in the southern United States and in the Philippines. *American Journal of Botany* 11:385–408.
- Okoli, C.A.N., Erinle, I.D. 1990. Comparative rate of rot-induction by nine fungal pathogens on stored tomato fruits in Nigeria. *Journal of Stored Products Research* 26:77–79.
- Olivier, C., Berbee, M.L., Shoemaker, R.A., Loria, R. 2000. Molecular phylogenetic support from ribosomal DNA sequences for origin of *Helminthosporium* from *Leptosphaeria*-like loculoascomycete ancestors. *Mycologia* 92:736–46.
- Ou, S.H. 1972. Rice Disease: Commonwealth Mycological Institute. Kew, England. pp. 368.
- Ou, S.H. 1985. Rice Disease: Commonwealth Mycological Institute. Kew, Surrey, UK. pp.380.
- Padmanabhan, S.Y. 1973. The Great Bengal Famine. *Annual Review of Phytopathology* 11:11-24. [Electronic version] www.annualreviews.org.
- Pendias, K., Pendias, H. 1992. Trace elements in soils and plants. USA, *CRR Press*, pp.365.
- Percich, J.A., Nyvall, R.F., Malvick, D.K., and Kohls, C.L. 1997. Interaction of temperature and moisture on infection of wild rice by *Bipolaris oryzae* in the growth chamber. *Plant Disease* 81:1193–1195.
- Perrenoud, S. 1990. Potassium and Plant Health. 2<sup>nd</sup> edn. Bern, Switzerland: International Potash Institute.

- Poonam, G., Ravi, R. and Sharma, V. 2013. Induction of β-1,3-glucanase and chitinase activity in the defense response of *Eruca sativa* plants against the fungal pathogen *Alternaria brassicola*.
- Prabhu, A.S., Fageria, N.K., Huber, D.M., Rodrigues, F.A. 2007. Potassium and plant disease. In: Datnoff, L.E., Elmer, W.H., Huber, D.M. (eds). Mineral Nutrition and Plant Disease, St Paul, MN, APS Press. pp.57–78.
- Prabhu, A.S., Lopes, A.M. and Zimmermann, F.J. 1980. Infection of leaves and grain of rice by *Helminthosporium oryzae* and its effects on yield components. *Pesquisa Agropecuaria Brasileira* 15:183-189.
- Priyadharshini, J. and Seran, T.H. 2009. Paddy husk ash as a source of potassium for growth and yield of cowpea (*Vigna unguiculata* L). *The journal of Agricultural Science* 4:2.
- Razavi, S.E. 1992. The study of distribution, Phenotypic traits taxonomy and pathogenicity of different isolates of Helminthosporium and related form genera from rice in Fars and Kohgiloyeh and Boyerahmad provinces. Master Science Thesis. Shiraz University.
- Rengel, Z. 2000. Uptake and transport of manganese in plants. In: Sigel, A., Sigel, H. (eds.). *Metal Ions in Biological Systems*. New York, Marcel Dekker, pp. 57-87.
- Rice, R.W. 2007. The physiological role of minerals in the plant. In: Datnoff, L.E., Elmer, W.H., Huber, D.M.(eds), Mineral Nutrition and Plant Disease, St Paul, MN, *APS Press*. pp. 9-29.
- Rice: Fungal Disease: Brown Spot. Retrieved 7 September 2014 from http://agridr.in/tnauEAgri/eagri50/PATH272/lecture01/002.html.
- Römheld, V., Marschner, H. 1991. Function of micronutrients in plants. In: Mortvedt, J.J., Cox, F.R., Shuman, L.M., Welch, R.M. (Eds.), Micronutrients in Agriculture. *Soil Science Society of America*, Inc. Madison, Wisconsin, USA, pp. 297–328.
- Saitou, N. and Nei, M. 1987. The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4:406-425.
- Sangster, A.G., Hodson, M.J., Tubb, H.J. 2001. Silicon deposition in higher plants. In Silicon in Agriculture, pp.85-114. Eds Datnoff, G.H., Snyder, G.H. and Korndofer, G.H. The Netherlands: *Elsevier*, Amsterdam.
- Santos, I.S., Machado, O.L.T., Da Cunha, M., Gomez, V.M. 2004. A chitinase from *Adenanthera pavonina* L. seeds: purification, characterization and immunolocalization. *Plant Science* 167:1203-1210.
- Sato, K. 1965. Studies on the blight diseases of rice plant. *Bulletin of the Imperial Institute of Agricultural Research.* Tokoku University 15:199–237.
- Savant, N.K., Snyder, G.H., Datnoff, L.E. 1997. Silicon management and sustainable rice production. *Advances in Agronomy* 58:151–199.
- Seebold, K.W., Kucharek, T.A., Datnoff, L.E., Correa-Victoria, J.F., Marchetti, M.A. 2001. The influence of silicon on components of resistance to blast in susceptible, partially resistant and resistant cultivars of rice. *Phytopathology* 91:63-69.

- Semakan Tanaman Padi. 2016. Retrieved 23 March 2014 from http://www.mada.gov.my/semakan-tanaman-padi.
- Sharma, S.K. and Maheshwari, S.K. 1982. Efficacy of fungicides for the control of brown spot. *International Rice Research Notes* 7:5.
- Shoemaker, R.A. 1959. Nomenclature of *Drechslera* and *Bipolaris*, grass parasites segregated from *Helminthosporium*. *Canadian Journal of Botany* 37:879–87.
- Sivanesan, A. 1987. Graminicolous Species of *Bipolaris, Curvularia, Drechslera, Exserohilum* and Their Teleomorph. *CAB. Mycological Papers* No.158, 261 p.
- Snoeijers, S.S., Perez-Garcia, A., Joosten, M.H.A.J., De Wit, P.J.G.M. 2000. The effect of nitrogen on disease development and gene expression in bacterial and fungal plant pathogens. *European Journal of Plant Pathology* 106:493–506.
- Soave, J., Pizzinatto, M.A., Usberti Junior, J.A., Camargo, O.B.A., Villela, O.V. 1984. Selection of rice cultivars resistant to some pathogens using seed health testing. *Pesquisa Agropecuaria Brasileira* 19:449-453.
- Rice Knowledge Bank, IRRI. Brown Spot. Retrieved from http://www.knowledgebank.irri.org/training/fact-sheets/pest-management /diseases/item/brown-spot, May 2015.
- Stintzi, A., Heitz, T., Prasad, V., Wiedemann-Merdinoglu, S., Kauffmann, S., Geoffroy, P., Legrand, M., Fritig, B. 1993. Plant 'pathogenesis-related' proteins and their role in defense against pathogens. *Biochimie* 75:687-706.
- Subramanian, C.V., Jain, B.L. 1966. A revision of some graminicolous *Helminthosporia*. *Current Science* 14:352–5.
- Takahashi, E. 1995. Uptake mode and physiological functions of silica. In: Matusuo, T., Kumazawa, K., Ishii, R., Hirata, H. Science of rice plant Physiology. Tokyo: Nobunkyo 2:420-433.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A. and Kumar, S. 2013. MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. *Molecular Biology and Evolution* 30:2725-2729.
- Thompson, I.A., Huber, D.M. 2007. Manganese and plant disease. In: Datnoff, L.E., Elmer, W.H., Huber, D.M. (eds). *Mineral Nutrition and Plant Disease*, APS Press. pp.139-153.
- Timmusk, S. and Wagner, E.G.H. 1999. The plant-growth-promoting rhizobacterium *Paenibacillus polymyxainduces* changes in *Arabidopsis thaliana* gene expression: A possible connection between biotic and abiotic stress responses. *Molecular Plant-Microbe Interactions* 12:951–959.
- Tuong, T.P. and Bouman, B.A.M. 2003. Rice production in water scarce environments. In Kijne, J.W., Barker, R., and Molden, D., eds., Water Productivity in Agriculture: Limits and opportunities for improvement. Wallingford, UK: CABI Publishing.
- Tuong, T.P., Bouman, B.A.M. and Mortimer, M. 2005. More rice, less water Integrated approaches for increasing water productivity in irrigated rice-based systems in Asia. *Plant Production Science* 8:231–41.

- Turabelidze, A., Guo, S. and DiPietro, L.A. 2010. Importance of Housekeeping gene selection for accurate RT-qPCR in a wound healing model. Wound Repair and Regeneration: Official Publication of the Wound Healing Society [and] the European Tissue Repair Society. 18:460-466. [Online version] http://doi.org/10.1111/j.1524-475X.2010.00611.x
- Utusan Malaysia Newsletter. 2011. [Electronic version] http://ww1.utusan.com.my/utusan/info.asp?y=2011&dt=0227&pub=Utusan\_Mala ysia&sec=Utara&pg=wu\_01.htm. Retrieved 23 September 2011.
- Van Loon, L.C. 1999. Occurrence and properties of plant pathogenesis-related proteins. In Datta, S.K. Muthukrishnan, S., eds, Pathogenesis-Related Proteins in Plants. *CRC Press*, Boca Raton, Philippines, pp.1–19.
- Vidhyasekaran, P. 1997. Fungal pathogenesis in plants and crops. In: *Molecular Biology* and Host Defense Mechanisms, Marcel Dekker, New York, USA, p. 568
- Vidhyasekaran, P. 2004. Concise Encyclopaedia of Plant Pathology. Food Products Press, *The Haworth Reference Press*, p.619.
- Vlaev, L., Petkov, P., Dimitrov, A. and Genieva, S. 2011. Cleanup of water polluted with crude oil or diesel fuel using rice husks ash. Journal of the Taiwan Institute of Chemical Engineers. *Elsevier* 42:957-964.
- Wainright, M., Al-Wajeeh, K., Grayston, S.J. 1997. Effect of silicic acid and other silicon compounds on fungal growth in oligotrophic and nutrient-rich media. *Mycological Research* 101:933-938.
- Walter, D.R. and Bingham, I.J. 2007. Influence of nutrition on disease development caused by fungal pathogens: implications for plant disease control. *Annals of Applied Biology* 151:307–324.
- Walters, D.R., Ayres, P.G. 1980. Effects of powdery mildew disease on uptake and metabolism of nitrogen by roots of infected barley. *Physiological Plant Pathology* 17:369–379.
- Webster, R.K., Gunnel, P.S. 1992 Compendium of Rice Diseases. St. Paul MN, USA. APS Press.
- Weil, R.R., and Holah, S.S. 1989. Effect of submergence on availability of certain plant nutrients in three Ultisol cate-nas. *Plant and Soil*, 114:147–157.
- White, T.J., Bruns, T., Lee, S., Taylor, J. 1990. Amplification and direct sequences of fungal ribosomal RNA genes for phylogenetics. In: Innis, M.A., Gelfand, D.H., Sninsky, J.J., White, T.J., eds. PCR Protocols. San Diego, CA, USA: Academic Press 315–22.
- Yang, M., Zhang, Y., Zhang, L., Hu, J., Zhang, X., Lu, K., Dong, H., Wang, D., Zhao, F.J., Huang, C.F., and Lian, X. 2014. OsNRAMP5 contributes to manganese translocation and distribution in rice shoots. *Journal of Experimental Botany*. [Electronic version] http://jxb.oxfordjournals.org/. Retrieved 28 August 2014.
- Yoshida, S., Forno, D.A., Cock, J.H., Gomez, K.A. 1976. Laboratory Manual for Physiological Studies of Rice. Third edition. *The international Rice Research Institute.*

- Zadoks, J.C. 1974. The role of epidemiology in modern Phytopathology. *Phytopathology* 64:918–929.
- Zanao Junior, L.A., Rodrigues, F.A., Ferreira Fontes, R.L., Korndorfer, G.H. and Lima Neves, J.C. 2008. Rice Resistance to brown spot mediated by silicon and its interaction with manganse. *Journal of Phytopathology* 157:73-78.
- Zhang, Q., Fry, J., Lowe, K., Tisserat, N. 2006. Evaluation of calcium silicate for brown patch and dollar spot suppression on turf grasses. *Crop Science* 46:1635–1643.
- Zhang, Y.P., E, Z.G., Jiang, H., Wang, L., Zhou, J. and Zhu, D.F. 2015. A Comparative study of stress-related gene expression under single stress and intercross stress in rice. *Genetics and Molecular Research* 14:3702-3717.
- Zummo, N. 1986. Red spot (*Helminthosporium rostratum*) of sweet sorghum and sugarcane, a new disease resembling anthracnose and red rot. *Plant Disease* 70:800.

## LIST OF PUBLICATIONS

#### Journal Article Submitted:

Mahmad Toher, A.S., Mior Ahmad, Z.A. and Wong, M.Y. 2016. First report of Exserohilum rostratum as pathogen of rice brown spot in Malaysia. *Disease Notes. The American Phytopathological Society* 100:226.

## **Conference/ Proceedings:**

- Ainu Shahirah, M.T., Zainal Abidin, M.A., Mui Yun, W. 2013. Rice Disease: Brown Spot. *Postgraduate Symposium on Plant Protection 2013. Malaysian Plant Protection Society.* Poster Presentation.
- Ainu Shahirah, M.T., Zainal Abidin, M.A., Mui Yun, W. 2014. Identification and Characterization of *Exserohilum rostratum* As a New Causal Agent of Rice Brown Spot Disease in Malaysia. *International Agriculture Congress. Faculty of Agriculture, Universiti Putra Malaysia.* Poster Presentation.



## **UNIVERSITI PUTRA MALAYSIA**

## STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION :

#### TITLE OF THESIS / PROJECT REPORT :

# CHARACTERIZATION OF CAUSAL AGENT OF BROWN SPOT AND USE OF SILICON AND MANGANESE FOR DISEASE MANAGEMENT IN RICE

#### NAME OF STUDENT : AINU SHAHIRAH BT MAHMAD TOHER

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

- 1. This thesis/project report is the property of Universiti Putra Malaysia.
- The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
- 3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

\*Please tick (√)

CONFIDENTIAL	(Contain confidential information under Official Secret Act 1972).			
RESTRICTED	(Contains restricted information as specified by the organization/institution where research was done).			
OPEN ACCESS	I agree that my thesis/project report to be published as hard copy or online open access.			
This thesis is submitted for :				
PATENT	Embargo from until (date) (date)			
	Approved by:			
(Signature of Student) New IC No/ Passport No.:	(Signature of Chairman of Supervisory Committee) Name:			

Date :

Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]