

UNIVERSITI PUTRA MALAYSIA

DEVELOPMENT OF A STOCHASTIC RAINFALL GENERATOR AND ITS UNCERTAINTY QUANTIFICATION FOR THE KELANTAN RIVER BASIN, MALAYSIA

NG JING LIN

FK 2018 34



DEVELOPMENT OF A STOCHASTIC RAINFALL GENERATOR AND ITS UNCERTAINTY QUANTIFICATION FOR THE KELANTAN RIVER BASIN, MALAYSIA



Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Doctor of Philosophy

October 2017

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Doctor of Philosophy

DEVELOPMENT OF A STOCHASTIC RAINFALL GENERATOR AND ITS UNCERTAINTY QUANTIFICATION FOR THE KELANTAN RIVER BASIN, MALAYSIA

By

NG JING LIN

October 2017

Chairman : Associate Professor Samsuzana Abd Aziz, PhD Faculty : Engineering

Stochastic simulation of rainfall is challenging due to incomplete rainfall series and high variability of rainfall. Furthermore, the quantification of uncertainty is often ignored in the current practice of hydrological modelling and lead to inappropriate decisions. Accordingly, this research intends to develop a stochastic rainfall generator, consisting of rainfall occurrence models and rainfall amount models and perform its uncertainty quantification for the Kelantan River Basin, Malaysia. Seventeen rainfall stations with rainfall series within the period from 1954 to 2013 were selected.

The first until fifth order Markov chains were utilized to simulate the rainfall occurrences. The results showed that the first until fourth order Markov chains gave similarly good performances in simulating the mean, frequency distribution, standard deviation and extreme values of wet spells, dry spells, wet day frequency and dry day frequency, while the fifth order Markov chain gave poor results. The first until fourth order Markov chains passed most of the Wilcoxon rank sum (82.4 - 100% passing rate), Kolmogorov-Smirnov (K-S) (70.6 - 100% passing rate) and squared ranks tests (70.6 - 100% passing rate). They reproduced lower values of mean absolute percentage error (MAPE) for the mean (0.4 - 5.2%), standard deviation (1.4 - 7.5%) and extreme values (2.3 - 16.4%). However, the results of the Akaike information criterion (AIC) and the Bayesian information criterion (BIC) suggested that the monthly, seasonal and yearly rainfall occurrences were simulated fairly using the second (35.3 - 82.4% selection rate), fourth (58.8 - 100% selection rate) and third (100% selection rate) order Markov chains.

The exponential, gamma, log-normal, skew normal, mixed exponential and generalized Pareto distributions were used to simulate the rainfall amounts. It was found that all the distributions were capable of simulating the mean, frequency distribution and standard deviation of the rainfall amounts by reproducing high passing rates of the Wilcoxon rank sum (100%), K-S (86.8 – 100%) and squared ranks tests (88.2 – 100%). They obtained relatively low values of MAPE for the mean (2.5 – 4.7%), standard deviation (2.8 – 10.4%) of rainfall amounts and low values of variance overdispersion (-7.9 – -1.7%). For the extreme rainfall amounts, the exponential, gamma, log-normal and mixed exponential distributions were consistently better than the skew normal and generalized Pareto distributions. The log-normal distribution (41.2 – 100% selection rate) was chosen as the best fitting distribution based on the results of AIC and BIC.

The uncertainty quantification was performed on the synthetic rainfall series simulated from the best formulations for the monthly, seasonal and yearly rainfall series. The uncertainty of the rainfall depth duration frequency (DDF) curves was quantified using the 95% confidence interval. The results showed that there was uncertainty ranged from -10.0% to 12.4% for return periods up to 100 years in the DDF curves. The uncertainty increases with the return period.

Overall, the stochastic rainfall generator is considered a convenient tool to simulate the rainfall characteristics over the Kelantan River Basin and the uncertainty quantification framework is straightforward and useful. The outcomes of this study can be used for flood control, climate change assessment, hydrological modelling and decision making. Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

PEMBANGUNAN PENJANA HUJAN STOKASTIK DAN KUANTIFIKASI KETIDAKPASTIAN UNTUK LEMBANGAN SUNGAI KELANTAN

Oleh

NG JING LIN

Oktober 2017

Pengerusi : Profesor Madya Samsuzana Abd Aziz, PhD Fakulti : Kejuruteraan

Simulasi stokastik hujan adalah mencabar disebabkan oleh siri hujan yang tidak lengkap dan kebolehubahan hujan yang tinggi. Tambahan pula, kuantifikasi ketidaktentuan sering diabaikan dalam amalan semasa pemodelan hidrologi dan menghasilkan keputusan yang tidak sesuai. Oleh demikian, kajian ini bertujuan untuk membangunkan penjana hujan stokastik yang terdiri daripada model kejadian hujan dan model jumlah hujan dan melaksanakan kuantifikasi ketidaktentuan untuk Lembangan Sungai Kelantan di Malaysia. Tujuh belas stesen hujan dengan siri hujan dari tempoh 1954 - 2013 telah dipilih dalam kajian ini.

Rantaian Markov dari perintah pertama sehingga kelima telah digunakan untuk mensimulasikan kejadian hujan. Hasil kajian menunjukkan bahawa perintah rantaian Markov pertama sehingga keempat memberikan keputusan yang sama baik dalam mensimulasikan min, taburan kekerapan, sisihan piawai dan nilai ekstrem rentetan hari basah, rentetan hari kering, kekerapan hari basah dan kekerapan hari kering, manakala perintah kelima rantaian Markov memberikan keputusan yang tidak memuaskan. Perintah rantaian Markov pertama sehingga keempat lulus sebahagian besar daripada uji jumlah peringkat Wilcoxon (kadar kelulusan 82.4 – 100%), Kolmogorov-Smirnov (K-S) (kadar kelulusan 70.6 – 100%) dan ujian pangkat dua (kadar kelulusan 70.6 – 100%). Mereka menghasilkan semula nilai-nilai peratusan ralat min mutlak yang lebih rendah (MAPE) untuk min (0.4 - 5.2%), sisihan piawai (1.4 - 7.5%) dan nilai-nilai ekstrem (2.3 – 16.4%). Walau bagaimanapun, keputusan daripada kriteria maklumat Akaike (AIC) dan kriteria maklumat Bayesian (BIC) mencadangkan bahawa kejadian hujan bulanan, bermusim dan tahunan telah disimulasikan agak memuaskan dengan menggunakan perintah rantaian Markov kedua (kadar pemilihan 35.3 - 82.4%), keempat (kadar pemilihan 58.8 – 100 %) dan ketiga (kadar pemilihan 100%).



Taburan eksponen, gamma, log-normal, kemiringan kurva normal, eksponen bercampur dan Pareto umum telah digunakan untuk mensimulasikan jumlah hujan. Kajian menunjukkan bahawa semua taburan mampu mensimulasikan min, taburan kekerapan dan sisihan piawai jumlah hujan dengan menghasilkan semula kadar kelulusan uji jumlah peringkat Wilcoxon yang tinggi (100%), K-S (86.8 – 100%) dan ujian pangkat dua (88.2 – 100%). Mereka menghasilkan nilai MAPE yang agak rendah untuk min (2.5 – 4.7%), sisihan piawai (2.8 – 10.4%) daripada jumlah hujan dan varians overdispersion (-7.9 – -1.7%). Untuk jumlah hujan yang ekstrem, taburan eksponen, gamma, log-normal dan eksponen bercampur adalah lebih baik daripada taburan kemiringan kurva normal dan Pareto umum. Taburan log-normal (kadar pemilihan 41.2 – 100%) telah dipilih sebagai taburan penyesuaian yang terbaik berdasarkan keputusan AIC dan BIC.

Kuantifikasi ketidaktentuan telah dilakukan pada siri hujan sintetik yang disimulasikan daripada formula yang terbaik untuk siri hujan bulanan, bermusim dan tahunan. Ketidaktentuan daripada lengkung kekerapan tempoh kedalaman hujan (DDF) telah dikuantifikasikan dengan menggunakan 95% selang keyakinan. Hasil kajian menunjukkan bahawa ketidaktentuan adalah dari antara -10.0% dengan 12.4% untuk tempoh pulangan sehingga 100 tahun dalam lengkung DDF. Ini menunjukkan bahawa ketidaktentuan meningkat dengan tempoh pulangan.

Secara keseluruhan, penjana hujan stokastik dianggap sebagai satu alat yang mudah untuk mensimulasikan ciri-ciri hujan di Lembangan Sungai Kelantan dan rangka kerja kuantifikasi ketidaktentuan adalah jelas dan berguna. Hasil kajian ini boleh digunakan untuk kawalan banjir, penilaian perubahan iklim, pemodelan hidrologi dan membuat keputusan.

ACKNOWLEDGEMENTS

First and foremost, I would like express my sincere appreciation and gratitude to my supervisor, Assoc. Prof. Dr. Samsuzana Abd Aziz for her kind assistance, valuable advice and encouragement throughout my research work. A special thanks to my former supervisor, Professor. Ir. Dr. Lee Teang Shui for his help and kind support in completing this study. I also would like to thank my co-supervisor, Assoc. Prof. Ir. Dr. Huang Yuk Feng for his continuous support and constructive comments in improving my research work. My sincere appreciation is also dedicated to my co-supervisors, Dr. Aimrun Wayayok and Dr. Md Rowshon Kamal for their advice and suggestions.

I would like to thank the Malaysian Meteorological Department for providing the rainfall data and the Ministry of Education Malaysia for the financial support. I also would like to thank all my friends and especially my laboratory members, Dr. Diyana, Nur Fizura, Al Fadhl Yahya, Atikah and Munirah for their company and encouragement during this study.

Lastly, I would like to express my profound gratitude to my beloved parents and siblings for their love, support and encouragement. They are always by my side and full of encouragement and support.

I certify that a Thesis Examination Committee has met on 23 October 2017 to conduct the final examination of Ng Jing Lin on her thesis entitled "Development of a Stochastic Rainfall Generator and its Uncertainty Quantification for the Kelantan River Basin, Malaysia" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Hasfalina binti Che Man, PhD

Associate Professor Faculty of Engineering Universiti Putra Malaysia (Chairman)

Badronnisa binti Yusuf, PhD Senior Lecturer

Faculty of Engineering Universiti Putra Malaysia (Internal Examiner)

Lai Sai Hin, PhD

Associate Professor University Malaya Malaysia (External Examiner)

Kwok-Wing Chau, PhD

Professor Hong Kong Polytechnic University Hong Kong (External Examiner)

NOR AINI AB. SHUKOR, PhD Professor and Deputy Dean School of Graduate Studies Universiti Putra Malaysia

Date: 28 December 2017

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Samsuzana Abd Aziz, PhD

Associate Professor Faculty of Engineering Universiti Putra Malaysia (Chairman)

Aimrun Wayayok, PhD

Senior Lecturer Faculty of Engineering Universiti Putra Malaysia (Member)

Md. Rowshon Kamal, PhD

Senior Lecturer Faculty of Engineering Universiti Putra Malaysia (Member)

Huang Yuk Feng, PhD

Associate Professor, Ir Faculty of Engineering and Science Universiti Tunku Abdul Rahman (Member)

> **ROBIAH BINTI YUNUS, PhD** Professor and Dean School of Graduate Studies Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature:		Date:	
Name and Matric No.:	Ng Jing Lin	GS36882	-

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: Name of Chairman of Supervisory Committee:	Samsuzana Abd Aziz	
Signature: Name of Member of Supervisory Committee:	Aimrun Wayayok	
Signature: Name of Member of Supervisory Committee:	Md Rowshon Kamal	
Signature: Name of Member of Supervisory Committee:	Ir. Huang Yuk Feng	

TABLE OF CONTENTS

ABS ABS ACK APP DEC LIST LIST LIST LIST LIST	TRAC TRAK NOW ROVA LARA COF I COF A COF A COF N	T VLEDGEMENTS AL ATION CABLES FIGURES APPENDICES ABBREVATIONS NOTATIONS	i iii v vi viii xiii xiii xxiii xxiii xxiv xxvi
1	INTI	RODUCTION	1
T	1.1	Research background	1
	1.2	Problem statement	2
	1.3	Objectives	4
	1.4	Scope of study and thesis outline	4
	1.5	Significance of study	5
2		ERATURE REVIEW	7
	2.1	2.1.1 Kinds of rainfall	7
		2.1.2 Types of rainfall modelling models	8
	2.2	Stochastic rainfall generators	13
	2.2	2.2.1 Principles of stochastic rainfall generator	13
		2.2.2 Purposes of stochastic rainfall modelling	14
		2.2.3 Classification of stochastic rainfall generator	15
		2.2.4 Challenges in stochastic rainfall modelling	22
	2.3	Uncertainty in hydrology	23
		2.3.1 Notion of uncertainty	23
		2.3.2 Classification of uncertainty	24
		2.3.3 Reduction of uncertainty in hydrological modelling	25
	2.4	Uncertainty quantification approaches	26
		2.4.1 Framework development of uncertainty quantification	26
		2.4.2 Classification of uncertainty quantification approaches	28
		2.4.3 Uncertainty in rainfall depth duration frequency (DDF) curves	29
	_	2.4.4 Challenges in uncertainty quantification	32
	2.5	Summary of literature review	33

3	MET	THODOLOGY		
	3.1	Resear	ch procedures	35
	3.2	Study	area	39
		3.2.1	Location of study area	39
		3.2.2	Climate of study area	40
	3.3	Data c	ollection and data checking	41
	3.4	Homo	geneity analysis of rainfall	42
		3.4.1	Standard Normal Homogeneity test (SNHT)	43
		3.4.2	Buishand range test (BRT)	43
		3.4.3	Pettitt test (PET)	44
		3.4.4	Von Neumann ratio test (VNRT)	44
	3.5	Formu	lation of the stochastic rainfall generator	44
		3.5.1	Rainfall occurrence models	45
		3.5.2	Rainfall amount models	51
		3.5.3	Correction of the low-frequency variability	58
	3.6	Simula	ation procedure of the stochastic rainfall generator	60
	3.7	Perform	mance evaluation of stochastic rainfall generator	64
		3.7.1	Statistical tests	64
		3.7.2	Information criteria approaches	67
	3.8	Uncert	ainty quantification	68
		3.8.1	Stochastic replications of synthetic rainfall series	68
		3.8.2	Frequency analysis of extreme rainfall data	69
		3.8.3	Development of the rainfall depth duration frequency	
			(DDF) curves	71
		3.8.4	Uncertainty quantification of rainfall DDF curves	73

RESU	U <mark>LTS A</mark>	ND DISCUSSIONS	75
4.1	Rainfal	l homogeneity tests results	75
	4.1.1	Homogeneity of monthly rainfall	75
	4.1.2	Homogeneity of seasonal rainfall	79
	4.1.3	Homogeneity of yearly rainfall	81
4.2	Perform	nances of rainfall occurrence models	82
	4.2.1	Mean of wet spell and wet day frequency	82
	4.2.2	Mean of dry spell and dry day frequency	86
	4.2.3	Frequency distribution of wet spell and wet day frequency	90
	4.2.4	Frequency distribution of dry spell and dry day frequency	91
	4.2.5	Standard deviation of wet spell and wet day frequency	92
	4.2.6	Standard deviation of dry spell and dry day frequency	97
	4.2.7	Extreme values of wet spell and wet day frequency	101
	4.2.8	Extreme values of dry spell and dry day frequency	105
4.3	Determ	ination of the best rainfall occurrence model	108
4.4	Perform	nances of rainfall amount models	110
	4.4.1	Mean of rainfall amount	110
	4.4.2	Frequency distribution of rainfall amount	113
	4.4.3	Standard deviation of rainfall amount	122
	4.4.4	Extreme values of rainfall amount	125
4.5	Determ	ination of the best rainfall amount model	128
4.6	Uncerta	ainty quantification	130

4

 \mathbf{C}

4.6.1	Estimated generalized extreme value (GEV) distribution	130
	parameters	
4.6.2	Derivation of rainfall DDF curves	133
162	Madallina II. and a inter in DDE annual	126

4.6.3 Modelling Uncertainty in DDF curves 136

5SUMMARY, CONCLUSION AND RECOMMENDATIONS
FOR FUTURE RESEARCH1405.1Summary and Conclusion1405.2Recommendations for Future Studies143

REFERENCES144APPENDICES166BIODATA OF STUDENT205LIST OF PUBLICATIONS206

LIST OF TABLES

	Table		Page
	2.1	The information of the kinds of rainfall	7
	2.1	The information of the kinds of rainfall (continued)	8
	2.2	Classification of uncertainties in hydrology	24
	2.3	Classification of uncertainties in flood frequency analysis	24
	2.4	Classification of uncertainties in modelling of extreme hydrological events	25
	2.5	Classification of uncertainties in the rainfall intensity duration frequency (IDF) relationships	25
	2.6	The information of the uncertainty quantification approaches	28
	3.1	List of rainfall stations used in this study	41
	3.1	List of rainfall stations used in this study (continued)	42
	3.2	The 5% critical values for the four homogeneity tests as a function of number of years	42
	3.3	A scale of judgement of accuracy (Adapted from Lewis, 1982)	67
	4.1	Results of homogeneity tests of monthly rainfall series	76
	4.1	Results of homogeneity tests of monthly rainfall series (continued)	77
	4.1	Results of homogeneity tests of monthly rainfall series (continued)	78
	4.2	The classification for class "useful", "doubtful" and "suspect" for monthly rainfall series	79
	4.3	Results of homogeneity tests of seasonal rainfall series	79
	4.3	Results of homogeneity tests of seasonal rainfall series (continued)	80
	4.4	The classification for class "useful", "doubtful" and "suspect" for seasonal rainfall series	80
	4.5	Results of homogeneity tests of yearly rainfall series	81
	4.6	The classification for class "useful", "doubtful" and "suspect" for yearly rainfall series	81

4.7	The number of data sets of monthly, seasonal and yearly wet spells that passed the Wilcoxon rank sum tests	83
4.8	MAPE of the mean of wet spells	83
4.9	The number of data sets of monthly, seasonal and yearly number of wet days that passed the Wilcoxon rank sum tests	85
4.10	MAPE of the mean of number of wet days	85
4.11	The number of data sets of monthly, seasonal and yearly dry spells that passed the Wilcoxon rank sum tests	87
4.12	MAPE of the mean of dry spells	87
4.13	The number of data sets of monthly, seasonal and yearly number of dry days that passed the Wilcoxon rank sum tests	89
4.14	MAPE of the mean of number of dry days	89
4.15	The number of data sets of monthly, seasonal and yearly wet spells that passed the K-S tests	90
4.16	The number of data sets of monthly, seasonal and yearly number of wet days that passed the K-S tests	91
4.17	The number of data sets of monthly, seasonal and yearly dry spells that passed the K-S tests	91
4.18	The number of data sets of monthly, seasonal and yearly number of dry days that passed the K-S tests	92
4.19	The number of data sets of monthly, seasonal and yearly wet spells that passed the squared ranks tests	94
4.20	MAPE of the standard deviation of wet spells	94
4.21	Variance overdispersion of wet spells	94
4.22	The number of data sets of monthly, seasonal and yearly number of wet days that passed the squared ranks tests	96
4.23	MAPE of the standard deviation of number of wet days	96
4.24	Variance overdispersion of number of wet days	96
4.25	The number of data sets of monthly, seasonal and yearly dry spells that passed the squared ranks tests	98
4.26	MAPE of the standard deviation of dry spells	99
4.27	Variance overdispersion of dry spells	99

xiv

	4.28	The number of data sets of monthly, seasonal and yearly number of dry days that passed the squared ranks tests	100
	4.29	MAPE of the standard deviation of number of dry days	101
	4.30	Variance overdispersion of number of dry days	101
	4.31	MAPE of the extreme of wet spells	103
	4.32	MAPE of the extreme of number of wet days	104
	4.33	MAPE of the extreme of dry spells	106
	4.34	MAPE of the extreme of number of dry days	108
	4.35	The number of times each Markov order is chosen as the best model for the 17 rainfall stations by using AIC criterion	109
	4.36	The number of times each Markov order is chosen as the best model for the 17 rainfall stations by using BIC criterion	110
	4.37	The number of data sets of monthly, seasonal and yearly rainfall amounts that passed the Wilcoxon rank sum tests	112
	4.38	MAPE of the mean of monthly, seasonal and yearly rainfall amounts	113
	4.39	The number of data sets of monthly, seasonal and yearly rainfall amounts that passed the K-S tests	122
	4.40	The number of data sets of monthly, seasonal and yearly rainfall amounts that passed the squared ranks tests	125
	4.41	MAPE of the standard deviation of monthly, seasonal and yearly rainfall amounts	125
	4.42	Variance overdispersion of rainfall amounts	125
	4.43	MAPE of the maximum of monthly, seasonal and yearly rainfall amounts	128
	4.44	The number of times each rainfall amount model is chosen as the best model for the 17 rainfall stations by using AIC criterion	129
	4.45	The number of times each rainfall amount model is chosen as the best model for the 17 rainfall stations by using BIC criterion	129
	4.46	The estimated GEV parameters of the annual maximum rainfall series from the best formulations at Kota Bahru station. Their corresponding standard deviations are given in the brackets	131

4.47	Correlation matrices of γ , μ and \propto for synthetic extreme rainfall series of the best formulation for monthly rainfall series at Kota Bahru station	131
4.48	Correlation matrices of γ , μ and \propto for synthetic extreme rainfall series of the best formulation for seasonal rainfall series at Kota Bahru station	132
4.49	Correlation matrices of γ , μ and \propto for synthetic extreme rainfall series of the best formulation for yearly rainfall series at Kota Bahru station	132
4.50	The estimated regression coefficients of Kota Bahru station	133
4.51	The relationships that describe the GEV parameters as a function of duration at Kota Bahru station	134
4.52	The 95% confidence interval for duration of 24 hrs and return period of 2, 5, 10, 20, 50, and 100 years at Kota Bahru station. The range of uncertainty was shown between brackets	138
4.53	The relationships that describe the standard deviation as a	138

function of duration, D and return period, T at Kota Bahru station

0

LIST OF FIGURES

	Figure		Page
	2.1	Classification of stochastic rainfall generator	15
	3.1	Flowchart of rainfall occurrence models	36
	3.2	Flowchart of rainfall amount models	37
	3.3	Flow chart of uncertainty quantification	38
	3.4	Location of Kelantan River Basin in Malaysia	39
	3.5	Location of 17 rainfall stations in Kelantan River Basin	40
	4.1	Simulated versus observed mean of monthly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	82
	4.2	Simulated versus observed mean of seasonal wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	83
	4.3	Simulated versus observed mean of yearly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chain	83
	4.4	Simulated versus observed mean of monthly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	84
	4.5	Simulated versus observed mean of seasonal number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	84
	4.6	Simulated versus observed mean of yearly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	85
	4.7	Simulated versus observed mean of monthly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	86
	4.8	Simulated versus observed mean of seasonal dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	87
	4.9	Simulated versus observed mean of yearly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	87

	4.10	Simulated versus observed mean of monthly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	88
	4.11	Simulated versus observed mean of seasonal number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	89
	4.12	Simulated versus observed mean of yearly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	89
	4.13	Simulated versus observed standard deviation of monthly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	93
	4.14	Simulated versus observed standard deviation of seasonal wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	93
	4.15	Simulated versus observed standard deviation of yearly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	93
	4.16	Simulated versus observed standard deviation of monthly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	95
	4.17	Simulated versus observed standard deviation of seasonal number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	95
	4.18	Simulated versus observed standard deviation of yearly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	95
	4.19	Simulated versus observed standard deviation of monthly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	98
	4.20	Simulated versus observed standard deviation of seasonal dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	98
	4.21	Simulated versus observed standard deviation of yearly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	98
	4.22	Simulated versus observed standard deviation of monthly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	100

	4.23	Simulated versus observed standard deviation of seasonal number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	100
	4.24	Simulated versus observed standard deviation of yearly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	100
	4.25	Simulated versus observed extreme of monthly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	102
	4.26	Simulated versus observed extreme of seasonal wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	102
	4.27	Simulated versus observed extreme of yearly wet spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	103
	4.28	Simulated versus observed extreme of monthly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	104
	4.29	Simulated versus observed extreme of seasonal number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	104
	4.30	Simulated versus observed extreme of yearly number of wet days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	104
	4.31	Simulated versus observed extreme of monthly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	106
	4.32	Simulated versus observed extreme of seasonal dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	106
	4.33	Simulated versus observed extreme of yearly dry spells generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	106
	4.34	Simulated versus observed extreme of monthly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	107
	4.35	Simulated versus observed extreme of seasonal number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	107

	4.36	Simulated versus observed extreme of yearly number of dry days generated by (a) first order, (b) second order, (c) third order, (d) fourth order and (e) fifth order Markov chains	108
	4.37	Simulated versus observed mean of monthly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	111
	4.38	Simulated versus observed mean of seasonal rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	112
	4.39	Simulated versus observed mean of yearly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	112
	4.40	Simulated versus observed 10th percentile of monthly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	114
	4.41	Simulated versus observed 10th percentile of seasonal rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	115
	4.42	Simulated versus observed 10th percentile of yearly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	115
	4.43	Simulated versus observed 30th percentile of monthly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	116
	4.44	Simulated versus observed 30th percentile of seasonal rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	116
	4.45	Simulated versus observed 30th percentile of yearly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	117
	4.46	Simulated versus observed 50th percentile of monthly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	117

- 4.47 Simulated versus observed 50th percentile of seasonal rainfall 118 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.48 Simulated versus observed 50th percentile of yearly rainfall 118 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.49 Simulated versus observed 70th percentile of monthly rainfall 119 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.50 Simulated versus observed 70th percentile of seasonal rainfall 119 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.51 Simulated versus observed 70th percentile of yearly rainfall 120 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.52 Simulated versus observed 90th percentile of monthly rainfall 120 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.53 Simulated versus observed 90th percentile of seasonal rainfall 121 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.54 Simulated versus observed 90th percentile of yearly rainfall 121 amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.55 Simulated versus observed standard deviation of monthly 123 rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions
- 4.56 Simulated versus observed standard deviation of seasonal 124 rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions

4.57	Simulated versus observed standard deviation of yearly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	124
4.58	Simulated versus observed maximum of monthly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	126
4.59	Simulated versus observed maximum of seasonal rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	127
4.60	Simulated versus observed maximum of yearly rainfall amounts by (a) exponential, (b) gamma, (c) log-normal, (d) skew normal, (e) mixed exponential and (f) generalized Pareto distributions	127
4.61	GEV parameters of the best formulation for monthly rainfall series plotted against duration at Kota Bahru station	133
4.62	2 GEV parameters of the best formulation for seasonal rainfall series plotted against duration at Kota Bahru station	134
4.63	GEV parameters of the best formulation for yearly rainfall series plotted against duration at Kota Bahru station	134
4.64	Rainfall DDF curves (solid lines) of (a) the best formulation for monthly rainfall series, (b) the best formulation for seasonal rainfall series and (c) the best formulation for yearly rainfall series for the return periods of 2, 5, 10, 20, 50, and 100 years at Kota Bahru station	135
4.65	5 Rainfall DDF curves (solid lines) and 95% confidence intervals (dashed lines) of the best formulation for (a) monthly, (b) seasonal and (c) yearly rainfall series for the return periods of 2, 5, 10, 20, 50, and 100 years at Kota Bahru station	137
4.66	Rainfall DDF curves (solid lines) and the normal probability density functions (dashed lines) of (a) the best formulation for monthly rainfall series, (b) the best formulation for seasonal rainfall series and (c) the best formulation for yearly rainfall series which describe the uncertainty distribution at Kota Bahru	139

station

LIST OF APPENDICES

Appendix		Page
А	The rainfall DDF curves equations	166
В	The rainfall DDF curves	170
С	The normal distribution equations	186
D	Representation of uncertainty distribution	189



LIST OF ABBREVIATIONS

AIC	Akaike information criterion
ANFIS	Adaptive network-based fuzzy inference system
ANN	Artificial neural networks
BIC	Bayesian information criterion
BLRP	Barlett-Lewis Rectangular Pulses
BRT	Buishand range test
DDF	Depth duration frequency
DSC	Direct Search Complex
FFT	Fast Fourier Transform
DYNIA	Dynamic identifiability analysis
GCM	Global climate models
GEV	Generalized extreme value
GLM	Generalized linear models
GLUE	Generalized Likelihood Uncertainty Estimation
IDF	Intensity duration frequency
ITM	Inter-monsoon
K-NN	K-nearest neighbors
K-S	Kolmogorov-Smirnov
LARS-WG	Long Ashton Research Station weather generator
MA	Moving average
MAPE	Mean absolute percentage error
MCMC	Markov Chain Monte Carlo
MLE	Maximum likelihood estimation

NEM Northeast monsoon

NSRP Neyman-Scott Rectangular Pulses

OBL Original Barlett-Lewis

PET Pettitt test

RCM Regional climate models

- SDSM Statistical downscaling model
- SNHT Standard Normal Homogeneity test
- SSA Singular spectrum analysis
- SWM Southwest monsoon
- VNRT Von Neumann ratio test

LIST OF NOTATIONS

\hat{eta}_{gls}	Generalized least squares estimators
\hat{eta}_{ols}	Ordinary least squares estimator
log L	Log-likelihood function
\widehat{F}	Proportion of tested variables
Ŷ	Conditional relative frequency
P_m	Probability weighted moment
P_r	Transitional probability of Markov chain
T ₀	Test statistic of SNHT
T _{KS}	Test statistic of K-S test
T _{OW}	Owen's T function
T_k	Statistic of homogeneity tests
T _s	Test statistic of squared ranks test
T_w	Test statistic of Wilcoxon rank sum test
Χ'	Original rainfall samples
X*	Stochastic rainfall estimates
X _E	Maximum values of PET
X _M	Matrix of full rank
X _t	Rainfall state
\bar{x}	Mean
<i>x</i> _c	Contraction point
x _e	Expansion point
x _r	Reflection point

6

	X _s	Shrunk point
	<i>x</i> _z	Quantile function of GEV distribution
	δ_c	Contraction coefficient
	δ_e	Expansion coefficient
	δ_p	Reflection coefficient
	δ_s	Shrink coefficient
	ω_0	Fundamental frequency
	hrs	Hours
	l l	Sample L-moments
	Φ	Cumulative density function of the normal distribution
	A	Measure of skewness
	D	Rainfall duration
	F(x)	Cumulative density function
	G	Frequency domain component
	L	Likelihood function
	Q	Log-likelihoods of Markov chains
	R	Rescaled adjusted range
	S	State space of the values 0 and 1
	Т	Return period
	V	Test statistic of VNRT
	W	Sum of ranks
	a, b	Real numbers
	С	General complex number
	е	Random error

f(x)	Probability density function
g	Time domain component
j	Imaginary unit
k	Number of years, number of parameters
m	Order of the Markov model
n	Observed frequency of the transition counts, sample size,
	number of observations, total length of data series
nn	Size of stochastic replication
p	Mixing probability
q	Weather state
r	Ranks of the tested variables
rr	Rate parameter
s	Number of states
SS	Adjusted partial sums
t	Days
x	Rainfall series to be tested, daily rainfall amount
Z	Cumulative probability of GEV distribution
Г	Gamma function
β	Regression coefficient
γ	Shape parameter
ε	Tolerance level
θ	Phase
λ	Vector of GEV parameters
μ	Location parameter

- ξ Scale parameter
- *ρ* Magnitude
- σ Standard deviation
- ϕ Standard normal probaility density function of the normal
 - distribution



CHAPTER 1

INTRODUCTION

1.1 Research background

Rainfall is a highly significant piece of hydrological data that initiates the whole chain of hydrological events occurring in river basins and watersheds. The rainfall occurrence and rainfall amounts have great influences on the hydrological cycle and environment. The prolong periods of intense rainfall occurrence can cause flooding that can lead to destruction of properties and loss of lives. On the other hand, the continuous dry weather condition with no rain can cause the rivers and dams to dry up, affecting the welfare and the livelihoods of people. Therefore, the probability of rainfall occurrence and the distribution of rainfall events are important for analyzing and understanding the hydrological responses in the system.

Stochastic rainfall generators are stochastic simulation tools used to simulate synthetic rainfall series at a particular location that are statistically consistent with the observed rainfall series (Lee, 2016; Chen et al., 2015; Kenabatho et al., 2012). They are not weather forecasting models that rely on initial conditions and numerically integrate the partial differential equation. Specifically, the stochastic rainfall outputs are not associated with the duplications of weather at a specific real dates either for the past or future. Rather, they are statistical and random representations of the observed rainfall series and it is expected that they can closely mimic the statistical properties of the present day condition. The stochastic modelling of rainfall series is based on a stochastic process where the sequences of random numbers simulated from computer algorithms are transformed into sequences of synthetic data series. One of the main advantages of the stochastic rainfall generator is that the long and complete sequences of rainfall series can be generated under limited availability of rainfall series. Therefore, the stochastic rainfall generators are used frequently in a wide range of fields, such as water resources management, climate change assessment, flood control, drought forecasting and hydrological modelling.

The modelling procedures of any hydrological models are exposed to uncertainty. The uncertainty of the models is inherent due to possible errors and imperfections that arise beyond human control. Uncertainty refers to a state of imperfect knowledge where it is difficult to represent the process and outcome of a particular system. In general, the measurements or the estimates of any model will not be perfectly accurate. Errors in the measurement process, inappropriate parameter estimation method and errors in the data used for modelling procedures are the main sources of uncertainty (Zahmatkesh et al., 2015; Chandra et al., 2015; Gronewold et al., 2013). Therefore, the uncertainty quantification is performed to examine the potential source of errors in a process and to identify the uncertainty bounds of the relevant variables.

It is now being broadly recognized that the stochastic simulation of rainfall series and the proper investigation of uncertainty are important for the purpose of research works and operational planning. The tremendous advance of computational power and the rapid growth of the hydrological field have improved the understanding of the hydrologic phenomena and permit more advanced models to be developed. As with any model, it is essential to examine the model structure depending on the understanding of the hydrologic phenomena and the computational ability. This helps to increase the accuracy and reliability of simulation procedures.

1.2 Problem statement

The availability of long and complete rainfall series is essential in hydrological modelling. It is noted that rainfall series of a minimum 20–25 years are desirable for rainfall modelling to allow a good representation of the rainfall characteristics (Jones et al., 2016; Fodor et al., 2013). However, in many regions, the rainfall series are often too short, possess considerable amounts of missing or simply unavailable values (Bárdossy & Pegram, 2014; Lo Presti et al., 2010; McKague et al., 2005). In Malaysia, rainfall stations with particularly long observed rainfall series are very scarce. The current available observed weather series are usually inconsistent and incomplete due to some systematic and random errors or missing values. The reliability and accuracy of the results of the hydrological modelling could be affected by inputting the short and incomplete rainfall series to the hydrological models. This creates difficulty for the hydrologists and engineers to carry out their research and operational analysis. Therefore, it is very useful to employ a stochastic rainfall generator to simulate long and complete synthetic rainfall series based on the statistical characteristics of the observed rainfall series.

Although Malaysia is known to be one of the countries with low risk of natural disasters, uncontrolled urban developments, poor drainage, intense monsoon rain storms and heavy convection rainfall have caused floods to become a significant natural hazard in Malaysia (Hai et al., 2017; Perera & Lahat, 2015; Ariff et al., 2012). Flooding in Malaysia usually occurs during the monsoon season and can last for a month. This issue has raised considerable concern to analyze the characteristics of rainfall occurrence and rainfall amount to understand the responses of hydrological cycle and cope with the flood hazards and other natural disasters. The wet day rainfall amount is simulated based on the rainfall occurrence. The rainfall occurrence and rainfall amount are the crucial factors of the flood events as they affect the infiltration, flow accumulation and rate of runoff directly. Therefore, the formulation of the rainfall occurrence models and rainfall amount models is crucial to study the rainfall behavior and consequently aid in flood mitigation and hydrological modelling.

Many of the stochastic rainfall generators that had been developed are site-specific where the formulation of the rainfall occurrence model and rainfall amount model is carried out based on the condition of that particular region. The existing stochastic weather generators WGEN (Richardson 1981) and WeaGETS (Chen et al., 2012) were developed and applied in diverse climate regions, United States and Canada,

respectively. Unlike other countries that experience spring, summer, autumn and winter, the study area of this research, Kelantan River Basin is located near to the equator which receives abundant rainfall throughout the year. Therefore, there is a need to formulate and develop a stochastic rainfall generator based on the rainfall characteristics of this specific study area. The presence of different climatic conditions and geographical factors in each study area also further adds to the interesting variety of findings and results. Therefore, a thorough model evaluation procedure should be performed to examine the capability of the rainfall occurrence model and the accompanying rainfall amount model in reproducing the characteristics of rainfall.

Malaysia has a tropical climate and experiences seasonal variations which are dominated by monsoon seasons. The definition of seasonal in some of the studies refers to spring, summer, autumn and winter, which are different from the monsoon seasons in a tropical area like Malaysia. The monsoon seasons of Malaysia consist of the southwest monsoon (SWM), the northeast monsoon (NEM), and the two intermonsoon seasons (ITM). The rainfall characteristics for different monsoon seasons are different. For example, SWM implies drier and warmer climate conditions. The NEM is the major rainy season in Malaysia that brings heavy rains and strong winds. Although a considerable amount of literature has been published on stochastic rainfall studies in tropical region (Jones & Thornton, 2013; Cowden et al., 2008; Tingem et al., 2007; Jones & Thornton, 2000; Jones & Thornton, 1993), those studies were carried out based on the overall basis where the monsoon seasonal components are not included in the formulation and validation process. Specifically, most of the stochastic rainfall studies in Malaysia are conducted on daily, monthly and yearly basis (Dlamini et al., 2015; Hassan & Harun, 2013; Shui & Haque, 2004). It would be interesting to carry out the model evaluation procedure and the selection of the best rainfall model by considering the monsoon seasons in Malaysia.

In general, there is no single model being deemed as ideal or perfect for use. By definition, the stochastic rainfall generator simulates synthetic rainfall series (output) based on parameters generated from the observed rainfall series (input). No matter how well the model is formulated, there is always an inconsistency between the model output and the corresponding model input. Uncertainty is equally as vital as the estimates themselves in any hydrological simulations. However, current stochastic rainfall studies are putting more emphasis on assessing the model performance where the quantification of uncertainty is rarely presented (Lee, 2016; Li et al., 2014; Abas et al., 2014; Kenabatho et al., 2012). Lacking of the uncertainty information may lead to inappropriate predictions in the hydrological models and consequently pose much higher risk of failures in project design and implementation. This highlighted an urgent need to include the quantification of uncertainty as part of any hydrological simulation procedures. Accordingly, this study attempts to address the aforementioned gaps by developing a stochastic rainfall generator incorporating the quantification of uncertainty.

1.3 Objectives

The aim of this study is to develop a stochastic rainfall generator, which consists of rainfall occurrence models and rainfall amount models with its uncertainty quantification for Kelantan River Basin. The specific objectives are as follow:

1. To formulate the rainfall occurrence models using Markov chains of different orders; 2. To evaluate the performances of the rainfall occurrence models through monthly, seasonal and yearly rainfall series;

3. To formulate the rainfall amount models based on the selected rainfall occurrence models using different probability distributions;

4. To determine the best rainfall amount models for the monthly, seasonal and yearly rainfall series;

5. To quantify the uncertainty in rainfall depth duration frequency (DDF) curves associated with the synthetic extreme rainfall series.

1.4 Scope of study and thesis outline

The scope of this research covers two model frameworks, and they are developing a parametric stochastic rainfall generator and quantifying its uncertainty specifically for the Kelantan River Basin, Malaysia. The former framework is directed towards formulating an efficient stochastic rainfall simulation procedure which is able to produce long synthetic rainfall series that have similar statistical characteristics as the observed rainfall series for any duration as required. The proposed stochastic rainfall generator consists of two main components, which are the rainfall occurrence models and rainfall amount models. The research works will be focused on simulating rainfall occurrences using five Markov chain models, simulating rainfall amounts using six rainfall amount models and correcting low-frequency variability using spectral correction method. Ultimately, the stochastic rainfall generator is evaluated for its ability to simulate the synthetic rainfall series. The latter framework simulates synthetic rainfall series using the best formulations from the former model framework and assesses the parameter uncertainty features of rainfall DDF curves. The objectives of this research have been listed with respect to the research problems and the thesis is organized as follows.

Chapter 2 provides the introduction of rainfall modelling and gives a brief description of kinds of rainfall and types of rainfall modelling. An overview of stochastic rainfall generator is given. The important aspects of stochastic rainfall generator, such as principles, purposes, classification and challenges are explained. The types of stochastic rainfall generator are reviewed. Their strengths and limitations are discussed to allow an appropriate model for this research to be selected. The descriptions of the notion, classification and reduction of uncertainty are discussed in the context of hydrological modelling. It also discusses the evolution of the uncertainty quantification approaches and reviews the uncertainty quantification of rainfall DDF curves. Chapter 3 gives a description of the study area, data sets used for simulation and the procedures of data quality control. The methodological framework of stochastic rainfall generator, which consists of rainfall occurrence simulation, rainfall amount simulation and correction of low-frequency variability is formulated, presented and explained. The evaluation of model performance by using various statistical tests and graphical analysis is discussed. This chapter also thoroughly explains the steps of stochastic replication of synthetic rainfall series using the best formulations and the uncertainty quantification of rainfall DDF curves.

Chapter 4 begins with presenting the results of homogeneity tests. Then, it evaluates and discusses the performance of stochastic rainfall generator in simulating the statistical properties of rainfall occurrences and rainfall amounts. The best rainfall occurrence model and rainfall amount model are selected. The derivation of the rainfall DDF curves is discussed and the results of uncertainty quantification are presented. All the results are accompanied by in depth discussions and descriptions in accordance to the significance of findings.

Chapter 5 presents the summary and main conclusions of the research. The contributions and significant findings of this research are also discussed. Finally, the recommendations for further work are presented.

1.5 Significance of study

The major contribution of this study is the development of a simple yet effective stochastic rainfall generator for the simulation of rainfall occurrences and rainfall amounts in a tropical area, specifically for the Kelantan River Basin, Malaysia. The stochastic rainfall generator is able to generate an infinite length of synthetic rainfall series for different research works and operations. The stochastic generation of rainfall series can be used to complement the inadequate length of rainfall records. This is especially advantageous for Malaysia as the rainfall stations with available complete rainfall series for a long duration are limited. The stochastic rainfall generator has been validated thoroughly, thus the research outcomes can be used as the foundation bases to improve the conceptualization and specifications of the stochastic rainfall studies. Also, through the simulation results, the developed stochastic rainfall generator presented its significant contribution in providing important information about the statistics and characteristics of monthly, seasonal and yearly rainfall series derived from the aggregation of synthetic daily time series. The major concern of Kelantan River Basin is monsoon flood, which is characterized by heavy and long duration rainfall. For the flood control, long and complete monthly, seasonal and rainfall series are required to calibrate the flood forecasting model and the flood control system. They are used as important inputs to simulate the hydrographs and predict runoff for the flood events. Besides, the time series of the monthly, seasonal and yearly rainfall series are necessary for the climate change assessment and optimum planning, designing and management of water resources engineering, such as the irrigation systems, reservoir operation and urban water supply.



In addition, the significance of this study is the quantification of the uncertainty of rainfall DDF curves based on the replications of 10^4 synthetic rainfall series generated solely from the stochastic rainfall generator so as to become the novelty of this study. A comprehensive uncertainty assessment has been performed to obtain the uncertainty bounds of extreme rainfall series, which is often neglected or overlooked during practice. The results of this study can contribute to a better understanding of the impact of uncertainty in hydrological process. Also, the quantification of uncertainty can benefit the decision makers to react wisely to the uncertainty arise from the model output and make a reliable decision.



REFERENCES

- Abas, N., Daud, Z. M., & Yusof, F. (2014). A comparative study of mixed exponential and Weibull distributions in a stochastic model replicating a tropical rainfall process. *Theoretical and Applied Climatology*, *118*(3), 597–607.
- Abbot, J., & Marohasy, J. (2014). Input selection and optimisation for monthly rainfall forecasting in Queensland, Australia, using artificial neural networks. *Atmospheric Research*, *138*, 166–178.
- Abebe, N. A., Ogden, F. L., & Pradhan, N. R. (2010). Sensitivity and uncertainty analysis of the conceptual HBV rainfall–runoff model: Implications for parameter estimation. *Journal of Hydrology*, 389(3), 301–310.
- Abon, C. C., Kneis, D., Crisologo, I., Bronstert, A., David, C. P. C., & Heistermann, M. (2016). Evaluating the potential of radar-based rainfall estimates for streamflow and flood simulations in the Philippines. *Geomatics, Natural Hazards* and Risk, 7(4), 1390–1405.
- Adnan, N. A., & Atkinson, P. M. (2011). Exploring the impact of climate and land use changes on streamflow trends in a monsoon catchment. *International Journal of Climatology*, *31*(6), 815–831.
- Ajami, N. K., Duan, Q., & Sorooshian, S. (2007). An integrated hydrologic Bayesian multimodel combination framework: Confronting input, parameter, and model structural uncertainty in hydrologic prediction. *Water Resources Research*, 43(1).
- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6), 716–723.
- Al-Wagdany, A. S. (2015). Frequency distributions of areal rainfall intensity and duration in western Saudi Arabia. *Arabian Journal of Geosciences*, 8(10), 8853–8859.
- Amin, M. Z. M., Shaaban, A. J., Ercan, A., Ishida, K., Kavvas, M. L., Chen, Z. Q., & Jang, S. (2017). Future climate change impact assessment of watershed scale hydrologic processes in Peninsular Malaysia by a regional climate model coupled with a physically-based hydrology modelo. *Science of The Total Environment*, 575, 12–22.
- Apipattanavis, S., Podestá, G., Rajagopalan, B., & Katz, R. W. (2007). A semiparametric multivariate and multisite weather generator. *Water Resources Research*, 43(11).
- Ariff, N. M., Jemain, A. A., Ibrahim, K., & Wan Zin, W. Z. (2012). IDF relationships using bivariate copula for storm events in Peninsular Malaysia. *Journal of Hydrology*, 470–471, 158–171.

- Asklany, S. A., Elhelow, K., Youssef, I. K., & Abd El-wahab, M. (2011). Rainfall events prediction using rule-based fuzzy inference system. *Atmospheric Research*, *101*(1–2), 228–236.
- Asong, Z. E., Khaliq, M. N., & Wheater, H. S. (2016). Multisite multivariate modeling of daily precipitation and temperature in the Canadian Prairie Provinces using generalized linear models. *Climate Dynamics*, 47(9–10), 2901–2921.
- Babel, M. S., Badgujar, G. B., & Shinde, V. R. (2015). Using the mutual information technique to select explanatory variables in artificial neural networks for rainfall forecasting. *Meteorological Applications*, 22(3), 610–616.
- Bárdossy, A., & Pegram, G. (2014). Infilling missing precipitation records A comparison of a new copula-based method with other techniques. *Journal of Hydrology*, *519*, 1162–1170.
- Batou, A., Soize, C., & Audebert, S. (2015). Model identification in computational stochastic dynamics using experimental modal data. *Mechanical Systems and Signal Processing*, 50, 307–322.
- Bernardara, P., De Michele, C., & Rosso, R. (2007). A simple model of rain in time: An alternating renewal process of wet and dry states with a fractional (non-Gaussian) rain intensity. *Atmospheric Research*, 84(4), 291–301.
- Beven, K., & Binley, A. (1992). The future of distributed models: Model calibration and uncertainty prediction. *Hydrological Processes*, 6(3), 279–298.
- Blanchet, J., Ceresetti, D., Molinié, G., & Creutin, J.-D. (2016). A regional GEV scaleinvariant framework for intensity-duration-frequency analysis. *Journal of Hydrology*, 540, 82–95.
- Blasone, R.-S., Vrugt, J. A., Madsen, H., Rosbjerg, D., Robinson, B. A., & Zyvoloski, G. A. (2008). Generalized likelihood uncertainty estimation (GLUE) using adaptive Markov Chain Monte Carlo sampling. *Advances in Water Resources*, 31(4), 630–648.
- Borga, M., Vezzani, C., & Fontana, G. D. (2005). Regional rainfall depth–duration– frequency equations for an Alpine Region. *Natural Hazards*, *36*(1–2), 221–235.
- Borujeni, S. C., & Sulaiman, W. N. A. (2009). Development of L-moment based models for extreme flood events. *Malaysian Journal of Mathematical Sciences*, 3(2), 281–296.
- Boulard, D., Castel, T., Camberlin, P., Sergent, A.-S., Asse, D., Bréda, N., Badeau, V., Rossie, A., & Pohl, B. (2017). Bias correction of dynamically downscaled precipitation to compute soil water deficit for explaining year-to-year variation of tree growth over northeastern France. *Agricultural and Forest Meteorology*, 232, 247–264.

- Bowles, D. S., & O'Connell, P. E. (1991). *Recent advances in the modeling of hydrologic systems* (1st ed.). Dordrecht: Kluwer Academic Publishers.
- Breinholt, A., Møller, J. K., Madsen, H., & Mikkelsen, P. S. (2012). A formal statistical approach to representing uncertainty in rainfall–runoff modelling with focus on residual analysis and probabilistic output evaluation – Distinguishing simulation and prediction. *Journal of Hydrology*, 472, 36–52.
- Breinl, K., Turkington, T., & Stowasser, M. (2013). Stochastic generation of multi-site daily precipitation for applications in risk management. *Journal of Hydrology*, 498, 23–35.
- Breinl, K., Turkington, T., & Stowasser, M. (2015). Simulating daily precipitation and temperature: a weather generation framework for assessing hydrometeorological hazards. *Meteorological Applications*, 22(3), 334–347.
- Burton, A., Kilsby, C. G., Fowler, H. J., Cowpertwait, P. S. P., & O'Connell, P. E. (2008). RainSim: A spatial-temporal stochastic rainfall modelling system. *Environmental Modelling & Software*, 23(12), 1356–1369.
- Caraway, N. M., McCreight, J. L., & Rajagopalan, B. (2014). Multisite stochastic weather generation using cluster analysis and k-nearest neighbor time series resampling. *Journal of Hydrology*, 508, 197–213.
- Carreau, J., & Vrac, M. (2011). Stochastic downscaling of precipitation with neural network conditional mixture models. *Water Resources Research*, 47(10).
- Castellvi, F., Stockle, C. O., Mormeneo, I., & Villar, J. M. (2002). Testing the performance of different processes to generate temperature and solar radiation: A case study at Lleida (northeast Spain). *Transactions of the Asae*, 45(3), 571–580.
- Cea, L., Legout, C., Grangeon, T., & Nord, G. (2016). Impact of model simplifications on soil erosion predictions: application of the GLUE methodology to a distributed event-based model at the hillslope scale. *Hydrological Processes*, *30*(7), 1096–1113.
- Chandra, R., Saha, U., & Mujumdar, P. P. (2015). Model and parameter uncertainty in IDF relationships under climate change. *Advances in Water Resources*, *79*, 127–139.
- Chen, D., Achberger, C., Ou, T., Postgård, U., Walther, A., & Liao, Y. (2015). Projecting future local precipitation and its extremes for Sweden. *Geografiska Annaler: Series A, Physical Geography*, 97(1), 25–39.
- Chen, H., Sun, J., & Chen, X. (2014). Projection and uncertainty analysis of global precipitation-related extremes using CMIP5 models. *International Journal of Climatology*, 34(8), 2730–2748.

- Chen, J., & Brissette, F. P. (2014a). Comparison of five stochastic weather generators in simulating daily precipitation and temperature for the Loess Plateau of China. *International Journal of Climatology*, *34*(10), 3089–3105.
- Chen, J., & Brissette, F. P. (2014b). Stochastic generation of daily precipitation amounts: review and evaluation of different models. *Climate Research*, 59(3), 189-206.
- Chen, J., Brissette, F. P., & Leconte, R. (2010). A daily stochastic weather generator for preserving low-frequency of climate variability. *Journal of Hydrology*, 388(3–4), 480–490.
- Chen, J., Brissette, F. P., & Leconte, R. (2011). Assessment and improvement of stochastic weather generators in simulating maximum and minimum temperatures. *Transactions of the ASABE*, 54(5), 1627–1637.
- Chen, J., Brissette, F. P., Leconte, R., & Caron, A. (2012). A versatile weather generator for daily precipitation and temperature. *Transactions of the ASABE*, 55(3), 895–906.
- Chen, J., Brissette, F. P., & Zhang, X. J. (2016). Hydrological modeling using a multisite stochastic weather generator. *Journal of Hydrologic Engineering*, 21(2), 4015060.
- Chen, W., & Chau, K. W. (2006). Intelligent manipulation and calibration of parameters for hydrological models. *International Journal of Environment and Pollution*, 28(3–4), 432-447.
- Chun, K. P., Wheater, H. S., Nazemi, A., & Khaliq, M. N. (2013). Precipitation downscaling in Canadian Prairie Provinces using the LARS-WG and GLM approaches. *Canadian Water Resources Journal*, *38*(4), 311–332.
- Cibin, R., Athira, P., Sudheer, K. P., & Chaubey, I. (2014). Application of distributed hydrological models for predictions in ungauged basins: a method to quantify predictive uncertainty. *Hydrological Processes*, 28(4), 2033–2045.
- Coles, S. (2001). An introduction to statistical modeling of extreme values. London: Springer.

Conover, W.J. (1980). Practical Nonparametric Statistics. New York: Wiley.

- Cowden, J. R., Watkins, D. W., & Mihelcic, J. R. (2008). Stochastic rainfall modeling in West Africa: parsimonious approaches for domestic rainwater harvesting assessment. *Journal of Hydrology*, *361*(1–2), 64–77.
- Cox, D. R., & Isham, V. (1994) Stochastic models of precipitation. New York: Wiley.
- Craigmile, P. F., & Guttorp, P. (2011). Space-time modelling of trends in temperature series. *Journal of Time Series Analysis*, *32*(4), 378–395.

- Daud, Z. M., Mat Rasid, S. M., & Abas, N. (2016). A regionalized stochastic rainfall model for the generation of high resolution data in Peninsular Malaysia. *Modern Applied Science*, *10*(5), 77–86.
- Dayon, G., Boé, J., & Martin, E. (2015). Transferability in the future climate of a statistical downscaling method for precipitation in France. *Journal of Geophysical Research: Atmospheres*, *120*(3), 1023–1043.
- Dembélé, M., & Zwart, S. J. (2016). Evaluation and comparison of satellite-based rainfall products in Burkina Faso, West Africa. *International Journal of Remote Sensing*, *37*(17), 3995–4014.
- Demirel, M. C., & Moradkhani, H. (2016). Assessing the impact of CMIP5 climate multi-modeling on estimating the precipitation seasonality and timing. *Climatic Change*, *135*(2), 357–372.
- Deni, S. M., Jemain, A. A., & Ibrahim, K. (2009). Fitting optimum order of Markov chain models for daily rainfall occurrences in Peninsular Malaysia. *Theoretical and Applied Climatology*, 97(1–2), 109–121.
- Dibike, Y. B., & Coulibaly, P. (2005). Hydrologic impact of climate change in the Saguenay watershed: comparison of downscaling methods and hydrologic models. *Journal of Hydrology*, *307*(1), 145–163.
- Dieckmann, N. F., Peters, E., Gregory, R., & Tusler, M. (2012). Making sense of uncertainty: advantages and disadvantages of providing an evaluative structure. *Journal of Risk Research*, 15(7), 717–735.
- Dixit, P. N., & Telleria, R. (2015). Advancing the climate data driven crop-modeling studies in the dry areas of Northern Syria and Lebanon: An important first step for assessing impact of future climate. *Science of The Total Environment*, *511*, 562–575.
- Dlamini, N. S., Rowshon, M. K., Sahab, U., Fikri, A., Lai, S. H., & Mohd, M. S. F. (2015). Developing and calibrating a stochastic rainfall generator model for simulating daily rainfall by Markov chain approach. *Jurnal Teknologi*, 76(15), 13–19.
- Du, H., Xia, J., & Zeng, S. (2014). Regional frequency analysis of extreme precipitation and its spatio-temporal characteristics in the Huai River Basin, China. *Natural Hazards*, 70(1), 195–215.
- Dubrovský, M., Buchtele, J., & Žalud, Z. (2004). High-frequency and low-frequency variability in stochastic daily weather generator and its effect on agricultural and hydrologic modelling. *Climatic Change*, *63*(1), 145–179.
- Ehret, U., Zehe, E., Wulfmeyer, V., Warrach-Sagi, K., & Liebert, J. (2012). HESS Opinions "Should we apply bias correction to global and regional climate model data?" *Hydrology and Earth System Sciences*, *16*(9), 3391–3404.

- El-Shafie, A., Jaafer, O., & Akrami, S. A. (2011). Adaptive neuro-fuzzy inference system based model for rainfall forecasting in Klang River, Malaysia. *International Journal of Physical Sciences*, 6(12), 2875–2888.
- Eum, H.-I., & Simonovic, S. P. (2012). Assessment on variability of extreme climate events for the Upper Thames River basin in Canada. *Hydrological Processes*, 26(4), 485–499.
- Faghih, M., Mirzaei, M., Adamowski, J., Lee, J., & El-Shafie, A. (2017). Uncertainty Estimation in Flood Inundation Mapping: An Application of Non-parametric Bootstrapping. *River Research and Applications*.
- Flecher, C., Naveau, P., Allard, D., & Brisson, N. (2010). A stochastic daily weather generator for skewed data. *Water Resources Research*, 46(7).
- Fodor, N., Dobi, I., Mika, J., & Szeidl, L. (2010). MV-WG: A new multi-variable weather generator. *Meteorology and Atmospheric Physics*, 107(3), 91–101.
- Fodor, N., Dobi, I., Mika, J., & Szeidl, L. (2013). Applications of the MVWG multivariable stochastic weather generator. *The Scientific World Journal*, 2013, 1–6.
- Førland, E. J., Benestad, R., Hanssen-Bauer, I., Haugen, J. E., & Skaugen, T. E. (2011). Temperature and Precipitation Development at Svalbard 1900–2100. Advances in Meteorology, 2011, 1–14.
- Forsythe, N., Fowler, H. J. J., Blenkinsop, S., Burton, A., Kilsby, C. G. G., Archer, D. R. R., Harpham, C., & Hashmi, M. Z. Z. (2014). Application of a stochastic weather generator to assess climate change impacts in a semi-arid climate: The Upper Indus Basin. *Journal of Hydrology*, 517, 1019–1034.
- Fowler, H. J., Blenkinsop, S., & Tebaldi, C. (2007). Linking climate change modelling to impacts studies: recent advances in downscaling techniques for hydrological modelling. *International Journal of Climatology*, 27(12), 1547–1578.
- Furrer, E. M., & Katz, R. W. (2007). Generalized linear modeling approach to stochastic weather generators. *Climate Research*, *34*(2), 129–144.
- Furrer, E. M., & Katz, R. W. (2008). Improving the simulation of extreme precipitation events by stochastic weather generators. *Water Resources Research*, 44(12).
- Gabriel, K. R., & Neumann, J. (1962). A Markov chain model for daily rainfall occurrence at Tel Aviv. *Quarterly Journal of the Royal Meteorological Society*, 88(375), 90–95.
- Giudice, D. D., Honti, M., Scheidegger, A., Albert, C., Reichert, P., & Rieckermann, J. (2013). Improving uncertainty estimation in urban hydrological modeling by statistically describing bias. *Hydrology and Earth System Sciences*, 17(10), 4209– 4225.

- Green, J. (1964). A model for rainfall occurrence. *Journal of the Royal Statistical Society. Series B (Methodological)*, 26(2), 345–353.
- Gronewold, A. D., Stow, C. A., Crooks, J. L., & Hunter, T. S. (2013). Quantifying parameter uncertainty and assessing the skill of exponential dispersion rainfall simulation models. *International Journal of Climatology*, *33*(3), 746–757.
- Haberlandt, U., Belli, A., & Bárdossy, A. (2015). Statistical downscaling of precipitation using a stochastic rainfall model conditioned on circulation patterns an evaluation of assumptions. *International Journal of Climatology*, 35(3), 417–432.
- Haberlandt, U., Hundecha, Y., Pahlow, M., & Schumann, A. H. (2011). Rainfall generators for application in flood studies. In *Flood Risk Assessment and Management* (pp. 117–147). Dordrecht: Springer Netherlands.
- Haddad, K., Rahman, A., & Green, J. (2010). Design rainfall estimation in Australia: a case study using L moments and generalized least squares regression. *Stochastic Environmental Research and Risk Assessment*, 25(6), 815–825.
- Hai, O. S., Samah, A. A., Chenoli, S. N., Subramaniam, K., & Ahmad Mazuki, M. Y. (2017). Extreme rainstorms that caused devastating flood over the east coast of Peninsular Malaysia during November and December 2014. Weather and Forecasting.
- Hailegeorgis, T. T., Thorolfsson, S. T., & Alfredsen, K. (2013). Regional frequency analysis of extreme precipitation with consideration of uncertainties to update IDF curves for the city of Trondheim. *Journal of Hydrology*, 498, 305–318.
- Han, J.-C., Huang, G.-H., Zhang, H., Li, Z., & Li, Y.-P. (2013). Bayesian uncertainty analysis in hydrological modeling associated with watershed subdivision level: a case study of SLURP model applied to the Xiangxi River watershed, China. *Stochastic Environmental Research and Risk Assessment*, 28(4), 1–17.
- Hankin, B., Bielby, S., Pope, L., & Douglass, J. (2016). Catchment-scale sensitivity and uncertainty in water quality modelling. *Hydrological Processes*, *30*(2), 4004– 4018
- Hao, Z., Hao, F., Singh, V. P., Sun, A. Y., & Xia, Y. (2016). Probabilistic prediction of hydrologic drought using a conditional probability approach based on the meta-Gaussian model. *Journal of Hydrology*, 542, 772–780.
- Harisaweni, Zulkifli, Y., & Fadhilah, Y. (2016). The Use of BLRP Model for disaggregating daily rainfall affected by monsoon in peninsular. *Sains Malaysiana*, 45(1), 87–97.
- Harrison, M., & Waylen, P. (2000). A note concerning the proper choice for Markov model order for daily precipitation in the humid tropics: A case study in Costa Rica. *International Journal of Climatology*, 20(14), 1861–1872.

- Hasan, M. M., Sharma, A., Mariethoz, G., Johnson, F., & Seed, A. (2016). Improving radar rainfall estimation by merging point rainfall measurements within a model combination framework. *Advances in Water Resources*, *97*, 205–218.
- Hashmi, M. Z., Shamseldin, A. Y., & Melville, B. W. (2011). Comparison of SDSM and LARS-WG for simulation and downscaling of extreme precipitation events in a watershed. *Stochastic Environmental Research and Risk Assessment*, 25(4), 475–484.
- Hassan, Z., & Harun, S. (2013). Impact of climate change on rainfall over Kerian, Malaysia with Long Ashton Research Station Weather Generator (LARS-WG). *Malaysian Journal of Civil Engineering*, 25(1), 33–44.
- Hassan, Z., Shamsudin, S., & Harun, S. (2014). Application of SDSM and LARS-WG for simulating and downscaling of rainfall and temperature. *Theoretical and Applied Climatology*, *116*(1–2), 243–257.
- Hosking, J. R. M. (1990). L-Moments: analysis and estimation of distributions using linear combinations of order statistics. *Journal of the Royal Statistical Society*. *Series B (Methodological)*, *52*(1), 105–124.
- Hosking, J. R. M., & Wallis, J. R. (1995). A comparison of unbiased and plottingposition estimators of L moments. *Water Resources Research*, 31(8), 2019–2025.
- Hosking, J. R. M., & Wallis, J. R. (2005). Regional Frequency Analysis: An Approach Based on L-Moments. Cambridge: Cambridge University Press.
- Hu, Y., Liang, Z., Li, B., & Yu, Z. (2013). Uncertainty assessment of hydrological frequency analysis using bootstrap method, *Mathematical Problems in Engineering*, 2013, 1–7.
- Hu, Z., & Du, X. (2015). First order reliability method for time-variant problems using series expansions. *Structural and Multidisciplinary Optimization*, *51*(1), 1–21.
- Huang, C.-L., Hsu, N.-S., Wei, C.-C., & Lo, C.-W. (2015). Using artificial intelligence to retrieve the optimal parameters and structures of adaptive network-based fuzzy inference system for typhoon precipitation forecast modeling. *Advances in Meteorology*, 2015, 1–22.
- Hundecha, Y., Pahlow, M., & Schumann, A. (2009). Modeling of daily precipitation at multiple locations using a mixture of distributions to characterize the extremes. *Water Resources Research*, *45*(12).
- Jaafar, J., Baki, A., Abu Bakar, I. A., Tahir, W., Awang, H., & Ismail, F. (2016). Evaluation of stochastic daily rainfall data generation models. In *ISFRAM* 2015 (pp. 203–220). Singapore: Springer Singapore.
- Jenkinson, A. F. (1955). The frequency distribution of the annual maximum (or minimum) values of meteorological elements. *Quarterly Journal of the Royal*

Meteorological Society, 81(348), 158–171.

- Jennings, S. A., Lambert, M. F., & Kuczera, G. (2010). Generating synthetic high resolution rainfall time series at sites with only daily rainfall using a master-target scaling approach. *Journal of Hydrology*, *393*(3–4), 163–173.
- Jeong, D. I., St-Hilaire, A., Ouarda, T. B. M. J., & Gachon, P. (2012). Multisite statistical downscaling model for daily precipitation combined by multivariate multiple linear regression and stochastic weather generator. *Climatic Change*, 114(3), 567–591.
- Jiang, P., & Tung, Y.-K. (2015). Incorporating daily rainfalls to derive rainfall DDF relationships at ungauged sites in Hong Kong and quantifying their uncertainty. *Stochastic Environmental Research and Risk Assessment*, 29(1), 45–62.
- Jones, P. D., Harpham, C., Burton, A., & Goodess, C. M. (2016). Downscaling regional climate model outputs for the Caribbean using a weather generator. *International Journal of Climatology*, *36*(12), 4141–4163.
- Jones, P. G., & Thornton, P. K. (1993). A rainfall generator for agricultural applications in the tropics. Agricultural and Forest Meteorology, 63(1-2), 1-19.
- Jones, P. G., & Thornton, P. K. (2000). MarkSim: software to generate daily weather data for Latin America and Africa. *Agronomy Journal*, *92*(3), 445–453.
- Jones, P. G., & Thornton, P. K. (2013). Generating downscaled weather data from a suite of climate models for agricultural modelling applications. *Agricultural Systems*, *114*, 1–5.
- Kaczmarska, J., Isham, V., & Onof, C. (2014). Point process models for fine-resolution rainfall. *Hydrological Sciences Journal*, *59*(11), 1972–1991.
- Kang, B.-J., Kim, J.-H., & Kim, Y. (2016). Engineering criticality analysis on an offshore structure using the first- and second-order reliability method. *International Journal of Naval Architecture and Ocean Engineering*, 8(6), 577– 588
- Karamouz, M., Taheriyoun, M., Seyedabadi, M., & Nazif, S. (2015). Uncertainty based analysis of the impact of watershed phosphorus load on reservoir phosphorus concentration. *Journal of Hydrology*, *521*, 533–542.
- Katz, R. W., & Parlange, M. B. (1998). Overdispersion phenomenon in stochastic modeling of precipitation. *Journal of Climate*, 11(4), 591–601.
- Kavetski, D., Kuczera, G., & Franks, S. W. (2006). Bayesian analysis of input uncertainty in hydrological modeling: 1. Theory. *Water Resources Research*, 42(3).

- Keller, D. E., Fischer, A. M., Frei, C., Liniger, M. A., Appenzeller, C., & Knutti, R. (2015). Implementation and validation of a Wilks-type multi-site daily precipitation generator over a typical Alpine river catchment. *Hydrology and Earth System Sciences*, 19(5), 2163–2177.
- Kenabatho, P. K., McIntyre, N. R., Chandler, R. E., & Wheater, H. S. (2012). Stochastic simulation of rainfall in the semi-arid Limpopo basin, Botswana. *International Journal of Climatology*, 32(7), 1113–1127.
- Khazaei, M. R., Ahmadi, S., Saghafian, B., & Zahabiyoun, B. (2013). A new daily weather generator to preserve extremes and low-frequency variability. *Climatic Change*, *119*(3), 631–645.
- King, L. M. M., Irwin, S., Sarwar, R., McLeod, A. I. A., & Simonovic, S. P. P. (2012). The effects of climate change on extreme precipitation events in the Upper Thames River Basin: a comparison of downscaling approaches. *Canadian Water Resources Journal*, 37(3), 253–274.
- King, L. M., McLeod, A. I., & Simonovic, S. P. (2015). Improved weather generator algorithm for multisite simulation of precipitation and temperature. *JAWRA Journal of the American Water Resources Association*, *51*(5), 1305–1320.
- Kossieris, P., Makropoulos, C., Onof, C., & Koutsoyiannis, D. (2016). A rainfall disaggregation scheme for sub-hourly time scales: coupling a Bartlett-Lewis based model with adjusting procedures. *Journal of Hydrology*.
- Kothari, M., & Gharde, K. D. (2015). Application of ANN and fuzzy logic algorithms for streamflow modelling of Savitri catchment. *Journal of Earth System Science*, *124*(5), 933–943.
- Kottegoda, N. T., Rosso, R., & Kottegoda, N. T. (2008). *Applied statistics for civil and environmental engineers*. Chichester, UK: Blackwell Pub.
- Kou, X., Ge, J., Wang, Y., & Zhang, C. (2007). Validation of the weather generator CLIGEN with daily precipitation data from the Loess Plateau, China. *Journal of Hydrology*, 347(3–4), 347–357.
- Krzysztofowicz, R. (1999). Bayesian theory of probabilistic forecasting via deterministic hydrologic model. *Water Resources Research*, *35*(9), 2739–2750.
- Kusangaya, S., Toucher, M. L. W., van Garderen, E. A., & Jewitt, G. P. W. (2016). An evaluation of how downscaled climate data represents historical precipitation characteristics beyond the means and variances. *Global and Planetary Change*, *144*, 129–141.
- Kwaku, X. S. X., & Duke, O. (2007). Characterization and frequency analysis of one day annual maximum and two to five consecutive days' maximum rainfall of ACCRA, Ghana. *ARPN J. Eng. Appl. Sci*, *2*(5), 27–31.

- Kyselý, J., & Dubrovský, M. (2005). Simulation of extreme temperature events by a stochastic weather generator: effects of interdiurnal and interannual variability reproduction. *International Journal of Climatology*, 25(2), 251–269.
- Landwehr, J. M., Matalas, N. C., & Wallis, J. R. (1979). Probability weighted moments compared with some traditional techniques in estimating Gumbel Parameters and quantiles. *Water Resources Research*, 15(5), 1055–1064.
- Lee, T. (2016). Stochastic simulation of precipitation data for preserving key statistics in their original domain and application to climate change analysis. *Theoretical and Applied Climatology*, 124(1–2), 91–102.
- Lewis, C. D. (1982). Industrial and Business Forecasting Methods: A Practical Guide to Exponential Smoothing and Curve Fitting. London: Butterworth Scientific.
- Li, C., Singh, V. P., & Mishra, A. K. (2012). Simulation of the entire range of daily precipitation using a hybrid probability distribution. *Water Resources Research*, 48(3).
- Li, C., Singh, V. P., & Mishra, A. K. (2013). A bivariate mixed distribution with a heavy-tailed component and its application to single-site daily rainfall simulation. *Water Resources Research*, 49(2), 767–789.
- Li, G., Lu, Z., Li, L., & Ren, B. (2016). Aleatory and epistemic uncertainties analysis based on non-probabilistic reliability and its kriging solution. *Applied Mathematical Modelling*, 40(9), 5703–5716.
- Li, L., Xia, J., Xu, C.-Y., & Singh, V. P. (2010). Evaluation of the subjective factors of the GLUE method and comparison with the formal Bayesian method in uncertainty assessment of hydrological models. *Journal of Hydrology*, 390(3), 210–221.
- Li, Z., Brissette, F., & Chen, J. (2013). Finding the most appropriate precipitation probability distribution for stochastic weather generation and hydrological modelling in Nordic watersheds. *Hydrological Processes*, 27(25), 3718–3729.
- Li, Z., Brissette, F., & Chen, J. (2014). Assessing the applicability of six precipitation probability distribution models on the Loess Plateau of China. *International Journal of Climatology*, *34*(2), 462–471.
- Li, Z., Lü, Z., Li, J., & Shi, X. (2015). Links between the spatial structure of weather generator and hydrological modeling. *Theoretical and Applied Climatology*, 1–9.
- Liang, L., Zhao, L., Gong, Y., Tian, F., & Wang, Z. (2012). Probability distribution of summer daily precipitation in the Huaihe basin of China based on Gamma distribution. *Acta Meteorologica Sinica*, *26*(1), 72–84.
- Liu, J., Doan, C. D., Liong, S.-Y., Sanders, R., Dao, A. T., & Fewtrell, T. (2015). Regional frequency analysis of extreme rainfall events in Jakarta. *Natural Hazards*, 75(2), 1075–1104.

- Liu, Q., Yang, Z., & Cui, B. (2008). Spatial and temporal variability of annual precipitation during 1961-2006 in Yellow River Basin, China. *Journal of Hydrology*, *361*(3–4), 330–338.
- Liu, W., Zhang, A., Wang, L., Fu, G., Chen, D., Liu, C., & Cai, T. (2015). Projecting streamflow in the Tangwang River basin (China) using a rainfall generator and two hydrological models. *Climate Research*, 62(2), 79–97.
- Liu, Y., Zhang, W., Shao, Y., & Zhang, K. (2011). A comparison of four precipitation distribution models used in daily stochastic models. *Advances in Atmospheric Sciences*, 28(4), 809–820.
- Lo Presti, R., Barca, E., & Passarella, G. (2010). A methodology for treating missing data applied to daily rainfall data in the Candelaro River Basin (Italy). *Environmental Monitoring and Assessment*, *160*(1–4), 1–22.
- Lu, Y., Qin, X. S., & Mandapaka, P. V. (2015). A combined weather generator and Knearest-neighbour approach for assessing climate change impact on regional rainfall extremes. *International Journal of Climatology*, 35(15), 4493–4508.
- Madsen, H., Mikkelsen, P. S., Rosbjerg, D., & Harremoës, P. (2002). Regional estimation of rainfall intensity-duration-frequency curves using generalized least squares regression of partial duration series statistics. *Water Resources Research*, 38(11), 21-12–21-11.
- Madsen, H., & Rosbjerg, D. (1997). Generalized least squares and empirical bayes estimation in regional partial duration series index-flood modeling. *Water Resources Research*, 33(4), 771–781.
- Makhnin, O. V., & McAllister, D. L. (2009). Stochastic precipitation generation based on a multivariate autoregression model. *Journal of Hydrometeorology*, *10*(6), 1397–1413.
- Malamud, B. D., & Turcotte, D. L. (2006). The applicability of power-law frequency statistics to floods. *Journal of Hydrology*, *322*(1–4), 168–180.
- Mandal, K. G., Padhi, J., Kumar, A., Ghosh, S., Panda, D. K., Mohanty, R. K., & Raychaudhuri, M. (2014). Analyses of rainfall using probability distribution and Markov chain models for crop planning in Daspalla region in Odisha, India. *Theoretical and Applied Climatology*, 121(3–4), 517–528.
- Mandal, S., & Choudhury, B. U. (2015). Estimation and prediction of maximum daily rainfall at Sagar Island using best fit probability models. *Theoretical and Applied Climatology*, *121*(1–2), 87–97.
- Mao, G., Vogl, S., Laux, P., Wagner, S., & Kunstmann, H. (2015). Stochastic bias correction of dynamically downscaled precipitation fields for Germany through Copula-based integration of gridded observation data. *Hydrology and Earth System Sciences*, 19(4), 1787–1806.

- Mathur, N., Glesk, I., & Buis, A. (2016). Comparison of adaptive neuro-fuzzy inference system (ANFIS) and gaussian processes for machine learning (GPML) algorithms for the prediction of skin temperature in lower limb prostheses. *Medical Engineering & Physics*, *38*(10), 1083–1089.
- Mayowa, O. O., Pour, S. H., Shahid, S., Mohsenipour, M., Harun, S. B., Heryansyah, A., & Ismail, T. (2015). Trends in rainfall and rainfall-related extremes in the east coast of peninsular Malaysia. *Journal of Earth System Science*, 124(8), 1609– 1622.
- McKague, K., Rudra, R., Ogilvie, J., Ahmed, I., & Gharabaghi, B. (2005). Evaluation of weather generator ClimGen for Southern Ontario. *Canadian Water Resources Journal*, *30*(4), 315–330.
- McMahon, T. A., Peel, M. C., & Karoly, D. J. (2015). Assessment of precipitation and temperature data from CMIP3 global climate models for hydrologic simulation. *Hydrology and Earth System Sciences*, 19(1), 361–377.
- McMillan, H., Krueger, T., & Freer, J. (2012). Benchmarking observational uncertainties for hydrology: rainfall, river discharge and water quality. *Hydrological Processes*, 26(26), 4078–4111.
- Mehrotra, R., Li, J., Westra, S., & Sharma, A. (2015). A programming tool to generate multi-site daily rainfall using a two-stage semi parametric model. *Environmental Modelling & Software*, 63, 230–239.
- Mehrotra, R., & Sharma, A. (2006). A nonparametric stochastic downscaling framework for daily rainfall at multiple locations. *Journal of Geophysical Research*, 111(D15).
- Mehrotra, R., & Sharma, A. (2009). Evaluating spatio-temporal representations in daily rainfall sequences from three stochastic multi-site weather generation approaches. *Advances in Water Resources*, *32*(6), 948–962.
- Mehrotra, R., Srikanthan, R., & Sharma, A. (2006). A comparison of three stochastic multi-site precipitation occurrence generators. *Journal of Hydrology*, *331*(1–2), 280–292.
- Mekanik, F., Imteaz, M. A., & Talei, A. (2016). Seasonal rainfall forecasting by adaptive network-based fuzzy inference system (ANFIS) using large scale climate signals. *Climate Dynamics*, 46(9–10), 3097–3111.
- Merz, B., & Thieken, A. H. (2005). Separating natural and epistemic uncertainty in flood frequency analysis. *Journal of Hydrology*, *309*(1), 114–132.
- Meyer, S., Blaschek, M., & Duttmann, R. (2016). Improved hydrological model parametrization for climate change impact assessment under data scarcity The potential of field monitoring techniques and geostatistics. *Science of The Total Environment*, *543*, 906–923.

- Mhanna, M., & Bauwens, W. (2012). Stochastic single-site generation of daily and monthly rainfall in the Middle East. *Meteorological Applications*, 19(1), 111–117.
- Min, Y.-M., Kryjov, V. N., An, K.-H., Hameed, S. N., Sohn, S.-J., Lee, W.-J., & Oh, J.-H. (2011). Evaluation of the weather generator CLIGEN with daily precipitation characteristics in Korea. *Asia-Pacific Journal of Atmospheric Sciences*, 47(3), 255–263.
- Mirhosseini, G., Srivastava, P., & Sharifi, A. (2015). Developing Probability-Based IDF Curves using kernel density estimator. *Journal of Hydrologic Engineering*, 20(9), 04015002.
- Mirzaei, M., Huang, Y. F., El-Shafie, A., Chimeh, T., Lee, J., Vaizadeh, N., & Adamowski, J. (2015a). Uncertainty analysis for extreme flood events in a semiarid region. *Natural Hazards*, 78(3), 1947–1960.
- Mirzaei, M., Huang, Y. F., El-Shafie, A., & Shatirah, A. (2015b). Application of the generalized likelihood uncertainty estimation (GLUE) approach for assessing uncertainty in hydrological models: a review. *Stochastic Environmental Research* and Risk Assessment, 29(5), 1265–1273.
- Mirzaei, M., Huang, Y. F., Lee, T. S., El-Shafie, A., & Ghazali, A. H. (2013). Quantifying uncertainties associated with depth duration frequency curves. *Natural Hazards*, 71(2), 1227–1239.
- Montanari, A., & Brath, A. (2004). A stochastic approach for assessing the uncertainty of rainfall-runoff simulations. *Water Resources Research*, 40(1).
- Myšiak, J., Brown, J. D., Jansen, J. M. L., & Quinn, N. W. T. (2008). Environmental Policy Aid Under Uncertainty. *Developments in Integrated Environmental Assessment*.
- Nadarajah, S., & Choi, D. (2007). Maximum daily rainfall in South Korea. *Journal of Earth System Science*, *116*(4), 311–320.
- Nannapaneni, S., & Mahadevan, S. (2016). Reliability analysis under epistemic uncertainty. *Reliability Engineering & System Safety*, 155, 9–20.
- Nelder, J. A., & Mead, R. (1965). A simplex method for function minimization. *The Computer Journal*, 7(4), 308–313.
- Ng, W. W., & Panu, U. S. (2010). Comparisons of traditional and novel stochastic models for the generation of daily precipitation occurrences. *Journal of Hydrology*, *380*(1–2), 222–236.
- Ngongondo, C. S., Xu, C. Y., Tallaksen, L. M., Alemaw, B., & Chirwa, T. (2011). Regional frequency analysis of rainfall extremes in Southern Malawi using the index rainfall and L-moments approaches. *Stochastic Environmental Research* and Risk Assessment, 25(7), 939–955.

- Nguyen, V.-T.-V., & Mayabi, A. (1991). Probabilistic analysis of summer daily rainfall for the Montreal regeion. *Canadian Water Resources Journal*, *16*(1), 65–80.
- Ni, B. Y., Jiang, C., & Han, X. (2016). An improved multidimensional parallelepiped non-probabilistic model for structural uncertainty analysis. *Applied Mathematical Modelling*, 40(7), 4727–4745.
- Onof, C., Wheater, H. S., & Isham, V. (1994). Note on the analytical expression of the inter-event time characteristics for Bartlett-Lewis type rainfall models. *Journal of Hydrology*, *157*(1), 197–210.
- Overeem, A., Buishand, A., & Holleman, I. (2008). Rainfall depth-duration-frequency curves and their uncertainties. *Journal of Hydrology*, *348*(1–2), 124–134.
- Overeem, A., Buishand, T. A., & Holleman, I. (2009). Extreme rainfall analysis and estimation of depth-duration-frequency curves using weather radar. *Water Resources Research*, 45(10).
- Padil, K. H., Bakhary, N., & Hao, H. (2017). The use of a non-probabilistic artificial neural network to consider uncertainties in vibration-based-damage detection. *Mechanical Systems and Signal Processing*, 83, 194–209.
- Papalexiou, S. M., & Koutsoyiannis, D. (2013). Battle of extreme value distributions: A global survey on extreme daily rainfall. *Water Resources Research*, 49(1), 187–201.
- Pathak, C. S., Teegavarapu, R. S. V., Olson, C., Singh, A., Lal, A. M. W., Polatel, C., Zahraeifard, V., & Senarath, S. U. S. (2015). Uncertainty analyses in hydrologic/hydraulic modeling: challenges and proposed resolutions. *Journal of Hydrologic Engineering*, 20(10), 02515003.
- Perera, E. D. P., & Lahat, L. (2015). Fuzzy logic based flood forecasting model for the Kelantan River Basin, Malaysia. *Journal of Hydro-Environment Research*, 9(4), 542–553.
- Pinto, I., Lennard, C., Tadross, M., Hewitson, B., Dosio, A., Nikulin, G., Panitz, H.-J., & Shongwe, M. E. (2016). Evaluation and projections of extreme precipitation over southern Africa from two CORDEX models. *Climatic Change*, 135(3–4), 655–668.
- Pool, M., Carrera, J., Alcolea, A., & Bocanegra, E. M. (2015). A comparison of deterministic and stochastic approaches for regional scale inverse modeling on the Mar del Plata aquifer. *Journal of Hydrology*, 531, 214–229.
- Racsko, P., Szeidl, L., & Semenov, M. (1991). A serial approach to local stochastic weather models. *Ecological Modelling*, 57(1–2), 27–41.

- Rajagopalan, B., & Lall, U. (1999). A k -nearest-neighbor simulator for daily precipitation and other weather variables. *Water Resources Research*, *35*(10), 3089–3101.
- Ramírez-Cobo, P., Marzo, X., Olivares-Nadal, A. V., Francoso, J. Á., Carrizosa, E., & Fernanda Pita, M. (2014). The Markovian arrival process: A statistical model for daily precipitation amounts. *Journal of Hydrology*, *510*, 459–471.
- Ramos-Calzado, P., Gómez-Camacho, J., Pérez-Bernal, F., & Pita-López, M. F. (2008). A novel approach to precipitation series completion in climatological datasets: application to Andalusia. *International Journal of Climatology*, 28(11), 1525–1534.
- Rao, A. R., & Hamed, K. H. (2000). *Flood Frequency Analysis*. United States of America: CRC Press.
- Rezaeianzadeh, M., Stein, A., & Cox, J. P. (2016). Drought Forecasting using Markov chain model and artificial neural networks. *Water Resources Management*, *30*(7), 2245–2259.
- Richardson, C. W. (1981). Stochastic simulation of daily precipitation, temperature, and solar radiation. *Water Resources Research*, *17*(1), 182–190.
- Rodriguez-Iturbe, I., Cox, D. R., & Isham, V. (1988). A point process model for rainfall: further developments. *Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 417(1853), 283–298.
- Rodríguez-Iturbe, I., de Power, B. F., & Valdés, J. B. (1987). Rectangular pulses point process models for rainfall: Analysis of empirical data. *Journal of Geophysical Research*, 92(D8), 9645–9656.
- Rosenzweig, C., Jones, J. W., Hatfield, J. L., Ruane, A. C., Boote, K. J., Thorburn, P., Antle, J. M., Nelson, G. C., Porter, C., Janssen, S., Asseng, S., Basso, B., Ewert, F., Wallach, D., Baigorria, G., & Winter, J. M. (2013). The Agricultural Model Intercomparison and Improvement Project (AgMIP): protocols and pilot studies. *Agricultural and Forest Meteorology*, 170, 166–182.
- Ross, T. J. (2010). *Fuzzy logic with engineering applications*. United Kingdom: John Wiley & Sons Ltd.
- Sahai, A. K., Soman, M. K., & Satyan, V. (2000). All India summer monsoon rainfall prediction using an artificial neural network. *Climate Dynamics*, *16*(4), 291–302.
- Sanusi, W., Jemain, A. A., Zin, W. Z. W., & Zahari, M. (2015). The drought characteristics using the first-order homogeneous markov chain of monthly rainfall data in Peninsular Malaysia. *Water Resources Management*, 29(5), 1523–1539.
- Schwarz, G. (1978). Estimating the dimension of a model. *The Annals of Statistics*, 6(2), 461–464.

- Semenov, M. A., Brooks, R. J., Barrow, E. M., & Richardson, C. W. (1998). Comparison of the WGEN and LARS-WG stochastic weather generators for diverse climates. *Climate Research*, 10(2), 95–107.
- Serinaldi, F., & Kilsby, C. G. (2014). Simulating daily rainfall fields over large areas for collective risk estimation. *Journal of Hydrology*, 512, 285–302.
- Serinaldi, F., & Kilsby, C. G. (2015). Stationarity is undead: Uncertainty dominates the distribution of extremes. Advances in Water Resources, 77, 17–36.
- Shafii, M., Tolson, B., & Matott, L. S. (2014). Uncertainty-based multi-criteria calibration of rainfall-runoff models: a comparative study. *Stochastic Environmental Research and Risk Assessment*, 28(6), 1493–1510.
- Shahabul Alam, M., & Elshorbagy, A. (2015). Quantification of the climate changeinduced variations in Intensity–Duration–Frequency curves in the Canadian Prairies. *Journal of Hydrology*, 527, 990–1005.
- Sharif, M., & Burn, D. H. (2006). Simulating climate change scenarios using an improved K-nearest neighbor model. *Journal of Hydrology*, 325(1-4), 179-196.
- Sharif, M., & Burn, D. H. (2007). Improved K -nearest neighbor weather generating model. *Journal of Hydrologic Engineering*, 12(1), 42–51.
- Sharifi, E., Unami, K., Yangyuoru, M., & Fujihara, M. (2016). Verifying optimality of rainfed agriculture using a stochastic model for drought occurrence. *Stochastic Environmental Research and Risk Assessment*, 30(5), 1503–1514.
- Sharma, M. A., & Singh, J. B. (2010). Use of probability distribution in rainfall analysis. *New York Science Journal*, *3*(9), 40–49.
- Shui, L. T., & Haque, A. (2004). Stochastic Rainfall Model for Irrigation Projects. *Pertanika Journal of Science & Technology*, 12(1), 137–147.
- Sigdel, M., & Ma, Y. (2016). Evaluation of future precipitation scenario using statistical downscaling model over humid, subhumid, and arid region of Nepal—a case study. *Theoretical and Applied Climatology*, *123*(3–4), 453–460.
- Sikorska, A. E., Montanari, A., & Koutsoyiannis, D. (2015). Estimating the uncertainty of hydrological predictions through data-driven resampling techniques. *Journal of Hydrologic Engineering*, 20(1), A4014009.
- Singh, P. (2016). Neuro-fuzzy hybridized model for seasonal rainfall forecasting: a case study in stock index forecasting. In *Hybrid Soft Computing Approaches* (pp. 361-385). India: Springer India.
- Singh, P., & Borah, B. (2013). Indian summer monsoon rainfall prediction using artificial neural network. *Stochastic Environmental Research and Risk Assessment*, 27(7), 1585–1599.

- Sisson, S. A., Pericchi, L. R., & Coles, S. G. (2006). A case for a reassessment of the risks of extreme hydrological hazards in the Caribbean. *Stochastic Environmental Research and Risk Assessment*, 20(4), 296–306.
- So, B. J., Kwon, H. H., Kim, D., & Lee, S. O. (2015). Modeling of daily rainfall sequence and extremes based on a semiparametric Pareto tail approach at multiple locations. *Journal of Hydrology*, 529, 1442–1450.
- Song, X., Zhan, C., Kong, F., & Xia, J. (2011). Advances in the study of uncertainty quantification of large-scale hydrological modeling system. *Journal of Geographical Sciences*, 21(5), 801–819.
- Sonnadara, D. U. J., & Jayewardene, D. R. (2015). A Markov chain probability model to describe wet and dry patterns of weather at Colombo. *Theoretical and Applied Climatology*, *119*(1–2), 333–340.
- Srikanthan, R., & McMahon, T. A. (2001). Stochastic generation of annual, monthly and daily climate data: a review. *Hydrology and Earth System Sciences*, 5(4), 653–670.
- Stern, R. D., & Coe, R. (1984). A model fitting analysis of daily rainfall data. *Journal* of the Royal Statistical Society. Series A (General), 147(1), 1–34.
- Suhaila, J., Ching-Yee, K., Fadhilah, Y., & Hui-Mean, F. (2011). Introducing the mixed distribution in fitting rainfall data. *Open Journal of Modern Hydrology*, 1(2), 11–22.
- Suhaila, J., & Jemain, A. A. (2007). Fitting daily rainfall amount in Peninsular Malaysia using several types of exponential distributions. *Journal of Applied Sciences Research*, 3(10), 1027–1036.
- Suhaila, J., & Jemain, A. A. (2009). Investigating the impacts of adjoining wet days on the distribution of daily rainfall amounts in Peninsular Malaysia. *Journal of Hydrology*, 368(1), 17–25.
- Sun, M., Zhang, X., Huo, Z., Feng, S., Huang, G., & Mao, X. (2016). Uncertainty and sensitivity assessments of an agricultural–hydrological model (RZWQM2) using the GLUE method. *Journal of Hydrology*, 534, 19–30.
- Swanson, D. A., Tayman, J., & Bryan, T. M. (2011). MAPE-R: A rescaled measure of accuracy for cross-sectional subnational population forecasts. *Journal of Population Research*, 28(2–3), 225–243.
- Syafrina, A. H., Zalina, M. D., & Juneng, L. (2015). Historical trend of hourly extreme rainfall in Peninsular Malaysia. *Theoretical and Applied Climatology*, *120*(1–2), 259–285.
- Tayfur, G., & Brocca, L. (2015). Fuzzy Logic for Rainfall-Runoff Modelling Considering Soil Moisture. *Water Resources Management*, 29(10), 3519–3533.

- Thiemann, M., Trosset, M., Gupta, H., & Sorooshian, S. (2001). Bayesian recursive parameter estimation for hydrologic models. *Water Resources Research*, *37*(10), 2521–2535.
- Tingem, M., Rivington, M., Azam-ali, S., & Colls, J. (2007). Assessment of the ClimGen stochastic weather generator at Cameroon sites. *African Journal of Environmental Science and Technology*, 1(4), 86–92.
- Tramblay, Y., Thiemig, V., Dezetter, A., & Hanich, L. (2016). Evaluation of satellitebased rainfall products for hydrological modelling in Morocco. *Hydrological Sciences Journal*, 61(14), 2509–2519.
- Tripp, D. R., & Niemann, J. D. (2008). Evaluating the parameter identifiability and structural validity of a probability-distributed model for soil moisture. *Journal of Hydrology*, *353*(1), 93–108.
- Tung, Y., & Wong, C. (2014). Assessment of design rainfall uncertainty for hydrologic engineering applications in Hong Kong. *Stochastic Environmental Research and Risk Assessment*, 28(3), 583–592.
- Tuo, Y., Duan, Z., Disse, M., & Chiogna, G. (2016). Evaluation of precipitation input for SWAT modeling in Alpine catchment: A case study in the Adige river basin (Italy). Science of The Total Environment, 573, 66–82.
- Vaittinada Ayar, P., Vrac, M., Bastin, S., Carreau, J., Déqué, M., & Gallardo, C. (2016). Intercomparison of statistical and dynamical downscaling models under the EURO- and MED-CORDEX initiative framework: present climate evaluations. *Climate Dynamics*, 46(3–4), 1301–1329.
- Vallam, P., & Qin, X. S. (2016). Multi-site rainfall simulation at tropical regions: a comparison of three types of generators. *Meteorological Applications*, 23(3), 425–437.
- Van de Vyver, H. (2015). Bayesian estimation of rainfall intensity-durationfrequency relationships. *Journal of Hydrology*, 529, 1451–1463.
- Van Hoey, S., Nopens, I., van der Kwast, J., & Seuntjens, P. (2015). Dynamic identifiability analysis-based model structure evaluation considering rating curve uncertainty. *Journal of Hydrologic Engineering*, 20(5), 4014072.
- Velghe, T., Troch, P. A., De Troch, F. P., & Van de Velde, J. (1994). Evaluation of cluster-based rectangular pulses point process models for rainfall. *Water Resources Research*, 30(10), 2847–2857.
- Verdin, A., Rajagopalan, B., Kleiber, W., Podestá, G., & Bert, F. (2015). A conditional stochastic weather generator for seasonal to multi-decadal simulations. *Journal of Hydrology*.

- Verhoest, N. E. C., Vandenberghe, S., Cabus, P., Onof, C., Meca-Figueras, T., & Jameleddine, S. (2010). Are stochastic point rainfall models able to preserve extreme flood statistics? *Hydrological Processes*, 24(23), 3439–3445.
- Verhoest, N., Troch, P. A., & De Troch, F. P. (1997). On the applicability of Bartlett– Lewis rectangular pulses models in the modeling of design storms at a point. *Journal of Hydrology*, 202(1), 108–120.
- Vrac, M., & Naveau, P. (2007). Stochastic downscaling of precipitation: From dry events to heavy rainfalls. *Water Resources Research*, 43(7), 1–13.
- Wagener, T., McIntyre, N., Lees, M. J., Wheater, H. S., & Gupta, H. V. (2003). Towards reduced uncertainty in conceptual rainfall-runoff modelling: dynamic identifiability analysis. *Hydrological Processes*, 17(2), 455–476.
- Wan, H., Zhang, X., & Barrow, E. M. (2005). Stochastic modelling of daily precipitation for Canada. *Atmosphere-Ocean*, 43(1), 23–32.
- Wang, Q. J., & Nathan, R. J. (2007). A method for coupling daily and monthly time scales in stochastic generation of rainfall series. *Journal of Hydrology*, *346*(3–4), 122–130.
- Wasko, C., Pui, A., Sharma, A., Mehrotra, R., & Jeremiah, E. (2015). Representing low-frequency variability in continuous rainfall simulations: a hierarchical random Bartlett Lewis continuous rainfall generation model. *Water Resources Research*, 51(12), 9995–10007.
- Wijngaard, J. B., Klein Tank, A. M. G., & Können, G. P. (2003). Homogeneity of 20th century European daily temperature and precipitation series. *International Journal of Climatology*, 23(6), 679–692.
- Wilks, D. S. (1999). Interannual variability and extreme-value characteristics of several stochastic daily precipitation models. *Agricultural and Forest Meteorology*, 93(3), 153–169.
- Wilks, D. S. (2009). A gridded multisite weather generator and synchronization to observed weather data. *Water Resources Research*, 45(10).
- Wilks, D. S., & Wilby, R. L. (1999). The weather generation game: a review of stochastic weather models. *Progress in Physical Geography*, 23(3), 329–357.
- Willems, P., Olsson, J., Arnbjerg-Nielsen, K., Beecham, S., Pathirana, A., Gregersen, I. B., & Madsen, H. (2012). *Impacts of Climate Change on Rainfall Extremes and Urban Drainage Systems*. London: IWA Publishing.
- Wong, C. L., Venneker, R., Uhlenbrook, S., Jamil, A. B. M., & Zhou, Y. (2009). Variability of rainfall in Peninsular Malaysia. *Hydrology and Earth System Sciences Discussions*, 6(4), 5471–5503.

- Wood, E. F., & Rodríguez-Iturbe, I. (1975). Bayesian inference and decision making for extreme hydrologic events. *Water Resources Research*, *11*(4), 533–542.
- Wu, C. L., & Chau, K. W. (2013). Prediction of rainfall time series using modular soft computing methods. *Engineering Applications of Artificial Intelligence*, 26(3), 997–1007.
- Wu, C. L., Chau, K. W., & Fan, C. (2010). Prediction of rainfall time series using modular artificial neural networks coupled with data-preprocessing techniques. *Journal of Hydrology*, 389(1–2), 146–167.
- Wu, C. L., Chau, K. W., & Li, Y. S. (2008). River stage prediction based on a distributed support vector regression. *Journal of Hydrology*, 358(1–2), 96–111.
- Xu, Y.-P., Booij, M. J., & Tong, Y.-B. (2010). Uncertainty analysis in statistical modeling of extreme hydrological events. *Stochastic Environmental Research* and Risk Assessment, 24(5), 567–578.
- Xue, Y., Janjic, Z., Dudhia, J., Vasic, R., & De Sales, F. (2014). A review on regional dynamical downscaling in intraseasonal to seasonal simulation/prediction and major factors that affect downscaling ability. *Atmospheric Research*, 147, 68–85.
- Yates, D. (2003). A technique for generating regional climate scenarios using a nearest-neighbor algorithm. *Water Resources Research*, 39(7), 1–15.
- Yen, B. C., Cheng, S. T., & Melching, C. S. (1986). First order reliability analysis. In B.C. Yen (Ed.), *Stochastic and risk analysis in hydraulic engineering* (pp. 1–36). Littleton: Water Resources Publications.
- Yoo, C., Lee, J., & Ro, Y. (2016). Markov chain decomposition of monthly rainfall into daily rainfall: evaluation of climate change impact. *Advances in Meteorology*, 2016, 1–10.
- Yoon, J.-H., Mo, K., & Wood, E. F. (2012). Dynamic-model-based seasonal prediction of meteorological drought over the Contiguous United States. *Journal of Hydrometeorology*, *13*(2), 463–482.
- Yu, B. (2003). An assessment of uncalibrated CLIGEN in Australia. *Agricultural and Forest Meteorology*, *119*(3-4), 131–148.
- Yu, J. J., Qin, X. S., & Larsen, O. (2015). Uncertainty analysis of flood inundation modelling using GLUE with surrogate models in stochastic sampling. *Hydrological Processes*, 29(6), 1267–1279.
- Zahmatkesh, Z., Karamouz, M., & Nazif, S. (2015). Uncertainty based modeling of rainfall-runoff: Combined differential evolution adaptive Metropolis (DREAM) and K-means clustering. *Advances in Water Resources*, *83*, 405–420.

- Zalina, M. D., Desa, M. N. M., Nguyen, V.-T.-A., & Kassim, A. H. M. (2002). Selecting a probability distribution for extreme rainfall series in Malaysia. *Water Science and Technology*, 45(2), 63–68.
- Zhang, Q., Singh, B., Gagnon, S., Rousselle, J., Evora, N., & Weyman, S. (2004). The Application of WGEN to Simulate daily climatic data for several Canadian stations. *Canadian Water Resources Journal*, *29*(1), 59–72.
- Zhang, W., Li, T., & Dai, M. (2016). Uncertainty assessment of deterministic water quality model for a combined sewer system with the GLUE method. *Desalination and Water Treatment*, *57*(32), 14888–14896.



LIST OF PUBLICATIONS

Journals Published/ Accepted

- Ng, J. L., Abd Aziz, S., Huang, Y. F., Wayayok, A., & Rowshon, M. D. (2015). Homogeneity analysis of rainfall in Kelantan, Malaysia. *Jurnal Teknologi*, 76(15), 1–6. (Q3, Indexed by SCOPUS)
- Ng, J. L., Abd Aziz, S., Huang, Y. F., Wayayok, A., & Rowshon, M. K. (2016). Stochastic modelling of seasonal and yearly rainfalls with low-frequency variability. *Stochastic Environmental Research and Risk Assessment*, 1–19. (Q1, IF=2.629, Indexed by SCOPUS & ISI)
- Ng, J. L., Abd Aziz, S., Huang, Y. F., Wayayok, A., & Rowshon, M. K. (2017). Generation of stochastic precipitation model for tropical climate. *Theoretical and Applied Climatology*, 1–21. (Q2, IF=2.64, Indexed by SCOPUS & ISI)

Journals Submitted

Ng, J. L., Abd Aziz, S., Huang, Y. F., Mirzaei, M., Wayayok, A., & Rowshon, M. D. Uncertainty analysis of rainfall depth duration frequency curves using bootstrap resampling technique. *Journal of Earth System Science*.

Conference papers presented

- Ng, J. L., Abd Aziz, S., Huang, Y. F., Wayayok, A., & Rowshon, M. D. (2015). Homogeneity analysis of rainfall in Kelantan, Malaysia. PAWEES-INWEPF Joint International Conference 2015. Kuala Lumpur. 19-21 August 2015.
- Ng, J. L., Abd Aziz, S., Huang, Y. F., Wayayok, A., & Rowshon, M. D. (2016). Analysis of annual maximum rainfall in Kelantan, Malaysia. 3rd International Conference on Agricultural and Food Engineering (CAFEi2016). Kuala Lumpur. 23-25 August 2016.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION :

TITLE OF THESIS / PROJECT REPORT :

DEVELOPMENT OF A STOCHASTIC RAINFALL GENERATOR AND ITS UNCERTAINTY QUANTIFICATION FOR THE KELANTAN RIVER BASIN, MALAYSIA

NAME OF STUDENT: NG JING LIN

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.

- 2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
- 3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

CONFIDENTIAL

RESTRICTED

*Please tick (V)



(Contain confidential information under Official Secret Act 1972).

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :



Embargo from_____ until _____ (date)

(date)

Approved by:

(Signature of Student) New IC No/ Passport No.: (Signature of Chairman of Supervisory Committee) Name:

Date :

Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]