



UNIVERSITI PUTRA MALAYSIA

***EVALUATION OF MAJOR FOLIAR DISEASES IN COMMERCIAL OIL
PALM NURSERIES FOR IMPROVING DISEASE MANAGEMENT***

AZLAN AZIZI MUHAMAD NOR

FP 2015 104




**EVALUATION OF MAJOR FOLIAR DISEASES IN COMMERCIAL OIL
PALM NURSERIES FOR IMPROVING DISEASE MANAGEMENT**

By

AZLAN AZIZI BIN MUHAMAD NOR

**Thesis Submitted to School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirement for the Degree of Master of Science**

December 2014



© COPYRIGHT UPM

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Special dedication to:

My lovely mother ...

Wan Zainab Bt Wan Harun,

My caring father...

Muhamad Nor Bin Said

My lovely wife...

Normahfuzah Husna Bt Samsuddin

And

My handsome and cute sons and daughter...

Saifullah al faruq Bin Azlan Azizi

Saifullah al Faris Bin Azlan Azizi

Wardatul Widad bin Azlan Azizi

'It is difficult to be patient but to waste the rewards for patience is worse'

-Abu Bakar (R.A)-

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

EVALUATION OF MAJOR FOLIAR DISEASES IN COMMERCIAL OIL PALM NURSERIES FOR IMPROVING DISEASE MANAGEMENT

By

AZLAN AZIZI BIN MUHAMAD NOR

December 2014

Chairman : Zainal Abidin Mior Ahmad, PhD
Faculty : Agriculture

Field surveys were conducted in nine selected oil palm nurseries in Peninsular Malaysia including government and private nurseries which provided and supplied oil palm planting materials in Malaysia. Studies covered 4 nurseries in Johor (Kluang, Bkt Tongkat, Kahang and Ayer Hitam), 3 nurseries in Perak (Teluk Intan, Permatang Guntung and Kg Bakar Arang) and 2 nurseries in Selangor (Sepang and Kuala Langat). The disease evaluation revealed that leaf spot disease was a major problem with the highest mean incidence is 62.81% compared to anthracnose disease at 16.52%. For disease incidence of leaf spot disease, the highest incidences were recorded in Kuala Langat, Selangor (90.3%) and Kluang, Johor (87.7%). The least incidences of leaf spot were recorded in 3 nurseries in Perak occurring between 50 to 55%. For assessment of disease incidence of anthracnose, the highest incidence was recorded in Kuala Langat, Selangor (45.0%) and the least incidences were recorded in 6 nurseries which were located in Johor and Perak occurring between 8.0 to 14.0%. For assessment of disease severity, high severities for leaf spot disease were recorded in Kluang (64.7%) and Kahang, Johor (59.22%). Besides, the least severity was recorded in Permatang Guntung, Perak with 19.23%. For severity of anthracnose, high severities were recorded in Kuala Langat, Selangor (9.1%) and Teluk Intan, Perak (6.57%) and the least severities were recorded in 6 nurseries which were located in Johor and Perak occurring between 1.0 to 2.5%. The study also found disease incidence of leaf spot and anthracnose diseases were both highly significant with different age of seedling. As the seedling became older, incidence of leaf spot and anthracnose diseases were reduced. For leaf spot disease, seedling 0-4 month score the highest percentage at 77.47% followed by 4-12 month which was 72.89% and seedling with age 12 month and above were most resistance with lowest score 49.0%. This was similar with disease incidence of anthracnose for 0-4 months (21.56%), 4-12 months (16.86%) and with the least incidence was observed in seedlings aged 12 months and above at 14.89%. For interaction of seedling age with disease severity of leaf spot,

study revealed that there was highly significant relationship between disease severity and seedling ages. Seedling with age 0-4 month were most susceptible and severely affected (50.90%) followed by seedling age 4-12 month (39.84%) and the most resistance seedling age is comes to seedling with 12 month and above with only 18.4%. However, for disease severity of anthracnose, there was no significant relationship. Study found that, these three stages of ages which were 0-4 month (3.5%), 4-12 month (3.83%) and 12 month and above (3.31%) score the disease severity with mostly the same with each other. The symptoms of leaf spot and anthracnose diseases also were recorded and characterized based on field observation. For isolation of pathogen, study indicated that anthracnose was found to be associated mainly with *Colletotrichum* spp. Meanwhile, leaf spot was found mostly associated with *Curvularia* sp., and *Pestalotiopsis* sp. For interaction of agricultural practices with disease incidence and severity of leaf spot, study found that there was no significant correlation between disease incidence of leaf spot with irrigation system, frequency of watering, mulching and water sources for seedling 0-4 month and 12 month and above. However, for seedling 4-12 month, there was negative correlation between water sources with leaf spot incidence (-0.76*) and severity (-0.84**). For anthracnose disease, there was no significant correlation between disease incidence and severity with irrigation system, frequency watering, mulching and water sources for seedling 0-4 month, 4-12 month and 12 month and above.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

PENILAIAN PENYAKIT DAUN UTAMA DI TAPAK SEMAIAN KELAPA SAWIT KOMERSIAL BAGI PENGURUSAN YANG LEBIH BAIK

Oleh

AZLAN AZIZI BIN MUHAMAD NOR

Disember 2014

Pengerusi : Zainal Abidin Mior Ahmad, PhD
Fakulti : Pertanian

Kajian di lapangan telah dijalankan di sembilan tapak semaian sawit terpilih di Semenanjung Malaysia termasuk hak milik kerajaan serta persendirian yang menyediakan dan membekalkan anak benih sawit ke seluruh Malaysia. Kajian merangkumi 4 tapak semaian di Negeri Johor (Kluang, Bkt Tongkat, Kahang dan Ayer hitam), 3 tapak semaian di Perak (Teluk Intan, Permatang Guntung dan Kg Bakar Arang) dan 2 tapak semaian di Selangor (Sepang dan Kuala Langat). Penilaian penyakit mendapati penyakit 'leaf spot' atau bintik daun adalah penyakit utama dengan purata insiden sebanyak 62.81% berbanding penyakit 'anthracnose' yang hanya 16.52%. Untuk insiden penyakit bagi 'leaf spot', peratusan insiden tertinggi direkodkan di Kuala Langat, Selangor (90.3%) dan Kluang, Johor (87.7%). Peratusan insiden terendah pula direkodkan di 3 tapak semaian di Negeri Perak dengan peratusan insiden antara 50.0 ke 55.0%. Untuk penilaian peratusan insiden 'anthracnose' pula, peratusan tertinggi direkodkan di Kuala Langat, Selangor (45.0%) manakala terendah pula direkodkan di 6 tapak semaian yang terletak di Negeri Johor dan Perak dengan peratusan antara 8.0 ke 14.0%. Untuk penilaian 'disease severity' atau keterukan penyakit, peratusan tertinggi bagi 'leaf spot' direkodkan di Kluang (64.7%) dan Kahang, Johor (59.22%). Selain itu, peratusan terendah pula direkodkan di Permatang Guntung, Perak dengan 19.23%. Untuk keterukan penyakit bagi 'anthracnose' pula, peratusan keterukan tertinggi direkodkan di Kuala Langat, Selangor (9.1%) dan Teluk Intan, Perak (6.57%). Peratusan terendah pula direkodkan di 6 tapak semaian yang terletak di Negeri Johor dan Perak dengan 1.0 ke 2.5%. Kajian juga mendapati insiden penyakit 'leaf spot' dan 'anthracnose' mempunyai perhubungan yang tinggi dengan umur anak benih yang berbeza. Semakin matang umur anak benih, insiden penyakit 'leaf spot' dan 'anthracnose' juga semakin berkurangan. Untuk penyakit 'leaf spot', anak benih 0-4 bulan mencatatkan peratusan insiden paling tinggi iaitu 77.47% diikuti oleh 4-12 bulan dengan 72.89% dan anak benih berusia 12 bulan keatas mempunyai ketahanan penyakit paling tinggi dengan peratusan insiden paling rendah iaitu 49.0%. Begitu

juga dengan insiden bagi 'anthracnose' yang mana anak benih berusia 0-4 bulan (21.56%), 4-12 bulan (16.86%) dan insiden terendah diperhatikan pada anak benih berumur 12 bulan ke atas dengan 14.89%. Untuk perkaitan antara umur anak benih dengan 'disease severity' atau keterukan penyakit bagi 'leaf spot', kajian mendapati ada perhubungan yang rapat antara keterukan penyakit 'leaf spot' dan umur anak benih. Anak benih dengan umur 0-4 bulan adalah lebih teruk dijangkiti dengan peratusan 50.90% diikuti 4-12 bulan (39.84%) dan anak benih berumur 12 bulan keatas adalah paling kurang teruk dijangkiti dengan hanya 18.4%. Walaubagaimanapun, bagi keterukan penyakit 'anthracnose', tiada sebarang perkaitan diperhatikan. Kajian mendapati bahawa ketiga-tiga peringkat umur iaitu 0-4 bulan (3.50%), 4-12 bulan (3.83%) dan 12 bulan ke atas (3.31%) menunjukkan peratusan keterukan jangkitan yang hampir sama. Simptom bagi penyakit 'leaf spot' dan 'anthracnose' juga telah direkod dan dikelaskan berdasarkan pemerhatian di ladang. Untuk pengasingan patogen, kajian mendapati penyakit 'anthracnose' adalah berkait rapat dengan *Colletotrichum sp.* sementara 'leaf spot' pula adalah berkait rapat dengan *Curvularia sp.* dan *Pestalotiopsis sp.*. Bagi perkaitan antara pengurusan ladang dengan insiden dan keterukan penyakit bagi 'leaf spot', kajian mendapati tiada perhubungan antara insiden dan keterukan penyakit dengan kaedah pengairan, kekerapan siraman, penggunaan sungkupan serta sumber air bagi anak benih 0-4 bulan dan 12 bulan keatas. Walaubagaimanapun, untuk anak benih berumur 4-12 bulan, terdapat perhubungan antara sumber air dengan insiden (-0.76*) dan 'severity' atau keterukan penyakit (-0.84**). Bagi penyakit 'anthracnose', tiada perhubungan diperhatikan antara insiden dan keterukan penyakit dengan kaedah pengairan, kekerapan penyiraman, penggunaan sungkupan serta sumber air bagi anak benih 0-4 bulan, 4-12 bulan serta 12 bulan keatas.

ACKNOWLEDGEMENTS

In the name of Allah, The Most Gracious, The Most Merciful. Thanks to Allah S.W.T for giving me the strength and patience to complete this thesis.

Firstly, I would like to express my special appreciation and dedication to my beloved parents, En. Muhamad Nor bin Said and Pn. Wan Zainab bt Wan Harun for encouragement and constant prayers for my success. Special appreciation also goes to my lovely wife, Normahfuzah Husna bt Samsuddin and kids, Saifullah al Faruq, Saifullah al Faris and Wardatul Widad for their patient, moral support and inspiration.

I also would like to express my gratitude to all those who helped me to complete this thesis. First of all, I wish to express my gratitude and sincere appreciation to my supervisor, Assoc. Prof. Dr. Zainal Abidin Bin Mior Ahmad, for his guidance, stimulating suggestions, invaluable, encouragement that helped me during the course of this study. I also like to extend my profound gratitude and appreciation to Dr. Idris Bin Abu Seman and Dr. Ganesan Vadamalai for being my co-supervisor. Appreciation also goes to the staff Dept. of Plant Protection, University Putra Malaysia and staff Dept. of Ganodrop, Malaysian Palm Oil Board (MPOB) for their assistance and technical support.

Special thanks and appreciation also goes to all my lecturers, friends for their cooperation, continuous support, suggestion and assistance during this research. Sincere thanks are also acknowledged to any people who have contributed directly or indirectly in making this thesis a success.

I certify that a Thesis Examination Committee has met on 18 December 2014 to conduct the final examination of Azlan Azizi bin Muhamad Nor on his thesis entitled "Evaluation of Major Foliar Diseases in Commercial Oil Palm Nurseries for Improving Disease Management" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Kamaruzaman b Sijam, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Chairman)

Radziah bt Othman, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Internal Examiner)

Wong Mui Yun, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Internal Examiner)

Latiffah binti Zakaria, PhD

Associate Professor
Universiti Sains Malaysia
Malaysia
(External Examiner)



ZULKARNAIN ZAINAL, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 15 April 2015

This thesis was submitted to the senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Zainal Abidin Mior Ahmad, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Chairman)

Ganesan Vadamalai, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

Idris Abu Seman, PhD

Head of Ganoderma and Diseases Research
Malaysian Palm Oil Board (MPOB)
Malaysia
(Member)

BUJANG KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of the thesis are fully-owned by universiti putra malaysia, as according to the universiti putra malaysia (research) rules 2012;
- written permission must be obtained from supervisor and the office of deputy vice-chancellor (research and innovation) before thesis is published (in the form of written, printed, or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the universiti putra malaysia (research) rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the universiti putra malaysia (graduate studies) rules 2003 (revision 2012-2013) and the universiti putra malaysia (research) rules 2012. the thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: _____

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of
Chairman of
Supervisory
Committee: Associate Professor Dr. Zainal Abidin Mior Ahmad

Signature: _____
Name of
Member of
Supervisory
Committee: Associate Professor Dr. Ganesan Vadamalai

Signature: _____
Name of
Member of
Supervisory
Committee: Dr. Idris Abu Seman

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xiv
 CHAPTER	
1 INTRODUCTION	1
1.1 General	1
1.2 Problem Statement	1
1.3 Objectives of study	2
2 LITERATURE REVIEW	3
2.1 Historical Background of Oil Palm	3
2.2 Palm Oil Production	3
2.3 Classification of Oil Palm	4
2.4 Economic importance of oil palm	4
2.5 Diseases of oil palm	5
2.5.1 Field diseases	5
2.5.2 Seed diseases	7
2.5.3 Nursery leaf diseases	8
2.6 Causal Pathogens of foliar diseases	12
2.7 Factors influencing disease incidence and severity	12
2.8 Nursery management	13
3 FUNGAL ISOLATES ASSOCIATED WITH OIL PALM FOLIAR DISEASES	14
3.1 Introduction	14
3.1.1 Survey symptoms of major foliar diseases and identification of fungal associated in oil palm nurseries	14
3.1.2 Survey disease incidence and severity of major foliar diseases in nurseries	14
3.2 Materials and methods	15
3.2.1 Survey symptoms of major foliar diseases and identification of fungal associated in oil palm nurseries	15
3.2.1.1 Major symptoms of foliar diseases in nurseries	15
3.2.1.2 Isolation and identification of fungal pathogens	15
3.2.2 Survey disease incidence and severity of major foliar diseases in nurseries	15

3.2.2.1	Locations of the survey	15
3.2.2.2	Assessments of disease incidence and severity	16
3.2.2.3	Statistical data analysis	18
3.3	Results and Discussion for Survey symptoms of major foliar diseases and identification of fungal associated in oil palm nurseries	18
3.3.1	Leaf spot and Anthracnose disease	18
3.3.2	Isolation and identification of fungal pathogens	19
3.3.3	Fungal isolate associated with foliar diseases	20
3.3.3.1	Leaf spot disease	20
3.3.3.2	Anthracnose disease	22
3.4	Results and Discussion for Survey disease incidence and severity of major foliar diseases in nurseries	23
3.4.1	Assessments of leaf spot disease incidence and severity	23
3.4.2	Assessments of anthracnose incidence and severity	24
3.4.3	Interactions between leaf spot and anthracnose incidences with different seedling ages	26
4	RELATIONSHIPS BETWEEN AGRICULTURAL PRACTICES AND FOLIAR DISEASES OF OIL PALM SEEDLINGS	28
4.1	Introduction	28
4.2	Materials and methods	28
4.2.1	Survey Form	28
4.2.2	Identification of agriculture practices	28
4.2.3	Statistical data analysis	29
4.3	Results and discussion	29
4.3.1	Survey of nursery management and agriculture practices.	29
4.3.2	Agricultural practices and their relationships with foliar diseases in oil palm seedlings.	32
4.4	Conclusions and recommendations for oil palm nursery agricultural practices.	34
4.4.1	Agriculture practices following normal standards	34
4.4.2	Types of fungicides used in oil palm nurseries	34
4.4.3	Suggestions for agriculture practices to reduce incidence leaf spot and anthracnose disease.	35
4.4.4	Supervision and monitoring by workers	36
5	SUMMARY, CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE RESEARCH	37
5.1	Summary and conclusions	37
5.2	Recommendations for future research	38
	REFERENCES	39
	APPENDICES	42
	BIODATA OF STUDENT	70
	LIST OF PUBLICATIONS	71

LIST OF TABLES

Table		Page
1	Disease incidence and severity of leaf spot disease on oil palm seedlings in different locations.	24
2	Disease incidence and severity of anthracnose disease on oil palm seedlings in different locations.	25
3	Evaluation of disease incidence and severity of leaf spot disease on oil palm seedling in different range of age.	26
4	Evaluation of disease incidence and severity of anthracnose disease on oil palm seedling in different range of age.	27
5	Summary of nursery management and agriculture practices	30
6	The Pearson correlation of disease incidence of leaf spot disease among agricultural practices and seedling ages	32
7	The Pearson correlation of disease severity of leaf spot disease among agricultural practices and seedling ages.	33
8	The Pearson correlation of disease incidence of Anthracnose disease among agricultural practices and seedling ages	33
9	The Pearson correlation of disease severity of Anthracnose disease among agricultural practices and seedling ages.	33
10	Summary of fungicides used in controlling leaf spot and anthracnose diseases in oil palm nurseries	35

LIST OF FIGURES

Figure		Page
1	Symptom of Basal Stem Rot	6
2	White strand of <i>Marasmiellus</i> mycelium	7
3	Symptom of disease caused by <i>Botryodiplodia palmarum</i>	9
4	Symptom of disease caused by <i>Melanconium</i> spp.	9
5	Symptom of disease caused by <i>Glomerella cingulata</i>	10
6	Symptom of disease caused by <i>Curvularia</i> sp.	11
7	Symptom of disease caused by <i>Drechslera</i> sp.	12
8	Survey locations to assess oil palm diseases in nurseries	16
9	Foliar disease symptoms on oil palm seedlings, (a) Leaf spot, (b) Leaf anthracnose.	19
10	Symptoms of leaf spot caused by <i>Curvularia</i> sp. (c): Colony culture on PDA at 7 days old (d) and (e) Spore of morphology.	21
11	Leaf spot symptoms caused by <i>Pestalotiopsis</i> sp. (b) Colony culture at 7 days old on PDA (c) Spore morphology.	22
12	Anthracnose symptoms caused by <i>Colletotrichum</i> sp. (b) Colony culture on PDA agar at 7 days (c) Spore morphology.	23

LIST OF ABBREVIATIONS

ANOVA	Analysis of Variance
BSR	Basal Stem Rot
Bkt	Bukit
DMRT	Duncan Multiple Range Test
DI	Disease Incidence
DS	Disease Severity
Kg	Kampung
MPOB	Malaysian Palm Oil Berhad
PDA	Potato Dextrose Agar
SAS	Statistical Analysis System
%	Percentage

CHAPTER 1

INTRODUCTION

1.1 General

The palm oil industry has been identified to be a major contributor to the economic well being of the countries involved. Anyawu *et al.* (1982) reported the oil palm (*Elaeis guineensis Jacq.*) as one of the most important economic crops in the tropics and also a very important source of vegetable oil because of its capability as the highest production of oil compared to the other oil bearing plants (Soyebo *et al.*, 2005).

Over the past 30 years, the worldwide area planted for oil palm has increased more than 150 percent (Fairhurst and Mutert, 1999). Between 1997 and 2001, global palm oil production increased by 31 percent, 34 percent for consumption, and 43 percent for global exports which is from 26.6 billion to 38.7 billion pounds of palm oil production and 89 percent of world export (Brown and Jacobson, 2005). It was stated that palm oil and palm kernel oil contributed for almost 50 percent of total global exports of oils and fats in 2002. This was supported by the statement from USDA (2005) that 83% of palm oil was used for edible purposes between 2000 and 2001 (Corley, 2009).

Most of this increase was recorded in Southeast Asia, with extremely impressive production increases in Malaysia and Indonesia (Fairhurst and Mutert, 1999). In 2005, Malaysia and Indonesia produced nearly 80% of 35 million tones of the total world production of palm oil (Tan *et al.*, 2009).

Several reasons contributed to spectacular expansion of oil palm industries in the world. Fairhurst and Mutert (1999) stated the main reason for the great expansion of the oil palm industries as attributed to the strong and stable prices of crude palm oil and kernel oil following the increase in consumption of dietary oils and fats in the developing economies such as China and India. This has indirectly encouraged investors to develop plantations on a large scale, suitable and fertile lands found in Malaysia and Indonesia.

1.2 Problem Statement

Like any other crop, the oil palm is being threatened by various pest and disease problems. From seed germination until fruit harvesting, the crop is exposed to several pests and diseases including those caused by fungal infections.

Due to the advantages and contributions of the oil palm industries as mentioned previously, the sustainability of oil palm cultivation especially in the aspect of effective pests and diseases management to increase productivity is particularly important. To achieve this, research and development of the major pests and diseases of oil palm must be undertaken.

In this connection, the identification of major pests and diseases of oil palm in Malaysia is very crucial for diagnosis and effective control of these problems in the oil palm plantations.

Although there have been studies on foliar diseases of oil palm conducted by previous researchers, information on diseases and their causal pathogens in oil palm especially in the nurseries are seriously lacking. As a result, managers of oil palm estates often face difficulties and confusion in identifying the symptoms of these diseases.

There is a need for surveys and observations on good agricultural practice in oil palm plantations. Poor agricultural practices would lead to increase incidence of diseases in oil palm nurseries.

From such studies, the relationship between agricultural practices and their influence on disease development can be observed and evaluated to improve disease management and reduce losses in oil palm plantations.

1.3 Objectives of study

In view of the problems stated, this study was undertaken with the following objectives:

- (i) To conduct surveys of oil palm foliar diseases and identify the major disease problems based on assessment of disease incidence and severity in commercial oil palm nurseries.
- (ii) To study the relationships between oil palm nursery agriculture practices and their influence on foliar disease development.

REFERENCES

- Anyawu, A. C., Anyawu, B. O. and Anyawu, V. A. 1982. A Textbook of Agriculture for School Certificate. 4th Edition, Nsukka, Nigeria: Africana Educational Publishers Ltd.
- Aqeel Ahmed Bazmi, Gholamreza Zahedi, Haslenda Hashim. 2011. Progress and challenges in utilization of palm oil biomass as fuel for decentralized electricity generation. *Renewable and Sustainable Energy Reviews* **15**: 574–583.
- Basri, M. W., Norman, K., Idris, A. S., Ariffin, D., Shamala, S., Ramle, M., and Ramlah, S. A. A. 2003. Handbook of pests and diseases of oil palm, pp. 70-76. Kuala Lumpur: Malaysia Palm Oil Board.
- Brown, E. and Jacobson, M. F. 2005. Cruel Oil. How palm oil harms health, rainforest and wildlife. Copyright by Center for science in the public interest.
- Bowen, K.L. 2004. Plant Disease Epidemiology. In Trigiano, R.N., Windham, M.T. & Windham, A.S. Windham (Eds.), *Plant Pathology: Concept Laboratory Exercise* 2nd edition, pp. 281-294. New York: CRC Press.
- Basiron, Y., Jalani, B.S., and Chan, K.W. (2000). *Advanced in Oil Palm Research*, Malaysian Palm Oil Board, Bangi. Pp: 1-782, 783-1526.
- Benoît Cochard, Benjamin Adon, Samah Rekima, Norbert Billotte, Roch Desmier de Chenon, Anatole Koutou, Bruno Nouy, Alphonse Omoré, Abdul Razak Purba, Jean-Christophe Glazsmann and Jean-Louis Noyer. 2009. Geographic and genetic structure of African oil palm diversity suggests new approaches to breeding. *Tree Genetics & Genomes* (2009) 5:493–504
- Corley, R. H. V. 2009. How much palm oil do we need?. *Environmental Science and Policy* 12: 134-139.
- Corley, R. H. V. and Tinker, P. B. 2003. *The Oil Palm*. Fourth Edition, pp. 27, 562. Oxford: Blackwell Science Ltd publication.
- Dikin, A. 2004. *Biological control of Schizophyllum commune fr. The Seedborne Pathogen of Oil Palm with Antagonistic Bacteria*. Master Thesis, University Putra Malaysia.
- Elliott, M. L. 2006. Pestalotiopsis (Pestalotia) Diseases of Palm, pp. 217. Plant Pathology Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida.
- Fairhurst, T.H. and Mutert, E. 1999. Introduction to Oil Palm Production. *Better Crops International* 13 (1).

- Gray and Hew Choy Kean. 1963. as cited in Hartley, C. W.S. 1988. The Oil Palm. Third Edition, pp. 385. Co published by Longman scientific and Technical with John Wiley and Sons, Inc. New York.
- Howard, F. S. and David, H. G. 2005. High Plains IPM Guide, a cooperative effort of the University of Wyoming, University of Nebraska, Colorado State University and Montana State University.
- Henderson, J. and Daphne J. O. 2000. The oil palm in all our lives: How this came about. *Endeavour* 24 (2).
- Ibitoye, O. O., Akinsorotan, A.O., Meludu, N.T. and Ibitoye, B.O. 2011. Factors Affecting Oil Palm Production in Ondo State of Nigeria. *Journal of Agriculture and Social Research*, 11: 1.
- Kranz, J. 1988. Measuring Plant Disease. In Kranz, J.&Rotem, J. (Eds.), *Experimental Technique in Plant Disease Epidemiology*, pp. 35-50. The Netherland, Springer.
- Kongsager, R. and Reenberg, A. 2012. Contemporary land-use transitions: The global oil palm expansion. GLP Report No. 4. GLP-IPO, Copenhagen.
- Latiffah, Z. and Ho, Y.W. 2005. Morphological Characteristics and Somatic Incompatibility of Ganoderma from Infected Oil Palm from Three Inland Estates. *Malaysian Journal of Microbiology* 1(2): 46-52.
- Murugan, M., Gangadevi, V. and Muthumary, J. (2007). Light and transmission electron microscopic studies on conidiomata developmental morphology in *Pestalotiopsis rhododendri* 1(2).
- Mutert, E., Esquivel, A.S., Santos, A.O and Cervantes, E.O. (1999). The oil palm nursery: foundation for high production. *Better Crops International* 13(1).
- Nur Sabrina, A. A., Sariah, M. and Zaharah, A. R. 2012. Suppression of Basal Stem Rot Disease Progress in Oil Palm (*Elaeisguineensis*) after Copper and Calcium Supplementation. *Pertanika J. Trop. Agric. Sci.* 35 (S): 13 – 24.
- Omamor, B., Asemota, A.O., Eke, C.R. and Eziashi, E. I. 2007. Fungal contaminants of the oil palm tissue culture in Nigerian institute for oil palm research (NIFOR). *African Journal of Agricultural Research* 2(10): 534-537.
- Othman Sulaiman, Nurjannah Salim, Noor Afeefah Nordin, Rokiah Hashim, Mazlan Ibrahim and Masatoshi Sato. 2012. The Potential of oil palm trunk biomass as an alternative source for compressed wood. *BioResources* 7(2):2688-2706.
- Pong, V. M., Zainal Abidin, M. A., Almaliky, B. S. A., Kadir, J. and Wong, M. Y. 2012. Isolation, Fruiting and Pathogenicity of *Marasmiellus palmivorus*

(Sharples) Desjardin (comb. prov.) in Oil Palm Plantations in West Malaysia. *Pertanika J. Trop. Agric. Sci.* 35 (S): 37 – 48.

Rankine, I.R. and Fairhurst, T.H. 1998. Nurseries, Field Handbook, Oil Palm Series, Vol.1, pp. 93. PPI-PPIC, Singapore.

Shafawati, S.N. and Siddiquee, S. 2013. Composting of oil palm fibres and trichoderma spp. as biological control agent: A review. *International Biodeterioration and biodegradation* 85: 243-253.

Shamala, S., Chris, D., Sioban, O. and Idris, A. S. 2006. Preliminary Studies on the Development of Monoclonal Antibodies against Mycelia of *Ganoderma boninense*, the Causal Pathogen of Basal Stem Rot of Oil Palm. *Malaysian Journal of Microbiology* 2(1): 30-34.

Singh, G. 1991. Ganoderma the scourge of oil palms in the coastal areas. *Planter* 67: 421- 444.

Singh, G. 1991. The scourge of oil palm in the coastal area. *The Planter* 67: 421-444.

Soyebo, K. O., Farinde, A. J. and Dionco-Adetayo, E. D. 2005. Constraints of Oil Palm Production in Ife Central Local Government Area of Osun State, Nigeria. *Journal of Social Science* 10(1): 55-59.

Tan, K. T., Lee, K. T., Mohamed, A. R. and Bhatia, S. 2009. Palm Oil: Addressing issues and towards sustainable development. *Renewable and Sustainable Energy Review* 13: 420-427.

Turner, P. D. 1981. Oil Palm Diseases and Disorders, pp. 29-39. Kuala Lumpur: Oxford University Press.

Turner, P. D. and Bull, R. A. 1967. Diseases and disorders of the oil palm in Malaysia. Pp.117-122. Kuala Lumpur: The Incorporated Society of Planters.

Turner, P. D. and Gillbanks, R. A. 1974. Oil palm cultivation and management, pp. 108-110. Kuala Lumpur: The Incorporated Society of Planters.

USDA, 2005. Oilseeds: World Markets and Trade. Circular Series FOP 9-05.

U.S. Department of Agriculture, 2007. Indonesia and Malaysia palm oil production. Available from: <http://www.pecad.fas.usda.gov/highlights/2007/12/>.

Yang, X.S., Madden, L.V., Reichard, D.L., Wilson, L.L. and Ellis, M.A. (1992). Splash dispersal of *Colletotrichum acutatum* and *Phytophthora cactorum* from strawberry fruit by single drop impactions. *Phytopathology* 82: 332-340.

LIST OF PUBLICATIONS

- Azizi Muhamad Nor Azlan, Zainal Abidin Mior Ahmad, Abu Seman Idris and Ganesan Vadamalai. 2018. Assesment of Leaf Spot and Anthracnose Diseases in Nurseries and It Relationship with Oil Palm Seedling Ages. *Int. J. Adv. Multidiscip. Res.* 5(1):19-26.
- Azlan Azizi, M.N., Zainal Abidin, M. A. and Idris, A. S. 2014. Evaluation of Leaf Spot and Anthracnose Disease Incidence in Oil Palm Nurseries in West Malaysia. *Proceeding of the 8th International Conference on Plant Protection in the Tropic.* 8-10th April 2014 at Berjaya Times Square Hotel, Kuala Lumpur.152-153p.





UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

EVALUATION OF MAJOR FOLIAR DISEASES IN COMMERCIAL OIL PALM NURSERIES
FOR IMPROVING DISEASE MANAGEMENT

NAME OF STUDENT: AZLAN AZIZI BIN MUHAMAD NOR

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]