



UNIVERSITI PUTRA MALAYSIA

***GROWTH, PHYSIOLOGICAL AND BIOCHEMICAL RESPONSES AS
AFFECTED BY PACLOBUTRAZOL FOR FLOWERING INDUCTION ON
WATER INDUCED STRESS MANGO PLANTS (*Mangifera indica* L. cv.
HARUMANIS)***

NUR AFIQAH ARIS

FS 2015 48



**GROWTH, PHYSIOLOGICAL AND BIOCHEMICAL RESPONSES AS
AFFECTED BY PACLOBUTRAZOL FOR FLOWERING INDUCTION ON
WATER INDUCED STRESS MANGO PLANTS
(*Mangifera indica* L. cv. HARUMANIS)**

By

NUR AFIQAH ARIS

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
fulfilment of the Requirements for the Degree of Master of Science**

April 2015

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the Degree of Master of Science

**GROWTH, PHYSIOLOGICAL AND BIOCHEMICAL RESPONSES AS
AFFECTED BY PACLOBUTRAZOL FOR FLOWERING INDUCTION ON
WATER INDUCED STRESS MANGO (*Mangifera indica* L. cv. HARUMANIS)**

By

NUR AFIQAH ARIS

April 2015

Chairman : Rosimah Nulit, PhD
Faculty : Science

Harumanis is the most popular mango cultivar in Malaysia for local fresh market as well as for export. However, flowering of Harumanis seem to be influenced by weather changes. Thus, suitable weather condition is required for Harumanis to initiate flowering. Basically, mango plant needs a long dry period in order to produce reproductive sprouts. Hence, it is very crucial to understand the role of drought in initiating flowering. Flowering of Harumanis can also be induced chemically by using paclobutrazol, a plant growth regulator to enhance the yield. Therefore, this study was conducted to determine the effect of paclobutrazol and water stress on vegetative growth, physiological and biochemical responses, and flowering of Harumanis. The application of paclobutrazol (0.75g a.i./tree) on three-year old containerized mango (*Mangifera indica* cv. Harumanis) was investigated in the field during December 2011 until March 2012 in randomized design with seven replications. Three treatments were imposed onto the tree of which T1 as control tree and irrigated daily (soil water potential maintain at 0 to -15 kPa); T2: 0.75g a.i. of paclobutrazol was applied as soil drench followed by imposed stress for 21 days (soil water potential maintain at -40kPa); and T3: Imposed stress for 30 days (soil water potential maintain at -40 kPa). T2 and T3 trees were irrigated after the dry period. Among the treatments, paclobutrazol with water stress (T2) significantly reduced shoot length and leaf development i.e. leaf size and leaf area compared to the other treatments. The physiological and biochemical content of mango plants were affected by paclobutrazol and water stress (T2) compared to control (T1) and stressed trees (T3). Paclobutrazol significantly reduced the photosynthesis rate, stomatal conductance and transpiration rate; but it increased sucrose and starch content in mango leaves. Moreover, the trees treated with paclobutrazol and water stress (T2) produced compacted flowers with short panicles and less number of fruit set. There was a few flowering occurred in the control trees (T1), while no flowering occurred in the water stressed trees (T3) up to 12 weeks of the experimental period (Appendix F1). The physiological response i.e. photosynthesis rate, stomatal conductance, and transpiration of paclobutrazol treated trees were higher during pre-floral stage and decreased during flower bud formation, but increased during flowering bloom. The biochemical content i.e. chlorophyll content, sucrose content, and starch concentration were higher during pre-floral stage

compared to during flower initiation, flower bud and flower bloom. These results suggest that paclobutrazol and water stress could effectively enhance flowering of mango.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk Ijazah Master Sains

**PERTUMBUHAN, TINDAKBALAS FISIOLOGI DAN BIOKIMIA TERKESAN
DENGAN PAKLOBUTRAZOL UNTUK MERANGSANG PEMBUNGAAN
TERHADAP TANAMAN MANGGA (*Mangifera indica* cv. HARUMANIS)
YANG KEKURANGAN AIR**

Oleh

NUR AFIQAH ARIS

April 2015

Pengerusi : Rosimah Nulit, PhD

Fakulti : Sains

Harumanis adalah kultivar mangga yang terkenal di Malaysia terutamanya di pasaran tempatan mahupun eksport. Walau bagaimanapun, pembungaan Harumanis dipengaruhi oleh perubahan cuaca. Oleh itu, keadaan cuaca yang sesuai diperlukan untuk Harumanis memulakan pembungaan. Pada dasarnya, pokok mangga memerlukan tempoh kering yang panjang untuk menghasilkan pucuk pembiakan. Oleh itu, adalah sangat penting untuk memahami peranan kemarau dalam memulakan pembungaan. Pembungaan mangga Harumanis juga boleh dirangsang secara kimia dengan menggunakan paklobutrazol iaitu pengawalatur pertumbuhan untuk meningkatkan hasil. Oleh itu, kajian ini dijalankan untuk menentukan kesan paklobutrazol dan kekurangan air terhadap pertumbuhan vegetatif, tindakbalas fisiologi dan biokimia, dan pembungaan Harumanis. Aplikasi paklobutrazol (0.75g b.a./ pokok) pada pokok mangga (*Mangifera indica* cv Harumanis) berumur tiga tahun yang di tanam di dalam bekas telah dikaji di kawasan lapangan pada Disember 2011 hingga Mac 2012 secara Rekabentuk Lengkap Terawak (RLT) dengan 7 replikasi. Terdapat tiga rawatan diberikan terhadap pokok antaranya (T1): Pokok kawalan dan disirami air setiap hari (Keupayaan air tanah dikekalkan pada 0-15 kPa); (T2): 0.75g bahan aktif paklobutrazol secara siraman lencunan tanah diberikan diikuti kekurangan air selama 21 hari (Keupayaan air tanah dikekalkan pada -40 kPa); dan (T3): Kekurangan air selama 30 hari (Keupayaan air tanah dikekalkan pada -40 kPa). Pokok (T2) dan (T3) akan disiram air selepas tempoh kekurangan air. Antara semua rawatan, paklobutrazol dengan kekurangan air (T2) menunjukkan kesan secara signifikan terhadap pengurangan panjang pucuk daun dan perkembangan daun (saiz dan keluasan daun) berbanding dengan rawatan lain. Kandungan fisiologi dan biokimia pokok mangga terkesan oleh paklobutrazol dan kekurangan air (T2) berbanding pokok kawalan (T1) dan pokok kekurangan air (T3). Paklobutrazol mengurangkan secara signifikan kadar fotosintesis, konduktiviti stomata dan kadar transpirasi; tetapi meningkatkan kandungan sukrosa dan kepekatan kanji dalam daun mangga. Selain itu, pokok yang dirawat dengan paklobutrazol dan kekurangan air (T2) menghasilkan bunga yang padat serta bertangkai pendek, dan jumlah set buah yang sedikit. Terdapat sedikit pembungaan berlaku pada pokok kawalan (T1) manakala tiada pembungaan berlaku pada pokok kekurangan air (T3) sehingga 12 minggu tempoh eksperimen (Appendix F1). Tindakbalas fisiologi

(kadar fotosintesis, konduktiviti stomata, dan kadar transpirasi) pokok yang dirawat dengan paklobutrazol adalah lebih tinggi semasa peringkat pra-pembungaan dan menurun semasa peringkat pembentukan putik bunga, tetapi meningkat semasa bunga mekar. Kandungan biokimia iaitu kandungan klorofil, kandungan sukrosa, dan kepekatan kanji adalah lebih tinggi semasa peringkat pra-pembungaan berbanding semasa peringkat inisiasi bunga, putik bunga dan bunga mekar. Keputusan ini mencadangkan bahawa aplikasi paklobutrazol dan kekurangan air boleh secara efektif mempercepatkan pembungaan pokok mangga.



ACKNOWLEDGEMENTS

Alhamdulillah, all praise to Allah. It is with His will I managed to complete my dissertation. I am grateful to God for giving me the strength and courage to come this far.

I wish to convey a million thanks to my supervisor Dr. Rosimah Nulit and co-supervisor, Dr Omran Hashim. There had been marvelous support and commitment by both of them, from whom I have learnt tremendous amount, and whose patience and encouragement made this completion of dissertation possible. I am greatly indebted to them for guiding me through the process of my studies and conducting the research

I would like to dedicate my appreciation to Professor Dr. Hawa ZE Jaafar and Professor Dr. Umi Kalsom Yusof for their guidance and generous helps to assist me whenever I needed help. They have guided me step by step in order to write and finish my dissertation.

I also wish to express my sincerest thanks to all staff members from Department of Agriculture, Perlis for their assistance and help during my studies, many thanks to all of you.

Special thanks dedicated to my beloved husband, Noor Faiz Mohd Said, for his encouragement and moral support, which made life easy throughout my studies. My special appreciation and gratitude go to all friends, Siti Khadijah Che Aun, Nor Shuhada Kayat, Nor Hazirah Mohd Nizar, Suhaida Salleh and Arbaayah Abu Hanifah, who have made my life in Universiti Putra Malaysia an enjoyable and wonderful experience, thank you very much. I will always remember our good days together.

Above all, heartiest gratitude is extended to my parents, Aris Abdullah and Ngaisah Mohd Yusof who believed in my capabilities since I was small, giving their endless motivation and the best guidance throughout my whole life. My deepest appreciation also goes to my fantastic brother and sisters, Nor Khairunnisa Aris, Mohd Haziq Aris and Nur Farzana Aris for the constant support. Thank you for being there for me at all times. This research would not have been possible without the sustained encouragement from my beloved family.

Last but not the least, I would like to dedicate my thesis to all those who formally and informally gave me all that I required in order to finish my thesis. Without your guidance, knowledge, help and never ending supports, I would not be able to finish up my thesis.

Thank you and with love,

Nur Afifah Aris

I certify that a Thesis Examination Committee has met on 30 April 2015 to conduct the final examination of Nur Afiqah Aris on her thesis entitled “Growth, physiological and biochemical responses as affected by PBZ for flowering induction on water induced stress mango plants (*Mangifera indica* cv. Harumanis)” in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science.

Members of the Thesis Examination Committee were as follows:

Hishamuddin Omar, PhD

Senior Lecturer
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Puteri Edaroyati Megat Wahab, PhD

Senior Lecturer
Faculty of Agriculture
Universiti Putra Malaysia
(Internal Examiner)

Rusea Go, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Internal Examiner)

Latifah Zakaria, PhD

Associate Professor
Universiti Sains Malaysia
Malaysia
(External Examiner)



ZULKARNAIN ZAINAL, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 22 September 2015

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Rosimah Nulit, PhD
Senior Lecturer
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Umi Kalsom Yusof, PhD
Professor
Faculty of Science
Universiti Putra Malaysia
(Member)

Hawa ZE Jaafar, PhD
Professor
Faculty of Agriculture
Universiti Putra Malaysia.
(Member)

Omran Bin Hashim, PhD
Director
MARDI Negeri Sembilan
(Member)

BUJANG KIM HUAT, PhD
Profesor and Dean
School of Graduate Studies
Universiti Putra Malaysia.

Date:

Declaration by Graduate Student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: Nur Afiqah Bt Aris , GS25725

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of Chairman
of Supervisory
Committee: Dr. Rosimah Nulit

Signature: _____
Name of Member
of Supervisory
Committee: Professor
Dr. Umi Kalsom Yusof

Signature: _____
Name of Member
of Supervisory
Committee: Professor
Dr. Hawa ZE Jaafar

Signature: _____
Name of Member
of Supervisory
Committee: Director
Omran Bin Hashim

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF ABBREVIATIONS	xvii
CHAPTER	
1. INTRODUCTION	1
1.1 Background	1
1.2 Problem statement and objectives	2
2. LITERATURE REVIEW	3
2.1 Mango (<i>Mangifera indica</i> Linn.)	3
2.1.1 Taxonomy of mango	3
2.1.2 Commercial mango cultivars in Malaysia	3
2.1.3 Nutrition value of mango	4
2.1.4 Medicinal value of mango	5
2.1.5 Global mango production	5
2.1.6 Mango industry and market potential in Malaysia	7
2.2 Flowering of mango	10
2.2.1 Flowering induction	10
2.2.2 Flowering initiation	10
2.2.3 The role of chemical substances on floral induction	10
2.3 Paclobutrazol (PBZ)	11
2.3.1 PBZ effect on flowering	12
2.3.2 Vegetative growth in response to PBZ	12
2.3.3 Physiological and biochemical response to PBZ	13
2.4 Plant response to water stress	13
2.4.1 Effects of water stress on vegetative growth	14
2.4.2 Effects of water stress on physiological responses	15
2.4.3 Effects of water stress on biochemical content	16
2.4.4 Effects of water stress on flowering	17
3. GENERAL MATERIALS AND METHODS	19
3.1 Experimental site	19
3.2 Climate	19
3.3 Soil characteristics	19
3.4 Planting material	20

3.5	Watering and fertilization	20
3.6	Pest and disease control	20
3.7	Experimental design	21
3.8	Soil temperature (°C) and Soil moisture (Wet %)	21
3.9	Statistical Analysis	21
4.	EFFECTS OF PACLOBUTRAZOL (PBZ) ON VEGETATIVE GROWTH, PHYSIOLOGICAL RESPONSES AND BIOCHEMICAL CONTENT IN MANGO (<i>Mangifera indica</i> cv. HARUMANIS) UNDER WATER STRESS CONDITION	22
4.1	Introduction	22
4.2	Materials and Methods	23
4.2.1	Treatment application	23
4.2.2	Determination of soil moisture content	25
4.2.3	Plant measurements	25
4.2.3.1	Leaf elongation	25
4.2.3.2	Total leaf area (cm ²)	25
4.2.3.3	Flush length	25
4.2.3.4	Leaves number per flush	25
4.2.4	Determination of relative water content (RWC)	26
4.2.5	Determination of chlorophyll fluorescence parameter	26
4.2.6	Physiological measurement	26
4.2.7	Biochemical content	27
4.2.7.1	Measurement of total chlorophyll and pigments analysis	27
4.2.7.2	Total carbohydrates measurement	28
4.3	Results	29
4.3.1	Soil moisture content	29
4.3.2	Effect of water stress and PBZ application on leaf length, leaf width and total leaf area	30
4.3.3	Effect of water stress and PBZ application on shoot growth and number of leaves per flush	32
4.3.4	Relative water content (RWC)	34
4.3.5	Chlorophyll fluorescence	34
4.3.6	Effect of PBZ application and water stress on photosynthesis rate, stomatal conductance, and transpiration rate	35
4.3.7	Effect of PBZ application and water stress on pigments analysis	39
4.3.8	Effect of PBZ application and water stress on sucrose, reducing sugar and starch	40
4.4	Discussion	43
4.5	Conclusion	48
5.	EFFECTS OF PACLOBUTRAZOL (PBZ) ON FLOWERING OF MANGO (<i>Mangifera indica</i> cv. HARUMANIS) UNDER WATER STRESS CONDITION	49
5.1	Introduction	49
5.2	Materials and Methods	50
5.2.1	Treatment application	50

5.2.2	Measurements	50
5.2.2.1	Panicle length	50
5.2.2.2	Flowering intensity	50
5.2.2.3	Total number of fruit set	51
5.2.2.4	Physiological parameters and biochemical content	51
5.2.3	Statistical analysis	51
5.3	Results	51
5.3.1	Flowering, panicle length, and total number of fruit set	51
5.3.2	Physiological and biochemical content of flowering leaves at different development stage	56
5.3.2.1	Photosynthesis rate, stomatal conductance, and transpiration rate	57
5.3.2.2	Relative chlorophyll content, sugar content and starch concentration	57
5.4	Discussion	59
5.5	Conclusion	62
6.	GENERAL DISCUSSION, CONCLUSION AND RECOMMENDATION	63
6.1	General Discussion and Conclusion	63
6.2	Limitation in Research	65
6.3	Recommendations	66
	REFERENCES	67
	APPENDICES	91
	BIODATA OF STUDENT	146
	LIST OF PUBLICATIONS	147

LIST OF TABLES

Table		Page
2.1	Nutritional facts of Harumanis mango in 100 g	5
2.2	The target and actual export of Harumanis mango to Japan	8
3.1	Monthly total rainfall, mean temperature (°C) and relative humidity (%) recorded at Department of Agriculture, Serdang, Selangor (measurement were taken between October, 2011 and April, 2012)	19
3.2	Physical and chemical properties of the soil of the experimental site	20
4.1	Treatment	24
4.2	Effect of PBZ on flush length and number of leaves per flush	32
4.3	Effect of PBZ and water stress on photosynthesis rate, stomatal conductance, and transpiration rate of mango plants cv. Harumanis	36
4.4	Effect of PBZ and water stress on total chlorophyll and carotenoid of mango plants cv. Harumanis	39
4.5	Effect of PBZ and water stress on sucrose content, reducing sugar and starch content of mango plants cv. Harumanis	41
5.1	Schedule of mango flowering using PBZ in cv. Harumanis plants at the field experiment	54
5.2	Effect of PBZ on panicle length, flowering intensity and total fruit number	55
5.3	Effect of PBZ on photosynthesis rate, stomatal conductance, and transpiration rate at different development stage	57

LIST OF FIGURES

Figure		Page
2.1	Harumanis mango	4
2.2	World mango producer in year 2011	6
2.3	ASEAN mango producer in year 2011	6
2.4	Hectarage of mango, Malaysia 2006-2010	7
2.5	Harumanis mango for international export	8
2.6	Harumanis export to Japan	9
2.7	Harumanis fruit	9
2.8	Chemical structure of PBZ	11
4.1	Changes in soil moisture content (%) in well watered and water stress plants. Bars represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in soil moisture content for different treatments ($P \leq 0.05$)	30
4.2	Leaf development of Harumanis (MA 128). (A) Mean length of mango leaves for different treatments (cm^2), (B) Mean width of mango leaves for different treatments (cm^2), (C) Total leaf area of mango leaves for different treatments (cm^2)	31
4.3	Results through observation. (A) Control leaves (T1), (B) Compact crown leaves (T2) produced after re-watering, (C) Less no of leaves (T3) produced after re-watering, (D) Long shoot length in control tree (T1), (E) Retardation in shoot length with compact crown leaves (T2), (F) Decrease in shoot length and less no. of leaves (T3), (G) Shoot length in different treatment; (T1) Control (T2) PBZ and imposed stress for 21 days (T3) Imposed stress for 30 days	33
4.4	Changes in relative water content (%) of mango leaves in well watered and water stress plants. Bars represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in relative water content for different treatment ($P \leq 0.05$)	34
4.5	Changes in chlorophyll fluorescence of mango leaves in well watered and water stress plants. Bars represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically significant difference in chlorophyll fluorescence between well watered and stress plant ($P \leq 0.05$)	35

4.6	Changes in photosynthesis rate of mango leaves in well watered and water stress plants. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically ($P \leq 0.05$)	37
4.7	Changes in stomatal conductance of mango leaves in well watered, and water stress plants. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in photosynthesis rate for different treatment ($P \leq 0.05$)	37
4.8	Relationship between leaf photosynthesis rate ($\mu\text{mol CO}_2 \text{ m}^{-2}\text{s}^{-1}$) and leaf stomatal conductance ($\text{mol m}^{-2}\text{s}^{-1}$) in mango cv. Harumanis grown in container subjected to different water treatment. Data represent mean \pm SE of 7 replicates were a single tree per replicate	38
4.9	Changes in transpiration rate of mango leaves in well water and water stress plants. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in transpiration rate for different treatment ($P \leq 0.05$)	38
4.10	Effect of PBZ on sucrose content in mango leaves. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in sucrose content for different treatments ($P \leq 0.05$).	42
4.11	Effect of PBZ on reducing sugar in mango leaves. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in reducing sugar for different treatment ($P \leq 0.05$)	42
4.12	Effect of PBZ on starch content in mango leaves. Data represent mean \pm SE of 7 replicates were a single tree per replicate. There is a statistically difference in starch content for different treatment ($P \leq 0.05$)	43
5.1	Flowering phase of Harumanis. (A) Terminal bud just begin to swell, (B) Terminal bud continue to swell, (C) Axillary spearshaped protruberances, (D) The bract and inflorescence start to emerge, (E) Lateral or terminal inflorescence is begin to extension, (F) Formation of flower bud, (G) Fully develop panicle and elongated. Flower buds forming flower, and (H) Flower bloom. Circle indicated the panicle development	53
5.2	Flowering of Harumanis in container for different treatment. (A) Flowering of well-watered plants on 7 February 2012, and (B) Flowering of PBZ with water stress on 4 January 2012	55
5.3	Fruiting of Harumanis in container. (A) Fruit set at pea stage, (B) Fruit developing stage, and (C) Some of developing fruits drop prematurely. Circle indicated fruit set	56

- 5.4 Biochemical content in Harumanis leaves treated with PBZ (T2) at different development stage. (A) Chlorophyll content (B) Sugar content (C) Starch content. 58
- 6.1 Conceptual flowering diagram of mango. The diagram summarizes the roles of PBZ and water stress in initiation of shoot growth in buds of resting stems and the outcome of that growth (induction) whether vegetative shoot, generative shoot or mixed shoot. 65



LIST OF ABBREVIATIONS

%	Percentage
μ	Micro
°C	Degree-celcius
≤	Less than and equal to
≥	Greater than and equal to
*	Significantly different at $P \leq 0.05$
a.i	Active ingredient
ANOVA	Analysis of Variance
cm	Centimeter
CRD	Completely Randomized Design
cv.	Cultivar
et al.	And friends
FAMA	Federal Agriculture and Marketing Authority
FAO	Food and Agriculture Organization
FAOSTAT	Food and Agriculture Organization Statistical Database
FW	Fresh weight
g	Gram
g/mol	Gram per mol
H ₂ O	Water
Ha	Hectare
HCL	Hydrochloric Acid
Kg	Kilogram
L	Litre
LSD	Least Significant Difference
ml	milliliter
m	metre
MARDI	Malaysian Agriculture Research and Development Institute
NAOH	Sodium Hydroxide
pH	Measurement of Acidity/ Alkalinity
RM	Ringgit Malaysia
rpm	Rotation per minute
SPSS	Statistical Package for Social Science
s	Second
t	Metric Tonnes
Var	Variety
PBZ	Paclobutrazol

CHAPTER 1

INTRODUCTION

1.1 Background

Malaysia is a producer of a wide range of tropical fruits such as pineapple, banana, mango, rambutan, durian, mangosteen, jack fruit, and star fruit. However, the entire fruit industry in Malaysia is relatively small and unable to meet the demand. Therefore, government has to import fruit from neighbouring country such as Thailand, the Philippines, and India especially on mango fruit.

Mango (*Mangifera indica* L.) is considered as one of the most popular fruits among people in the tropical area and developed countries (Lucy, 2011). Due to its wide adaptability, high nutritional value, richness in variety, delicious taste, pleasant flavour, and attractive appearance, the demand on the mango fruit is still high until today (Anon, 1998).

Malaysia has many types of mangoes cultivar such as Maha 64, Harumanis, Sala, and Telor. Among the mango cultivars, 'Harumanis' is the leading commercial cultivar on north Peninsular Malaysia, which undoubtedly has the maximum consumer demand not only in Malaysia but also in the international market. Harumanis mango can only be found in Perlis and well known as the uniqueness of Perlis among Malaysian. Besides that, Harumanis mango is also considered as the "King of Mangoes" (Johnson and Parr, 1997) because of its deliciousness, excellent taste, aromatic fragrance and has a very nice texture.

Harumanis mango has high commercial value in the market (Appendix A) and potential for export. Perlis exported 100 kg Harumanis to Hong Kong and 3 tonnes to Singapore in 2013 (Utusan Malaysia, 2013). Besides that, Harumanis mango is considered as an exotic fruit with high market price in Japan where the price can be as high as RM400 for two fruits (Bernama, 2013).

Some interesting facts about Harumanis, the fruit only produce nice aromatic fragrance and very sweet taste when planted in Perlis. However, in some states (Negeri Sembilan, Kedah and Perak) and farmers from neighboring countries such as Thailand have tried planting Harumanis, unfortunately, have not been successful. The quality of fruit is not similar as those planted in Perlis even though the trees grew vigorously, but producing fruits that are not sweet (Omran Hashim, Director, MARDI Negeri Sembilan, pers. comm. 20 August 2011).

Previous study has found that, Harumanis is suitable to be planted in Perlis because of the "winter wind". This phenomenon happened because of prolonged hot climate and drought season that usually occurs for 3-4 months in a year from October to December,

which triggers flowering and fruiting (Syed Ridzuwan, 2008). Following to this, the flowering season of Harumanis only occurs in January until February. Currently, flowering of Harumanis depends too much on the changes in the weather and thus, produces yield only once a year, compared to other mango cultivars that can produce flowers almost twice a year. This seasonality constraints has somehow hindered potential of higher production of Harumanis. Usually, fruit of Harumanis takes 12 weeks to fully-developed and the harvest season will take place on middle of April until May every year (Zakaria *et al.*, 2012).

1.2 Problem statement and objectives

In Malaysia, the rainfall distributions vary from year to year. Different mango cultivars also differ in their nature of flowering. The abundance and frequency of flowering depends on the ability of the tree to respond to the drought conditions. Low intensity and inconsistency of flowering and fruiting are still considered as a major problem in mango cultivation in Malaysia especially Harumanis. Therefore, it is necessary to investigate the role of drought on stimulation of flowering. Currently, work on flowering stimulation by drought is not conclusive.

Mango flowering can also be induced chemically to enhance early flowering and the fruit production. Growth substances such as paclobutrazol (PBZ), a gibberellin biosynthesis inhibitor, had been found to be very effective in promoting flowering in mango (Kulkarni, 1988; Shinde *et al.*, 2000)

Induction of flowering in mango has been widely reported for matured trees under field conditions in Indonesia. However, work on trees less than three-year-old has not been sufficiently documented (Husen *et al.*, 2012).

Study on Harumanis in Malaysia is still lacking especially on flowering manipulation. Therefore, this study is carried out as an attempt to stimulate flowering of Harumanis outside Perlis. The growing environment that similar to Perlis weather which has dry period was developed and the use of growth substances particularly PBZ and combine with drought stress were imposed to stimulate profuse flowering and fruiting of Harumanis.

Therefore, this study is very important to determine the effect of PBZ and water stress on vegetative growth and reproductive of Harumanis. In order to meet the above objective, two experiments were carried out in container under field condition as follows:

1. The effect of PBZ and water stress on vegetative growth (leaf sizes and flush length), physiological responses and biochemical content of mango leaves cv. Harumanis plants.
2. The effect of PBZ on flowering of mango cv. Harumanis under water stress condition.

REFERENCES

- Abdel Rahim, A.O.S., Osman M.E. and Fritz K.B. (2011). Effects of Paclobutrazol (PBZ) on Floral Induction and Associated Hormonal and Metabolic Changes of Biennially Bearing Mango (*Mangifera indica* L.) Cultivars During Off Year. *ARPJ Journal of Agriculture and Biological Science*, 6(2): 55-67.
- Abourayya, M.S., Kassim, N.E., El Sheikh, M.H. and Rakha, A.M. (2012). Evaluation of vegetative growth of Tomy atkins, Kent and Keitt mango cultivars grown under Nubariya conditions. *Journal of Applied Sciences Research*, 8(2): 887-895.
- Ackerson, R.C. (1981). Osmoregulation in cotton in response to water stress (II). Leaf carbohydrate status in relation to osmotic adjustment. *Plant Physiology*, 67: 489-493.
- Ahmed, F.F. and Morsy, M.H. (1999). A new method for measuring leaf area in different fruit species. *Minia Journal Agriculture Research and Develop*, 19: 97-105.
- Ahmad Nazarudin, M.R., Mohd Fauzi, R. and Tsan, F.Y. (2007). Effects of Paclobutrazol on the growth and anatomy of stems and leaves of *Syzygium campanulatum*. *Journal of Tropical Forest Science*, 19 (2): 86-91.
- Akazawa, T. (1976). Polysaccharides. In J. Bonner and J. E. Varner (eds.). *Plant Biochemistry* (3rd ed., pp. 381-399). New York: Academic Press.
- Alvim, P. (1960). Moisture stress as a requirement for flowering of coffee. *Science*, 132 : 354.
- Amutha, R. (2005). *Studies on morphological, physiological and biochemical basis of heat tolerance in Sunflower (Helianthus annuus L.)*. (Unpublished doctoral thesis). Tamil Nadu Agricultural University, Coimbatore.
- Anonymous (1998). *The mango*. Bulletin of central Institute for Sub-tropical Horticulture, p. 1. Lucknow.
- Anonymous (2004). *Annual Report*. Indian Institute of Horticulture Research, Bangalore. Retrieved October 02, 2013, from [http:// www.iihr.res.in/PL.PHY.Biochem-hormones.html](http://www.iihr.res.in/PL.PHY.Biochem-hormones.html).
- Balasimha, D. (1982). Leaf growth and associated physiological changes in some cocoa accessions under water stress. In *Proceedings of Vth Annual Symposium Plantation Crops*. Kasaragod.
- Bar-Tal, A., Feigin, A., Sheinfeld, S., Rosenberg, R., Sternbaum, B., Rylski, I. and Pressman, E. (1995). Root-restriction and N-NO₃ solution concentration effects on nutrient uptake, transpiration and dry matter production of tomato. *Scientia Horticulturae*, 63: 195-208.

- Barnes, D.K., Pearce, R.B., Carlson, G.E., Hart, R.H. and Hanson, C.H. (1969). Specific leaf weight differences in Alfalfa associated with variety and plant age. *Crop Science*, 9(4): 421-423.
- Bates, T. R., Dunst, R. M. and Joy, P. (2002). Seasonal dry matter, starch, and nutrient distribution in 'Concord' grapevine roots. *Horticulture Science*, 37: 313-31.
- Beal, P.R. and Newman, G. A. (1986). Climatic influence on mango production in the Bowen district. *Queensland Journal Agriculture Animal Science*, 43: 83-89.
- Begg, J.E. and Turner, N.C. (1976). Crop water deficit. *Advance Agronomy*, 28: 161-217.
- Bekheta, M.A., El- Ghourab, A.H. and Mahgoub, M.H. (2003). Influence of stigmaterol and uniconazole on growth, endogenous hormones, chemical composition and radical scavenging activity of Thyme (*Thymus syrpyllum* L.) *Egypt Journal Research*, 1: 523-545.
- Bell, D.T., Koeppe, D.E. and Miller, R.J. (1971). The effect of drought stress on respiration of isolated corn mitochondria. *Plant Physiology*, 48: 413-415
- Bernamea. Harumanis Season Attracts Mango Enthusiasts To Perlis. May. 02, 2010.
- Bernamea. JPB to produce Harum Manis mango all year round in Perlis. *New Sarawak Tribune*, August. 6, 2013.
- Bernier, B. (1988). The control of floral evocation and morphogenesis. *Annual Review of Plant Physiology*, 39: 175-219.
- Bernier, G., Kinet, J.M. and Sachs, R.M. (1981). The physiology of flowering. In *The initiation of flowers* (vol II). Boca Raton: CRC Press Inc.
- Berova, M. and Zlatev, Z. (2000). Physiological response and yield of paclobutrazol treated tomato plant (*Lycopersicon esculentum* Mill). *Plant Growth Regulator*, 30 (2): 117-123.
- Bhambid, R.B., Gunjate, R.T., Lad, B.L. and Salvi, M.J. (1988). Effect of irrigation on fruit drop in Alphonso mango. *Journal of food science*, 52: 353 – 355.
- Bisht, R., Laxmi, V., Chouhan and Bohra, S. P. (2000). Effect of plant growth regulators on net photosynthetic rate, transpiration rate and stomatal resistance in *Panicum miliaceum*. *Curr. Agric.*, 24: 123-125.
- Bist, L.O. (1990). Influence of paclobutrazol, a lar, CCC and promalin on macronutrient status of pear leaf. *Acta Horticulturae*, 274: 43-50.
- Bjorkman, O. and Demmig, B. (1987). Photo yield of O₂ evolution and chlorophyll fluorescence characteristics at 77K among vascular plants of diverse origins. *Planta*, 170: 489-504.

- Blaikie, S.J., Kulkarni, V.J. and Muller, W.J. (2004). Effects of morphactin and paclobutrazol flowering treatments on shoot and root phenology in mango cv. Kensington Pride. *Scientia Horticulture*, 101: 51-68.
- Blum, A. (1996). Crop responses to drought and the interpretation of adaptation. *Plant Growth Regulator*, 20: 135-148.
- Bondad, N.D. and Lingsangan, E. (1979). Flowering in mango induced with potassium nitrate. *Horticulture Science*, 14: 527-8.
- Bondad, N.D. and Apostol, C.J. (1979). Induction of flowering and fruiting in immature mango shoots with KNO₃. *Current Science*, 48: 591-593.
- Boyer, J.S. (1970). Differing sensitivity of photosynthesis to low water potentials in corn and soybeans. *Plant Physiology*, 46: 233-235.
- Boyer, J.S. (1976). Leaf enlargement and metabolic rate in corn, soybean and sunflower at various leaf water potentials. *Plant Physiology*, 46: 233-235.
- Boyer, J.S. (1982). Plant productivity and environment. *Science*, 218: 443-448.
- Boyer, J.S. (1995). Measuring the water status of plants and soils (pp. 178). San Diego: Academic Press.
- Buchenaure, H., Kutzner, B. and Koths, T. (1984). Effect of various triazole fungicides on the growth of cereal seedlings and tomato plants as well as on gibberellins content and lipid metabolism in barley seedlings. *Pflanzenker pflanzenschutz*, 91: 506-524.
- Bunce, J.A. (1981). Comparative responses of leaf conductance to humidity in single attached leaves. *Journal of Experimental Botany*, 32: 629-634.
- Burondkar, M.M. (2005). Influence of plant growth regulators, polyamine and nutrients on post-flowering physiological behaviour in relation to yield and quality in Alphonso mango (*Mangifera indica* L.). (Unpublished doctoral thesis). University of Agricultural Sciences, Dharwad.
- Burondkar, M.M. and Gunjate, R.T. (1993). Control of vegetative growth and induction of regular and early cropping in "Alphonso" mango with Paclobutrazol. *Acta Horticulturae*, 341: 206-215.
- Burrows, G.E., Boag, T.S. and Stewart, W.P. (1992). Changes in leaf, stem, and root anatomy of Chrysanthemum cv. Lillian Hoek following paclobutrazol application. *Journal of Plant Growth Regulator*, 11: 189-194.
- Castrillo, M. and Trujillo, I. (1994). Ribulose-1, 5-bisphosphate carboxylase activity and chlorophyll and protein contents in two cultivars of french bean plants under water stress and rewatering. *Photosynthetica* 30: 175-181.
- Catchpole, D.W. and Bally, I.S.E. (1993). Earlier flowering and more fruit. *Mango Care Newsletter*, 8 : 2-3.

- Chacko, E.K. (1984). Physiology of vegetative and reproductive growth in mango (*Mangifera indica* L.). In *Proceedings of 1st Australian Mango Research Workshop* (pp. 54-70). Cairns, Qld.
- Chacko, E.K. (1985). Physiology of vegetative and reproductive growth in mango (*Mangifera indica* L.) trees. In *Proceedings of 1st Australian Mango Research Workshop* (pp. 54-70). Csiro Australia, Melbourne.
- Chacko, E.K. (1986). Physiology of vegetative and reproductive growth in mango (*Mangifera indica* L.) trees. In *Proceedings of 1st Australian Mango Research Workshop* (pp. 54-70). Csiro Australia, Melbourne.
- Chacko, E.K. (1991) "Mango flowering - Still an enigma". *Acta Horticulturae*, 291: 12-21.
- Chacko, E.K. and Ananthanarayanan, T.V. (1982). Accumulation of reserve substances in *Mangifera indica* L. during flower initiation. *Z.Pflanzenphysiol*, 106: 281-285.
- Chacko, E.K. and Cole, S.P. (1989). Studies on growth and reproduction in mango (*Mangifera indica* L.). In: *Research Directory 1989* (pp. 60-61). Tropical Ecosystems Research Center Darwin.
- Chacko, E.K. and Kohli, R.R. (1985). Studies on the photoassimilate contribution of inflorescence leaves toward fruit development in mango. In *Proceedings of 1st Australian Mango Research Workshop*. Csiro Australia, Melbourne.
- Chacko, E.K., Kohli, R.R., Swamy, R.D. and Radhawa, G.S. (1974). Effect of (2-chloroethyl) phosphonic acid on flower induction in juvenile mango (*Mangifera indica*) seedlings. *Physiologia Plantarum* 32: 188-190.
- Chacko, E.K., LU, P. and Kohli, R.R. (1995). Photoassimilation, production and distribution in relation to productivity of mango. In: *Mango 2000- Marketing Seminar and Production Workshop Proceedings* (pp. 109-124). Queensland Department of Primary Industries, Brisbane, Australia.
- Chacko, E.K., Reddy, Y.T.N. and Ananthanarayanan, T.V. (1982). Studies on the relationship between leaf number and area and fruit development in mango (*Mangifera indica* L.). *Journal Horticultural Science*, 57(4):483-492.
- Chacko, E.K., Singh, R.N. and Kachru, R.B. (1972). Studies on the physiology of flowering and fruit growth in mango (*Mangifera indica* L.). VII. Naturally occurring auxins and inhibitors in the shoots of flowering (on) and vegetative (off) mango trees. *Indian Journal Horticulture*, 29: 115-125.
- Chaikiattiyos, S., Menzel, C.M. and Ramussen, T.S. (1994). Florida induction in tropical fruit trees, effect of temperature and water supply. *Journal of Horticulturae Science*, 69: 397-415.
- Chapman, K.R. (1973). Effect of four water regimes in performance of glass house

- grown nursery apples trees. *Queensland Journal of Agriculture and Animal Science*, 30: 125-135.
- Chen, D. (1992). Quantitative analysis of photosynthetic characteristics of mulberry leaves. *Photosynthetica*, 26: 199-204.
- Chow, P.S. and Landhäusser, S.M. (2004). A method for routine measurements of total sugar and starch content in woody plant tissues. *Tree Physiology*, 24: 1129-1136.
- Clifton-Brown, J.C. and Lewandoski, I. (2000). Water use efficiency and biomass partitioning of three different *Miscanthus* genotypes with limited and unlimited water supply. *Annals of Botany*, 86: 191-200.
- Corbesier, L., Lejeune, P. and Bernier, G. (1998). The role of carbohydrates in the induction of flowering in *Arabidopsis thaliana*: comparison between the wild type and a starchless mutant. *Planta*, 206: 131–137.
- Cornic, C. and Massacci, A. (1996). Leaf photosynthesis under drought stress. In N.R. Baker (ed.). *Photosynthesis and Environment* (pp. 347-366). Kluwer: Acad. Publs.
- Cornic, G. and Briantais, J. M. (1991). Partitioning of photosynthetic electron flow between CO₂ and O₂ reduction in C₃ leaf (*Phaseolus vulgaris* L.) at different CO₂ concentrations and during drought stress. *Planta*, 183: 178-184.
- Cornic, K. and Radin, J.W. (1990). From metabolism to organism: An integrative view of water stress emphasizing abscisic acid. In F. Katterman (ed.). *Environmental injury to plants* (pp. 89-111). San Diego: Academic Press.
- Cuevas, J., Hueso, J.J. and Rodríguez, M.C. (2008). Deficit irrigation as a tool for manipulating flowering date in loquat (*Eriobotrya japonica* Lindl.). In Sorensen, M.L. (ed.). *Agricultural Water Management Research Trends* (pp. 237-253). Spain: Nova Science Publishers.
- Damour G., Vandame M. & Urban L. (2009) Long-term drought results in a reversible decline in photosynthetic capacity in mango leaves, not just a decrease in stomatal conductance. *Tree Physiology* 29, 675–684.
- Davenport, T. (2000). Processes influencing floral initiation and bloom: the role of phytohormones in a conceptual flowering model. *Horticultural Technology*, 10: 733-739.
- Davenport, T. (2003). Management of flowering in three tropical and subtropical fruit tree species. *Horticultural Science*, 38: 1331-1335.
- Davenport, T.L. (2007). Reproductive physiology of mango. *Brazilian Journal of Plant Physiology*, 19(4): 363-376.

- Davenport, T.L. (2008). Reproductive physiology. In R.E. Litz (ed.) *The Mango, Botany, Production and Uses* (2nd ed., pp. 69-146). Oxon: CAB International Wallingford.
- Davenport, T. L. and Nunez-Elisea, R. (1997). "Reproductive physiology". In R.E. Litz (ed.). *The Mango, Botany, Production and Uses* (pp. 69-146). Oxon: CAB International Wallingford.
- Davenport, T.L., Ying, Z., Kulkarni, V. and White, T.L. (2006). Evidence for a translocatable florigenic promoter in mango. *Scientia Horticulturae*, 110: 150-159.
- Davies, W.J., Bacon, M.A., Thompson, D.S., Sobeh, W. and Rodriguez, L.G. (2000). Regulation of leaf and fruit growth in plants growing in dry soil: Exploitation of the plants chemical signaling system and hydraulic architecture to increase the efficiency of water use in agriculture. *Journal of Experimental Botany*, 51: 1617-1626.
- Davis, T.D., Steffens, G.L. and Sankhla, N. (1988). Triazole plant growth regulators. *Horticultural Reviews*, 10: 63-105.
- DeJong, T. and Doyle, J.F. (1984). Leaf gas exchange and growth responses of mature 'fantasia' nectarine trees to Paclobutrazol. *Journal of the American Society for Horticultural Science*, 109: 878-882.
- Demmig, B. and Bjorkman, O. (1987). Comparison of the effect of excessive light on chlorophyll fluorescence (77 K) and photon yield of O₂ evolution in leaves of higher plants. *Planta*, 171: 171-184.
- Dreesmann, D.C., Harn, C. and Daie, J. (1994). Expression of genes encoding Rubisco in sugarbeets *Beta vulgaris* L. plants subjected to gradual desiccation. *Plant Cell Physiology*, 35 (4): 645-653.
- Dry, P.R. and Loveys, B.R. (1999). Grapevine shoot growth and stomatal conductance are reduced when part of the root system is dried. *Vitis*, 39: 9-12.
- Duffus, C.M. and Duffus, J.H. (1984). Carbohydrate metabolism in plants. London: Longman.
- Ehleringer, J. (1980). Leaf morphology and reflectance in relation to water and temperature stress. In N.C. Turner and P.J. Kramer (eds.). *Adaptation of plants to water and high temperature stress* (pp. 295-208). New York: Wiley.
- Ekanayake, I.J., Oyetunji, O.J., Osonubi, O. and Lyasse, O. (2004). The effects of arbuscular mycorrhizal fungi and water stress on leaf chlorophyll production of cassava (*Manihot esculenta* Crantz). *Journal Food Agriculture Environment*, 2: 190-196.
- Ekanayake, I.J., Porto, M.C.M. and Dixon, A.G.O. (1994). Response of cassava to dry weather: Potential and genetic variability: In E. Adipala, M.A. Bekunda, J.S. Tenywa, M. Ogenga-Latigo, W.W. Mugah (eds.). *African Crop Science*

Conference (vol. 1, pp. 115-119). Kampala, Uganda: African Crop Science Society.

- El Hafid, D.H. Smith, Karrou, M. and Samir, K. (1998). Physiological responses of Spring Durum wheat cultivars to early season drought in a Mediterranean environment. *Annals of Botany*, 81: 363-370.
- Elizabeth Luvaha, Netendo, G.W. and Ouma, G. (2007). Response of mango (*Mangifera indica* L.) Root Stock Seedlings to water stress. *International Journal of Botany*, 3(4): 373-378.
- Epron, D. (1997). Effect of drought on photosynthesis and on the thermotolerance of photosystem II in seedlings of Ceddar *C. atlantica* and *C. libani*. *Journal of Experimental Botany*, 48 (315): 1835-1841.
- Evans, J.R. and Lorento, F. (2000). Acquisition and diffusion of CO₂ in higher plant leaves. In R.C. Leegood, T.D. Sharkey, S. Von Caemmerer (eds.). *Photosynthesis: Physiology and Metabolism* (pp. 321-351). Dordrecht: Kluwer Academic Publisher,
- FAO (1982). Food and Agriculture Organization. Retrieved October 02, 2013, from <http://www.apps.fao.org>.
- FAO (2002). Food and Agricultural Organisation. Retrieved June 29, 2013, from <http://www.apps.fao.org>.
- FAO (2005). Food and Agricultural Organisation. Retrieved November 25, 2013, from <http://www.apps.fao.org>.
- FAOSTAT (2007). Food and Agriculture Organization Statistical Database. Retrieved January 25, 2014, from <http://www.apps.fao.org>.
- FAOSTAT (2008). Food and Agriculture Organization Statistical Database. Retrieved February 01, 2014, from <http://www.apps.fao.org>.
- FAOSTAT (2011). Food and Agriculture Organization Statistical Database. Retrieved February 03, 2014, from <http://www.apps.fao.org>.
- Farquhar, G. D., Wong, S.C., Evans, J.R. and Hubick, K.T. (1989). Photosynthesis, and gas exchange. In H.G. Jones, T.J. Flowers and M.B. Jones (eds.). *Plants Under Stress* (pp. 47-69). Cambridge: Cambridge University Press.
- Fatma, E.M., El-Quesni, Magda, M., Kandil and Mona, H. Mahgoub (2007). Some studies on the effect of Putrescine and Paclobutrazol on the growth and chemical composition of *Bougainvillea gabra* L. at Nubaria. *American-Eurasian Journal Agriculture and Environmental Science*, 2 (5): 552-558.
- Ferree, D.C. and Palmer, J.W. (1992). Effect of spur defoliation and ringing during bloom on fruiting, fruit mineral level and net photosynthesis of Golden Delicious apple. *Journal American Society Horticulture Science*, 107: 1182 - 1186.

- Finazzo, S.F., Davenport, T.L. and Schaffer, B. (1994). Partitioning of photoassimilates in avocado (*Persea americana* Mill.) during flowering and fruit set. *Tree Physiology*, 14: 153-164.
- Fischer, R.A. and Turner, N.C. (1978). Plant productivity in the arid and semiarid zones. *Annual Review Plant Physiology*, 29: 277-317.
- Fletcher, R.A., Gilley, A., Sankhla, N. and Davis, T.D. (2000). Triazoles as plant growth regulators and stress protectants. *Horticultural Reviews*, 25: 55-138.
- Flower, D.S. and Ludlow, M.M. (1986). Contribution of osmotic adjustment to the dehydration tolerance of water stressed pigeon pea (*Cajanus cajana* L.) leaves. *Plant Cell Environment*, 9: 33-40.
- Fortelli, M.N., Radoglon, K.M. and Constantnidon, H.A. (1986). Water stress responses of seedlings of four Mediterranean oak species. *Tree Physiology*, 20: 1065-1075.
- Genty, B., Briantais, J.M. and Baker, N.R. (1989). The relationship between quantum yield of photosynthetic electron transport and quenching of chlorophyll fluorescence. *Biochem Biophys Acta*, 990: 87-92.
- Gibeault, V.A. and S.T. Cockerham (eds.) (1985). *Turfgrass water conservation*. University of California, Division of Agriculture And Natural Resources, Publ. No. 21405, Riverside, CA.
- Gimenez, K., Mitchell, V. and Lawlor, D. (1992). Regulation of photosynthetic rate of two sunflower hybrids under water stress. *Plant Physiology*, 98: 87-92.
- Goguey, T. (1993). Study of the effects of three flower-inducing substances on 'Kent' and 'Zill' mango. *Acta Horticulture*, 341: 216-224.
- Goldschmidt, E.E. and Golomb, A. (1982). The carbohydrate balance of alternate-bearing citrus trees and the significance of reserves for flowering and fruiting. *Journal of the American Society for Horticultural Science*, 107: 206-208.
- Goldschmidt, E.E., Aschkenaki, N., Herzano, Y., Schaffer, A.A. and Monselise, S.P. (1985). A role for carbohydrate levels in the control of flowering in citrus. *Scientia Horticulturae*, 26: 159-166.
- Gollan, T., Turner, N.C. and Sculze, E.D. (1985). The response of stomata and leaf gas exchange to vapour pressure deficits and soil moisture content in the sclerophyllous woody species *Nerium oleander*. *Aecologies*, 65: 356-362.
- Gollan, Y., Passioura, J.B. and Munns, R. (1986). Soil water status affects the stomatal conductance of fully turgid wheat and sunflower leaves. *Australian Journal of Plant Physiology*, 48: 575-579.
- Gonzales, A. and Blaikie, S.J. (2003). Seasonal variation of carbon assimilation in mango, cultivar Kensington Pride in the Northern Territory of Australia.

- Effect of flowering treatments. *Australian Journal Agriculture Research*, 54: 309-332.
- Graan, T. and Boyer, J.S. (1990). Very high CO₂ partially restores photosynthesis in sunflower at low water potentials. *Planta*, 181: 378-384.
- Granier, C., Turc, O., and Tardieu, F. (2000). Coordination of cell division and tissue expansion in sunflower, tobacco and pea leaves: dependence or independence of both processes. *Journal Plant Growth Regulation*, 19:45–54.
- Grierson, W., Soule, J. and Kawada, K. (1982). Beneficial aspects of physiological stress. *Horticulture Review*, 4: 247-271.
- Gucci, R., Massai, R., Xiloyannis, C. and Flore, J.A. (1996). The effect of drought and vapour pressure deficit on gas exchange of young Kiwifruit (*Actinidia deliciosa* var *deliciosa*) vines. *Annals of Botany*, 77: 605-613.
- Gupta, C.S. (2012). *Mango- The King of fruits*. Retrieved February 05, 2012, from <http://www.fragrantica.com/news/Mango-The-King-of-Fruits-3139.html>.
- Hackett, W.P. (1985). Juvenility, maturation, and rejuvenation in woody plants. *Horticulture Review*, 7: 109- 155.
- Hamid, M.M. & Williams, R.R. (1997). Effect of different types and concentrations of plant growth retardants on sturt's desert pea (*Swainsona formosa*). *Horticulture Science*, 71: 79-85.
- Hamidou, F., Zombre, G. and Braconnier, S. (2007). Physiological and biochemical response of cowpea genotypes to water stress under glasshouse and field condition. *Journal Agronomic Crop Science*, 193: 229-239.
- Havelange, A., Lejeune, P. and Bernier, G. (2000). Sucrose/cytokinin interaction in *Sinapis alba* at floral induction: a shoot-to-root-to-shoot physiological loop. *Physiologia Plantarum*, 109 : 343-350.
- Hayatu, M. and Mukhtar, F.B. (2010). Physiological responses of some drought resistant cowpea genotypes (*Vigna unguiculata* L. Walp) to water stress. *Bayero Journal of Pure and Applied Sciences*, 3(2): 69 – 75.
- Hegele, M., Bangerth, F., Naphrom, D., Sruamsiri, P. and Manochai, P. (2005). Control of flower induction in tropical/subtropical fruit trees by phytohormones using the example of longan and mango. *Acta Horticulturae*, 727.
- Henson, I.E. (1991). Limitations to gas exchange , growth and yield of young oil palm by soil water supply and atmospheric humidity. *Transactions of Malaysian Society of Plant Physiology*, 2: 39-45.
- Hillier, G.R. and Rudge, T.G. (1991). Promotion of regular fruit cropping in mango with cultar. *Acta Horticulturae*, 291: 51-59.

- Hsiao, T.C. (1973). Plant responses to water stress. *Annals review of plant Physiology*, 24: 519-520.
- Hsiao, T.C. and Xu, L.K. (2000). Sensitivity of growth of roots versus leaves to water stress: Biophysical analysis and relation to water transport. *Journal of Experimental Botany*, 51: 1595-1616.
- Hu, Y. and Schmidhalter, U. (1998). Spatial distributions of inorganic ions and carbohydrates contributing to osmotic adjustment in the elongating wheat leaf under saline conditions. *Australian Journal of Plant Physiology*, 25: 591-597.
- Husen, S., Kuswanto, Ashari, S. and Basuki, N. (2012). Induction of Flowering and Yield of Mango Hybrids Using Paclobutrazol. *Journal Agriculture Food Technology*, 2(9): 153-158.
- Ismail, M. R., Davies, W.J. and Awad, M.H. (2002). Leaf growth and stomatal sensitivity to BA in droughted pepper plants. *Scientia Horticulturae*, 96: 313-327.
- Ismail, M.R., Muhammad, A.G. and Ibrahimi, I. (2004). Differential responses in growth, physiological processes and peroxidase activity of young mango (*Mangifera indica*) and citrus (*Citrus sinensis* L.) plants to water deficit. *Pertanika Journal of Tropical Agriculture Science*, 27 (1): 47-55.
- Iyer, C.P.A. and Schnell, R.J. (2009). Breeding and Genetics. In Richard E. Litz (Ed.), *The Mango: Botany, Production and Uses* (pp. 67-89). CABI.
- Izumi, K., Nakagawa, S., Kobayashi, M., Oshio, H., Sakurai, A. and Takahashi, N. (1988). Levels of IAA, Cytokinins, ABA, and Ethylene in rice plants as affected by gibberellin biosynthesis inhibitor uniconazole. *Plant Cell Physiology*, 29: 97-102.
- Jackson, M.L. (1967). *Soil Chemical analysis*, p. 498. Prentice Hall of India, Pvt. Ltd., New Delhi.
- Jackson, D. I. and Sweet, G.B. (1972). Flower initiation in woody temperate plants. *Horticulture*, 42: 9-24.
- Jaggard, K.W., Lawrence, D.K. and Biscoe, P.V. (1982). An understanding of crop physiology in assessing a plant growth regulator on sugar beet. In J.S. McLaren (ed.). *Chemical manipulation of crop growth and development* (pp. 139-150). Butterworth, London.
- Johnson, P.R. and Parr, D. (1997). Mango growing in Western Australia. Department of Agriculture Western Australia. *Bulletin*, 4348: 1-19.
- Jones, H.G. (1987). Breeding for stomatal characters. In E. Zeiger, G.D. Farquhar, and I.R. Cowan (eds.). *Stomatal Function* (pp. 431-443). Stanford, CA: Stanford University Press.

- Jones, H.G. and Corlett, J.E. (1992) Current topics in drought physiology. *Journal Agriculture Science*, 119: 291–296.
- Joseph, J.M. (1945). The effect of the moisture content of the soil upon the rate of exudation. *American Journal Botany*, 32: 570-574.
- Kachru, R.B., Singh, R.M. and Chacko, E.K. (1971). Inhibition of flowering in mango (*Mangifera indica* L.). *Journal Horticulture Science*, 57: 483-492.
- Kachru, R.B., Singh, R.M. and Chacko, E.K. (1971). Inhibition of flowering in mango (*Mangifera indica* L.) by gibberellic acid. *Horticulture Science*, 6: 140-141.
- Kaiser, W.M. (1987). Effects of water deficit on photosynthesis capacity. *Physiologia Plantarum*, 71: 142-149.
- Kamel, A. and Loser, D.M. (1995). Contribution on carbohydrates and other solute to osmotic adjustment in wheat leaves under water stress. *Journal of Plant Physiology*, 145: 363-366.
- Kanechi, M., Kunitomo, E., Inagaki, N. and Maekawa, S. (1995). Water stress effects on ribulose 1,5 Biphosphate carboxylase and its relationship to photosynthesis in sunflower leaves. In M. Manthis (ed.). *Photosynthesis: From light to biosphere* (vol. 4, pp. 597-600). Dordrecht- Berlin- London: Kluwer Acad. Publisher.
- Karamanos, A.S. (1980). Water stress and leaf growth of field bean (*Vicia faba*) in the field: leaf number and total area. *Annals of Botany*, 42: 1393-1402.
- Khairudin, H. (1986). Flower induction of mango (*Mangifera indica* Linn.) in Prang Besar Estate. *Prosiding Simposium Buah-buahan Kebangsaan* (pp. 229-235). MARDI, Serdang.
- King, R.W. and Ben-Tal, Y. (2001). A florigenic effect of sucrose in *Fuchsia hybrida* is blocked by gibberellin-induced assimilate competition. *Plant Physiology*, 125: 488–496.
- Kleinendorst, A. (1975). An explosion of leaf growth after stress conditions. *Netherlands Journal of Agriculture Science*, 20: 203-217.
- Kramer, P. J. (1980). Drought, stress, and the origin of adaptations. In C. Neil, Turner, and Paul J. Kramer (eds.). *Adaptations of plants to water and high temperature stress* (pp. 7-20). New York: John Wiley & Sons.
- Kramer, P.J. (1983). Water relations in plants (Chap. 1-4). New York, USA: Acad. Press, Inc.
- Krishna, H., and Singh, S.K. (2007). Biotechnology advances in mango (*Mangifera indica* L.) and their future implication in crop improvement. A review. *Biotechnology Advance*, 25: 223-243.

- Kulkarni, V.J. (1988). Chemical control of tree vigour and the promotion of flowering and fruiting in mango (*Mangifera indica* L.) using paclobutrazol. *Journal Horticulture Science*, 63: 557–566.
- Kulkarni, V., Hamilton, D. and Mc Mahon, G. (2006). *Flowering and fruiting in mangoes in the top end with Paclobutrazol*. Northern Territory Government: Darwin.
- Kumashiro, K. and Tateishi, S. (1997). The effect of soil moisture on the tree growth, yield, and fruit quality of Jonathan apples. *Journal Japanese Society Horticulturae Science*, 36: 9-20.
- Lang, A., Chailakhyan, K.H. and Frolova, I.A. (1977). Promotion and inhibition of flower formation in a day neutral plant in grafts with a short-day plant and a long-day plant. *Proc. Natl Acad Sci USA*, 74: 2412–2416.
- Lanuza, E. (1937). Notes on bud differentiation in Carabao mango. *Phillipine Journal Agriculture*, 10: 131-151.
- Lavee, S., Haskal, A. and Bental, Y. (1983). Girdling olive trees, a partial solution to biennial bearing. I. Methods, timing and direct tree response. *Journal of Horticultural Science*, 58: 209–218.
- Lawlor, D.W. and Uperty, D.C. (1993). Effects of water stress on photosynthesis of crops and the biochemical mechanisms. In Y.P. Abrol, P. Mohanty, and Govindjee (eds.) *Photosynthesis: Photoreactions to Plant Productivity*. Dordrecht, The Netherlands: Kluwar Acad. Publ.
- Legesse and Emire (2002). Functional and physicochemical properties of mango seed kernels and wheat flour and their blends for biscuit production. *African Journal of Food Science and Technology*, 3(9):193-203.
- Levitt, J. (1980). Response of plants to environmental stress (volume 2). New York: Academic Press.
- Lichtenthaler H.K., and Buschmann C. (2001) Chlorophylls and carotenoids - Measurement and characterisation by UV-VIS. In *Current Protocols in Food Analytical Chemistry* (pp. F4.3.1-F4.3.8). Madison: John Wiley&Sons.
- Lichtenthaler, H. K. and Claus Buschmann, C. (2001). Chlorophyll and carotenoids: Measurement and Characterization by UV-VIS Spectroscopy. In *Current Protocol in Food Analytical Chemistry* (pp. F4.3.1-F4.3.8). John wiley & Sons, Inc.
- Lichtenthaler, H.K. and Wellburn, A.R. (1983). Determination of total carotenoids and chlorophyll a and b of leaf extracts in different solvents. *Biochemical Society Transactions*, 603: 591-592.
- Lin, S., and Chen Z. (1981). Preliminary observations on flower bud differentiation in *Mangifera indica* L. *Acta Horticulturae Sinica*, 8: 9-14.

- Lockhart, J.A. (1965). In *Plant Biochemistry*, eds. J. Bonner and J.E. Varner (2nd ed., pp. 826-849). New York: Academic Press.
- Lu, Z. and Neumann, P.M. (1998). Water-stressed maize, barley and rice seedlings show species diversity in mechanisms of leaf growth inhibition. *Journal of Experimental Botany*, 49: 1945-1952.
- Lucy, J. (2011). Antifungal Activities of selected medicinal Plant Crude Extracts on Pathogenic Fungi, *Colletotrichum capsici* and *Colletotrichum gloeosporioides*. Master thesis, Universiti Putra Malaysia.
- Ludlow, M.M. and Muchow, R.C. (1990). A critical evaluation of traits for improving yield in water limited environments. *Advance Agronomy*, 43:107-153.
- Madhava Rao, V.N. and Abdul Khader, J.B.M. (1979). More about mango pruning. *Indian Horticulture*, 23 (4) Jan/ Mar.
- Madhusudhan, K.V. and Sudhakar, C. (2014). Effect of Water Deficit Stress on Growth and Chlorophyll Pigments in Two Cultivars of Groundnut. *Indian Journal of Research*, 3(4): 8-9.
- Martinez, A.R., Perez, A.L.A. and Moreno, J.R. (2008). Effects of Paclobutrazol and KNO₃ over flowering and fruit quality in two cultivars of Manila mango. *Inercencia*, 33(7): 518-522.
- Maruyama, K. and Toyama, Y. (1987): Effect of water stress on photosynthesis and transpiration in three tall deciduous trees. *Journal of Japanese Forestry Society*, 69 (5): 165–170.
- Masarovicova, E. and Novara, J. (1994). Influence of fruit load on CO₂ exchange, water uptake, water uptake and biomass of apple trees. *Gartenbauwissenschaft*, 59: 132-138.
- Mayaki, W.C., Teare, I.D. and Stone, I.R. (1976). Top and root growth of irrigated and non- irrigated Soybean. *Crop Science*, 16: 92-94.
- McDowell, N., Pockman, W.T., Allen, C.D., Breshears, D.D., Cobb, N., Kolb, T., Plaut, J., Sperry, J., West, A., Williams, D.G. and Yezzer, E.A. (2008). Mechanisms of plant survival and mortality during drought: why do some plants survive while others succumb to drought? *New Phytologist*, 178(4), 719–739.
- Medina J, De La Cruz, and García, H.S. (2002). Mango: Post-harvest operations organization. Instituto Tecnológico de Veracruz.
- Medina, U.V.M. and Nunez, E.R. (1997). Summer promotion of vegetative shoots to increase early flowering response of mango trees to ammonium nitrate sprays. *Acta Horticulturae*, 455: 188-201
- Menzel, C.M. (1983). Tuberization in potato at high temperatures: Gibberellin content and transport from buds. *Annals of Botany*, 52 : 697–702.

- Menzel, C.M. and Simpson, D.R. (1987). Effect of cincturing on growth and flowering of lychee over several seasons in subtropical Queensland. *Australian Journal of Experimental Agriculture*, 27: 733–738.
- Menzel, C.M. and Simpson, D.R. (1990). Effect of environment on growth and flowering of lychee (*Litchi chinensis* Sonn.). *Acta Horticulturae*, 275: 161 - 166.
- Menzel, C.M., Rasmussen, T.S. and Simpson, D.R. (1995). Carbohydrate reserves in lychee trees (*Litchi chinensis* Sonn.). *Journal of Horticultural Science*, 70: 245–255.
- Merck AG, E. (1965). Morphactins, technical data sheet. Technical Information for Crop Protection. E.Merck AG, Darmstadt.
- Ministry of Agriculture Malaysia (1999). Third National Agriculture Policy (1998-2010). Kuala Lumpur: Publication Unit, Ministry of Agriculture Malaysia.
- Mohd Anim (2013). Status masa kini dan perancangan masa depan mangga di Malaysia. *Persidangan mangga kebangsaan*, TH Hotel and Convention Center, Alor Setar, Kedah, Malaysia. Oktober. 7-9, 2013.
- Monselise, S.R. and Lenz, F. (1980). Effect of fruit load on photosynthetic rates of budded apple trees. *Gartenbauwissenschaft*, 45: 220-224.
- Morgan, J. M. (1980). Differences in adaptation to water stress within crop species. In C. Neil, Turner and Paul J. Kramer (eds.). *Adaptation of plants to water and high temperature stress* (pp. 369-382). New York: John Wiley & Sons.
- Muhammad Nafees, Muhammad Faqeer, Saeed Ahmad, Mueen Alam Khan, Moazzam Jamil and Muhammad Naveed Aslam (2010). Paclobutrazol soil drenching suppresses vegetative growth, reduce malformation, and increase production in mango. *International Journal of Fruit Science*, 10 (4): 431-440.
- Mukherjee S. K. (1997). Introduction: Botany and importance. In Litz R. E. [ed.], *The mango: Botany, production and uses* (pp. 1–19). Wallingford, UK: CAB International.
- Mustard, M.J. and Lynch, S.J. (1946). Flower bud formation and development in *Mangifera indica*. *Botanical Gazette*, 108: 136-140.
- Mwanamwenge, J., Loss, S.P., Siddique, K.H.M. and Cocks, P.S. (1999). Effect of water stress during floral initiation, flowering, and podding on the growth and yield of faba bean (*Vicia faba* L.). *European Journal of Agronomy*, 11: 1-11.
- Nakasone, H.Y. and Paull, R. E. (1998). *Tropical Fruits*, p. 443. CAB International, Oxon, UK.

- Nanda, K.K. (1977). Some experiments of physiology of flowering and its relationship with vegetative growth. In C.P. Malik (ed.). *Advances in Plant Reproductive Physiology* (pp.142-144). New Delhi, India: Kalyani Publishers.
- Nartvaranant P., Subhadrabandhu, S. and Tongumpai, P. (2000). Practical aspects in producing off-season mango in Thailand. *Acta Horticulturae*, 509: 661-668.
- Natali, S., Bignami, C. and Fusari, A. (1991). Water consumption, photosynthesis, transpiration and leaf water potential in *Oleo europeae* L. cv Frantoio, at different levels of available water. *Agricoltura Media*, 121: 205-212.
- New Strait Times. Harumanis debuts in Japan Today. April 8, 2010.
- Niinemats, U. (2002). Stomatal conductance alone does not explain the decline in foliar photosynthetic rates with increasing tree age and size in *Picea abies* and *Pinus sylvestris*. *Tree Physiology*, 22: 515-535.
- Nishizawa, T., Taira, S., Nakanishi, M., Ito, M., Togashi, M. and Motomura, Y. (1998). Acetaldehyde, ethanol and carbohydrate concentrations in developing muskmelon fruit are affected by short-term shading. *HortScience*, 33: 992-994.
- Normand, F., Lagier, S., Escoutes, J., Verdeil, J.L., Mialet-Serra, I. (2009). Starch localisation in mango tree: Histological observations. *Acta Horticulture*, 820: 245-250.
- Nouriyani, H., Majidi, E., Seyyednejad, S.M., Siadat, S.A. and Naderi, A. (2012). Effect of Paclobutrazol under Different Levels of Nitrogen on Some Physiological Traits of Two Wheat Cultivars (*Triticum aestivum* L.). *World Applied Sciences Journal*, 16 (1): 01-06.
- Nunez –Elisea, R. (1986). Early production of mango "Haden" and "Manila" with sprays of potassium nitrate. Agricultural Research Centre Pacific Centre Agricola Campo Experimental Tecoman. Foletto for producers No.8.
- Nunez-Elisea, R. and Davenport, T. (1991a). Effect of duration of low temperature treatment on flowering of containerized 'Tommy Atkins' mango. *HortScience*., 26: 135.
- Nunez-Elisea, R. and Davenport, T.L (1991b). Effect of duration of low temperature treatment on flowering of containerized 'Tommy Atkins' mango. In *Proc. 18th Annual Meeting Plant Growth Regulator of American Society* (pp. 39-41).
- Núñez-Elisea, R. and Davenport, T.L. (1992). Requirements for mature leaves during floral induction and floral transition in developing shoots of mango. *Acta Horticulturae*, 296 : 33-37.
- Nunez-Elisea, R. and Davenport, T.L. (1994). Flowering of mango trees in containers as influenced by seasonal temperature and water stress. *Scientia Horticulturae*, 58: 57-66.

- Núñez-Elisea, R. and Davenport, T.L. (1995). Effect of leaf age, duration of cool temperature treatment, and photoperiod on bud dormancy release and floral initiation in mango. *Scientia Horticulturae*, 62: 63-73.
- Nunez- Elisea, R., Ferreira, W., Caldeira, M.L. and Davenport, T.L. (1989). Marcottage of mango: A useful tool for physiological studies of flower induction. In 86th Annual meeting of the American Society Horticulture Science (p. 115).
- Omran, H. (1999). Mengaruh pembungaan mangga dengan menggunakan pengawalatur tumbesaran. Paper presented in the MARDI's Research Council Meeting. Nov. 24, 1999.
- Omran, H. (2001). Induction of flowering for off-season production in mango (*Mangifera indica* L.). *Transactions of Malaysian Society of Plant Physiology*, 10: 92-94.
- Oosthuysen, S. A. (1997). Effect of KNO₃ sprays to flowering mango trees on fruit retention, fruit size, tree yield and fruit quality. *Acta Horticulturae*, 455: 359-366.
- Ort, D. R., Oxborough, K. and Wiese, R.R. (1994). Depression of photosynthesis in crops with water deficits. In N.R. Baker and J.R. Boyer (eds.). *Inhibition of photosynthesis from molecular mechanism* (pp. 315-329). Oxford: Bioscientific Publishers.
- Pal, R.K. (1998). Ripening and rheological properties of mango as influenced by ethrel and carbide. *Journal of Food Science Technology*, 35: 358-360.
- Pal, R.N., Chadha, K.L. and Rao, M.R.K. (1979). Effect of different plant growth regulators and other chemicals on flowering behavior of mango. Paper presented at Mango Workers Meeting. Panji, Goa. May. 2-5, 1979.
- Pandey, R.M. and Narwadker, P.R. (1983). Seasonal changes in the nucleic acid, proteins and amino acids in the developing mango buds. *Indian Journal Plant Physiology*, 26 (4): 378-384.
- Pandey, P.M., Chauhan, P.S. and Sharma, Y.K. (1988). Studies on some of the physiological attributes of mango. *Acta Horticulturae*, 231: 381-393.
- Parsons, L.R. (1979). Breeding for drought resistance: What plant characteristics impart resistance. *HortScience*, 14(5): 590-593.
- Passioura, J.B. (1988). Root signals control leaf expansion in wheat seedlings growing in dry soil. *Australian Journal of Plant Physiology*, 19: 565-576.
- Passioura, J.B. and Fry, S.C. (1992). Turgor and cell expansion: Beyond the Lockhart equation. *Australian Journal of Plant Physiology*, 20: 365-372.

- Peiris, K.H.S. (2000). Flower induction studies for off-season fruit production in mango. *Annual Research Report*. Field Crops Research and Development Institute, Maha Illuppallama, Sri Lanka.
- Peiris, K.H.S., Weerasinghe, A.S.P. and Wickrama, W.M.U.B. (1994). Mango Flowering studies with Paclobutrazol. *Research Report MAHA 1993/94*. Regional Agriculture Research Center, Aralaganwila.
- Penny, A., John R. Lenton, and L. John Goad (1987). Inhibition of growth of celery cells by Paclobutrazol and its reversal by added sterols. In P.K. Stumpf *et al.*, (eds.). *The metabolism, Structure, and Function of Plant Lipids* (pp. 91-92). New York: Plenum Press.
- Peterson, T.A., Reinsel, M.D. and Krizek, D.T. (1991a). Tomato (*Lycopersicon esculentum* Mill cv. Better Bush) plant response to root restriction I. Alteration to plant morphology. *Journal of experimental Botany*, 42: 1233-1240.
- Peterson, T.A., Reinsel, M.D. and Krizek, D.T. (1991b). Tomato (*Lycopersicon esculentum* Mill., cv. 'Better Bush') plant response to root restriction . II. Root respiration and ethylene generation. *Journal of Experimental Botany*, 42: 1241-1249.
- Peterson, T.A., Reinsel, M.D., and Krizek Phavaphutanon, L., Krisanapook, K., Pichakum, A. and Jutamanee, K. (2000). Changes of total non-structural carbohydrates within shoots of "Nam Dok Mai" mango after paclobutrazol application. *Acta Horticulturae*, 509: 559-565.
- Piper, C.S. (1966). Soil and Plant Analysis. Bombay: Hans Publishers.
- Pistacco, A., Lain, O. And Giulivo, C. (1990). Gas exchange and architecture of sweet pepper as affected by water stress. *Congress of the European Society of Agronomy*, 1: 32-38.
- Pongsomboon, W., Subhadrabandhu, S. and Stephenson, R.A. (1997). Some aspects of the ecophysiology of flowering intensity of mango (*Mangifera indica* L.) cv Nam Dok Mai in a semitropical monsoon Asian climate. *Scientia Horticulturae*, 70: 45-56.
- Pongsomboon, W., Whiley, A. W., Stephenson, R.A. and Subhadrabandhu, S. (1992). Water relations in the plants. *Acta Horticulturae*, 321: 431-432.
- Pooter, H. and Navas, M.L. (2003). Plant growth and competition at elevated CO₂. *New phytol*, 157-175.
- Priestley, C.A. (1962). *Carbohydrate resources within the perennial plant*, p. 225. Commonwealth Agriculture Bureaux, Bucks, England,
- Protacio, C.M. (2000). A model for potassium nitrate induced in mango. *Acta Horticulturae*, 509: 545-552.

- Protacio, C. M., Bugante, R. D., Quinto, J., Molinyawe, G and Paelmo, G. (2000). Regulation of flowering in Carabao mango trees by paclobutrazol. *Philipp. Journal Crop Science*, 25(1): 27-33.
- Quinlan, J.D. and Richardson, P.J. (1984). Effects of paclobutrazol on apple shoot growth. *Acta Horticulturae*, 164: 105-111
- Rademacher, E. (2000). Growth retardants: Effects on gibberellin biosynthesis and other metabolic pathway. *Annual Review of Plant Physiology and Molecular Biology*, 51: 501-531.
- Rademacher, W. (1995). Growth retardants: biochemical features and applications in horticulture. *Acta Horticulturae*, 394: 57-73.
- Rademacher, W., Fritch, H., Graebe, E.J., Sauter, H. and Jung, J. (1987). Tetracyclis and triazole type plant growth retardants, their influences on the biosynthesis of gibberellins and other metabolic processes. *Pestic Sci.*, 21: 241-252.
- Rath, S., and Das, G.C. (1979). Effect of ringing and growth retardant on growth and flowering of mango. *Scientia Horticulturae*, 10: 101-104.
- Ravishankar, H. and Mohan Rao, M. (1982). Changes in carbohydrate fractions and minerals in cultivar Alphonso mango (*Mangifera indica* L.) shoots. *Journal of Maharashtra Agricultural University*, 7: 143-145.
- Ravishankar, H., Rao, M.M. and Bojappa, K.M. (1979). Fruit bud differentiation in mango "Alphonso" and "Totapuri" under mild tropical rainy conditions. *Scientia Horticulturae*, 10: 95-99.
- Razi, M.I. and Davies, W.J. (1998). Water relation of Capsicum genotypes under water stress. *Pertanika Journal of Tropical Agriculture*, 19 (2): 34-39.
- Razi, M. I. and Muhammad, A. (1992). Growth and physiological changes of *Averrhoa carambola* as influenced by water availability. *Pertanika Journal of Tropical Agriculture Science*, 15 (1): 1-7.
- Razi, M.I., Burrage, S.W. Tarmizi, H. and Aziz, M.A. (1994). Growth, plant water relation, photosynthesis rate and accumulation of proline in young Carambola plants in relation to water stress. *Scientia Horticulturae*, 60: 101-114.
- Rinne, P., Tuominen, H. and Junttila, O. (1994). Seasonal changes in bud dormancy in relation to bud morphology, water and starch content, and abscisic acid concentration in adult trees of *Betula pubescens*. *Tree Physiology*, 14: 549-561.
- Rolland, F., Moore, D.B. and Sheen, J. (2002). Sugar sensing and signaling in plants. *Plant Cell*, 14: S185-S205.
- Rosenthal, W.D., Arkin, G.F., Shouse, P.J. and Jordan, W.R. (1987). Water deficits effect on transpiration, and leaf growth. *Agronomy Journal*, 79: 1019-1026.

- Rosidah Musa, Faridah Hassan, Jamaliah Mohd Yusuf and Norzaidi Mohd Daud (2010). Examining market accesability of Malaysia's Harumanis mango in Japan: Challenges and Potentials. *Bussiness Strategy Series*, 11(1): 3-12.
- Rowley, A.J. (1990). The effect of cultar applied as soil drench on 'Zill' mango trees. *Acta Horticulturae*, 275: 211-215.
- Rukayah, A. (1979). Meningkatkan hasil mangga MA 125 dengan bahan pengaruh bunga. *Teknologi Buah-buahan MARDI*, 5: 7-16.
- Rukayah, A. (1986). Pengaruh faktor alam sekitar pembungaan mangga. *Prosiding Simposium Buah-buahan Kebangsaan* (pp. 355-375). MARDI, Serdang.
- Rukayah, A. (1989). Meningkatkan hasil mangga klon MA 125 dengan bahan pengaruh bunga. *Teknologi Buah-Buahan MARDI*, 5: 22-23.
- Rushidah, W.Z. and Abd. Razak, S. (2001). Effects of paclobutrazol application on flowering time, fruit maturity and quality of durian clone D24. *Journal of Tropical Agriculture and Food Science*, 29 (2): 159-165.
- Rymbai, H., Laxman, R.H., Dinesh, M.R., John Sunoj, V.S., Ravishankar, K.V. and Jha, A.K. (2014). Diversity in leaf morphology and physiological characteristics among mango (*Mangifera indica*) cultivars popular in different agro-climatic regions of India. *Scientia Horticulturae*, 176: 189-193.
- Salma, I., Khadijah, A., Masrom, H., Azuan, A., Raziah, M.L. and Abdul Rahman, M. (2010). Distribution and diversity of *Mangifera* species on farm in Malaysia. *Journal of Tropical Agriculture and Food Science*, 38 (1): 89-95.
- Sanker, K.R., Mehta H. and Sharma S.K. (1991). Genetic analysis of the structure and function of the photosynthetic apparatus and its efficiency. A review. *Indian Journal Genetic*, 51: 1-27.
- Sankhla, N., Davis, T.D., Upadhayaya, A., Sankhla, D., Walser, R.H. and Smit, B.N. (1985). Growth and metabolism of soybean as affected by Paclobutrazol. *Plant cell Physiology*, 26: 913-921.
- Saxena Pooja, Singh, V.K. and Pathak Neelam (2014). Osmotic regulation in mango (*Mangifera indica* L.) cultivars at different phonological stages of flowering and fruiting. *International Journal of Agricultural Science and Research*, 4(2): 1-8.
- Schaffer, B. and Andersen, P.C. (1994). Subtropical and Tropical Crops. In B. Schaffer and P.C. Andersen (eds.). *Handbook of Environmental Physiology of Fruit Crops* (pp. 165-190). USA: CRC Press
- Schaffer, B., Whiley, A.W. and Crame, J.H. (1994). Mango. In B. Schaffer and P.C. Anderson (eds.). *Handbook of Environmental Physiology of Raton* (pp. 164-167). Florida.

- Scholefield, P.B., Oag, D.R. and Sedgley, M. (1986). The relationship between vegetative and reproductive development in the mango in Northern Australia. *Australian Journal Agriculture Research*, 37: 425-433.
- Sedgley, M. (1990). Flowering of deciduous perennial fruit crops. *Horticulture Review*, 12: 223-264.
- Sergent, E., Leal, F. and Anez, M. (2000). Potassium thiosulphate, urea and potassium nitrate applications on vegetative and floral growth in mango "Haden". *Acta Horticulture*, 509: 653-659.
- Shangguan, Z., Shao, M. and Dyckmans, J. (1999). Interaction of osmotic adjustment and photosynthesis in winter wheat under soil drought. *Journal of Plant Physiology*, 154: 753-758.
- Shao, H.B., Chu, L.Y., Jaleel, C.A., Zhao, C.X. (2008). Water-deficit stress-induced anatomical changes in higher plants. *Comptes Rendus Biologies*, 54(3): 215-225.
- Sharkey, T.D. and Seemann, J. R. (1989). Mild water stress effect on carbon-reduction-cycle intermediates, ribulosa biphosphate carboxylase activity of photosynthesis in intact leaves. *Plant physiology*, 89: 1060- 1065.
- Sharp, R.E. and Boyer, J.S. (1986). Photosynthesis at low water potential in sunflower. *Plant Physiology*, 82: 90-95.
- Sharp, R.E. and Boyer, J.S. (1986). Photosynthesis at low water potential in sunflower. *Plant Physiology*, 82: 90-95.
- Shinde, A.K., Waghmare, G.M, Wagh, R.G. and Burondkar, M.M. (2000). Effect of dose and time of paclobutrazol application on flowering and yield of mango. *Indian Journal of Plant Physiology*, 5(5): 82-84.
- Shlyk, A.A. (1988). *Chlorophyll metabolism in green plants*, pp. 24-26. Academy of Sciences of BSSR Laboratory of Biophysics and Isotops.
- Shu, Z.H. and Sheen, T.F. (1987). Floral induction in axillary buds of mango (*Mangifera indica* L.) as affected by temperature. *Scientia Horticulturae*, 31: 81-87.
- Sikuku, P. A., Netondo G. W., Onyango J. C. and Musyimi D. M. (2010). Effects of Water Deficit on Physiology and Morphology of Three Varieties of Nerica Rainfed Rice (*Oryza sativa* L.). *Journal of Agricultural and Biological Science*, 5(1): 23-28.
- Simons, R.K. (1986). Comparative anatomy of leaves and shoots of Golden Delicious and Jonared apples trees grown with high and low moisture supply. *Procedure American Society Horticulture Science*, 68: 20-26
- Singh, A.K. and Bist, L.D. (2003). Effect of paclobutrazol on growth and flowering in rose cv."Gruss-an-Teplitz". *Journal of Horticulture*, 60: 188-191.

- Singh, L. and Khan, A.A. (1939). Relation of growth to fruit bearing in mangoes. *Indian Journal Agriculture Science*, 9: 835-867.
- Singh, L.B. (1959). Movement of flowering substances in the mango (*Mangifera indica*) leaves. *Horticulture Advance*, 3: 20-27.
- Singh, L.B. (1960). The Mango-Botany, Cultivation, and Utilization, p. 439. Leonard Hill, London.
- Singh, R.N. (1958). Studies in differentiation and development of fruit bud in mango (*Mangifera indica* L.) II. Morphological and histological changes. *Horticulture Advance*, 3: 37-43.
- Singh, R.N. (1959). Studies in the differentiation and development of fruit buds in mango (*Mangifera indica* L.) varieties. III. Mango shoots and fruit bud differentiation. *Horticulture Advance*, 3: 28-49.
- Singh, R.N. (1996). Mango. ICAR, New Delhi.
- Siti Zaharah, S. (2006). Effects of root restriction and water stress on growth performance, physiological and biochemical responses of mango (*Mangifera indica* cv. Chokanan). Master thesis, Universiti Putra Malaysia.
- Socoas, X., Correia, M.J., and Medrano, H. (1997). The role of abscisic acid and water relations in drought responses of subterranean clover. *Journal of Experimental Botany*, 48(311): 1281-1288.
- Southwick, S.M. and Davenport, T.L. (1986). Characterization of water stress and low temperature effects on flower induction in *Citrus*. *Plant Physiology*, 81:26-29.
- Stang, E.J. and Weis, G.G. (1984). Influence of paclobutrazol plant growth regulator on strawberry plant growth, fruiting and runner suppression. *HortScience*, 19(5):643-645.
- Stephen, T. and Susanne, T., *Phytochemical attributes contributes to the health promoting benefits of mangoes*. National mango board. Texas, 2009.
- Sterret, J.P. (1985). Paclobutrazol: A primary growth inhibitor for injecting into woody plants. *Journal of the American Society for Horticultural Science*, 110: 4-8.
- Stopar, M. (1998). Apple fruitlet thinning and photosynthate supply. *The Journal of Horticultural Science & Biotechnology* 73: 461-466.
- Stutte, G.W. and Martin, G.C. (1986). Effect of light intensity and carbohydrate reserves on flowering in olive. *Journal of the American Society for Horticultural Science*, 111: 27-31.
- Suryanarayana, V. (1978). Seasonal changes in sugar, starch, nitrogen and C:N ratio in relation to flowering in mango. *Plant Biochemistry Journal*, 5: 108-117.

- Suryanarayana, V. and Rao, V.N.M. (1976). Studies on certain endogenous constituents of shoots in relation to flowering in mango. Changes in sugars and starch. *Orissa J. Hort.*, (Abst.) 45: 2152.
- Suzuki, R. M., Kerbaui, G.B. and Zaffari, G.R. (2004). Endogenous hormonal levels and growth of dark incubated shoots of *Cataselem fimbriatum*. *Journal of Plant Physiology*, 161: 929-935.
- Swietlik, D. and Miller, S.S. (1985). The effect of Paclobutrazol on mineral nutrition of apple seedlings. *Journal of Plant Nutrient*, 8: 396-398.
- Syed ridzuwan. Harumanis keunikan Perlis. Oct. 08, 2008, pp. 4.
- Tahir, F.M., Ibrahim, M. and Kamran Hamid (2003). Effect of drought stress on vegetative and reproductive growth behaviour of mango (*Mangifera indica* L.). *Asian Journal of Plant Sciences*, 2: 116-118.
- Tegopati, B., Prahardini, P.E.R. dan Santoso, P.(1994). Pengaruh paklobutrazol , pemupukan dan pengairan terhadap pembungaan dan produksi mangga. *Bull. Penel. Hort.*, 6(1): 27-35.
- Terri, W.S. and Millie, S.W. (2000). Growth retardants affect growth and flowering of *Scaevola*. *HortScience*, 35 (1): 36-38.
- Tezara, W. and Lawlor, D. W. (1995). Effects of water stress on the biochemistry and physiology of photosynthesis in sunflower. In P. Manthis (ed.). *Photosynthesis from light to Biosphere* (vol. 4, pp. 625-628). Dordrecht- Berlin- London: Kluwer Acad. Publs.
- Tezara, W., V. Mitchell, Driscoll, S.P. and Lawlor, D.W. (2002). Effects of water deficit and its interaction with CO₂ supply on the biochemistry and physiology of photosynthesis in sunflower. *Journal of Experimental Botany* 53: 1781-1791.
- Tongumpai, P., Charnwicht, S., Srisuchon, S. and Subhadrabandu, S. (1997). Effect of thiourea on terminal bud break of mango. *Acta Horticulturae*, 455: 71-75.
- Tremblay, R. and Colasanti, J. (2008). Floral induction. In Charles Ainsworth (ed.). *Annual Plant Reviews, Flowering and its Manipulation* (vol. 20, pp. 28-46). Imperial College London, Kent, UK: John Wiley & Sons.
- Tridjaja, N.O. and Mahendra, M.S. (2000). Maturity indices and harvesting practice of "Arumanis" mango related to the target market. *Journal of Agricultural Technology*, 1(3): 17-22.
- Tyagi, D.N. and Medhabatidevi, K.M.T. (1998). Physiology of mango. I. Preliminary studies on the physiological characteristics of leaf. *Indian Journal of Plant Physiology*, 31 (4): 368-373.
- Ulger, S., Sahriye, S., Mustafa, K., Nisa, E., Ozgur, A. and Mehmet, A. (2004). Determination of endogenous hormones, sugars and mineral nutrition levels

during the induction, initiation and differentiation stage and their effects on flower formation in Olive. *Plant Growth Regulation*, 42: 89-95.

Urban, L., Jegouzo, L., Damour, G., Vandame, M. and Francois, C. (2008). Interpreting the decrease in leaf photosynthesis during flowering in mango. *Tree physiology*, 28: 1025–1036.

Utusan Malaysia. Harumanis Perlis ke Hong Kong. April, 25, 2013.

Veera, S. and V.M.N. Rao (1977). Studies on certain endogenous constituents of shoots in relation to flowering in mango. Changes in dry, total carbohydrates, total nitrogen and C/N ratio. *Orissa Journal Horticulturae*, 5: 24-34.

Verheij, E. W. M. (1986). Towards a classification of tropical fruit trees. *Acta Horticulturae*, 175: 137-149.

Vijitha, R. and Mahendran, S. (2010). Effect of moisture stress at different growth stages of tomato plant (*Lycopersicon esculentum* Mill.) on yield and quality of fruits. *Journal of Science of the University of Kelaniya*, 5: 1-11.

Voon, C.H., Pitakpaivan, C. and Tan, S.J. (1991). Mango cropping manipulation with cultar. *Acta Horticulturae*, 291: 219 – 228.

Wang, S.Y., Byun, J.K. and Steffens, G.L. (1985). Controlling plant growth via the gibberellins biosynthesis system-II. Biochemical and physiological alterations in apple seedlings. *Physiology Plantarum*, 63: 169-175.

Wareing, P.F. and Philips, I.D.J. (1981). Growth and Differentiation in Plants (3rd ed., pp. 343). Pergamon Press.

Weatherley, P.E. (1950) Studies in the water relations of the cotton plants. I. The field measurements of water deficits in leaves. *New Phytology*, 49:81–87.

Whiley, A.W. (1986). Avocados in the West. *Queensland and Vegetable News*, 57 (21): 19-24.

Whiley, A.W. (1993). Environmental effects on phenology and physiology of mango. A review. *Acta Horticulturae*, 341: 168-176.

Whiley, A. W., Rasmusen, T.S., Saranah, J.B., and Wolstenholme, B.N. (1989). Effect of temperature on growth, dry matter production and starch accumulation in ten mango (*Mangifera indica* L.) cultivars. *Journal Horticulture Science*, 64: 753-765.

Wieland, W.F. and Wample, R.L. (1985). Root growth, water relations and mineral uptake of young “Delicious” apple trees treated with soil and stem applied paclobutrazol. *Scientia Horticulture*, 26 (1): 129-137.

William, R.C. (2004). Paclobutrazol: More than just a growth retardant. In *Proceedings of Pro Hort Conference* (pp. 11-16), Peoria, Illinois.

- Winston, E.C. (1992). Evaluation of Paclobutrazol on growth, flowering, and yield of mango cv. Kenington Pride. *Australian Journal Experimental Agronomy*, 32: 97-104.
- Wise, R.R., Sparrow, D.H., Ortiz- Lopez, A. and Ort, D.R. (1991). Spatial Distribution of photosynthesis during drought in field grown and acclimated and non acclimated growth chamber grown cotton. *Plant Physiology*, 100: 26-32.
- Wolstenholme, B.N. and Hofmeyer, D. (1985). Effects of various floral induction treatments on container grown-mango trees. *South African Mango Growers Association Research Report*, 5: 36-38.
- Wood, B.W. (1984). Influence of paclobutrazol on selected growth and chemical characteristics of young pecan seedlings. *Hortscience*, 19: 837-839.
- Xu, H., Ganthier, L. and Gosse Lin, A. (1995). Stomatal and cuticular transpiration of greenhouse tomato. *Journal American Society Horticulture Science*, 120: 4717- 4722.
- Yee, W. (1979). The mango in Hawaii. Univ. of Hawaii, Cooperative Extension Service, Circular 388.
- Yeshitela, T., Robbertse, P.J. and Stassen, P.J.C. (2004). Paclobutrazol suppressed vegetative growth and improved yield as well as fruit quality of “Tomy Atkins” mango (*Mangifera indica* L.) in Ethiopia. *New Zealand Journal of Crop Horticultural Science*, 32: 281-293.
- Yim, K.O., Kwon, Y.W., Bayer, D.E. (1997). Growth responses and allocation of assimilates of rice seedlings by paclobutrazol and gibberellin treatment. *Journal Plant Growth Regulation*, 16: 35-41.
- Yordanov, I., Tsonev, T., Goltsev, V., Kruleva, L. and Velikova, V. (1997). Interactive effect of water deficit and high temperature on photosynthesis in sunflower and maize plants. I. Changes in the parameters of chlorophyll fluorescence induction kinetics and fluorescence quenching. *Photosynthetica*, 33: 391-402.
- Yordanov, I., Georgieva, K., Tsonev, T., Goltsev, V. and Merakchiiska, M. (1998). Effect of carbamide cytokinin 4PU-30 on the photosynthesis of bean plants endured drought and high temperature stresses. In G.Garab (ed.). *Photosynthesis: Mechanisms and Effects* (vol. 4, pp. 2577-2580). Dodrecht-Boston-London: Kluwer Academic Publishers.
- Yuniastuti, S., Suhardjo, Handoko, Hanafi dan M.Ghazali (2000). Pengaruh cara aplikasi dan dosis paklobutrazol terhadap pembungaan dan pemuahan mangga Arumanis. *Laporan Hasil Panel*, p.11. BPTP Karangpulo.
- Zakaria, A., Shakaff, A.Y.M., Masnan, M.J., Ahmad Saad, F.S., Adom, A.H., Ahmad, M.N., Jaafar, M.N., Abdullah, A.H. and Kamarudin, L.M. (2012). Improved Maturity and Ripeness Classifications of *Magnifera Indica* cv. Harumanis Mangoes through Sensor Fusion of an Electronic Nose and Acoustic Sensor. *Sensors*, 12: 6023-6048.

LIST OF PUBLICATIONS

- Nur Afiqah Aris, Misri Kusnan, Rosimah Nulit and Nor Azlina Jamil (2011). Mineral composition of Harumanis (MA 128) mango leaves cultivated in Perlis. Poster presented in *Fundamental Science Congress 2011*. 5-6 July 2011. Dewan Kompleks Mahasiswa UPM.
- Nur Afiqah, A., Hawa , Z.E.J., Rosimah, N., and Misri, K.(2011). Mango flowering with chemical treatment. Poster presented in *22nd Malaysian Society of Plant Physiology Conference*. 21-23 November 2011. Grand Bluewave Hotel, Johor Bahru.
- Nur Afiqah, A., Hawa , Z.E.J., Rosimah, N., and Misri, K.(2011). Flowering enhancement of Chok Anan Mango through Application of Potassium Nitrate. Poster presented in *22nd Malaysian Society of Plant Physiology Conference*. 21-23 November 2011. Grand Bluewave Hotel, Johor Bahru.
- Nur Afiqah, A., Jaafar, H.Z.E., Rosimah, N. and Misri, K. (2012). Mango Flowering Improvement with Chemical Treatment. *Trans. Malaysian Soc. Plant Physiol.*, 20: 22-26.
- Nur Afiqah, A., Jaafar, H.Z.E., Rosimah, N. and Misri, K. (2012). Flowering Enhancement of Chok Anan Mango through Application of Potassium Nitrate. *Trans. Malaysian Soc. Plant Physiol.*, 20: 106-109.
- Nur Afiqah, A., Umi Kalsom, Y., Omran, H., and Nulit, R. (2012). Vegetative growth and flowering of young mango clone Harumanis (MA 128) in containers with Paclobutrazol under stress conditions. Paper presented in *Fundamental Science Congress 2012*. 17-18 July 2012. Hall of Faculty Veterinar, UPM.
- Nur Afiqah, A., Omran, H., and Nulit, R. (2012). Physiological Responses of Containerized Young Mango (*Mangifera indica*) to water stress. Poster presented in *Plant Science Seminar*. 18-19 October 2012. UiTM Shah Alam, Selangor.
- Nur Afiqah, A., Omran, H., and Nulit, R. (2012). Water Relations of Young Mango clone “Harumanis” (MA 128) in Container. Paper presented in *Plant Science Seminar*. 18-19 October 2012. UiTM Shah Alam, Selangor.
- A. Nur Afiqah, R. Nulit, Z.E.J. Hawa, and Misri Kusnan (2014). Improving the Yield of Chok Anan (MA 224) Mango with Potassium Nitrate Foliar Sprays. *International Journal of Fruit Science*, 00:1-8.
- A. Nur Afiqah, Z. E. J. Hawa and R. Nulit (2014). Physiological Responses of Containerized Young Mango (*Mangifera indica*) cv. Harumanis to Water Stress. *Indian Horticulture Journal*, 4(2): 86-90.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : _____

TITLE OF THESIS / PROJECT REPORT :

GROWTH, PHYSIOLOGICAL AND BIOCHEMICAL RESPONSES AS AFFECTED BY
PACLOBUTRAZOL FOR FLOWERING INDUCTION ON WATER INDUCED STRESS
MANGO PLANTS (*Mangifera indica* L. cv. HARUMANIS)

NAME OF STUDENT : NUR AFIQAH ARIS

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is CONFIDENTIAL or RESTRICTED, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]