

UNIVERSITI PUTRA MALAYSIA

DEVELOPMENT OF ENGKABANG FATS LIPSTICK WITH PROTECTIVE PROPERTIES

NORAZLIN BINTI MAT HUSIN

IPPH 2015 12



DEVELOPMENT OF ENGKABANG FATS LIPSTICK WITH PROTECTIVE PROPERTIES

By
NORAZLIN BINTI MAT HUSIN

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Master of Science

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

DEVELOPMENT OF ENGKABANG FATS LIPSTICK WITH PROTECTIVE PROPERTIES

By

NORAZLIN BINTI MAT HUSIN

September 2015

Chair: Mahiran Basri, PhD

Faculty: Halal Product Research Institute

Development of halal lipstick cosmetics is gaining consumer attention with the growing of halal product industry worldwide. Protection properties such as moisturizing, antioxidant, sunscreen and microbial protection are required to prevent and improve lips condition whereas the used colour from the lipstick products beautify the lips. The purpose of this research is to prepare optimum lipstick formulation with protection properties containing engkabang fats and various ingredients from halal sources. The effect of engkabang fats as new solid ingredient and moisturizing component in lipstick formulation was studied. Preparation of engkabang fats lipstick formulation was carried out by mixing the melted waxes, oils, colorants and protection properties homogeneously, before being moulded into lipstick mould and cooled at -18°C to -20°C. The physico-chemical characterization of lipstick such as texture analysis, melting point, pH, colour intensity, stability studies, antioxidant scavenging assay, UV screening and moisture content of the formulation were determined. The safety evaluation of lipsticks was carried out by antimicrobial diffusion and skin irritancy assay. Lipstick formulations containing engkabang fats gave better results on texture analysis, melting point and moisture content value as compared to lipstick formulations without engkabang fats. Engkabang fats lipstick with additives formulations containing protection properties showed efficacy value similar to commercial lipsticks in the market which was used as reference samples.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

PEMBANGUNAN GINCU LEMAK ENGKABANG DENGAN SIFAT PERLINDUNGAN

Oleh

NORAZLIN BINTI MAT HUSIN

September 2015

Pengerusi: Mahiran Basri, PhD

Fakulti: Institut Penyelidikan Produk Halal

Pembangunan kosmetik gincu halal semakin mendapat perhatian pengguna seiring dengan perkembangan industri produk halal di seluruh dunia. Bahan-bahan penjagaan seperti pelembap, antioksidan, pelindung matahari dan perlindung mikrob dikehendaki untuk mencegah dan memperbaiki keadaan bibir dengan menggunakan produk gincu kosmetik disamping untuk mencantikkan bibir. Tujuan kajian ini adalah untuk menyediakan formula gincu yang optimum dengan ciri-ciri perlindungan yang mengandungi lemak Engkabang dan pelbagai bahan dari sumber yang halal. Kesan lemak Engkabang sebagai bahan pepejal dan komponen pelembab yang baru dalam penggubalan gincu telah dikaji. Penyediaan formulasi lemak Engkabang gincu telah dijalankan dengan mencampurkan dengan sebati lilin cair, minyak, pewarna dan bahanbahan perlindungan, sebelum dibentuk menjadi acuan gincu dan disejukkan pada -18 °C hingga -20 °C. Pencirian fiziko-kimia produk gincu dari segi analisis tekstur, takat lebur, pH, keamatan warna, kelembapan, kajian kestabilan, antioksidan dan penabiran UV telah dijalankan. Penilaian keselamatan gincu telah dijalankan oleh ujian antimikrob dan kerengsaan kulit. Keputusan formulasi gincu yang mengandungi lemak Engkabang memberikan analisis tekstur, takat lebur dan nilai kandungan lembapan yang lebih baik berbanding gincu rumusan tanpa lemak Engkabang. Formulasi gincu lemak engkabang dengan bahan tambah mempunyai ciri-ciri perlindungan menunjukkan nilai keberkesanan yang sama dengan gincu komersil di pasaran yang digunakan sebagai sampel rujukan.

ACKNOWLEDGEMENTS

I would like to express my appreciation to people that have made this dissertation possible. My deepest and appreciation is to my supervisor, Prof. Dr. Mahiran Basri for her guidance, supervision, patient and advice throughout the course of this research.

My appreciation also goes to my co-supervisors, Dr. Puziah Hashim, Dr. Siti Salwa Abd Gani and Dr. Emilia Abd Malek for their valuable time, comments and encouragement. Special thanks to Universiti Putra Malaysia for giving me financial support through Graduated Research Fellowship towards my master studies.

I am grateful to fellow laboratory members at Halal Product Research Institute, Fermentation Unit and Nano-Delivery Group for their assistant all these years. Last but not least, I would like to extend my deepest gratitude to my family for their strong support and understanding.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Mahiran Basri, PhD

Professor Halal Product Research Institute Universiti Putra Malaysia (Chairman)

Emilia Abd Malek, PhD

Senior Lecturer Faculty of Science Universiti Putra Malaysia (Member)

Puziah Hashim, PhD

Lecturer
Halal Product Research Institute
Universiti Putra Malaysia
(Member)

Siti Salwa Abd Gani, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Member)

BUJANG KIM HUAT, PhD

Professor and Dean School of Graduate Studies Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature:		Date:
Name and Matric	No.:	

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature:	Signature:
Name of Chairman of Supervisory Committee:	Name of Member of Supervisory Committee:
Signature:	Signature:
Name of Member	Name of Member
of Supervisory	of Supervisory
Committee:	Committee:

TABLE OF CONTENTS

ABSTRACT ABSTRAK ACKNOWL APPROVAL DECLARAT LIST OF TA LIST OF AB	EDGE	3	Page i ii iii vi vi vi xi xii xiii
CHAPTER			
1		ODUCTION	
	1.1	Background of Study	1
	1.2	Problem Statement	2
	1.3	Objectives of study	2
2	LITE	RATURE REVIEW	
2	2.1	Cosmetics and Cosmeceuticals	3
	2.2	Lipstick Characteristics	3
	2.3	Human Lips Skin Structure	4
	2.4	Composition of Lipstick	5
	2	2.4.1 Emollients	6
		2.4.2 Waxes	7
		2.3.3 Colouring Agents	8
	2.5	Lipstick with Protection Properties	9
		2.5.1 Moisturizer	10
		2.5.2 Antioxidant	10
		2.5.3 Ultraviolet (UV) Screen	11
		2.5.4 Preservative	12
	2.6	Properties of Engkabang Fats in Lipstick	12
		Formulation	
		2.6.1 Advantageous of Engkabang Fats	13
	2.7	Lipstick Formulation with Various Ingredients	13
	2.8	Method of Lipstick Formulation	13
	2.9	Problem of Lipstick Formulation	14
	2.10	Concept of Halalan Tayyiban in Cosmetic	15
		Product	
		2.10.1 Halal Cosmetics Market	15
3	МАТ	ERIALS AND METHODS /	
5		HODOLOGY	
	3.1	Materials	17
	3.2	Preparation of Lipstick	17
	J. <u>_</u>	3.2.1 Preparation of Control Formulation	17
		3.2.2 Preparation of Engkabang Fats	17
		Lipstick	1,
		3.2.3 Preparation of Engkabang Fats	17

			Lipstick with Additives	
	3.3	Compos	ition of Engkabang Fats Lipstick	19
			tion in Different Waxes	
	3.4		ition of Engkabang Fats Lipstick in	20
		-	t Emollients	
	3.5		ition of Engkabang Fats Lipstick with	20
	5.5	Additive		20
	3.6		Chemical Characterization of	22
	5.0		Formulation	22
		3.6.1	Texture Profile Analysis	22
		3.6.2	Melting Point	22
		3.6.3	<u> </u>	23
		3.6.4	pH	
			Colour Intensity	23
		3.6.5	Moisture Loss Content	23
		3.6.6	Stability at Various Temperatures	23
		3.6.7	Ultra-Violet (UV) Sunscreen	24
			Activity on Engkabang Fats	
			Lipstick with Additives	
		3.6.8	Antioxidant Assay on Engkabang	24
			Fats Lipstick with Additives	
	3.7		Halalan Tayyiban) Evaluation on	25
			ing Fats with Additives	
		3.7.1	Dermal Skin Irritation Assay	25
		3.7.2	Microbial Activity Assay	26
4			DISCUSSION	
	4.1		tion of Engkabang Fats in Different	27
		Waxes		
	4.2		tion of Engkabang Fats in Different	27
		Emollie		
	4.3	Formula	tion of Engkabang Fats Lipstick with	28
		Additive	es	
	4.4		-chemical Characterization of Lipstick	29
		Formula	tion	
		4.4.1	Texture Profile	29
		4.4.2	Melting Point	33
		4.4.3	pН	35
		4.4.4	Colour Intensity	37
		4.4.5	Moisture Loss Content	39
		4.4.6	Stability at Various Temperatures	41
		4.4.7	UV Screen Absorbance Activity	43
			on Engkabang Fats with Additives	
		4.4.8	Antioxidants Scavenging Activity	46
			on Engkabang Fats Lipstick with	
			Additives	
	4.5	Safety (1	Halalan <i>Tayyiban</i>) Evaluation on	48
			ing Fats Lipstick with Additives	.0
		Formula	•	
		4.5.1	Dermal Skin Irritation	48
		4.5.2	Antimicrobial Activity	49
				17

5	CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	55
REFERE	NCES	57
APPENDI	CES	61
BIODATA	A OF STUDENT	65
PUBLICA	TION	66



LIST OF TABLES

Table		Page
3.1	Composition of engkabang fats lipstick in different waxes	19
3.2	Composition of engkabang fats lipstick in different emollients	20
3.3	Composition of engkabang fats lipstick with additives	21
3.4	Relationship of Human Irritancy Equivalent (HIE) score to	25
	irritancy classification for the Dermal Irritection® test method	
4.1	Colour intensity of lipstick (control) and engkabang fats	37
	lipstick in different waxes	
4.2	Colour intensity of engkabang fats lipstick in different	38
	emollients	
4.3	Colour intensity of engkabang fat lipstick with additives and	38
	reference lipstick	
4.4	Average stability of control and engkabang fats lipstick in	42
	different waxes.	
4.5	Average stability of engkabang fats lipstick in different	42
	emollients	
4.6	Average stability of engkabang fats lipstick with additives	42
4.7	Dermal Irritection® engkabang fats lipstick with additives	48
	(CO)	
4.8	Inhibition zone of lipstick samples against Bacillus subtilis,	49
	MRSA and Candida albicans 9002	
4.9	Inhibition zone of lipstick samples against Bacillus subtilis,	53
	MRSA and Candida albicans 9002 after 6 months	

LIST OF FIGURES

Figure		Page
2.1	Comparison between regular skin and lips skin	5
2.2	Basic composition of lipstick formulation	5
2.3	Molecular structure of α-tocopherol (Vitamin E)	11
2.4	Molecular structure of ascorbyl palmitate (Vitamin C)	11
2.5(a)	Lipstick sweating	14
2.5(b)	Lipstick bleeding	14
2.6(c)	Lipstick laddering	14
3.1	Preparation of engkabang fats lipstick with additives	18
4.1(a)	Lipsticks without engkabang fats (control) in different waxes	27
4.1(b)	Engkabang fats lipstick in different waxes	27
4.2	Engkabang fats lipstick in different emollients	28
4.3(a)	Engkabang fats lipstick with additives	28
4.3(b)	Engkabang fats lipstick with additives	29
4.4	Texture profile of lipstick without engkabang fats (control) and	30
	with engkabang fats lipstick in different waxes	
4.5	Texture profile of engkabang fats lipstick in different emollients	31
4.6	Texture profile of engkabang fats lipstick with additives and	32
	reference lipstick	
4.7	Melting point of lipstick (control) and engkabang fats lipstick	33
	in different waxes	
4.8	Melting point of engkabang fats lipstick in different emollients	34
4.9	Melting point of engkabang fats lipstick with additives and	34
	reference lipstick	
4.10	pH of lipstick (control) and engkabang fats lipstick in different	36
	waxes	
4.11	pH of engkabang fats lipstick in different emollients	36
4.12	pH of engkabang fats lipstick with additives and reference	36
	lipstick	
4.13	Moisture loss of lipstick (control) and engkabang fats lipstick	39
	in different waxes	
4.14	Moisture loss of engkabang fats lipstick in different emollients	40
4.15	Moisture loss of engkabang fats lipstick with additives and	40
	reference lipstick	
4.16	UV absorbance of engkabang fats lipstick with additives and	44
	reference lipstick	
4.17	Scavenging activity of engkabang fats lipstick with additives and reference lipstick	46
4.18	Inhibition zone of EB lipstick against bacteria Bacillus subtilis,	50
	MRSA and yeast Candida albicans 9002	
4.19	Inhibition zone of CO lipstick against bacteria Bacillus subtilis,	51
	MRSA and yeast Candida albicans 9002	
4.20	Inhibition zone of CJ lipstick against bacteria Bacillus subtilis	52
	and yeast Candida albicans 9002	

LIST OF ABBREVIATIONS

°C Degree Celsius

°C/min Degree Celsius per Minute

μg/disc Micro per Disc μL Microliter

ACD ASEAN Cosmetic Directory

ASEAN Association of Southeast Asian Nations

B_B Beeswax (control)

BHA Butylated Hydroxyanisole BHT Butylated Hydroxytoluene

BP Butylparaben

CAGR Cumulative Average Growth Rate

C_B Carnauba wax (control)
CFU mL⁻¹ Colony Forming Unit

CJ Engkabang fats in castor and jojoba oil

CJ_B Engkabang fats in castor oil and jojoba oil (control)

Cm Centimetre

Cn_B Candelilla wax (control)

CO Engkabang fats in castor and olive oil

COA Engkabang fats in castor oil and oleyl alcohol

COA_B Engkabang fats in castor oil and oleyl alcohol (control)
CO_B Engkabang fats in castor oil and olive oil (control)

DPPH 1, 1- diphenyl-2-dipicrylhydrazyl

EB Engkabang fats+Beeswax EB_{B} Engkabang Fats + Beeswax EC Engkabang fats+Carnauba wax EC_B Engkabang fats+Carnauba wax **ECn** Engkabang fats+Candelilla wax Engkabang fats+Candelilla wax ECn_B **EDTA** Ethylenediaminetetraacetic acid EMEngkabang fats+Microcrystalline wax EM_{B} Engkabangfats+Microcrystalline wax

EP Ethylparaben

FD&C Act Federal Food, Drug & Cosmetic Action

Fe₂O₃ Iron Oxide Gram

g/mm Gram per millimetre

GMO Genetically Modified Organism

h Hour H Hydrogen

HIE Human Irritancy Equivalent

IIAS International Irritection Assay System

IP iso-butylparaben

M_B Microcrystalline wax (control).

min Minute
mL Millilitre
mm Millimetre
MP Methyl Paraben

MRSA Methicillin Resistant Staphylococcus Aureus

MS Malaysian Standard NA Nutrient Agar nm Nanometre

NPCB National Pharmaceutical Control Bureau

OD₄₅₀ optical density

PABA Para-amino Benzoic Acid

POEs Palm Oil Esters
PP Propylparaben
RM IM Rhizomucor Miehei
SD Standard Deviation
TiO₂ Titanium Dioxide
USA United State of America

UV Ultraviolet

UVA Ultraviolet (400-315 nm)
UVB Ultraviolet (315-290 nm)
UVC Ultraviolet (<290 nm)
ZnO Zinc Oxide

.

CHAPTER 1

INTRODUCTION

1.1 Background of Study

An increasing attention to the technologically advanced cosmetic products, which are pleasant to look at, convenient to use and permissible to certain group including compliance to achieve the requirement of religion, led this study towards the realization of lipstick with protection properties from permissible and safe sources. Lipsticks are cosmetic formulations which are prepared by moulding a dispersion of colours in a waxy base, in the form of stick or crayon. Good lipstick characteristics have to cover lips adequately, long lasting effect, moisturising and non-irritating to lips skin. Lipstick should have good degree of quality, free from sweating, shiny and smooth in appearance as well as rich with vitamins (Joseph Lin, 2010). The difference in the characteristics of lipsticks available in the market depends on the additives used in the formulation. Generally, lipsticks are made of an oily vehicle comprising fats or oil which would make the products stiffened to a desired consistency. Addition of various waxes would enhance the physical properties of the lipsticks. Colour provided by the insoluble inorganic pigments are finely dispersed in the oily vehicle.

Cosmetic industry is always searching for new compound from plant which is beneficial to human skin and lips skin. Engkabang fats are introduced to replace conventional moisturizer like water, coco butter and shea butter in lipstick formulation. Engkabang fats also known as exotic butter has been reported to resemble cocoa butter. It is suitable for cosmetic application as it could provide soothing, moisturizing and protective element to the skin (Gani *et al.*, 2009). The combination of α -tocopherol and ascorbyl palmitate as additives would enhance the ability of antioxidants which is responsible to counteract oxidization process. UV screens such as titanium dioxide and zinc oxide are important in lipstick formulation to prevent aging and sunburn on lips. Although there are many of lip products such as conventional lipstick and lip balm available in market like, not many provide the fore mentioned properties. No work was reported on the use of engkabang fats in lipstick formulations before.

Innovation of halal cosmetic product especially lipstick with protection properties from permissible ingredients will increase the market value as well as the halal cosmetic products industry, which showed cumulative average growth rate (CAGR) of 13.43% over the period of 2013-2018 (Halal Research Council, 2014). The market of lipstick product is not limited to only halal requirement but also for consumers looking for natural, organic with quality as well as safe products. This initiative is to merge halal sector comprising of halal cosmetic products industry which will entrench Malaysia's position in the global halal industry. Halal lipstick cosmetic products are suitable for Muslim and non-Muslim customers due to the wholesomeness (*tayyiban*) concept of halal, which covers not only the shariah requirement but also the safety, sustainability and environment aspect.

1.2 Problem Statement

The need to look for cosmetics products with good properties and halal is a challenge as cosmetic industry growing bigger with different expectation from consumers. Ingredients, preparation, quality and safety of the lipstick product produced must meet the Syara' compliance. The focus to produce halal product must be ascertain only from the halal ingredients. Lipstick formulation has to find the optimization of mixture composition and stability aimed to obtain a product with the required characteristics by varying the ratio of ingredients. Engkabang fats was chosen as new solid ingredients due to the physico-chemical resembled cocoa butter which is well known for moisturizing skin. Introducing engkabang fats as solid ingredient in lipstick formulation and investigating the optimum ratio and effect in lipstick formulation is also a challenge. Ingredients such as beeswax, candelilla wax, carnauba wax, microcrystalline wax, castor oil, olive oil, palm oil ester, oleyl alcohol, jojoba oil and red Fe₂O₃ are common used in lipstick formulation. The addition of protection ingredients like antioxidant (α-tocopherol and ascorbyl palmitate), sunscreen (TiO₂ and ZnO) and preservative (Phenonip®) in the lipstick formulation can improve lipstick applications; however, the optimization is a tough challenge. The quality of lipstick formulation is directly linked to the material used in the formulation while safety is assurance for the costumer. All these aspects are challenges to be overcome to produce effective and halal cosmetic products.

1.3 Objectives of the Study

The main objective of this work is to prepare halal and *tayyiban* lipstick with protection properties such as moisturizing, antioxidant, sunscreen and antimicrobial capability. The specific objectives are as follows:

- 1) To prepare an optimum mixture compositions in engkabang fats lipstick preparation.
- 2) To characterize the physico-chemicals such as texture profile, melting point, pH, colour intensity, moisture loss content, antioxidant scavenging activity and UV screen activity of the engkabang fats lipstick formulations.
- 3) To evaluate stability and safety which are irritation and microbial growth of engkabang fats lipstick with additives.

REFERENCES

- Al-Waili N. S. (2005). Mixture of honey, beeswax and oil and inhibits growth of Staphylococus aurues and candida albicans. Archive of Medical Research, 36, 10-13.
- Allen Jr. L. V. (2014). Compounding medication sticks. Secundum Artem: Current and Practice Compounding Information for the Pharmacist 5: 1-3.
- Asean Cosmetic Directory (ACD). Annex IV: List of colouring agents allowed for use in cosmetic products. 2011a.
- Asean Cosmetic Directory (ACD). Annex VII-Part 1: List of permitted UV filters which cosmetic products may contain. 2011.
- Asean Cosmetic Directory (ACD). Annex XI: List of preservatives which cosmetic products may contain. 2011c.
- Beddows, C. G., Jagait, C. & Kelly, M. J. (2001). Effect of ascorbyl palmitate on the preservation of α-tocopherol in sunflower oil, alone and with herbs and spices. *Journal of Food Chemistry* 73: 255-261.
- Bono, A., Mun, H. C. & Rajin, M. (2006). Effect of various formulations on viscosity and melting point of natural ingredient based lipstick. *Journal of Studies in Surface Science and Catalysis* 159: 693-696.
- Busick, T. L., Uchida, T. & Wagner Jr. R. F. (2005). Preventing ultraviolet light lip injury: beachgoer awareness about lip cancer risk factors and lip protection behavior. *Journal of Dermatology Surgery* 31: 173-176.
- Cosmetics United States of America Law (2012). Department of Health and Human Services, United States of America. FDA.
- Coswell, M. 2000. Sunscreen Formulations and Tanning Formulations. In *The Chemistry and Manufacture of Cosmetics: Volume II- Formulating*, ed.
- Schlossman, M. L. (Eds.), 3rd ed., pp. 73-86. Allured Publishing Corporation.
- Cunningham, J. 2000. Cosmetic pencils. In *The Chemistry and Manufacture of Cosmetics: Volume II-Formulating*, ed. Schlossman, M. L. (3rd ed., pp. 73-86. Allured Publishing Corporation.
- Dooley L.M., Ashikari K., Chambers I.V.E. (2009). A general lexicon for sensory analysis of texture and appearance of lips products. *Journal of Sensory Studies* 24: 581-600.
- Dransfield, G., Guest, P. J., Lyth, P. L., Mc Garvey, D. J. & Truscott T. G. (2000). Photoactivity tests of TiO₂-based inorganic sunscreens: Part 1: Non- aqueous dispersions. *Journal of Photochemistry and Photobiology B: Biology* 59: 147-151.

- Dwivedi, S. (2009). Formulation, evaluation and antimicrobial activity of herbal lipstick. *Recent advances in prospects and potential of medical plants* 39-43.
- Fernandes A. R., Dario M. F., Sales de Oliverveira C. A., Kaneko T. M., Baby R. A., Velasco M. V. R. (2014). Stability evaluation of organic lip balm. *Brazilian Journal of Pharmaceutical Sciences* 49(2): 293-300.
- Finkenaur, G. (2000). Lipstick. In *The chemistry and manufacture of cosmetics: Volume II-Formulating*, ed. Schlossman, M. L. 3rd ed., pp. 73-86. Allured Publishing Corporation.
- Gani, S. S. A., Basri, M., Rahman, M. B. A., Kassim, A., Rahman, R. N. Z. R. A., Salleh, A. B. & Ismail, Z. (2009). Phase behaviour of engkabang fats with non-ionic surfactants. *Tenside Surfactant Detergent* 46: 195-198.
- Gani, S. S. A., Basri, M., Rahman, M. B. A., Kassim, A., Rahman, R. N. Z. R. A., Salleh, A. B. & Ismail, Z. (2010). Characterization and effect on skin hydration of engkabang- based emulsions. *Journal of Bioscience*, *Biotechnology and Biochemical* 74(6): 1188-1193.
- Groteluschen B., Kovacevic M., Lanzendorfer G., Muller A., Riedel C. (2009). Lipstick. US Patent U2 2005/0025729 A1.
- Guidelines for Control of Cosmetic Products in Malaysia, Revision 02 (2009). National Pharmaceutical Control Bureau Malaysia, Ministry of Health, Malaysia.
- Halal Research Council. Global Halal Cosmetic & Personal Care Market 2014-2018:
 Increase of Muslim Population to Super Growth. Retrieved September 2014
 From http://halalrc.blogspot.com/2014/04/global-halal-cosmetics-and-personal.html
- Hans, R. K., Agrawal, N., Verma, K., Misra, R. B., Ray, R. S & Farooq, M. (2008). Assessment of the phototoxic potential of cosmetic products. *Journal of Food and Chemical Toxicology* 46: 1653-1658.
- Hashim, P. & Mat Hashim, D. (2013). A review of cosmetic and personal care product: halal perspective and detection of ingredient. *Pertanika Journal Science and Technology* 21 (2): 281-292.
- Hashim, P., Shahab, N., Masilamani, T., Baharom, R. & Ibrahim, R. (2009). A cosmetic analysis in compliance with the legislative requirements, halal and quality control. *Malaysian Journal of Chemistry* 11(1): 1081-1087.
- Hashim, P., Sidek, H., Helan, M. H. M, Sabery, A., Palanisamy, U. D. & Ilham, M. (2011). Triterpene composition and bioactivities of *Cantella asiatica*. *Molecules* 16: 1310-1322.
- Joseph Lin T. (2010). Evolution of cosmetics: increased need for experimental clinical medicine. *Journal of Experimental Clinical Medicine* 2(2): 49-52.

- Keng, P. S., Basri, M., Zakaria, M. R. S., Rahman, M. B. A., Ariff, A. B., Rahman, R. N. Z. A. & Salleh, A. B. (2009). Newly synthesized palm esters for cosmetics industry *Journal of Industrial Crops and Products* 29: 37-44.
- Kobayashi, H. & Tagami, H. (2004). Functional properties of the surface of the vermilion border of the lips are distinct from those of the facial skin. *British Journal of Dermatology* 150(3): 563-567.
- Le Reverend, B. J. D., Taylor, M. S. & Norton, I. T. (2011). Design and application of water-in-oil emulsion for use in lipstick formulations. *International Journal of Cosmetic Science* 33: 263-268.
- Li, W. J., Cheng, X. L., Liu, J., Lin R. C., Wang, G. L., Du, S. S. & Liu, Z. L. (2012). Phenolic compounds and antioxidant activities of *Liriope muscari*. *Molecules* 17: 1797-1808.
- Light, O. (2003). Lipstick Composition. US Patent, US2003/0099604A1.
- Loretz L.J., Api A. M., Barraje L. M., Burdick J., Dressler W. E., Gettings S. D., Hsu H. H., Pan Y. H. L., Re T. A., Renskers K. J., Rothenstein A. (2005).
- Exposure data for cosmetic products: lipstick, body lotion & face cream. Food & Chemical Toxicology 43: 279-291.
- Millikan, L. E. (2001). Cosmetology, cosmetics, cosmeceuticals: Definitions and regulations. *Journal of Clinics in Dermatology* 19: 371-374.
- Nanba T., Kuniko Y., Yoshida K., Nakamura T., Kameko K., Tomomasa S. (2000). Lipstick Composition. US Patent US6063391.
- Nesaretnam, K. & Ali, A. R. M. (2006). Engkabang (Illipe)-an excellent component for cocoa butter equivalent fat. *Journal of Science Food Agriculture* 60: 15-20.
- Ng, S. K. (2012). *Design and development of palm oil ester-based nanocosmeceuticals*. PhD Thesis, Universiti Putra Malaysia, Malaysia.
- Rahman, N. F. A., Basri, M., Rahman, M. B. A., Rahman, R. N. Z. R. A. & Salleh, A. B. (2011). High yield lipase-catalyzed synthesis of engkabang fat esters for the cosmetic industry. *Journal of Bioresource Technology* 102: 2168-2176.
- Rajin, M., Bono, A. and Mun, H. C. (2007). Optimization of natural ingredient based lipstick formulation by using mixture design. *Journal of Applied Science* 7(15): 2009-2103.
- Russell, A.D. (2003). Challenge testing: Principle and Practice. *International Journal of Cosmetics Science* 25: 147-153.
- Ryu, J., Park, S., Kwak, T., Chang, M., Park, M. & Choi, K. (2005). Improving lip wrinkles: lipstick image analysis. *Journal of Skin Research and Technology* 11(3): 157-64.

- Salvador, A., de la Ossa, M. D. & Chisvert, A. (2003). Determination of methoxydibenzoylmethane, benzophenone—3, octyl dimethyl PABA and octyl methoxycinnamate in lipsticks. *International Journal of Cosmetic Science* 25: 97-102.
- Schroder, A. & Wallner, K. (2003). The actual situation of varroacides in beeswax: An international comparison. *Apidologie* 43(5): 1-3.
- Seo, S.Y., Lee, I. S., Shin, H.Y., Choi, K.Y., Kang, S. H. & Ahn, H. J. (1999).

 Observation of the sweating in lipstick by scanning electron microscopy. *International Journal of Cosmetic Science* 21: 207-216.
- Serpone, N., Salinaro, A., Emeline, A. V., Horikoshi, S., Hidaka, H. & Zhao J. (2002). An in vitro systematic spectroscopy examination of the photo-stabilities lotions and their chemical UVB and UVA active agents. *Photochemical*, *Photobiological Science* 1: 970-981.
- Sewall, C. (2005). Exposure data for cosmetic products: lipstick, body lotion, and face cream. *Food and Chemical Toxicology* 43: 279 291.
- Shaikh S. & Bhise K. (2008). Formulation and evaluation of medicated lipstick of allantoin. *Asian Journal of Pharmaceutics* 2(2): 91-95.
- Standard Malaysia, MS2200-Part 1:2008, Islamic Consumer Goods-Part 1: Cosmetic and Personal Care-General Guidelines. (2014). Department of Standard Malaysia, Ministry of Science, Technology and Innovation Malaysia, Malaysia.
- Standards and Industrial Research Institute of Malaysia (SIRIM) Berhad, Industrial Biotechnology Research Centre (2014).
- Tanner, B. D. (2012). Introduction to preservatives and "challenge testing": Preservatives and preservatives challenge testing. Antimicrobial test laboratory.
- Taylor, M. S. (2011). Stabilization of water-in-oil emulsions to improve the emollient properties of lipstick. Thesis of Degree of Doctoral of Philosophy. University of Birmingham, United Kingdom.
- Traber, M. G. & Atkinson, J. (2007). Vitamin E, antioxidant and nothing more. *Journal of Free Radical Biology & Medicine* 43: 4-15.
- Tsimogiannis D. I. and Oreopoulou V. (2004). Free radical scavenging and antioxidant activity of 5,7,3,4-hydroxy-substitude flavonoids. Innovative Food Science & Enermeging Technologies 5: 523-528.
- Viola Publio and Viola Marzia. (2009). Virgin olive oil as a fundamental nutritional component and skin protector. Clinics in Dermatology, 27, 159-165.
- Yap, K. C. S. & Aminah, A. (2010). Sensory analysis of lipstick. *International Journal of Cosmetic Science* 33: 245-250.