



UNIVERSITI PUTRA MALAYSIA

***BORNOLOGICAL STRUCTURES ON SOME ALGEBRAIC
SYSTEMS***

ANWAR NOORULDEEN IMRAN

FS 2018 29



BORNOLOGICAL STRUCTURES ON SOME ALGEBRAIC SYSTEMS

By

ANWAR NOORULDEEN IMRAN

**Thesis Submitted to the School of Graduate Studies, Universiti
Putra Malaysia, in Fulfilment of the Requirements for the Degree of
Doctor of Philosophy**

January 2018

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



DEDICATIONS

*To my husband and my children
and
my great supervisor*



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in
fulfilment of the requirement for the degree of Doctor of Philosophy

BORNOLOGICAL STRUCTURES ON SOME ALGEBRAIC SYSTEMS

By

ANWAR NOORULDEEN IMRAN

January 2018

Chairman : I.S. Rakhimov, PhD
Faculty : Science

This work concerns the notion of determining the boundedness of some algebraic structures such as groups and rings.

Firstly, a new structure bornological semigroup is considered to determine the boundedness of algebraic structure semigroups. Then, some properties are investigated. Some of these properties are shared with bornological groups, but some properties are not. Further properties of bornological groups are studied to give sufficient condition of bornology to bornologize every group. In particular, we show that a left (right) translation in bornological groups is a bornological isomorphism and therefore the bornological groups structures are homogeneous.

Next, bornological group actions (BGA) are constructed to prove some basic results which hold true just for bornological actions. In particular, we show that a bornological group action can be deduced from its boundedness at the identity and a bornological group acts on a bornological set by a bornological isomorphism. The effect of bornological action is to partition bornological sets into orbital bornological sets. Furthermore, the morphisms between G -bornological sets to be bounded maps are introduced. This motivated us to construct the category of G -bornological sets.

For this purpose, we construct cohomology theory for bornological groups based on bounded cochains and study some of its basic properties. We show that the cohomology theory of bounded cochains and the cohomology theory of homogenous cochains are isomorphic.

Furthermore, the equivalent classes of bornological group in terms of a semi-bounded sets and s -bounded maps are presented to restrict the condition of boundedness for bornological group.

Lastly, the concept of bornological semi rings is introduced to determine the boundedness of rings and semi rings, and the fundamental constructions in the class of bornological semi rings are discussed. The general results in this chapter concerning projective limits and inductive limits as well as an isomorphism theorem are established.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

STRUKTUR BORNologi TERHADAP BEBERAPA SISTEM ALJABRAS

Oleh

ANWAR NOORULDEEN IMRAN

Januari 2018

Pengerusi : I.S. Rakhimov, PhD
Fakulti : Sains

Kerja ini adalah berhubung dengan tanggapan untuk menentukan keterbatasan beberapa struktur aljabras (kumpulan, gelang).

Pertama sekali, suatu struktur semikumpulan bornologi yang baru dipertimbangkan untuk menentukan keterbatasan semikumpulan struktur algebra. Kemudian, beberapa sifat diasas. Sesetengah sifat ini dikongsi dengan kumpulan-kumpulan bornologi, tetapi sesetengah sifat tidak. Sifat-sifat tambahan kumpulan-kumpulan bornologi dikaji untuk memberi keadaan bornologi yang mencukupi untuk membornologikan setiap kumpulan. Khususnya, kami menunjukkan bahawa suatu terjemahan kiri (kanan) dalam kumpulan-kumpulan bornologi adalah isomorfisme dan justeru itu struktur-struktur kumpulan-kumpulan bornologi tersebut adalah homogen.

Seterusnya, tindakan kumpulan bornologi (BGA) dibina untuk membuktikan beberapa hasil asas yang bersifat benar hanya untuk tindakan bornologi. Khususnya, kami menunjukkan bahawa tindakan sesuatu kumpulan bornologi boleh disimpulkan daripada keterbatasannya di identiti dan kumpulan bornologi bertindak ke atas sesuatu set bornologi melalui isomorfisme bornologi. Kesan tindakan bornologi adalah untuk memetakan set-set bornologi menjadi set-set bornologi orbitan. Tambahan lagi, morfisme-morfisme antara set-set bornologi- G untuk menjadi peta-peta terbatas diperkenalkan. Ini memberi motivasi kepada kami untuk membina kategori set G -set bornologi.

Untuk tujuan ini, kami membina teori korologi untuk kumpulan-kumpulan bornologi berdasarkan pada korantai terbatas dan mengkaji beberapa sifat-sifat asasnya. Kami menunjukkan bahawa teori kohomologi korantai terbatas dan teori kohomologi korantai homogen adalah isomorfisme.

Tambahan pula, kelas-kelas kumpulan bornologi setara dari segi set-set semi-terbatas dan peta-peta terbatas-s dibentangkan bagi menghadkan keadaan keterbatasan untuk kumpulan-kumpulan bornologi.

Akhir sekali, konsep separuh gelang bornologi diperkenalkan untuk menentukan keterbatasan (gelang, separuh gelang), dan pembinaan asas dalam kelas separuh gelang bornologi dibincangkan. Hasil umum dalam bab ini yang berkenaan dengan had-had unjuran dan had-had induktif serta teorem isomorfisme ditubuhkan.



ACKNOWLEDGEMENTS

In the name of ALLAH the Most Beneficent and the Most Merciful. I wish to give all praises be to "ALLAH ALMIGHTY", for giving me the opportunity, patience and guidance to compleat this work successfully.

I would like to thank my supervisor Prof. Dr.Isamiddin S. Rakhimov, for taking the time to meet with me every week, for carefully editing all of my proofs, and for working with me during the course of this work. His kindness and experience made this project a pleasure to work on. Thanks to all lecturers and staff of Mathematical Department, special thanks to Dr Sharifah K. Said Husain and Dr Witriany Basri.

My grateful thanks to my family "my husband and my two kids" for their constant and endless support and encouragements. Finally, I would also like to thank my mother for her prayers and her never-ending unconditional support. I wish to send special thanks to my husband, Amear, for his support and encouragement.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Isamiddin S. Rakhimov, PhD

Professor
Faculty of Science
Universiti Putra Malaysia
(Chairperson)

Adem Kilicman, PhD

Professor
Faculty of Science
Universiti Putra Malaysia
(Member)

Sharifah Kartini bte Said Husain, PhD

Senior Lecturer
Faculty of Science
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No. : _____

TABLE OF CONTENTS

	Page
ABSTRACT	i
<i>ABSTRAK</i>	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF ABBREVIATIONS	xii
 CHAPTER	
1 INTRODUCTION	1
1.1 Basic Concepts	1
1.2 Literature Review	2
1.3 Problem Statement	4
1.4 Objectives	6
1.5 Outlines of Study	6
 2 BORNOLOGICAL STRUCTURES	8
2.1 Introduction	8
2.2 Bornological Sets	8
2.3 Bornological Groups and Bornological Rings	14
 3 RELATED STRUCTURE AND FURTHER PROPERTIES OF BORNOLOGICAL GROUPS	18
3.1 Introduction	18
3.2 Bornological Semigroups	18
3.2.1 Category of Bornological Semigroups	21
3.3 Projective and Inductive Systems and Limits of BSG	23
3.3.1 Projective Systems and Limits of BSG	23
3.3.2 Inductive Systems and Limits	26
3.4 Further Properties of Bornological Groups	27
3.5 Conclusion	31
 4 BORNOLOGICAL GROUP ACTIONS	32
4.1 Introduction	32
4.2 Bornological Group Actions	32
4.2.1 Orbits and Orbital Bornological Sets	39
4.3 Homogeneous G -Bornological Sets.	41
4.4 Category of G -bornological Sets	43
4.5 Conclusion	49
 5 COHOMOLOGY THEORY FOR BORNOLOGICAL GROUP	50
5.1 Introduction	50

5.2	Cohomology Theory Based on Bounded Cochain	50
5.2.1	Change of Groups	54
5.3	Homogeneous Cochains	54
5.3.1	Cochain That Take the Identity to Zero	56
5.4	Conclusion	57
6	NEW CLASSES OF BORNOLOGICAL GROUPS	58
6.1	Introduction	58
6.2	Semi-Bounded Sets	58
6.3	Semi-Bounded Maps	61
6.4	Bornological Ideals and Semi Boundedness with Respect to an Ideal	64
6.4.1	Semi Boundedness with Respect to Bornological Ideals	65
6.5	Bornological Groups with Respect to s^{**} -bounded Maps	67
6.6	s -Bornological Groups	71
6.7	Conclusion	73
7	BORNOLOGICAL SEMI RINGS	74
7.1	Introduction	74
7.2	Bornological Semi Rings	74
7.3	Some Constructions on Bornological Semi Rings.	79
7.3.1	Projective and Inductive Systems and limits.	80
7.4	Conclusion	85
8	CONCLUSION AND FUTURE RESEARCH	86
8.1	Conclusion	86
8.2	Future Research	87
	REFERENCES	89
	APPENDICES	91
	BIODATA OF STUDENT	98
	LIST OF PUBLICATIONS	99

LIST OF ABBREVIATIONS

β	A Bornology
(X, β)	A Bornological set
(G, β)	A Bornological group
(S, β)	A Bornological semigroup
(R, β)	A Bornological ring
(L, β)	A Bornological semi ring
Born	Category of bornological sets
BornSG	Category of bornological semigroups
BornSR	Category of bornological semi rings
$\mathbb{N}$	Set of all natural numbers
$\mathbb{Z}$	Set of all integer numbers
$\mathbb{R}$	Set of all real numbers
$\mathbb{Q}$	Set of all rational numbers
$\mathbb{K}$	A field
B	Bounded set
A	Semi bounded set
$ x $	Absolute value of a real number x
$\ v\ $	Norm of a vector v
T	Operator
$\emptyset$	Empty set
G_x	Orbit of an element under a bornological group action
$(V, \ \cdot\)$	Normed space
G – Born	The category of G -bornological sets
$\mathcal{P}(X)$	Power set of X

CHAPTER 1

INTRODUCTION

1.1 Basic Concepts

In this section some definitions related to group actions and cohomology groups are presented.

Definition 1.1 *An action of a group G on a set X is a map $\sigma : G \times X \longrightarrow X$ with*

- i. $\sigma(e, x) = x$, where e is the identity element of G and $x \in X$*
- ii. $\sigma(g, \sigma(h, x)) = \sigma(gh, x)$, for any $g, h \in G$ and $x \in X$.*

We shortly write gx for $\sigma(g, x)$, and call X a G -set.

Let G be a group and X be a set. Suppose that H is a subgroup of G and A is a nonempty subset of X , respectively. We put, $\sigma(H, A) = HA = \{ha : h \in H, a \in A\}$. We say that A is H -invariant if $HA \subset A$. For more detail in group action we refer the readers to Malik et al. (1997), Dummit and Foote (2004) and Atiyah (1994).

Now, let G be a group and $(A, +)$ be any abelian group, such that G acts on A , then A is called a G -module. It is the same group action with extra condition.

$$\sigma(g, (a_1 + a_2)) = \sigma(g, a_1) + \sigma(g, a_2), \text{ for any } g \in G \text{ and } a_1, a_2 \in A.$$

Let us define the set

$$C^n(G, A) = \{f : G^n \longrightarrow A\}.$$

To prove group structure on this set we need to choose binary operation which is defined as follows

$$(f_1 \oplus f_2)(g_1, \dots, g_n) = f_1(g_1, \dots, g_n) + f_2(g_1, \dots, g_n)$$

for every $(g_1, \dots, g_n) \in G^n$ and $f_1, f_2 \in C^n(G, A)$. Thus, $(C^n(G, A), \oplus)$ is a group. Indeed, first of all we have to prove this set is closed under $\oplus$ operation, i.e., for every $(g_1, \dots, g_n) \in G^n$ and $f_1, f_2 \in C^n(G, A)$, such that

$$f_1(g_1, \dots, g_n) \in A$$

and

$$f_2(g_1, \dots, g_n) \in A,$$

then

$$(f_1 \oplus f_2)(g_1, \dots, g_n) = f_1(g_1, \dots, g_n) + f_2(g_1, \dots, g_n) \in A.$$

We can relate these groups to each other by specific homomorphism which depends on n degree argument, such that

$$d_n : C^{n-1}(G, A) \longrightarrow C^n(G, A),$$

Definition 1.2 *Let C be a sequence of abelian group homomorphisms:*

$$0 \longrightarrow C^0(G, A) \xrightarrow{d_1} C^1(G, A) \xrightarrow{d_2} \dots C^{n-1}(G, A) \xrightarrow{d_n} C^n(G, A) \longrightarrow \dots$$

- i. *The sequence C is called a cochain complex if the composition of any two successive maps is zero: $d_{n+1} \circ d_n = 0$ for all n .*
- ii. *If C is a cochain complex, its n^{th} cohomology group is the quotient group $\ker d_{n+1} / \text{im} d_n$ and is denoted by $H^n(C)$*

Bounded cohomology of groups was first defined by Johnson (1972) in the context of Banach algebras. As an independent and very active research field, however, bounded cohomology started to develop in 1982, by Gromov (1982), where the definition of bounded cohomology was extended to deal also with topological spaces. There are many different equivalent definitions of group cohomology. The question that has been pondered is, what is the right generalization of group cohomology to a cohomology theory for bornological groups $H_{bd}(G, M)$?

Certainly, we would want a cohomology theory for bornological groups to satisfy cohomology groups properties, but one can hope for more, since there is bornological data on G and M .

1.2 Literature Review

Historically, the idea of a bounded subset of a topological vector space was introduced by von Neumann (1935), it played an important role in functional analysis that motivated the concept of more general and abstract classes of bounded sets, the so called bornology, see (Mackey, 1943). That means, it is applied to solve the questions of boundedness for any space or set X in general way not just by usual definition of bounded set, but we take a collection β of subset of X such that satisfy three conditions, β covers X , and β stable under hereditary also finite union. Basically, a bornological space is a type of space

which possesses the minimum amount of structure needed to address questions of boundedness of sets and functions. In addition, since bornology have shown to be a very useful tool in various aspects of functional analysis, they have been considered by several researchers in different contexts see (Akkar (1970), Hogbe-Nlend (1977), Waelbroeck (2006)). Specifically, while Lechicki et al. (2004) examined bornology in relation to topology and Bernardes Jr (1994) examined bornology in relation to topological algebra and Voigt (2008) in cyclic homology.

There has been a good deal of researches done on this subject in recent years as a glance at the bibliography will show (see, Beer and Levi (2009), Meyer (1999), Mathai and Stevenson (2007), Lechicki et al. (2004), Vroegrijk (2009), Rump (2011), Meyer (2004), Valdivia (1971), Waelbroeck (1986)).

Interestingly, researchers have begun determining and solving the quotient of boundedness for group of objectives rather than sets of elements and introduce the concept of bornological groups. Accordingly, the crux of this study is the observation that most of the known bornological structures were considered to satisfy the common property of being compatible with abelian group structure. The theory of bornological groups has been studied from different perspectives by (Garrett (1997), Bambozzi (2015), Abramenko and Brown (2008), Funakosi (1976), Van Daele and Wang (2010)).

Pombo Jr (2012) study fundamental construction of bornological groups. Bambozzi (2014) discussed that bornological abelian groups form a quasi-abelian category which it is additive categories with kernels and cokernels. In Pombo Jr (2014) certain abelian bornological groups of continuous mappings from topological spaces into abelian topological groups are shown to be isomorphic to bornological projective limits of abelian bornological groups of continuous mappings.

Up to now, we have to keep in mind that in the setting of modules over a commutative ring a rich line of investigation was introduced by Pombo, in the last two decades. He extensively considered the notion of a linear bornology on module and its relation to the notion of a linear topology on a module, see (Pombo Jr, 1993a), (Pombo Jr, 1996b). After that, he consider the notion of a module bornology (a bornology on a module compatible with its module structure), see (Pombo Jr, 1996a), bornological modules over bornological rings in (Pombo Jr, 1998) and topologies and bornologies on module in (Pombo Jr, 1993b), such that compatible topologies and bornologies in the context of modules.

However, Barros and Bernardes (2014) completed the works by presenting a study of tensor products of bornological modules by means of an elementary approach, over bornological commutative rings such that this work in the setting of modules over a commutative ring.

If we compare the literature on bornological groups with the literature on topological groups, we find that there are still much work to be done on bornological groups. Therefore, we study some further properties of bornological group in Chapter 3.

In the present study, we determine the boundedness for algebraic structures (groups, semigroups, rings, semi rings). Consequently, we develop the cohomology theory for bornological groups, the case when a bornological group acts on abelian bornological group. Accordingly, in order to achieve this goal, we will use the efficient language of bornological group. Moreover, there is no strong literature on bornological groups on which the results of the present study is based, we need to start from search with theory of bornological groups and we develop it as far we need for our scope. Consequently, the bornological group actions will be explored and eventually tilted to suit the context of the present study. In this way we can construct cohomology theory for bornological group. Hence, a theory of cohomology bornological group is thus used to study the complex of homogeneous cochains. When, we define the complex of homogeneous cochains by setting $C_{hbd}^n(G, M)$ to be the set of G -equivariant maps.

1.3 Problem Statement

This study addresses the following problems regarding bornological structure, which are summarized as follows:

on Bornological groups: The idea of a bornological group is to determine the boundedness for groups which is a set with two structure group and bornology such that the product and inverse maps are bounded. Thus, the main problem is to bornologize groups. Thus, it is natural to ask these questions.

1. What are the ways to bornologize the group?

Of course, this informal question can be given different formal interpretations; for example, we could look for bornologies which would make G into a bornological group. To exclude this trivial solution, we should look for non discrete bornologizations of G . Since not every group is bornological group. Therefore, the following question can be asked.

2. What conditions should added on bornology to bornologize every group?

An effective way to deal with this problem is to study further properties of bornological group with the following questions in focus.

3. Is it every left (right) translation in bornological groups are bornological isomorphism?
4. Is it possible to determine the boundedness for another algebraic structure, for example (semigroups)?
5. How can introduce the fundamental construction of bornological semigroups. In particular, projective limits and inductive limits?

Since bornological abelian groups form a quasi-abelian category which it is additive categories with kernels and cokernels were totally discussed by Bambozzi (2014). For bornological semigroup we have the following question

6. What are the similar and different between the category of bornological group and the category of bornological semigroups?

As we mention earlier the case of bornological groups is that the product and inverse maps are bounded. So, the following question is raised.

7. How can we restrict the condition of boundedness for bornological groups?

Our main goal is to require less restrictive condition on the group operations neither of the operation is required to be bounded.

on Bornological group actions:

It is known that every left (right) translation is an example of group action and in the present study, it is proven that every left (right) translation is bounded in bornological groups. So, there are group actions which are bounded. Hence, the following questions are proposed

8. Is it possible to construct bornological actions and prove some basic facts which hold true only for actions of bornological groups on bornological set?
9. Can we construct the category of G -bornological set?
10. Is it possible to develop the cohomology of bornological group.
11. Is it possible to define a homogenous cochain in such away to be isomorphic

for bounded cochain? Accordingly, the study is employed in this work for constructing: the bornological semi ring structure.

On bornological rings: The notion of bornological ring is a set R with two structure ring and bornology.

12. Is it possible to study new structure bornological semi ring and construct the category for this new structure?
13. Is the product of two bornological semi rings again bornological semi ring?

1.4 Objectives

The objectives of this research are to solve the problem of boundedness for algebraic structure (group, semigroup, ring, semi ring) by introducing new structures bornological semigroups, bornological semi rings and investigate further properties of bornological group. Moreover, define and study new classes of bornological groups in order to restrict the condition of bornological group and find solutions to the problems in Section 1 – 3. More specifically,

1. To determine the boundedness for another algebraic structures (semigroups, semi rings), by study the concepts of a bornological semigroups and a bornological semi rings.
2. To furnish sufficient conditions for a bornology to determine the boundedness for every group by investigating further properties of bornological groups.
3. To construct bornological group actions and the category of G -bornological sets.
4. To introduce cohomology theory for bornological group and prove the isomorphic between homogenous cochains and bounded cochains
5. To restrict the condition of bornological group and study new classes of bornological groups.

1.5 Outlines of Study

In Chapter 2, we provide a brief review on bornological structures, which are used for our work. We recall the notion of bornology on a set: a bornology on a set X is a collection of subsets $\beta \subset \mathcal{P}(X)$ which is an ideal of the boolean algebra $\mathcal{P}(X)$. We study algebraic bornological structures: bornological groups,

bornological rings which we define as algebraic structures over bornological sets.

In Chapter 3, we solve the question of boundedness for algebraic structure group when we investigate further properties of bornological groups. As well as, we construct the category of bornological semigroups and discuss the concept of the product, coproduct and fiber product. More specifically, we study fundamental construction of bornological semi groups.

In Chapter 4, we define and study bornological group actions (BGA). We extend all terminology concerning on G -sets to G -bornological sets. Then, we prove some basic facts which hold true for bornological group actions. In particular, we show that a bornological group action can be deduced from its boundedness at the identity. The orbital bornological set is also investigated and the quotient X/G succeed to the quotient bornology, which is called the quotient bornological set of the action. Furthermore, we introduce morphisms between G -bornological sets to be bounded maps compatible with action of G . This motivated us to construct the category of G -bornological sets.

In Chapter 5, we construct cohomology theory for bornological groups based on bounded cochain and study some of its basic properties. We show that for bornological groups and abelian bornological group the cohomology groups of bounded group cochains and of group cochain that are equivariant are isomorphic.

In Chapter 6, we study the possibility to introduce semi-bounded set with respect to bornological sets and we call the new bounded maps such as s -bounded map, s^* -bounded and s^{**} -bounded map. We prove that every bounded map is s -bounded map, s^* -bounded and s^{**} -bounded map, but the converse is not true, we provide the counterexamples for every case. Additionally, we introduce semi-bounded set with respect to a bornological ideals. Finally, new classes of bornological groups are discussed to restrict the condition of bornological groups with respect to these new bounded maps.

In Chapter 7, we generalize the theory of algebraic semi rings from the algebraic setting to the framework of bornological sets. More specifically, the concept of a new structure bornological semi ring (BSR) is introduced and some constructions in the class of bornological semi rings are discussed. In particular, the existence of arbitrary projective limits and arbitrary inductive limits of bornological semi rings is ensured. Additionally, the description of the category of bornological semi rings is presented. We also discuss the concept of product, coproduct and fibre product in the category of bornological semi rings. In the context under consideration, general results concerning projective limits and inductive limits as well as an isomorphism theorem are established.

BIBLIOGRAPHY

- Abramenko, P. and Brown, K. S. 2008. *Buildings: theory and applications.* , vol. 248. Springer Science & Business Media.
- Akkar, M. 1970. Espaces vectoriels bornologiques K-convexes. In *Indagationes Mathematicae (Proceedings)*, 82–95. Elsevier.
- Atiyah, M. 1994. *Introduction to commutative algebra*. Westview Press.
- Bambozzi, F. 2014. On a generalization of affinoid varieties. *arXiv preprint arXiv:1401.5702* .
- Bambozzi, F. 2015. Closed graph theorems for bornological spaces. *arXiv preprint arXiv:1508.01563* .
- Barros, R. A. and Bernardes, N. 2014. On tensor products of bornological modules. In *International Mathematical Forum*, 1397–1422.
- Beer, G. and Levi, S. 2009. Total boundedness and bornologies. *Topology and its applications* 156 (7): 1271–1288.
- Bernardes Jr, N. 1994. Bornological topological modules. *Mathematica Japonicae* 40 (3): 455–460.
- Bredon, G. E. 1972. *Introduction to compact transformation groups.* , vol. 46. Academic press.
- Dummit, D. S. and Foote, R. M. 2004. *Abstract algebra.* , vol. 3. Wiley Hoboken.
- Funakosi, S. 1976. Induced bornological representations of bornological algebras. *Portugaliae mathematica* 35 (2): 97–109.
- Garrett, P. B. 1997. *Buildings and classical groups*. CRC Press.
- Gromov, M. 1982. Volume and bounded cohomology. *Publications Mathématiques de l’IHÉS* 56: 5–99.
- Hogbe-Nlend, H. 1977. *Bornologies and functional analysis: introductory course on the theory of duality topology-bornology and its use in functional analysis.* , vol. 26. Elsevier.
- Johnson, B. E. 1972. *Cohomology in Banach algebras.* , vol. 127. American Mathematical Soc.
- Lechicki, A., Levi, S. and Spakowski, A. 2004. Bornological convergences. *Journal of mathematical analysis and applications* 297 (2): 751–770.
- Mackey, G. W. 1943. On infinite dimensional linear spaces. *Proceedings of the National Academy of Sciences* 29 (7): 216–221.
- Malik, D. S., Mordeson, J. N. and Sen, M. 1997. *Fundamentals of abstract algebra*. McGraw-Hill.
- Mathai, V. and Stevenson, D. 2007. Entire cyclic homology of stable continuous trace algebras. *Bulletin of the London Mathematical Society* 39 (1): 71–75.

- Meyer, R. 1999. Analytic cyclic cohomology. *arXiv preprint math/9906205* .
- Meyer, R. 2004. Bornological versus topological analysis in metrizable spaces. *Contemporary Mathematics* 363: 249–278.
- Pombo Jr, D. 1993a. Linear topologies and linear bornologies on modules. *J. Indian Math. Soc* 59: 107–117.
- Pombo Jr, D. 1993b. Topologies and bornologies on modules. *Instituto de Matemática, Universidade Federal Fluminense* .
- Pombo Jr, D. 1996a. Module bornologies. *Commentationes Mathematicae-Prace Matematyczne-Seria 1-Rocz Polsk Towarz Matematycz* 36: 179–188.
- Pombo Jr, D. 2012. Bornological groups. *Indian J. Math* 54: 225–258.
- Pombo Jr, D. P. 1996b. A note on the paper Linear topologies and linear bornologies on modules. *J. Indian Math. Soc* 62: 5–8.
- Pombo Jr, D. P. 1998. Compatible topologies and bornologies on modules. *Commentationes Mathematicae Universitatis Carolinae* 39 (2): 341–352.
- Pombo Jr, D. P. 2014. On Bornological Group of Continuous Mappings. In *International Mathematical Forum*, 217–224.
- Rump, W. 2011. Analysis of a problem of Raikov with applications to barreled and bornological spaces. *Journal of Pure and Applied Algebra* 215 (1): 44–52.
- Serre, J.-P. 2013. *Local fields.* , vol. 67. Springer Science & Business Media.
- Valdivia, M. 1971. A class of bornological barrelled spaces which are not ultrabornological. *Mathematische Annalen* 194 (1): 43–51.
- Van Daele, A. and Wang, S. 2010. Pontryagin duality for bornological quantum hypergroups. *manuscripta mathematica* 131 (1-2): 247.
- Voigt, C. 2008. Bornological quantum groups. *Pacific Journal of Mathematics* 235 (1): 93–135.
- von Neumann, J. 1935. On complete topological spaces. *Transactions of the American Mathematical Society* 37 (1): 1–20.
- Vroegrijk, T. 2009. Pointwise bornological spaces. *Topology and its Applications* 156 (12): 2019–2027.
- Waelbroeck, L. 1986. The category of quotient bornological spaces. *North-Holland Mathematical Library* 34: 873–894.
- Waelbroeck, L. 2006. *Topological vector spaces and algebras.* , vol. 230. Springer.