



**UNIVERSITI PUTRA MALAYSIA**

**DEVELOPMENT OF A BARCODE-BASED KEY SYSTEM**

**FARHANG PADIDARAN MOGHADDAM**

**FK 2009 13**



**DEVELOPMENT OF A BARCODE-BASED KEY SYSTEM**

**By**

**FARHANG PADIDARAN MOGHADDAM**

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,  
in Fulfilment of the Requirements for the Degree of  
Master of Science**

**July 2009**



To my beloved parents and my brother, without whose blessing I would never have reached this position in life.



Abstract of thesis presented to the senate of Universiti Putra Malaysia in fulfillment  
of the requirement for the degree of Master of Science

## **DEVELOPMENT OF A BARCODE-BASED KEY SYSTEM**

By

**FARHANG PADIDARAN MOGHADDAM**

**July 2009**

**Chairman: Prof. Mohamed B. Daud, PhD**

**Faculty: Engineering**

This study provides a Web-based solution for issuing online key and accessing to disconnected areas which are disconnected from any server or portal. In some locations there is no facility for connecting to server, because of inaccessibility or cost of network connection. Beside, the key must be generated in the easiest way for customer's convenience. Online users can book and reserve their desired room or can purchase their coveted event's ticket by the internet easily. The thesis gives reliable solution to design a method and system for generating access code and issuing the key or ticket with offering a safe and reduced cost way. The issued key is perceptible for offline and standalone lock system. Barcode has been chosen, according to its advantages, such as cheapness, simple product and ease of use. The Verifier Machine can be located at each venue entry point are standalone devices, and are not connected in any way neither among them nor to any central database, server or



portal. Functionality of simulator application in generating the access code, ability of portal in issuing barcode form key, stability of printed key and capability of demonstrated standalone machine in decrypting and verifying was tested successfully. The achieved system presents a simple, low cost, and flexible method for authorization and authentication in accessing doors at remote areas.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

## **PEMBANGUNAN SISTEM KUNCI BERASASKAN KOD BAR**

Oleh

**FARHANG PADIDARAN MOGHADDAM**

**July 2009**

**Pengerusi: Prof. Ir. Mohamed B. Daud, PhD**

**Fakulti: Kejuruteraan**

Kajian ini memberi penyelesaian berteraskan Internet bagi menjana kekunci '*online*' dan akses pada kawasan-kawasan luar liputan yang tidak terhubung dengan mana-mana '*server*' mahupun portal. Sesetengah lokasi tiada kemudahan untuk terhubung dengan '*server*' kerana tiada akses atau kos kepada koneksi jaringan. Lagipun, kekunci mestilah dijana dengan cara yang paling mudah demi keselesaan pelanggan. Dengan ini, pengguna '*online*' boleh menempah penginapan mereka atau membeli tiket melalui Internet dengan mudah. Thesis ini menyediakan penyelesaian yang bernas bagi mencipta satu kaedah dan sistem yang boleh mewujudkan kod akses dan kekunci atau tiket dengan cara yang selamat dan murah. Kekunci yang diutarakan boleh digunapakai untuk sistem kunci '*offline*' dan '*standalone*'. Penggunaan '*barcode*' telah dipilih berdasarkan beberapa keistimewaannya, seperti kos yang rendah, dan kemudahan penggunaannya. Mesin Verifikasi yang boleh diletakkan

pada tiap lokasi adalah alat '*standalone*' dan tidak terhubung sama ada antara satu sama lain ataupun dengan '*database*', '*server*', mahupun portal induk. Praktikaliti aplikasi simulator dalam menjana kod akses, kebolehan portal dalam memberi kekunci borang kod bar, kestabilan kekunci yang dicetak dan kebolehan mesin '*standalone*' yang didemonstrasikan dalam membezakan dan mengesahkan isyarat telah diuji dengan jayanya. Sistem yang dicipta ini memberikan kaedah yang mudah, murah dan fleksibel untuk kebenaran dan pengesahan dalam memberikan akses pada kawasan terpencil.

## ACKNOWLEDGEMENTS

The author would like to express his thank and gratitude to the members neither of his supervisory committee, Prof. Dr. Mohamed B. Daud, Assoc. Prof. Dr. Abdul Rahman B. Ramli, and Assoc. Prof. Dr. Abdul Azim B. Abd Ghani, for their advice, guidance, support, and encouragement throughout this study. They have also offered their valuable comments and suggestions, which played vital roles in completing the thesis successfully.

Many people contributed to this work by providing their advice, support, and encouragement. The author would like to thank his father, mother, brother, students, and all his friends.





I certify that an Examination Committee has met on 26/07/2009 to conduct the final examination of Farhang Padidaran Moghaddam on his Master of Science thesis entitled “DEVELOPMENT OF A BARCODE-BASED KEY SYSTEM” in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulation 1981. The committee recommends that the student be awarded the relevant degree.

Members of the Examination Committee were as follows:

**Adznan b. Jantan, PhD**

Associate Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Chairman)

**Salasiah bt. Hitam, PhD**

Faculty of Engineering  
Universiti Putra Malaysia  
(Internal Examiner)

**M. Iqbal b. Saripan, PhD**

Faculty of Engineering  
Universiti Putra Malaysia  
(Internal Examiner)

**H.M Suzuri, PhD**

Faculty of Engineering  
Universiti College of Science and Technology, Malaysia  
(External Examiner)

---

**HASANAH MOHD.GHAZALI, PhD**

Professor and Deputy Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date:



This thesis was submitted to the senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of Supervisory Committee were as follows:

**Mohamed B. Daud, PhD**

Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Chairman)

**Abdul Rahman B Ramli, PhD**

Associate Professor  
Faculty of Engineering  
Universiti Putra Malaysia  
(Member)

**Abdul Azim B Abd Ghani, PhD**

Associate Professor  
Faculty of Computer Science and Information Technology  
Universiti Putra Malaysia  
(Member)

---

**HASANAH MOHD.GHAZALI, PhD**

Professor and Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date: 10 December 2009



## DECLARATION

I declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.

---

FARHANG PADIDARAN MOGHADDAM

Date:



## TABLE OF CONTENTS

	<b>Page</b>
<b>DEDICATION</b>	ii
<b>ABSTRACT</b>	iii
<b>ABSTRAK</b>	v
<b>ACKNOWLEDGEMENTS</b>	vii
<b>APPROVAL</b>	ix
<b>DECLARATION</b>	x
<b>LIST OF TABLES</b>	xiv
<b>LIST OF FIGURES</b>	xv
<b>LIST OF ABBREVIATIONS</b>	xix
<b>CHAPTER</b>	
<b>1 INTRODUCTION</b>	
1.1 Preface	1.1
1.1.1 Hotel Lock System	1.3
1.1.2 Access Control	1.4
1.2. Statement of Problem	1.6
1.2.1 Hotel Reservation and Stay Problems	1.6
1.2.2 Online Ticketing	1.7
1.3 Objectives of the Study	1.9
1.4 Organization of the Thesis	1.10
<b>2 LITERATURE REVIEW</b>	
2.1 Contemporary Digital Lock Systems	2.2
2.1.1 Asynchronous digital locking system	2.3
2.1.2 Remotely-operated self-contained electronic lock	2.5
2.1.3 Electronic lock system and use thereof	2.6
2.1.4 Locking Mechanism for use with one-time access	2.9
2.1.5 Electronic key system, apparatus and method	2.10
2.1.6 Intelligent locking system	2.11
2.2 The Distribution Scheme of the Hotel Industry	2.13
2.3 Electronic Ticket: Issuing and Redeeming	2.16
2.4 Cryptography	2.18
2.4.1 Cryptographic Systems	2.19
2.4.2 Classes of Cryptographic Systems	2.19
2.4.3 Secret Key Cryptosystems	2.20
2.4.4 Symmetric key encryption	2.24
2.5 Current code carrier cards	2.28
2.5.1 Smart card	2.28
2.5.2 Contactless card	2.30
2.5.3 Magnetic stripe card	2.32



2.5.4	Barcode	2.33
2.6	Barcode Access Management	2.35
2.6.1	System and apparatus for generating a unique	2.37
2.6.2	Electronic key with optical scanner	2.39
2.6.3	Lottery bar code based ticket	2.40
2.6.4	Method and system for passenger flight security	2.42
2.6.5	Systems and methods for encrypted bar code	2.43
<b>3</b>	<b>METHODOLOGY</b>	
3.1	Defining an Authentication System	3.1
3.1.1	Encryption/decryption model selection	3.2
3.1.2	Data Categorizing	3.3
3.1.3	Digital Symbolic Coding	3.4
3.1.4	Encryption	3.5
3.1.5	Generating Enciphered Code	3.7
3.2	Selection of appropriate code carrier	3.8
3.3	The Simulator Application	3.9
3.4	Booking and Reservation Portal	3.9
3.4.1	Portal Organization	3.10
3.4.2	Advantages of PHP Programming	3.11
3.5	The Verifier Machine	3.12
3.5.1	Verifier Machine Assembly	3.13
3.5.2	BASCOM-AVR	3.16
3.5.3	Programming the Microcontroller	3.16
<b>4</b>	<b>RESULTS AND DISCUSSIONS</b>	
4.1	Implementation of Authentication scheme	4.1
4.1.1	Choosing Secret Key for En/Decryption	4.1
4.1.2	Applied Encryption/Decryption Scheme	4.3
4.1.3	16-digit code	4.4
4.1.4	Suggested Encryption Steps	4.5
4.1.5	Decryption Process	4.9
4.1.6	Verifying process	4.10
4.2	Security and Robustness Analysis for Generated Code	4.13
4.2.1	Breaking encryption	4.13
4.2.2	Check Digit	4.14
4.3	Master key	4.15
4.3.1	Creating Master Key	4.16
4.3.2	Verifying Master Key Process	4.18
4.4	Flow the Code Generation Emulator/Simulator Application	4.20
4.5	The Key	4.26
4.5.1	Flexibility in Choosing Barcode Reader	4.29
4.5.2	Result of Testing Stability of Printed Key	4.30

4.6	Key Issuer System	4.32
4.6.1	Online Booking System	4.33
4.6.2	Test the Portal for Reservation and Issuing the Key	4.43
4.6.3	Check the Issued key by Simulator Application	4.45
4.7	Modifying the System: The password!	4.46
4.8	Verifier Machine	4.49
4.8.1	Flow Implemented Machine Operation Algorithm	4.49
4.8.2	Testing Demonstrated Verifier Machine	4.53
4.8.3	Verifier Machine Technical Specifications	4.55
<b>5</b>	<b>CONCLUSION AND SUGGESTIONS FOR FUTURE WORK</b>	
5.1	Conclusion	5.1
5.2	Suggestions for Future Work	5.3
	<b>REFERENCES</b>	R.1
	<b>BIODATA OF THE STUDENT</b>	B.1



## LIST OF TABLES

<b>Table</b>		<b>Page</b>
3.1	Data categorization for hotel rooms	3.6
3.2	Data categorization for various Factory/Office sections	3.7
3.3	Data categorization for public event tickets	3.7
4.1	Code length of various cards vs. our card	4.5
4.2	Encryption Steps and numerical example	4.6
4.3	Tested Barcode Readers	4.29
4.4	Verifier Machine Error Messages	4.54
4.5	Programmed Microcontroller Technical Info	4.55



## LIST OF FIGURES

Figure		Page
2.1	The block diagram of the receiver for US patent 4104694	2.4
2.2	A view of a conventionally styled door latch illustrated as installed in a door for US Patent 5933086	2.6
2.3	The block logic diagram showing operation of the lock for US Patent 5974367	2.7
2.4	The block logic diagram showing operation of the lock for US Patent 5974367 (continue)	2.8
2.5	Connected Locking System for US Patent 7113071	2.11
2.6	The Feistel function (F-function) of DES	2.24
2.7	Mix Columns step	2.26
2.8	The lookup stage of RC4	2.27
2.9	Typical Smart card structure	2.28
2.10	Contactless card and its Reader	2.31
2.11	The Magnetic stripe card and the Reader Machine	2.33
2.12	Barcode Reading Principle	2.34
2.13	Functional block diagram of a system configuration for US Patent 6561425	2.38
2.14	A pictorial view showing the key for US Patent 6745941	2.40
2.15	A block diagram of apparatus for validating and redeeming lottery ticket for US Patent Application 20060273156	2.41
2.16	Representative drawings of manually operable key, optical key and possible security manual	2.42
2.17	Functional block diagram of an example of embodiment of a merchant card provider	2.44



3.1	Symmetric-Key cryptosystem that used in proposed en/decryption scheme	3.7
3.2	16-digit Code which Coded in Code-39 form	3.8
3.3	Verifier Machine Schematic map	3.14
3.4	ATmega32 Pin out	3.15
3.5	Programming the Microcontroller Equipments and Configuration	3.17
3.6	Programming the Microcontroller by BASCOM-1	3.18
3.7	Programming the Microcontroller by BASCOM-1	3.18
3.8	Typical Portable Handheld Programmer Machine	3.19
3.9	Proposed Configuration for Generating Access Code	3.20
3.10	an Overview on Access code Verification	3.20
4.1	Applied Encryption Scheme	4.3
4.2	The Flowchart of Encryption Algorithm in general	4.8
4.3	The Flowchart of Decryption and Verification Algorithm	4.12
4.4	The Master Key System	4.15
4.5	The Generated General Master Key by programmed application	4.17
4.6	The Generated Level-based Master Key by programmed application	4.17
4.7	The Flowchart of Master key Verifying Process	4.19
4.8	Illustrated Encryption Tab in the Application	4.20
4.9	Master Key Tab in the Application	4.21
4.10	The Illustration of the Decryption Tab in the Application	4.22

4.11	Code Length Error Message Dialog box	4.22
4.12	Invalid Code Error Message	4.23
4.13	Code Expiration Error Message Dialog box	4.23
4.14	Earlier Coming Error Message	4.24
4.15	Message for detecting The Master key	4.24
4.16	Master key Expiration Error Message	4.25
4.17	The Illustration of the Undefined Coding Tab in the Application	4.25
4.18	an Error Message in Undefined Coding Tab	4.26
4.19	Various Lock Systems	4.27
4.20	Printed Key in Barcode format	4.28
4.21	Testing Stability of Printed Key	4.31
4.22	Online Portal Organization Chart	4.34
4.23	Online Booking Section Organization Chart	4.38
4.24	Make an Online Reservation Chart	4.40
4.25	Search Page during Reservation	4.43
4.26	Listed Hotels	4.43
4.27	Available Rooms in Selected Duration	4.44
4.28	Issued Keys by Portal	4.44
4.29	Reservation Details	4.45
4.30	Detected Information by Simulator Application	4.45

4.31	The Flowchart of Modified Encryption Algorithm	4.47
4.32	The fabricated Verifier Machine	4.50
4.33	The Flowchart of Verifier Machine Functions	4.51
4.34	The Flowchart of Key Accepting Process	4.52
4.35	LCD messages during Verification	4.53
4.36	LCD messages during Verification the Master Key	4.54



## LIST OF ABBREVIATIONS

AES	Advanced Encryption Standard
ASP	Active Server Page
BASIC	Beginner's All purpose Symbolic Instruction Code
BIN	Bank Identification Number
C	high-level programming language
CAN	Controller Area Network
CMOS	Complementary Metal-Oxide Semiconductor
CSS	Customer Service Station
DC	Direct Current
DES	Data Encryption Standard, a cryptographic block cipher
DSS	Digital Signature System
EDL	Electronic Door Lock
EDLP	Electronic Door Lock Programmer
EEPROM	Electrically Erasable Programmable Read Only Memory
FTP	File Transfer Protocol
HHC	Hand Held Controller
HTML	Hypertext Markup Language
ID-card	Identification card
IIS	Internet Information Server
ISO	International Organization for Standardization
IT	Information Technology
LCD	Liquid Crystal Display
LED	Light Emitting Diode
LPT	Line Printer, Printer Port



MAC	Message Authentication Code
MHz	Mega Hertz
MIPS	Million Instructions per Second
MPC	Multiparty Computation
MSAC	Monitoring System and Access Control
PDA	Personal Digital Assistant
PGP	Pretty Good Privacy, a computer program for the encryption
PHP	Perl Hypertext Preprocessor
PIN	Personal Identification Number
PKI	Public Key Infrastructure
PRBG	PseudoRandom Bit Generating
QB	Quick Basic
RAD	Rapid Application Development
RAM	Random Access Memory
RFC	Request for Comments
RFID	Radio Frequency Identification Device
RISC	Reduced Instruction Set Computer
RSA	initials of these surnames : Rivest, Shamir, Adleman
SDLP	Distributed Lock Protocol
SSC	Spread Spectrum Communication
UART	Universal Asynchronous Receiver/Transmitter
UIP	Universal Interface Programmer
UPC	Universal Product Code
UTP	Unshielded Twisted Pair
VB	Microsoft Visual Basic



# CHAPTER 1

## INTRODUCTION

### 1.1 Preface to lock systems

Traditionally, locksmiths and installers have developed their skills around conventional mechanical devices, while access control companies concentrating on electronic or computer controlled systems. Electric lock technology falls between these two areas of expertise and as a result installers and specifiers at both ends of the scale have generally found it a struggle to specify electric locks correctly (Norman, 2007). This need no longer is the case as the new generation of electric locks provides specifiers, installers and end users alike with a wide range of desirable features and functions. For example, not only does this technology improve levels of security, but it is easy to install and offers the opportunity to comply with the latest legislation governing disabled access to buildings. Electric locks are versatile and suitable for use in a wide variety of applications. They provide physical strength that keeps out unauthorized persons, while offering convenience for legitimate users and safety for those who may need to escape from a building in the case of an emergency (Tonbridge, 2006).

Due to the increasing popularity of the Internet (Li and Law, 2007), more and more travelers have moved their information search and travel arrangements activities online. Despite hotels' initial hesitancy toward adopting new information technologies (Law and Jogaratnam, 2005), in recent years, they have been making



great efforts to enhance their electronic distribution. This strategy allowed hotels to take advantage of two main directions: first, the Internet has offered an opportunity for hotels to sell and advertise online and use a cheaper distribution system (O'Connor and Frew, 2004) and second, the Internet has created an opportunity for hotels to reduce their mass advertising and allowed them to concentrate on customized marketing messages (Lau *et al.*, 2001).

Using the Internet as a reservation method can benefit the hospitality firms and also the customers by reducing costs and providing real-time information to both parties. According to (Cobanoglu, 2001), business travelers still use travel agents as their favorite hotel reservation resource followed by toll free reservation numbers, and then calling the hotel directly. Use of online hotel reservation system follows the previous three media in terms of favor. However, experts in IT predict that within several years the Internet will be one of the most important sources for hotel reservations and services (Cline and Warner, 2001). The number of online hotel reservations in 2001 accounted for 4.9% of total reservations made, and this percentage is expected to more than triple over the next 3 years. While the proportion of online reservations is increasing, only 64% of hospitality firms currently handle such transactions (Cline and Warner, 2001). Because an explosive increase in the number of online hotel reservations is expected, hotel marketers need to understand the determinants of customers' online hotel reservation intentions.



### 1.1.1 Hotel Lock System

The advent of electronic lock systems (Hyatt *et al.*, 1998) has revolutionized the hotel industry by offering a safe and efficient way of controlling access to hotel rooms. Typical electronic lock systems function with electronic key cards and are controlled by computer systems. Upon checking in at the front desk of the hotel and being assigned a room, a customer is given an electronic key corresponding to the electronic lock securing access to the room. Electronic key cards have attached magnetic strips that are coded by the computers at the hotel check-in desk. The encoding on each key is such that the key functions only on a specific hotel room door. New keys with new codes are created for each room after the departure of each guest. The code from the previous use is erased by the computer, a new pattern is magnetically encoded on the key and the door lock is programmed to recognize the new code. While prior art electronic lock systems (Leon *et al.*, 2000) offer many advantages over traditional key systems, they still suffer from significant drawbacks both for the hotels and for their guests (Khanna and WestJet, 2005). Customers arriving at a hotel are still required to check in at the front desk in order to be assigned a room and given the key. Many times, they are faced with long line-ups or staff unavailability, which decrease their satisfaction and minimize the chances of repeat business. For the hotel, adequate checks in service and staff availability are very costly (Shane, 1997).

Therefore a need for a system and a method that would allow guests to arrive at a hotel and go straight to their room without having to use the services and the keys provided at the front desk. Furthermore, the security issue arises for certain





customers using the electronic keys provided by the hotel. The electronic key is impersonal and does not contain information that would make it work only for a unique authorized user. In the case in which a key is lost, the customer can provide another one upon by him/herself, which makes the system prone to fraud and abuse. Customers therefore do not feel that they themselves or their belongings are safe at all times (Gon Kim *et al.*, 2006). Hotels are forced to increase security measures in other ways, for example by using video cameras for lobby surveillance and by stiffening identification requirements for obtaining keys. Therefore a need for a system and a method allowing user specific information to be used for providing access to a hotel room.

### **1.1.2 Access Control**

Saying about modern systems and facilities of an accident prevention of objects, it is necessary to mention the monitoring system and access control (MSAC) (Grotesque, 2002). The given class became practically same widespread, as burglar-fire alarm and system of tele-supervision. Any object may not claim to protect ability without equipment MSAC. Considering systems of safety of "intellectual building" there is a question of the necessary minimum of equipment for object, for example, of an apartment house.

The problem of access restriction is not new. With development of progress there were more and more sophisticated identifiers and more and more skillfully their thought up imitations (counterfeit documents or the peeped passwords and codes). The most prevalent way of protection of object from illegal access now – installation