



UNIVERSITI PUTRA MALAYSIA

***DATA ENVELOPMENT ANALYSIS FOR RESOURCE ALLOCATION
PROBLEMS IN THE PRESENCE OF RADIAL AND NON-RADIAL DATA***

ALI MIRSALEHY

FS 2016 11



**DATA ENVELOPMENT ANALYSIS FOR RESOURCE ALLOCATION
PROBLEMS IN THE PRESENCE OF RADIAL AND NON-RADIAL DATA**

By

ALI MIRSALEHY

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirement for the Degree of Philosophy**

January 2016

© COPYRIGHT UPM



© COPYRIGHT UPM



© COPYRIGHT UPM



COPYRIGHT

All materials contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



© COPYRIGHT UPM



DEDICATION

To spirit of my caring Dad, Seyd Abbas Mirsalehy- the eternal optimist - who believed in perseverance, hardworking, a good work ethic, and the pursuit of academic excellence.

To my dear Mom, Seyd Naier Salehy, who continues to support and encourage me throughout my education, as well as everything I pursue. She has always provided peaceful guidance during difficult situations.

To my brothers Hassan, Hossein and Mohammad, who has always made me feel special and never failed to tell me how they proud of me.



© COPYRIGHT UPM



Abstract of thesis presented to the senate of Universiti Putra Malaysia in fulfilment of requirement of the degree of Doctor of Philosophy

DATA ENVELOPMENT ANALYSIS FOR RESOURCE ALLOCATION PROBLEMS IN THE PRESENCE OF RADIAL AND NON-RADIAL DATA

By

ALI MIRSALEHY

January 2016

Chairman: Mohd Rizam Abu Bakar, PhD
Faculty: Science

Resource allocation is considered to be of great significance for the development of an organization due to its limited resources. This thesis addresses two different aspects of resource allocation problems in data envelopment analysis (DEA) model including centralized resource allocation (CRA) DEA model and inverse DEA model. For each unit, targets are set separately using conventional DEA models whereas based on CRA-DEA models, a centralized decision maker is in charge of all the operating units. In such situation, the decision maker is interested in maximizing the efficiency of particular units at the same time that the aggregate output production is increased or the aggregate input consumption is decreased. The existing data CRA-DEA models are defined only for radial or non-radial data. While it was previously posited that the non-radial CRA-model is helpful in evaluating the targets of units, validation of such a model was completed once the radial inputs and outputs were proposed. It is proposed that there are some variances in the characterizations of the inputs or outputs objects (radial and non-radial inputs and outputs). While the radial inputs have to be decreased proportionately when it is intended to obtain all-outputs, the counterpart inputs need to be reduced non-proportionally. It can be then concluded that combining the two radial and non-radial approaches will yield accurate targets. In an effort to overcome the above mentioned shortcomings of the radial and non-radial CRA-models, firstly, this thesis shows that the two CRA-approaches can be connected to a number of desirable features in the previous ones. The proposed approaches are developed for the cases which consider minimizing of the aggregate input consumption and maximizing of the aggregate output production as radial and non-radial at the same time with outcomes in solving just one instead of n mathematical programming problems. Secondly, this thesis also presents a novel inverse DEA model of efficiency measurement. The proposed inverse model apparently is an aspect of resource allocation problems which is likely to concurrently consider some inputs' rises (reductions). In order to improve the efficiency scores of some units when there are changes in the output (input) amounts of an efficient unit, the current study will

elucidate the inverse DEA model with some advantage over the previous ones. The proposed model is meant for determining the utmost possible input (output) quantities of the efficient unit once its outputs (input) are changed. In this way, the modifications will bring about an increase in some units' efficiency scores.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**ANALISIS PENGUMPULAN DATA UNTUK MASALAH PERUNTUKAN
SUMBER DALAM KEHADIRAN DATA RADIAL DAN TAK RADIAL**

Oleh

ALI MIRSALEHY

Januari 2016

Pengerusi: Mohd Rizam Abu Bakar, PhD
Fakulti: Sains

Peruntukan sumber dianggap sebagai membawa signifikan yang besar untuk pembangunan organisasi disebabkan oleh sumber yang terhad. Tesis ini menangani dua aspek masalah peruntukan sumber dalam data pengumpulan analisis (DPA) model termasuk peruntukan sumber berpusat (PSB) DPA model dan model songsang DPA. Bagi setiap unit, sasaran ditetapkan secara berasingan menggunakan model DPA konvensional yang berdasarkan kepada model PSB-DPA, pembuat keputusan yang berpusat bertanggungjawab dalam semua unit operasi. Dalam keadaan itu, pembuat keputusan yang berminat dalam memaksimumkan kecekapan unit tertentu pada masa yang sama di mana pengeluaran output agregat ditambah atau penggunaan input agregat menurun. Data PSB-DPA model yang sedia ada ditakrifkan hanya untuk data radial dan tak radial. Walaupun sebelum ini dikemukakan bahawa model PSB tak radial membantu dalam menilai sasaran unit, pengesahan model seperti ini telah disiapkan sekali input dan output radial telah dicadangkan. Adalah dicadangkan bahawa terdapat beberapa perbezaan dalam pencirian input atau output objek (input radial dan tak radial dan output). Walaupun input radial perlu dikurangkan secara berkadar apabila ia bertujuan untuk mendapatkan segala-output, input rakan sejawatannya perlu dikurangkan bukan secara berkadar. Ia boleh disimpulkan bahawa menggabungkan kedua-dua pendekatan radial dan tak radial akan menghasilkan keputusan yang tepat. Dalam usaha untuk mengatasi kelemahan yang dinyatakan di atas daripada model PSB radial dan tak radial, pertamanya, tesis ini menunjukkan bahawa kedua-dua pendekatan PSB boleh bersambung dengan beberapa ciri-ciri yang diinginkan dalam model yang sebelumnya. Pendekatan yang dicadangkan adalah dibangunkan untuk kes-kes yang dipertimbangkan untuk mengurangkan penggunaan input agregat dan memaksimumkan pengeluaran output agregat sebagai radial dan tak radial masa yang sama dengan hasil dalam menyelesaikan hanya satu bukannya n masalah pengaturcaraan matematik. Kedua-dua, tesis ini juga cuba untuk membentangkan model songsang novel DPA bagi pengukuran kecekapan. Model songsang yang dicadangkan nampaknya adalah satu aspek bagi

masalah peruntukan sumber yang mungkin pada masa yang sama mengambil kira kenaikan beberapa input (pengurangan). Dalam usaha untuk meningkatkan skor kecekapan beberapa unit apabila terdapat perubahan dalam jumlah output (input) unit yang cekap, kajian semasa akan menjelaskan model DPA songsang dengan beberapa kelebihan berbanding yang sebelumnya. Model dicadangkan adalah untuk menentukan sepenuh mungkin input (output) kuantiti unit yang cekap sekali output yang (input) ditukar. Dengan cara ini, pengubahsuaian yang akan membawa kepada peningkatan dalam skor kecekapan beberapa unit.



ACKNOWLEDGEMENTS

First, I would like to thank my sincere gratitude to the creator and sustainer of the universe, for helping me to complete this thesis. I am deeply grateful to God for surrounding me with some of the most talented and knowledgeable people in the academic world.

It has been an honour and pleasure to have Dr. Mohd Rizam Abu Bakar as my supervisor. I am grateful to him, for the time given to me, to his valued suggestions and encourages. I enjoyed his support and patience during the very tough moments of the research work and writing of the thesis. My thanks also go to my wonderful committee members: Dr. Azmi Jaafar, and specially Dr. Lai Soon Lee, for the individual talent and expertise that each of them contributed toward this work, and the willingness to guide me through the process.

The writing of this dissertation is not possible without the support of some very special people that made a difference in my education. I would like to express special thanks to my mother, Naier, and in memory of my late father, Abbas - thank you for being such supportive parents, and for teaching me about the power of learning and knowledge. Love forever. I would like to extend my appreciation to my dear Prof. Dr. Gholamreza Jahanshahloo, who sparked my interest in the DEA methodology. Thank you for your continual encouragement and counsel about academic and mundane life matters. You will always have a home here in my heart like my father. As well a special thank-you to Dr. Farhad Hosseinzadeh Lotfi, Dr. Masoud Sanei, and Dr. Hamid Reza Rahimi, who provided great knowledge, guidance, and insight for this research. I would like to express deepest thanks to my friends, Hashem Abdi, Hamed Abdipour, Mostafa Behzadi, Hamid Nilsaz, Reza Rayati, Somayeh Khajavi, Maryam Khorshidi Rad, Delaram Khansari and somehow helped me during school days.

Thank you for supporting me, enlightening me, and most of all, you have made me what I am today. I love you, and thank God every day for you.

I certify that a Thesis Examination Committee has met on (date of viva voce) to conduct the final examination of (student's name) on his (or her) thesis entitled (“Title of Thesis”) in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the (insert the name of relevant degree).

Members of the Thesis Examination Committee were as follows:

Nik Mohd Asri Bin Nik Long, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Zanariah Bt Abdul Majid, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Internal Examiner)

Zarina Bibi Bt Lbrahim, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Internal Examiner)

Ramkrishnan Ramanathan, PhD

Associate Professor
Faculty of Industrial Engineering and Management Division
Universiti Bedfordshire, U.K
(External Examiner)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

This thesis submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of requirement for degree of Doctor of Philosophy. Members of the Supervisory Committee were follows:

Mohd Rizam Abu Bakar, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Lai Soon Lee, PhD

Associate Professor
Faculty of Science
Universiti Putra Malaysia
(Member)

Azmi Bin Jaafar, PhD

Associate Professor
Faculty of Computer Science and Information Technology
Universiti Putra Malaysia
(Member)

BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- This thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- This thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of the thesis are fully-owned by Universiti Putra Malaysia, according to the Universiti Putra Malaysia (Research) Rules 2012;
- Written permission must be obtained from the supervisor and the office of the Deputy Vice-Chancellor (Research and Innovation) before the thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- There is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: _____

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of
Chairman
of
Supervisory
Committee: _____

Signature: _____
Name of
Member of
Supervisory
Committee: _____

Signature _____
Name of
Member of
Supervisory
Committee: _____

TABLE OF CONTENTS

| | Page |
|---|-------------|
| ABSTRACT | i |
| ABSTRAK | iii |
| ACKNOWLEDGEMENTS | v |
| APPROVAL | vi |
| DECLARATION | viii |
| LIST OF TABLES | xiii |
| LIST OF FIGURES | xiv |
| LIST OF ABBREVIATIONS | xv |
| | |
| CHAPTER | |
| | |
| 1 INTRODUCTION | 1 |
| 1.1 Data Envelopment Analysis | 1 |
| 1.2 The Concept of Efficiency | 2 |
| 1.3 Basic Features of DEA Models | 5 |
| 1.3.1 Radial and Non-Radial Approaches | 5 |
| 1.3.2 Orientation | 5 |
| 1.3.3 Returns-to-Scale | 5 |
| 1.3.4 Units and Translation Invariant Properties | 6 |
| 1.4 Problem Statements | 7 |
| 1.5 Motivation | 8 |
| 1.6 Aim and Objectives | 9 |
| 1.7 Scope and limitations | 10 |
| 1.8 Organization of Chapters | 10 |
| | |
| 2 LITERATURE REVIEW | 12 |
| 2.1 DEA Background | 12 |
| 2.2 DEA Methodology | 13 |
| 2.3 The Types of Efficiency in DEA | 14 |
| 2.3.1 Pareto-Koopmans Efficiency | 14 |
| 2.3.2 Technical Efficiency | 14 |
| 2.3.3 Aggregate Efficiency | 14 |
| 2.3.4 Scale Efficiency | 15 |
| 2.4 The Radial Models | 15 |
| 2.4.1 The CCR Model Using Definition of Relative Efficiency | 15 |
| 2.4.2 Production Possibility Set (PPS) | 18 |
| 2.4.3 Oriented DEA Models | 20 |
| 2.4.4 The Input Oriented CCR Model Using PPS | 21 |
| 2.4.5 Input Excesses and Output Shortfalls | 21 |
| 2.4.6 The CCR Model and Dual Problem | 23 |
| 2.4.7 The Output Oriented CCR Model Using PPS | 24 |
| 2.4.8 The BCC Model | 25 |
| 2.4.9 Returns to Scale Description | 28 |

| | | |
|----------|--|-----------|
| 2.4.10 | The Relationship Between the BCC and CCR | 29 |
| 2.5 | The Non-Radial Models | 31 |
| 2.5.1 | Additive Model (ADD) | 31 |
| 2.5.2 | Slack Based Measure (SBM) | 32 |
| 2.6 | The Hybrid DEA Models | 35 |
| 2.7 | The Resource Allocation Problems | 38 |
| 2.7.1 | The Invers DEA Models | 39 |
| 2.7.2 | The Centralized Resource Allocation in DEA | 40 |
| 3 | CENTRALIZED RESOURCE ALLOCATION FOR CONNECTING RADIAL AND NON-RADIAL MODELS | 45 |
| 3.1 | Introduction | 45 |
| 3.2 | Preparations | 45 |
| 3.2.1 | The CRA-BCCI and CRA-SBMI Models | 46 |
| 3.2.2 | The Connected-SBM Model | 49 |
| 3.3 | Centralized Resource Allocation Connected Models Extension | 50 |
| 3.4 | Extension | 56 |
| 3.5 | An Application | 61 |
| 3.6 | Conclusion | 64 |
| 4 | DIRECTIONAL HYBRID MEASURE OF EFFICIENCY IN DATA ENVELOPMENT ANALYSIS | 66 |
| 4.1 | Introduction | 66 |
| 4.2 | Preliminaries | 66 |
| 4.3 | The Directional Hybrid Measure (DHM) | 69 |
| 4.4 | DHM Properties | 74 |
| 4.4.1 | Monotonicity | 74 |
| 4.4.2 | Decomposition of Inefficiency | 75 |
| 4.4.3 | Computational Aspect | 76 |
| 4.4.4 | Completeness | 76 |
| 4.4.5 | Unit invariance | 76 |
| 4.4.6 | Extension (Oriented DHM models) | 77 |
| 4.4.7 | Integrating the DM's preference Knowledge | 77 |
| 4.5 | Comparisons of the Models with DHM | 78 |
| 4.6 | Empirical Evaluation | 80 |
| 4.6.1 | Data Recourse | 80 |
| 4.6.2 | Efficiency Analysis | 82 |
| 4.7 | Discussion and Concluding Remarks | 86 |
| 5 | CENTRALIZED RESOURCE ALLOCATION DIRECTIONAL HYBRID MODELS | 87 |
| 5.1 | Introduction | 87 |
| 5.2 | Preparation | 88 |
| 5.3 | Centralized Resource Allocation Directional Hybrid Models | 90 |
| 5.4 | Interpretation of the CRA-DHM Model | 95 |
| 5.4.1 | Decomposition of Group Inefficiency | 96 |
| 5.4.2 | Computational Aspect and Economic Interpretation | 96 |
| 5.4.3 | Completeness | 99 |

| | | |
|----------|--|------------|
| 5.4.4 | Unit invariance | 99 |
| 5.4.5 | Extension (Oriented CRA-DHM Models) | 100 |
| 5.4.6 | Comparisons of Models with CRA-DHM | 101 |
| 5.5 | A Numerical Example | 102 |
| 5.6 | Empirical Illustration | 104 |
| 5.7 | Concluding Remarks | 111 |
| 6 | DIRECTIONAL SLACK-BASED MEASURE FOR INVERSE DATA ENVELOPMENT ANALYSIS | 112 |
| 6.1 | Introduction | 112 |
| 6.2 | Preliminaries | 113 |
| 6.3 | The Inverse DSBM Model | 115 |
| 6.4 | The Solution Related to MONLP | 117 |
| 6.5 | Illustrative Example | 120 |
| 6.6 | Concluding Remarks | 123 |
| 7 | CONCLUSIONS | 125 |
| 7.1 | Conclusion | 125 |
| 7.2 | Future Research Directions | 127 |
| 7.3 | Contribution | 127 |
| | REFERENCES | 129 |
| | BIODATA OF STUDENT | 139 |
| | LIST OF PUBLICATIONS | 140 |

LIST OF TABLES

| Table | | Page |
|--------------|---|-------------|
| 1.1 | Single input and single output case. | 2 |
| 1.2 | Characteristics of Basic DEA Models | 6 |
| 3.1 | The Data Related to the Three DMUs | 53 |
| 3.2 | The Results Related to the Three DMUs | 53 |
| 3.3 | Data and Results of the Seven DMUs with One-Input and One-Output | 59 |
| 3.4 | Data Related to 14 Gas Companies | 62 |
| 3.5 | Benchmarks for Each Branch by Using the Proposed Model | 63 |
| 4.1 | Data Related to the Die Press Separation of the Motorcycle Parts Manufacturing Company | 81 |
| 4.2 | Descriptive Statistics for the 25 DMUs | 82 |
| 4.3 | Results of the Pearson Product-Moment Correlation Coefficient Analysis Related to the Inputs | 83 |
| 4.4 | Results of the Pearson Product-Moment Correlation Coefficient Analysis Related to the Outputs | 83 |
| 4.5 | Results Obtained from the Comparisons between the Models and DHM | 84 |
| 4.6 | Results Obtained from Decomposing the Inefficiency Using DHM | 85 |
| 5.1 | Data Related to the Seven DMUs | 103 |
| 5.2 | CRA-DHM Model Results Related to the Seven DMUs | 103 |
| 5.3 | CRA-DBCC Model Results Related to the Seven DMUs | 104 |
| 5.4 | CRA-DSBM Model Results Related to the Seven DMUs | 104 |
| 5.5 | Descriptive Statistics for the 14 DMUs | 105 |
| 5.6 | Results of Pearson Product-Moment Correlation Coefficient Analysis Related to the Outputs for the 14 DMUs | 105 |
| 5.7 | Results of Pearson Product-Moment Correlation Coefficient Analysis Related to Outputs for the 14 DMUs | 106 |
| 5.8 | Benchmarks Obtained for Inefficient DMUs Using DHM | 107 |
| 5.9 | Total Amounts of Inputs and Outputs Using the DHM Model | 107 |
| 5.10 | Benchmarks Obtained for Each DMU Using CRA-DHM | 108 |
| 5.11 | Decomposition of the group inefficiency scores using CRA-DHM | 108 |
| 5.12 | Benchmarks Obtained for Each DMU Using CRA-DBCC | 109 |
| 5.13 | The Obtained Benchmarks for Each DMU Using the CRA-DSBM | 109 |
| 5.14 | Group Efficiency Scores of the DMUs Using the Proposed Models | 111 |
| 6.1 | Data and Results Obtained for Model (6.2) with One-Input and One-Output | 120 |
| 6.2 | Data and Results Obtained of Model (6.2) with Two-Input and Two-Output. | 121 |
| 6.3 | Data and Results Obtained from Model (6.2) for the Die Press Separation of the Motorcycle Parts Manufacturing Company | 122 |

LIST OF FIGURES

| Figure | | Page |
|--------|---|------|
| 1.1 | Comparison of DMUs | 3 |
| 1.2 | Improvement of DMU D | 4 |
| 2.1 | Production Possibility Set of the CCR Model | 20 |
| 2.2 | Production Possibility Set of the BCC Model | 26 |
| 2.3 | Comparisons of DMUs | 26 |
| 2.4 | The Relationship between the BCC and CCR Models | 30 |
| 2.5 | The Additive Model | 32 |
| 3.1 | Feasible Region Bounded by L and U | 54 |
| 3.2 | CRA-BCCI and CRA-SBMI Projections on to the Frontier Line | 55 |
| 3.3 | The CRA-BCCI Projections on to the Frontier Line | 59 |
| 3.4 | The CRA-SBMI Projections on to the Frontier Line | 60 |
| 3.5 | The CRA-CSBM Projections on to the Frontier Line | 60 |

LIST OF ABBREVIATIONS

| | |
|-------------|---------------------------------------|
| Min and min | Minimum |
| Max and max | Maximum |
| MPSS | Most productive scale size |
| LP | Linear programming |
| DMUs | Decision making units |
| DM | Decision maker |
| MOLP | Multiple objective linear programming |
| DEA | Data envelopment analysis |
| CRA | Centralized resource allocation |
| PPS | Production possibility set |
| CRS | Constant returns to scale |
| VRS | Variable Returns to scale |
| IRS | Increasing returns to scale |
| DRS | Decreasing returns to scale |
| GRS | General returns to scale |
| SE | Scale efficiency |
| I-Oriented | Input oriented |
| O-Oriented | output oriented |
| N-Oriented | Non-oriented |

© COPYRIGHT UPM



CHAPTER 1

INTRODUCTION

The aim of this chapter is to establish an overview of the research. Background information of relevant notions, scope and contributions of the research are discussed. A brief overview on each chapter of the thesis is also presented.

1.1 Data Envelopment Analysis

In today's highly competitive business environment, organizations must strive for efficiency to ensure its survival and growth. Thus, it is necessary for organizations to carefully plan their pursuit for efficiency in order to remain competitive and successful. However, to do so requires the use of accurate measurement and evaluation tools. Although considering different perspectives is sufficient in many instances, a more precise method must be applied when accurate measurements are needed to meet the complexity of today's systems. The past thirty years have seen increasingly rapid advances in the field of data envelopment analysis (DEA) for evaluating the performance of decision making units (DMUs).

DMU is a generic and flexible concept that is widely practiced by a set of peer entities ranging from non-profit making agencies and government sectors to financial and educational institutions. The broad definition of DMU has led to its applications for various purposes from the evaluation of banks to the assessment of a university's performance.

The initial DEA model, as originally presented in Charnes, Cooper, & Rhodes (1978) (CCR), was built on the earlier work of Farrell (1957). Farrell proposed an activity analysis approach to correct what he believed were deficiencies in the commonly used index number approaches to productivity (and the like) measurements. His main concern was to generate an overall measure of efficiency which reflects the measurements of multiple inputs and outputs.

Charnes et al. (1978) described DEA as a "mathematical programming model applied to observational data that provides a new way of obtaining empirical estimates of relationships – such as the production functions and/or efficient production possibility surfaces that are the cornerstones of modern economics" (Cooper et al., 2011).

In fact, DEA is a 'data oriented' approach for evaluating the performance of a set of peer entities which provides a single efficiency score while simultaneously considering multiple inputs and multiple outputs. Because it requires few assumptions, DEA has opened up possibilities for use in cases which have been resistant to other approaches

because of the complex (often unknown) nature of the relationships between the multiple inputs and multiple outputs involved in the operation of the DMUs (Cooper et al., 2007).

Researchers in a number of fields have recognized that DEA is an excellent methodology for modelling operational processes, and its empirical orientation and minimization of a priori assumptions have resulted in its use in a number of studies involving efficient frontier estimations. DEA encompasses a variety of applications in evaluating the performances of different kinds of entities such as hospitals, universities, cities, courts, business firms and banks among others. Emrouznejad et al. (2008) examined a compilation that covers the first 30 years of published research since Charnes et al. (1978) initially proposed the DEA method. Over 4,000 research documents including journal articles, book chapters, and documents published through conference proceedings are included in this bibliography. Such rapid growth and widespread (and almost immediate) acceptance of the methodology of DEA is a testimony to its strengths and applicability.

1.2 The Concept of Efficiency

A clear understanding of what is meant by efficiency is necessary before any measurements and comparisons are performed. Askin and Standridge (1993) define efficiency as ‘doing a task right’. To go a step further, a system is efficient when it transforms input resources into output with minimal waste, i.e., it seeks to achieve ‘more for less’ (Sink et al., 1989). Historically, efficiency can be measured by taking the ratio of output produced to input utilised as shown by the following expression:

$$\frac{\text{Output}}{\text{Input}} \quad (1.1)$$

The higher this ratio is, the more efficient the processes are as more output is being produced with less input. To better understand the concept of efficiency, the simplest case of the above formula is shown below in Table 1.1.

Table 1.1 Single Input and Single Output Case

| DMU | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> | <i>E</i> | <i>F</i> | <i>G</i> | <i>H</i> |
|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Inputs (<i>x</i>) | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 8 |
| Outputs (<i>y</i>) | 1 | 3 | 4 | 2 | 5 | 4 | 5 | 7 |
| $\frac{x}{y}$ | 0.5 | 0.75 | 1 | 0.4 | 0.83 | 0.57 | 0.71 | 0.87 |

Primarily, assume there are 8 DMUs which are labeled as *A* to *H* at the first row in Table 1.1. Each makes use of one input (*x*) for producing one output (*y*) as indicated in each column. Also, the last row of Table 1.1 indicates the efficiency for each DMU by

expression (1.1). Based on the results obtained from this measure, D can be considered as the least efficient DMU while C as the most efficient.

These data are also illustrated in Figure 1.1 by plotting ‘value of outputs’ on the vertical axis and ‘value of inputs’ on the horizontal axis. The slope of the line connecting each point to the origin corresponds to expression (1.1). The line with the highest slope is called the ‘efficient frontier’. The efficient frontier is achieved when a point makes a connection or touches the straight line that cuts through the chart from the origin as illustrated by point C in Figure 1.1. As can be seen from Figure 1.1, all other points lie below this line. This frontier is said to literally ‘envelops’ all DMUs. In fact, the term DEA originates from this property because in mathematical parlance, such a frontier is said to ‘envelop’ these points.




Figure 1.1. Comparison of DMUs

In this example, the challenge is to move the inefficient DMUs up into the efficient frontier, or in other words, on how to make the inefficient DMUs, efficient. For instance, DMU D, seen as an inefficient DMU in Figure 1.2 can be improved through several ways. One possible way is by decreasing the input to D1 (2, 2) on the efficient frontier. The other way to attain this is by increasing the output to D2 (5, 5). Note that D1 and D2 are considered as an input target and output target for DMU D, respectively. Any point between the two points, D1 and D2, suggests an opportunity to influence the result in a way whereby the output is not reduced and the input is not raised while creating the efficient DMU. A detailed information is further explained in Cooper et al. (2000).




Figure 1.2. Improvement of DMU D

In general, there are two types of efficiency, relative and absolute efficiency, which have different properties. Let n be the numbers of similar DMUs; Y_o ($o \in \{1, \dots, n\}$) be the amount of output produced by an input unit and Y^* be the amount of output produced by an input unit based on the ideal standard. Then, the absolute efficiency for the o -th DMU is evaluated as follows: $\frac{Y_o}{Y^*}$. To clarify this efficiency, suppose that the marks obtained by three students in a special course are 15, 10 and 5 out of 20 (note that 20 is accounted for an ideal standard). Then, the absolute efficiency for them will be $\frac{15}{20}$, $\frac{10}{20}$, and $\frac{5}{20}$, respectively. This makes evaluating DMUs hard because it is not easy for DMs to specify the total and ideal standard for each DMU. The relative efficiency is comparable to the absolute efficiency; however, the former outperforms the latter in evaluating the efficiency of DMUs.

Now, if assume that the j -th ($j \in \{1, \dots, n\}$) DMUs consumes inputs X_j to generate outputs Y_j , then the relative efficiency for the o -th DMU can be defined as following formulations, which presents the evaluated DMU in the best light in comparison to the other DMUs:

$$RE_o = \frac{Y_o / X_o}{\max \{Y_j / X_j : j = 1, \dots, n\}}$$

For instance, the relative efficiency of B in Table 1.1 is as:

$$RE_B = \frac{3/4}{\max \{1/2, 3/4, 4/4, 2/5, 5/6, 4/7, 5/7, 7/8\}} = \frac{3/4}{1} = 0.75.$$

1.3 Basic Features of DEA Models

Literature shows the availability of numerous DEA models to estimate efficiency scores. However, in general, these models differ broadly in four aspects with regards to their: (i) approach in measuring technical efficiency, (ii) orientations in efficiency analysis, (iii) assumptions on production frontiers, and (iv) ability to handle different data types.

1.3.1 Radial and Non-Radial Approaches

In terms of measuring efficiency, DEA models take either a radial approach or a non-radial approach. In the radial approach, inputs and outputs are assumed to change proportionally (e.g., the CCR model: Charnes et al. (1978)). This approach is therefore prone to neglect non-radial input and output slacks. Because it does not detect input excesses and output shortfalls, radial models can only classify each DMU as weakly-efficient or inefficient. In contrast, non-radial DEA models directly deal with input excesses and output shortfalls, and thus, are capable of distinguishing efficient DMUs from inefficient ones (e.g., the SBM model: Tone (2001)).

1.3.2 Orientation

DEA models can be classified as output-oriented, input-oriented or base-oriented. While output-oriented DEA models (e.g., the BCC-O model: Banker et al. (1984)) focus on output augmentation to achieve efficiency (outputs are controllable), input-oriented DEA models (e.g., the BCC-I model: Banker et al., (1984)) aim to minimise the amount of inputs required for producing a certain amount of outputs (inputs are controllable). Non-oriented DEA models (e.g., the ADD model: Charnes et al. (1985)), on the other hand, are concerned with determining the optimal mix of inputs and outputs (both inputs and outputs are controllable).

1.3.3 Returns to Scale

The other basis for variation among DEA models is returns to scale, which (in economics) describes what happens when the scale of production increases over the long run when all input levels are variables (chosen by the organization). There are two basic types of returns to scale: constant returns to scale (CRS) and variable returns to scale (VRS). Models that assume CRS production technology (e.g., the CCR model: Charnes et al. (1978)) presume that the size of a DMU does not affect its efficiency. More precisely, a DMU operates under CRS technology if an increase in its inputs results in a proportionate increase in its outputs. If it is suspected that an increase in inputs does not result in a proportional change in outputs, models that assume VRS production technology (e.g., the BCC model: Banker et al. (1984)) should be considered. In terms of linear programming, the production possibility set for a VRS model is spanned by the convex hull of input and output variables. The VRS specification, in general, is a safer option if the DEA model does not include all the variables deemed to be relevant in the analysis (Galagedera and Silvapulle, 2003).

1.3.4 Units and Translation Invariant Properties

Two important properties in DEA models are the units invariant property and the translation invariant property. A DEA model is considered units invariant (e.g., the Hybrid model: Tone (2004)) if it yields an efficiency score that is independent of the measurement units of the inputs and outputs. The translation invariant property (e.g., the ADD model: Charnes et al. (1985)) allows a DEA model to handle negative data (Pastor and Ruiz, 2007). Formally, a DEA model is said to be translation invariant if translating the original input and/or output data yields a new problem with the same optimal solution as the old one. Being a VRS model is a key condition for having this property. Therefore, when dealing with negative data in DEA, an implicit assumption is that the production technology satisfies VRS. Not all VRS models, however, have the translation invariant property, and a good example of this is the basic additive model introduced in the next chapter.

In Table 1.2, these four aspects are briefly illustrated for basic DEA models. This information reveals that, generally, different models achieve different projected points for inefficient DMUs and hence a different level of efficiency measurement (Ali, 1994).

Table 1.2. Characteristics of Basic DEA Models

| Model | CCR | BCC | ADD | SBM | Hybrid |
|----------------------------------|--------------------------|-------------------------------------|------------|--|--|
| Radial or Non-Radial | Radial | Radial | Non-Radial | Non-Radial | Radial and Non-Radial |
| Orientation* | I-Oriented O-Oriented | I-Oriented O-Oriented | N-Oriented | N-Oriented I-Oriented O-Oriented | N-Oriented I-Oriented O-Oriented |
| Returns to Scale | CRS | VRS | VRS | CRS VRS | CRS VRS |
| Units Invariant | Yes | Yes | No | Yes | Yes |
| Translation Invariant (X) | No | No (I-Oriented) Yes (O-Oriented) | Yes | No | No |
| Translation Invariant (Y) | No | Yes (I-Oriented) No (O-Oriented) | Yes | No | No |

*: The symbols I-Oriented, O-Oriented, and N-Oriented indicate the input-oriented, output-oriented and non-oriented, respectively.

1.4 Problem Statements

As mentioned above (1.1.2.1), DEA models can be categorized into two basic approaches: radial approach and non-radial approach. Preliminary work on the radial approaches was undertaken by Debreu (1951) and Farrell (1957). Radial approaches (e.g., the CCR and BCC models) are the most common and efficient approaches to deal with proportional improvement in inputs and outputs data. To date, numerous desirable features have been identified in radial approaches. For instance, they can generally obtain the relative development in inputs and outputs. Moreover, they have the potential to estimate the efficiency based on the attainable data, or they can provide an obvious economic explanation without considering the cost. However, these models suffer from the following drawbacks:

- They assess the efficiency based on the existing data without considering the precedence knowledge of the decision-maker's (DM's).
- Due to the proportional improvement in these models, they cannot be used in cases where inputs involve labours, materials and capital.
- DM does not have the flexibility to select a reference unit for an inefficient unit.
- They are unable to achieve an efficient target in DEA.

On the other hand, the non-radial approaches were the central focus of studies by Koopmans (1951) and Russell (1985) in which inputs and outputs data improve non-proportionally. Yet, numerous studies have attempted to explain the non-radial approaches. For example, Tone (2002) employed a new and suitable synthetic procedure to obtain a non-radial approaches which was termed the 'slacks-based measure' (SBM) in which both the input and output slacks could be maximized. These models have a number of attractive features, e.g., they put aside the supposition of proportional reduction in the inputs and target at earning maximum amounts of contraction in inputs which might abandon the changing rates of the original input resources. Nevertheless, in spite of the safety and efficacy of the non-radial approaches, they suffer from several major drawbacks listed below:

- When evaluating changes in the efficiency during the time, the non-zero pattern of the slacks at time period t can meaningfully differ from that of the time period $t+1$. Therefore, it cannot be ascertained whether the pattern is rational or not.
- When the primary proportionality is missing, it would be unsuitable for investigation.
- In models such as the SBM model, the optimum slacks would exhibit an acute conflict in catching the positive and zero amounts.

Meanwhile, recent developments in the field of DEA have led to resource allocation problems. The process of allotting the restricted resources to different units of an organization for the purpose of fulfilling the overall goals is referred to as resource allocation. Hence, resource allocation is considered to be of great significance for the development of an organization. Due to this, resource allocation has turned into a new subject despite being a classical practice in management science. Resource allocation problems in DEA model can be categorized into centralized resource allocation (CRA) DEA and inverse DEA models.

In a large longitudinal study by Lozano and Villa (2004), CRA-DEA models were proposed. For each unit, targets are set separately using the conventional DEA models; whereas, based on CRA-DEA models, a centralized DM is in charge of all the operating DMUs. In such situation, the DMs are interested in maximizing the efficiency of the particular units while at the same time, the aggregate output production is increased, or the aggregate input consumption is decreased. The existing CRA-DEA models are used only for radial or non-radial approaches; therefore, they share the same weaknesses listed for radial or non-radial approaches described earlier.

Although it was previously posited that the non-radial approaches are beneficial in evaluating the targets of units, the validation of these approaches can only be done once the radial inputs and outputs have been proposed after considering the radial or non-radial problems. Since variance exists in the characterizations of the inputs or outputs objects (radial and non-radial inputs and outputs), the radial inputs have to be decreased proportionately when it is intended to obtain all-outputs, and the counterpart inputs need to be reduced non-proportionally.

Moreover, the inverse DEA was initially proposed by Wei et al. (2000) with the aim of addressing this question: if given inputs (outputs) of a certain unit are elevated amid a set of DMUs, how much rise should be given to the outputs (inputs) of that same unit while the DMU is maintained? One of the problems with the instrument used to examine inverse data in the studies was that the efficiency scores of DMUs remain constant when there are changes in the output (input) amounts of an efficient unit. So far, this problem has been discarded by the preceding studies although there have been various methods on the inverse DEA model.

Eliminating the weaknesses of these approaches can lead to a more efficient approach for yielding accurate targets. This thesis intends to develop new DEA models to address some of the shortcomings of the existing models and methods. These new DEA models are expected to outperform the existing DEA models in solving problems such as in determining relative efficiency and resource allocation problems.

1.5 Motivation

Applying the radial and non-radial approaches for CRA methods in DEA clearly can be important when these two approaches are mixed in the problem. Based on the literature review in chapter 2, no research has considered radial and non-radial approaches in a unified framework for CRA methods. Thus, the first research motivation being considered by this research study is how the connecting radial and non-radial approaches can be measured to suit the requirements of the user, and how they can be addressed to open a way for a more comprehensive and accurate benchmarks of estimation to be used.

Many published works address the problem of Wei et al. (2000) for invers DEA in resource allocation problems. Several ideas have been proposed and have had a

significant impact on this problem. However, previous studies merely considered that the efficiency scores of DMUs remain constant when there are changes in the output (input) amounts of an efficient DMU. Thus, the second research motivation being considered by this research study is how the efficiency scores of DMUs can be improved when there are changes in the output (input) amounts of an efficient DMU.

1.6 Aim and Objectives

This thesis studies the target models and methods in data envelopment analysis. It highlights several drawbacks of the existing models and proposes recommendations to rectify the methods for determining efficiency and resource allocation problems via new approaches. The primary objective of this thesis is to investigate centralized resource allocation problems by linking radial and non-radial approaches in the conventional DEA models and exploring the relationship these two approaches in two proposed models.

The second purpose of this research is to develop traditional DEA models for examining the relative efficiency of DMUs and centralized resource allocation by connecting the framework for radial and non-radial approaches. These models explain the differences in theoretical concepts in relative efficiency and targets among relevant DEA models. Finally, the current research attempts to present a novel inverse DEA model of efficiency measurement and its efficiency level in comparison with the other DMUs. Indeed, the proposed inverse model is an aspect of the resource allocation problems which improve the efficiency scores of some units when there are changes in the output (input) amount of an efficient unit.

The specific objectives of this thesis are as follows:

1. To define the centralized resource allocation in DEA for connecting the two basic radial and non-radial models in an integrated structure with the intention of controlling the proportionality of slacks.

This is achieved by converting connected-SBM model, proposed by Avkiran et al. (2008), to a novel CRA-DEA model in chapter 3.

2. To delineate the new model which solves the problem of traditional radial and non-radial DEA models by developing a traditional DEA model for measuring relative efficiency.

This is done by first specifying the directional distance function within the full input-output space and then defining a formal and unambiguous concept of relative efficiency with the existence of both radial and non-radial inputs and outputs in chapter 4.

3. To determine a new and generalised DEA model for centralized resource allocation with the aim of attaining more pragmatic results via the suggested method which has been introduced in chapter 4.

This is accomplished by converting proposed model in chapter 4, to a new CRA-DEA model in chapter 5.

4. To identify the new and efficient inverse DEA model which improves the efficiency score for some DMUs.

This is attained by introducing a new inverse DEA model in chapter 6 while lending its basis to the efficiency directional SBM which is a special case of the proposed model in chapter 4.

1.7 Scope and Limitations

This study focuses on the relation between radial and non-radial approaches in DEA, so it will exclude other aspects of DEA. Many studies in resource allocation problems focus mainly on radial or non-radial approaches with regards to the applications of DEA in projecting DMUs onto the efficient frontier; however, this thesis aims to utilize new measures in dealing with resource allocation problems. It explains the connecting framework for radial and non-radial approaches in DEA models that are completed by converting the suggested model to a linear programming problem. Also, inverse DEA models are another subcategory of resource allocation problems where the current study will clarify an inverse DEA model with regards to its advantages over the previous models. Furthermore, due to availability constraints for real data in Malaysia, the data presented in previous investigations were employed in the present study.

1.8 Organization of Chapters

The thesis is organized into seven chapters, including this introductory chapter. Chapter 2 provides an overview of the most pertinent works related to this research. This chapter presents the historical origins of DEA and examines various theoretical concepts and relevant DEA models.

Chapter 3 examines an alternative approach to the CRA-DEA models that all the units are under the control of an entity of the centralized DM. The proposed approach is a technique for connecting the two basic radial CRA-BCC and non-radial CRA-SBM models in an integrated structure called the 'connected CRA-SBM'. In this model, exchanging the amount of the two parameters allows the analysis between the CRA-BCC and the CRA-SBM models to be made which deals with the weaknesses inherent in such models. Numerical examples emphasise the significance of the method presented.

Chapter 4 presents a hybrid measure of the DEA method for defining the efficiency score with the existence of both radial and non-radial inputs and outputs based on the directional distance function. It is called a directional hybrid measure (DHM). The empirical examples emphasize the consequence of the proposed measure.

Chapter 5 aims to provide a new CRA model by utilizing the proposed DHM model discussed in Chapter 4. It exhibits a connecting framework for radial and non-radial approaches in CRA-DEA models. The numerical examples demonstrate the applicability and efficacy of the proposed method.

Chapter 6 introduces a novel technique which lends its basis to the directional slack-based measure for the inverse DEA models. In practice, it endeavors to explain the inverse directional slack-based measure model within a new production possibility set. On one occasion, there is a modification imposed on the output (input) quantities of an efficient decision making unit. In detail, the efficient decision making unit in this method was omitted from the present production possibility set but substituted by the considered efficient DMU while its input and output quantities were subsequently modified. The significance of the represented model is accentuated through the numerical and empirical examples presented.

Chapter 7 summarises the previous chapters. It also explains the proposed method / approach which is the extension of the work explained. A general conclusion and convolution of the dissertation and some directions for future research are also presented.

REFERENCES

- Ahn, T., Arnold, V., Charnes, A., and Cooper, W. W. (1989). DEA and ratio efficiency analyses for public institutions of higher learning in Texas. *Research in Governmental and Nonprofit Accounting*, 5(2), 165–185.
- Ahuja, R. K., and Orlin, J. B. (2001). Inverse optimization. *Operations Research*, 49(5), 771–783.
- Ali, A. I. (1994). *Computational aspects of DEA*. Springer.
- Ali, A. I., and Seiford, L. M. (1993). The mathematical programming approach to efficiency analysis. *The Measurement of Productive Efficiency*, 120–159.
- Alinezhad, A., Makui, A., Mavi, R. K., and Kiani Mavi, R. (2007). An inverse DEA model for inputs/outputs estimation with respect to decision maker's preferences: The case of Refah bank of IRAN. *J Math Sci*, 1(1-2), 61–70.
- Amirteimoori, A., Despotis, D. K., and Kordrostami, S. (2012). Variables reduction in data envelopment analysis. *Optimization*, (ahead-of-print), 1–11.
- Amirteimoori, A., and Emrouznejad, A. (2011). Input/output deterioration in production processes. *Expert Systems with Applications*, 38(5), 5822–5825.
- Amirteimoori, A., and Kordrostami, S. (2005). Allocating fixed costs and target setting: a DEA-based approach. *Applied Mathematics and Computation*, 171(1), 136–151.
- Amirteimoori, A., and Shafiei, M. (2006). Characterizing an equitable omission of shared resources: a DEA-based approach. *Applied Mathematics and Computation*, 177(1), 18–23.
- Amirteimoori, A., and Tabar, M. M. (2010). Resource allocation and target setting in data envelopment analysis. *Expert Systems with Applications*, 37(4), 3036–3039.
- Askin, R. G., and Standridge, C. R. (1993). *Modeling and analysis of manufacturing systems* (Vol. 29). Wiley New York.
- Asmild, M., Paradi, J. C., and Pastor, J. T. (2009). Centralized resource allocation BCC models. *Omega*, 37(1), 40–49.
- Athanassopoulos, A. D. (1995). Goal programming and data envelopment analysis (GoDEA) for target-based multi-level planning: Allocating central grants to the Greek local authorities. *European Journal of Operational Research*, 87(3), 535–550.

- Athanassopoulos, A. D. (1998). Decision support for target-based resource allocation of public services in multiunit and multilevel systems. *Management Science*, 44(2), 173–187.
- Avkiran, N. K., Tone, K., and Tsutsui, M. (2008). Bridging radial and non-radial measures of efficiency in DEA. *Annals of Operations Research*, 164(1), 127–138.
- Banker, R. D., Charnes, A., Cooper, W. W., Swarts, J., and Thomas, D. (1988-1989). *An Introduction to Data Envelopment Analysis With Some Ollts Models and Their Uses*.
- Banker, R. D., Charnes, A., and Cooper, W. W. (1984). Some models for estimating technical and scale inefficiencies in data envelopment analysis. *Management Science*, 30(9), 1078–1092.
- Banker, R. D., Charnes, A., Cooper, W. W., Swarts, J., and Thomas, D. A. (1989). An introduction to data envelopment analysis with some of its models and their uses. *Research in Governmental and Nonprofit Accounting*, 5, 125–163.
- Beasley, J. . (2003). Allocating fixed costs and resources via data envelopment analysis. *European Journal of Operational Research*, 147(1), 198–216.
- Berger, A. N., and DeYoung, R. (1997). Problem loans and cost efficiency in commercial banks. *Journal of Banking & Finance*, 21(6), 849–870.
- Bogetoft, P. (1993). Parallelism in information production: Moral hazard and relative performance evaluations. *Management Science*, 39(4), 448–457.
- Bogetoft, P. (1994). Incentive efficient production frontiers: an agency perspective on DEA. *Management Science*, 40(8), 959–968.
- Bogetoft, P. (2000). DEA and activity planning under asymmetric information. *Journal of Productivity Analysis*, 13(1), 7–48.
- Boussofiane, A., Dyson, R. G., and Thanassoulis, E. (1991). Applied data envelopment analysis. *European Journal of Operational Research*, 52(1), 1–15.
- Chambers, R. G., Chung, Y., and Färe, R. (1996). Benefit and distance functions. *Journal of Economic Theory*, 70(2), 407–419.
- Chambers, R. G., Chung, Y., and Färe, R. (1998). Profit, directional distance functions, and Nerlovian efficiency. *Journal of Optimization Theory and Applications*, 98(2), 351–364.

- Chang, S.-M., Wang, J.-S., Yu, M.-M., Shang, K.-C., Lin, S.-H., and Hsiao, B. (2015). An application of centralized data envelopment analysis in resource allocation in container terminal operations. *Maritime Policy and Management*, (ahead-of-print), 1–13.
- Charnes, A., and Cooper, W. W. (1962). Programming with linear fractional functionals. *Naval Research Logistics Quarterly*, 9(3-4), 181–186.
- Charnes, A., Cooper, W. W., Golany, B., Seiford, L., and Stutz, J. (1985). Foundations of data envelopment analysis for Pareto-Koopmans efficient empirical production functions. *Journal of Econometrics*, 30(1), 91–107.
- Charnes, A., Cooper, W. W., and Rhodes, E. (1978). Measuring the efficiency of decision making units. *European Journal of Operational Research*, 2(6), 429–444.
- Charnes, A., Cooper, W. W., Rousseau, J., and Semple, J. (1987). *Data Envelopment Analysis and Axiomatic Notions of Efficiency and Reference Sets*. DTIC Document.
- Cherchye, L., and Van Puyenbroeck, T. (2001). Product mixes as objects of choice in non-parametric efficiency measurement. *European Journal of Operational Research*, 132(2), 287–295.
- Cook, W. D., and Kress, M. (1999). Characterizing an equitable allocation of shared costs: A DEA approach. *European Journal of Operational Research*, 119(3), 652–661.
- Cook, W. D., and Zhu, J. (2003). Output deterioration with input reduction in data envelopment analysis. *IIE Transactions*, 35(3), 309–320.
- Cook, W. D., and Zhu, J. (2005). Allocation of shared costs among decision making units: a DEA approach. *Computers & Operations Research*, 32(8), 2171–2178.
- Cooper, W. W., Park, K. S., and Ciurana, J. T. P. (2000). Marginal rates and elasticities of substitution with additive models in DEA. *Journal of Productivity Analysis*, 13(2), 105–123.
- Cooper, W. W., Park, K. S., and Yu, G. (1999). IDEA and AR-IDEA: Models for dealing with imprecise data in DEA. *Management Science*, 45(4), 597–607.
- Cooper, W. W., Seiford, L. M., Thanassoulis, E., and Zanakis, S. H. (2004). DEA and its uses in different countries. *European Journal of Operational Research*, 154(2), 337–344.

- Cooper, W. W., Seiford, L. M., and Tone, K. (2007). *Data envelopment analysis: a comprehensive text with models, applications, references and DEA-solver software*. Springer.
- Cooper, W. W., Seiford, L. M., and Zhu, J. (2011). Data envelopment analysis: History, models, and interpretations. In *Handbook on data envelopment analysis* (pp. 1–39). Springer.
- Debreu, G. (1951). The coefficient of resource utilization. *Econometrica: Journal of the Econometric Society*, 273–292.
- Du, J., Cook, W. D., Liang, L., and Zhu, J. (2014). Fixed cost and resource allocation based on DEA cross-efficiency. *European Journal of Operational Research*, 235(1), 206–214.
- El-Mahgary, S. (1995). Data envelopment analysis. *OR Insight*, 8(4), 15–22.
- Emrouznejad, A., Parker, B. R., and Tavares, G. (2008). Evaluation of research in efficiency and productivity: A survey and analysis of the first 30 years of scholarly literature in DEA. *Socio-Economic Planning Sciences*, 42(3), 151–157.
- Fang, L. (2013). A generalized DEA model for centralized resource allocation. *European Journal of Operational Research*, 228(2), 405–412.
- Fang, L., and Li, H. (2015). Centralized resource allocation based on the cost–revenue analysis. *Computers & Industrial Engineering*, 85, 395–401.
- Fang, L., and Zhang, C. Q. (2007). Resource allocation based on the DEA model. *Journal of the Operational Research Society*, 59(8), 1136–1141.
- Färe, R., and Grosskopf, S. (1985). A nonparametric cost approach to scale efficiency. *The Scandinavian Journal of Economics*, 594–604.
- Färe, R., and Grosskopf, S. (1995). Nonparametric tests of regularity, Farrell efficiency, and goodness-of-fit. *Journal of Econometrics*, 69(2), 415–425.
- Färe, R., Grosskopf, S., and Logan, J. (1983). The relative efficiency of Illinois electric utilities. *Resources and Energy*, 5(4), 349–367.
- Färe, R., Grosskopf, S., and Lovell, C. A. K. (1994). *Production frontiers*. Cambridge University Press.
- Färe, R., and Knox Lovell, C. A. (1978). Measuring the technical efficiency of production. *Journal of Economic Theory*, 19(1), 150–162.

- Farrell, M. J. (1957). The measurement of productive efficiency. *Journal of the Royal Statistical Society. Series A (General)*, 120(3), 253–290.
- Farrell, M. J., and Fieldhouse, M. (1962). Estimating efficient production functions under increasing returns to scale. *Journal of the Royal Statistical Society. Series A (General)*, 252–267.
- Førsund, F. R., and Sarafoglou, N. (2002). On the origins of data envelopment analysis. *Journal of Productivity Analysis*, 17(1-2), 23–40.
- Galagedera, D. U. A., and Silvapulle, P. (2003). Experimental evidence on robustness of data envelopment analysis. *Journal of the Operational Research Society*, 54(6), 654–660.
- Gattoufi, S., Amin, G. R., and Emrouznejad, A. (2014). A new inverse DEA method for merging banks. *IMA Journal of Management Mathematics*, 25(1), 73–87.
- Ghiyasi, M. (2015). On inverse DEA model: The case of variable returns to scale. *Computers & Industrial Engineering*.
- Golany, B. (1988). An interactive MOLP procedure for the extension of DEA to effectiveness analysis. *Journal of the Operational Research Society*, 725–734.
- Golany, B., Phillips, F. Y., and Rousseau, J. J. (1993). Models for improved effectiveness based on DEA efficiency results. *IIE Transactions*, 25(6), 2–10.
- Golany, B., and Tamir, E. (1995). Evaluating efficiency-effectiveness-equality trade-offs: a data envelopment analysis approach. *Management Science*, 41(7), 1172–1184.
- Grabowski, R., Grosskopf, S., Kraft, S., and Fare, R. (1997). Efficiency of a fixed but allocatable input : A non-parametric approach, 56, 187–193.
- Hadi-Vencheh, A., Foroughi, A. A., and Soleimani-damaneh, M. (2008). A DEA model for resource allocation. *Economic Modelling*, 25(5), 983–993.
- Hadi-Vencheh, A., Hatami-Marbini, A., Ghelej Beigi, Z., and Gholami, K. (2014). An inverse optimization model for imprecise data envelopment analysis. *Optimization*, (ahead-of-print), 1–14.
- Hatami-Marbini, A., Tavana, M., Agrell, P. J., Hosseinzadeh Lotfi, F., and Beigi, Z. G. (2015). A common-weights DEA model for centralized resource reduction and target setting. *Computers & Industrial Engineering*, 79, 195–203.

- Hosseinzadeh Lotfi, F., Nematollahi, N., Behzadi, M. H., Mirbolouki, M., and Moghaddas, Z. (2012). Centralized resource allocation with stochastic data. *Journal of Computational and Applied Mathematics*, 236(7), 1783–1788.
- Hosseinzadeh Lotfi, F., Noora, a. a., Jahanshahloo, G. R., Gerami, J., and Mozaffari, M. R. (2010). Centralized resource allocation for enhanced Russell models. *Journal of Computational and Applied Mathematics*, 235(1), 1–10.
- Ito, R., Namatame, T., and Yamaguc, T. (1999). Resource allocation problem based on the DEA model [in Japanese]. *Journal of the Operations Research Society of Japan*, 42(2), 149–166.
- Jahanshahloo, G. R. G. R., Hosseinzadeh Lotfi, F., Shoja, N., Tohidi, G., and Razavyan, S. (2005). Sensitivity of efficiency classifications in the inverse DEA models. *Applied Mathematics and Computation*, 169(2), 905–916.
- Jahanshahloo, G. R., Hosseinzadeh Lotfi, F., Rostamy-Malkhalifeh, M., and Ghobadi, S. (2014). Using Enhanced Russell Model to Solve Inverse Data Envelopment Analysis Problems. *The Scientific World Journal*, 2014.
- Jahanshahloo, G. R., Hosseinzadeh Lotfi, F., Shoja, N., Tohidi, G., and Razavyan, S. (2004). The outputs estimation of a DMU according to improvement of its efficiency. *Applied Mathematics and Computation*, 147(2), 409–413.
- Jahanshahloo, G. R., Hosseinzadeh Lotfi, F., Sanei, M., and Jelodar, M. F. (2008). Review of ranking models in data envelopment analysis. *Applied Mathematical Sciences*, 2(29), 1431–1448.
- Jahanshahloo, G. R., Hosseinzadeh Lotfi, F., Shoja, N., Tohidi, G., and Razavyan, S. (2004). Input estimation and identification of extra inputs in inverse DEA models. *Applied Mathematics and Computation*, 156(2), 427–437.
- Jahanshahloo, G. R., Soleimani-damaneh, M., and Ghobadi, S. (2015). Inverse DEA under inter-temporal dependence using multiple-objective programming. *European Journal of Operational Research*, 240(2), 447–456.
- Kaleibar, M. M., Ashrafi, A. L. I., and Daneshvar, S. (2014). Modified Centralized Resource Allocation Model With Variable Return To Scale For Fuzzy Data. *Recent Developments In Data Envelopment Analysis And Its Applications*, 292.
- Kao, C. (2009). Efficiency decomposition in network data envelopment analysis: A relational model. *European Journal of Operational Research*, 192(3), 949–962.
- Koopmans, T. C. (1951). Analysis of production as an efficient combination of activities. *Activity Analysis of Production and Allocation*, 13, 33–37.

- Kumar, C. K., and Sinha, B. K. (1999). Efficiency based production planning and control models, *117*, 450–469.
- Lertworasirikul, S., Charnsethikul, P., and Fang, S.-C. (2011). Inverse data envelopment analysis model to preserve relative efficiency values: The case of variable returns to scale. *Computers and Industrial Engineering*, *61*(4), 1017–1023.
- Lertworasirikul, S., and Fang, S. C. (2013). Reallocation of Resources to Preserve Relative Efficiencies: Inverse CCR Model. In *The 19th International Conference on Industrial Engineering and Engineering Management* (pp. 497–508). Springer.
- Li, X., and Cui, J. (2013). Inverse dea model with considering returns to scale and elasticity.
- Liu, J. S., Lu, L. Y. Y., Lu, W.-M., and Lin, B. J. Y. (2013). Data envelopment analysis 1978–2010: A citation-based literature survey. *Omega*, *41*(1), 3–15.
- Lozano, S. (2014). Nonradial Approach To Allocating Fixed-Costs And Common Revenue Using Centralized DEA. *International Journal of Information Technology and Decision Making*, *13*(01), 29–46.
- Lozano, S. S., and Villa, G. (2004). Centralized resource allocation using data envelopment analysis. *Journal of Productivity Analysis*, *22*(1-2), 143–161.
- Lozano, S., and Villa, G. (2004). Centralized DEA models with the possibility of downsizing. *Journal of the Operational Research Society*, *56*(4), 357–364.
- Lozano, S., Villa, G., and Brännlund, R. (2009). Centralised reallocation of emission permits using DEA. *European Journal of Operational Research*, *193*(3), 752–760.
- Lozano, S., Villa, G., and Canca, D. (2011). Application of centralised DEA approach to capital budgeting in Spanish ports. *Computers & Industrial Engineering*, *60*(3), 455–465.
- Luenberger, D. G. (1992). Benefit functions and duality. *Journal of Mathematical Economics*, *21*(5), 461–481.
- Luenberger, D. G. (1995). *Microeconomic theory* (Vol. 486). McGraw-Hill New York.
- Malekmohammadi, N., Jaafar, A. B., and Monsi, M. (2010). Setting targets with interval data envelopment analysis models via Wang method. *Sains Malaysiana*, *39*(3), 485–489.
- Malekmohammadi, N., Hosseinzadeh Lotfi, F., and Jaafar, A. B. (2010). Imprecise Centralized Resource Allocation in DEA, *4*(25), 1241–1257.

- Malekmohammadi, N., Hosseinzadeh Lotfi, F., and Jaafar, A. B. (2011). Target setting in data envelopment analysis using MOLP. *Applied Mathematical Modelling*, 35(1), 328–338.
- Mar-Molinero, C., Prior, D., Segovia, M.-M., and Portillo, F. (2014). On centralized resource utilization and its reallocation by using DEA. *Annals of Operations Research*, 221(1), 273–283.
- Mirsalehy, A., Abu Bakar, M. R., Jahanshahloo, G. R., Hosseinzadeh Lotfi, F., and Lee, L. S. (2014). Centralized Resource Allocation for Connecting Radial and Nonradial Models. *Journal of Applied Mathematics*, 2014.
- Mirsalehy, A., Abu Bakar, M. R., Lee, L. S., Jaafar, A. B., and Heydar, M. (2014). Directional Slack-Based Measure for the Inverse Data Envelopment Analysis. *The Scientific World Journal*, 2014.
- Pachkova, E. V. (2009). Restricted reallocation of resources. *European Journal of Operational Research*, 196(3), 1049–1057.
- Pastor, J. T., and Ruiz, J. L. (2007). Variables with negative values in DEA. In *Modeling data irregularities and structural complexities in data envelopment analysis* (pp. 63–84). Springer.
- Pastor, J. T., Ruiz, J. L., and Sirvent, I. (1999). An enhanced DEA Russell graph efficiency measure, *European Journal of Operational Research*, 115(3), 596–607.
- Pastor, J. T., Ruiz, J. L., and Sirvent, I. (1999). Statistical test for detecting influential observations in DEA. *European Journal of Operational Research*, 115(3), 542–554.
- Pendharkar, P. C. (2002). A potential use of data envelopment analysis for the inverse classification problem. *Omega*, 30(3), 243–248.
- Podinovski, V. V. (2004). Bridging the gap between the constant and variable returns-to-scale models: selective proportionality in data envelopment analysis. *Journal of the Operational Research Society*, 55(3), 265–276.
- Preisser, J. S., and Garcia, D. I. (2005). Alternative computational formulae for generalized linear model diagnostics: Identifying influential observations with SAS software. *Computational Statistics and Data Analysis*, 48(4), 755–764.
- Rangan, N., Grabowski, R., Aly, H. Y., and Pasurka, C. (1988). The technical efficiency of US banks. *Economics Letters*, 28(2), 169–175.

- Russell, R. R. (1985). Measures of technical efficiency. *Journal of Economic Theory*, 35(1), 109–126.
- Seiford, L. M., and Thrall, R. M. (1990). Recent developments in DEA: the mathematical programming approach to frontier analysis. *Journal of Econometrics*, 46(1), 7–38.
- Shamsi, R., Jahanshahloo, G. R., Mozaffari, M. R., and Hosseinzadeh Lotfi, F. (2014). Centralized Resource Allocation with Molp Structure. *Indian Journal of Science and Technology*, 7(9), 1297–13060.
- Shepherd, R. W. (2015). *Theory of cost and production functions*. Princeton University Press.
- Sink, D. S., Tuttle, T. C., and Shin, S. (1989). *Planning and measurement in your organization of the future*. Industrial engineering and management Press.
- Thanassoulis, E., and Dyson, R. G. (1992). Estimating preferred target input-output levels using data envelopment analysis. *European Journal of Operational Research*, 56(1), 80–97.
- Tohidi, G., Taherzadeh, H., and Hajiha, S. (2014). Undesirable Outputs' Presence in Centralized Resource Allocation Model. *Mathematical Problems in Engineering*, 2014.
- Tone, K. (2001). A slacks-based measure of efficiency in data envelopment analysis. *European Journal of Operational Research*, 130(3), 498–509.
- Tone, K. (2002). A slacks-based measure of super-efficiency in data envelopment analysis. *European Journal of Operational Research*, 143(1), 32–41.
- Tone, K. (2004). A hybrid measure of efficiency in DEA. *GRIPS Research Report Series*, 2004.
- Varmaz, A., Varwig, A., and Poddig, T. (2013). Centralized resource planning and Yardstick competition. *Omega*, 41(1), 112–118.
- Vaz, C. B., Camanho, A. S., and Guimarães, R. C. (2010). The assessment of retailing efficiency using network data envelopment analysis. *Annals of Operations Research*, 173(1), 5–24.
- Wei, Q., Zhang, J., and Zhang, X. (2000). Inverse DEA model for inputs/outputs estimate. *European Journal of Operational Research*, 121(1), 151–163.

- Yan, H., Wei, Q., and Hao, G. (2002). DEA models for resource reallocation and production input/output estimation. *European Journal of Operational Research*, 136(1), 19–31.
- Yu, M.-M., Chern, C.-C., and Hsiao, B. (2013). Human resource rightsizing using centralized data envelopment analysis: Evidence from Taiwan's Airports. *Omega*, 41(1), 119–130.
- Zhu, J. (1996). Data envelopment analysis with preference structure. *Journal of the Operational Research Society*, 136–150.

