UNIVERSITI PUTRA MALAYSIA

DEVELOPMENT AND FIELD EVALUATION OF BLADES WITH DIFFERENT LIFTING ANGLES FOR MULCHING OIL PALM FRONDS PRIOR TO SEEDLING PLANTING

BALA GAMBO JAHUN

FK 2018 138

DEVELOPMENT AND FIELD EVALUATION OF BLADES WITH DIFFERENT LIFTING ANGLES FOR MULCHING OIL PALM FRONDS PRIOR TO SEEDLING PLANTING

By

BALA GAMBO JAHUN

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirements for the Degree of Doctor of Philosophy

February 2018

DEDICATION

I dedicate my dissertation work to my family and friends. A special feeling of gratitude to my loving parents, Malam Musa and Hajia Ladi whose words of encouragement drive me to the logical conclusion of my work. My sisters Dada Binta and Zuwaira have never left me for their prayers.

I also dedicate this dissertation to my wives Aisha, Fatima, and Khadijah who have supported me throughout the process. I will always appreciate all they have done, especially my children for their patience while I am away.

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Doctor of Philosophy

DEVELOPMENT AND FIELD EVALUATION OF BLADES WITH DIFFERENT LIFTING ANGLES FOR MULCHING OIL PALM FRONDS PRIOR TO SEEDLING PLANTING

By

BALA GAMBO JAHUN

February 2018

Chairman : Professor Desa bin Ahmad, PhD, PEng.
Faculty : Engineering

In the oil palm industry, only 10% palm oil is produced and the other 90% is in the form of wastes which generates the largest amount of biomass, estimated at 80 million dry tonnes annually. The conventional technique of clearing old oil palm residues during pruning and subsequent field upkeep in Malaysia was the “chip and burn method”. With the ban on open burning, the chipped palm biomass was not burnt but windrowed and this caused very high propagation of rhinoceros beetles, the most severe pest in immature and young mature palms, and severe crop loss in the first year of harvest due to beetle damage incidence. Nutrients in windrowed oil palm fronds are not readily accessible to replanted palms until the palm roots reached the windrows. The zero burning technique requires specialized machines. Heavy machinery caused damage to plantation roads and compaction of the soil which reduces its fertility to newly planted seedlings. A tractor mounted mulcher was designed and produced by Howard Company which is cheaper and more convenient than the heavy mulchers but farmers were complaining on the mulcher performance despite its evaluation.

This thesis focusses on the development and field performance of mulcher blades by cutting and incorporating the oil palm fronds/trunks into the soil during replanting period. Three different blades were developed with different geometries and lifting angles, both the modified and the original blade were tested and compared the performance. The effects of different blades with respect to noise, actual tractor PTO speed, vibration, degree of mulching, mulching depth, actual tractor forward speed, torque, power, and fuel consumption in mulching oil palm fronds were analyzed statistically. Mathematical equations were also developed to predict mulching power of the blades. The blades were drawn and developed using Solid Works software.

Tests were done at the Universiti Putra Malaysia oil palm plantation, under the same operating conditions using four blades with 0º, 60º, 120º, and 150º lifting angles, two tractor PTO speeds (540 and 1000 rpm) and three tractor forward speeds (1, 3, and 5 km/h). Bulk density and moisture content of the experimental plots were also measured at 20 cm from the surface level of the experimental plot before the experiment. Similarly, oil palm frond moisture contents prior to mulching were also determined. Tractor torque meter Kistler model was used to collect data on torque, power, and actual tractor PTO speed. The experimental plots were designed in a randomized complete block design (RCBD) at three factors. ANOVA was used to analyze significant and non-significant treatment effects and Tukey's Studentized Range (HSD) test was used to determine significance between the means ($P<0.05$) using statistical analysis systems (SAS 9.2) 2010 software.

The statistical analysis results also indicated that minimum noise effect on operator with level of 70.10 dB(A) was obtained at tractor forward speed of 5 km/h and tractor PTO speed of 1000 rpm using blade with 60º lifting angle. The minimum vibration was given by blade with 0º lifting angle at tractor forward speeds of 1 and 3 km/h and tractor PTO speeds of 540 and 1000 rpm with mean values of 0.47 and 0.50 Hz respectively. Degree of Mulching was best obtained by the blade with 120º lifting angle at tractor forward speeds of 1 and 5 km/h and tractor PTO speeds of 1000 and 540 rpm, with mean values of 63.15 and 89.67 % accordingly. The mean value for mulching depth was best recorded by the blade with 120º lifting angle at 14.20 cm with tractor forward speed of 3 km/h and at tractor PTO speed of 1000 rpm. Minimum torque requirement of 10.00 Nm was obtained for mulching oil palm fronds by blade with 0º lifting angle at tractor forward speed of 3 km/h and at tractor PTO speed of 1000 rpm. Power consumption of mulching blade with 0º lifting angle increased from 0.98 to 1.07 kW at tractor forward speed of 5 km/h when the PTO speed increased from 540 to 1000 rpm. Similarly, the power consumption of the mulching blade with 60º lifting angle increased from 2.04 to 2.47 kW at tractor forward speed of 3 km/h when the tractor PTO speed was increased from 540 to 1000 rpm. Optimum fuel consumption for mulching oil palm fronds was 1.52 l/ha best obtained at tractor PTO speed of 1000 rpm and tractor forward speed of 1 km/h. using blade with 0º lifting angle.

Model development for mulching power prediction revealed that quadratic regression analysis indicates a highly significant and the intercept, was also highly significant. The quadratic effect of power on mulching oil palm fronds indicates that approximately 97.4 % of the variance in power is obtainable by blade lifting angles.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

PEMBANGUNAN DAN PENILAIAN BILAH PELBAGAI SUDUT ANGKAT UNTUK MENGHANCUR PELEPAH KELAPA SAWIT SEBELUM PENANAMAN ANAK BENIH

Oleh

BALA GAMBO JAHUN

January 2018

Pengerusi : Professor Desa bin Ahmad, PhD, PEng.
Fakulti : Kejuruteraan

Dalam industri kelapa sawit, hanya 10 % minyak sawit dihasilkan manakala 90% adalah sisa biomass yang dianggarkan 80 juta tan setiap tahun.Teknik lazim dalam pelupusan sisa pelepah sawit tua yang telah di tebang dan pembersihan ladang di Malaysia adalah menggunakan kaedah “ricih dan bakar”. Dengan pengharaman pembakaran secara terbuka, bahan sawit yang diricih tidak lagi dibakar tetapi dihancur dan digembur kedalam tanah. Cara ini mewujudkan kesekitaran yang subur bagi pembiakan kumbang tanduk yang menjejaskan pertumbuhan pohon sawit muda disamping menjejas pengeluaran buah sawit pada tahun pertama penuaian. Nutrien dalam tanah hasil gemburan sisa sawit juga sukar diperolehi. Teknik pembakaran sifar memerlukan peralatan khas untuk tujuan pembersihan kawasan dan pelupusan batang sawit yang telah ditebang. Jentera berat akan memadatkan tanah di permukaan jalan-jalan ladang serta mengurangkan kesuburan tanah untuk percambahan benih sawit yang baru ditanam. Sebuah alat pelupus pelepah yang dipasang pada traktor telah dihasilkan oleh Syarikat Howard. Ianya lebih murah dan mudah digunakan berbanding jentera pelupus pelepah jenis berat, namun terdapat rungutan di kalangan peladang mengenai prestasi alat berkenaan walaupun telah dibuat penilaian.

Tesis ini memfokus pada pembangunan dan penilaian bilah penghancur sisa kelapa sawit dengan cara memotong dan menggemburkan sisa pelepah dan batang sawit tersebut kedalam tanah ketika tempoh penanaman semula. Tiga bentuk bilah yang berbeza telah direka dan dioptimumkan dengan geometri tertentu dan sudut angkut serta dibandingkan dengan bilah asal. Kesan bilah berbeza dari aspek kebisingan, kelajuan sebenar PTO, gegaran, tahap penghancuran, kedalam gemburan, kelajuan traktor, tork, kuasa dan penggunaan bahanapi dalam proses penghancuran pelepah kelapa sawit dianalisis secara statistik. Persamaan matematik telah juga dihasilkan

untuk menentukan kuasa penggemburan bilah. Bilah bilah tersebut direka dan dibangunkan menggunakan perisian SolidWorks.

Ujian prestasi bilah telah dilakukan di ladang kelapa sawit Universiti Putra Malaysia, pada keadaaan operasi yang sama dengan empat jenis bilah berbeza sudut angkat (0^o, 60^o, 120^o, dan 150^o), dua kelajuan PTO traktor (540 dan 1000 psm) dan tiga kelajuan pergerakan traktor (1, 3 dan 5 km/jam). Ketumpatan pukal dan kandungan kelembapan plot experimen juga diukur pada kedalaman penggemburan 20 sm sebelum ujian dilakukan. Kelembapan pelepah sawit juga turut di tentukan. Meter tork traktor model Kistler telah digunakan untuk mengukur tork, kuasa dan kelajuan PTO sebenar. Plot eksperimen direka dalam Rekabentuk Blok Lengkap Rawak (RCBD). ANOVA telah digunakan untuk menganalisis kesan bererti dan tidak bererti manakala kaedah Tukey's Studentized Range (HSD) telah digunakan untuk menentukan perbezaan signifikan antara min faktor kajian ($P< 0.5$) menerusi sistem analisis statistik perisian (SAS 9.2) 2010.

Analisis statistik juga menunjukkan bahawa nilai purata kebisingan minimum setinggi 70.10 dBA dicapai pada kelajuan traktor 5 km/jam dan kelajuan PTO 1000 psm dengan menggunakan bilah bersudut angkat 60^o. Gegaran minimum dihasilkan oleh bilah bersudut angkat 0^o pada kelajuan traktor 1 dan 3 km/jam dan kelajuan PTO 540 dan 1000 psm dengan nilai purata 0.47 dan 0.50 Hz masing-masing. Tahap penghancuran terbaik diperolehi dari bilah bersudut angkat 120^o pada kelajuan traktor 1 dan 5 km/jam dan kelajuan PTO 1000 dan 540 psm dengan nilai purata masing-masing 63.15% and 89.67 % . Nilai purata kedalaman gemburan terbaik pada 14.20 cm dicapai oleh bilah bersudut angkat 120^o pada kelajuan traktor 3 km/jam dan kelajuan PTO 1000 psm. Nilai tork minimum 10.00 Nm dihasilkan oleh bilah bersudut angkat 0^o juga pada kelajuan traktor 3 km/jam dan kelajuan PTO 1000 psm. Kuasa penghancuran dan penggeburan bilah bersudut angkat 0^o meningkat dari 0.98 to 1.07 kW pada kelajuan traktor 5 km/jam apabila kelajuan PTO bertukar dari 540 kepada 1000 psm. Manakala kuasa penghancuran dan penggemburan bilah bersudut angkat 60^o berubah dari 2.04 kepada 2.47 kW pada kelajuan traktor 3 km/jam apabila kelajuan PTO bertukar dari 540 kepada 1000 psm. Penggunaan bahanapi optimum untuk menghancur dan menggembur sisa pelepah kelapa sawit adalah 1.52 l/ha pada kelajuan traktor 1 km/jam dan kelajuan PTO 1000 psm menggunakan bilah bersudut angkat 0^o.

Penghasilan model ramalan kuasa penggemburan menunjukkan analisis regresi kuadratik mempunyai nilai bererti yang tinggi, manakala intercept juga menunjukkan nilai bererti yang tinggi. Kesan kuadratik kuasa penghancuran dan penggemburan pelepah kelapa sawit menunjukkan hampir 97.4 % varian kuasa dihasilkan oleh sudut angkat.

ACKNOWLEDGEMENTS

In the Name of Allah, Most Gracious, Most Merciful, all praise and thanks are due to Allah, and peace and blessings be upon His Messenger. I wish to thank my committee members who were more than generous with their expertise and precious time. A special thanks to Prof. Ir. Dr. Desa Bin Ahmad, my committee chairman for his countless hours of reflecting, reading, encouraging, and most of all patience throughout the entire process. Thank you, Prof. Dr. Shamsuddin Sulaiman and Dr. Razif Muhammad @ Othman for agreeing to serve in my committee.

I would like to acknowledge the Nigerian Government for sponsoring my study under FGN/TetFund Scholarship Grant. I would also like to acknowledge and thank Howard Company for providing the mulcher implement and production of blades for my field performance evaluation. Also the University Farm for allowing me to conduct my research and providing assistance requested. Special thanks go to the department for acquiring instruments and members of staff for their continued support.

Finally, I would like to thank Mr. Azlan, Alh Kamal Aliyu Babando, Engr. Nuhu Danraka, Engr Salihu Abdulkadir, Engr Ismail Mukthar, Engr Ola Akangbe, Engr. Habib Gololo, Engr. Habeeb Ismail, Abdulmumini Alabi, Muhammad Shahid Dodo and Mal. Usman Magaji for their kind assistance during field data collections and analysis. Their excitement and willingness to provide feedback made the completion of this research an enjoyable experience.

I certify that a Thesis Examination Committee has met on 19 February 2018 to conduct the final examination of Bala Gambo Jahun on his thesis entitled "Development and Field Evaluation of Blades with Different Lifting Angles for Mulching Oil Palm Fronds Prior to Seedling Planting" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Khalina binti Abdan, PhD
Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Azmi bin Dato Haji Yahya, PhD
Professor Ir.
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Rimfiel bin Janius, PhD
Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Virendra Kumar Tewari, PhD
Professor
India Institute of Technology
India
(External Examiner)

NOR AINI AB. SHUKOR, PhD
Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 26 April 2018

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Desa bin Ahmad, PhD
Professor, Ir
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Shamsuddeen Sulaiman, PhD
Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Muhammad Razif Mahdi@ Othman, PhD
Senior Lecturer
Faculty of Engineering
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD
Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia
Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations, and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of the thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: ____________________________ Date: _____________________

Name and Matric No.: Bala Gambo Jahun, GS37351

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhere to.

Signature: ______________________________

Name of Chairman of Supervisory Committee: Professor Ir. Dr. Desa bin Ahmad

Signature: ______________________________

Name of Member of Supervisory Committee: Professor Dr. Shamsuddeen Sulaiman

Signature: ______________________________

Name of Member of Supervisory Committee: Dr. Muhammad Razif Mahdi @Othman

TABLE OF CONTENTS

LIST OF TABLES

LIST OF FIGURES

LIST OF ABBREVIATIONS

4WD	Four Wheel's Drive
ANOVA	Analysis of Variance
ASAE	American Society of Agricultural Engineers
BDX	Initial Bulk Density
BSR	Basal Stem Rot
CPO	Crude Palm Oil
CRBD	Complete Randomized Block Design
DF	Degree of Freedom
DOE	Malaysian Department of Environment
EAV	Exposure Action Value
EFB	Empty Fruit Bunch
FFB	Fresh Fruit Bunch
HICs	High-Income Countries
ILO	International Labour Organisation
MOE	Modulus of Elasticity
MOR	Modulus of Rigidity
NIOSH	National Institute for Safety and Health
OSHA	Occupational Health and Safety Administration
PKO	Palm Kernel Oil
POF	Palm Oil Fronds
PSD	Particle Size Distribution
PTO	Power Take Off
RMS	Root Mean Square
SAS	Statistical Analysis System
WBV	Whole Body Vibration
WI	Total Weight of Soil
WPT	Waste Palm Oil Trees

LIST OF SYMBOLS

β	Angle of forward failure plane
δ	Tool lift angle
Ø	Angle of internal friction of the soil
ℓ	Soil density, Kg/m^3
r	weight density of soil, N/m^3
μ	Coefficient of soil metal friction, dimensionless
μ^1	Coefficient of soil metal friction, dimensionless
A	Shear Plane, m^2
b	Cutting Width or Tool Thickness, m
B	Acceleration force for the Blade Cut Soil, N
C	Soil Cohesion, Pa
d	Pool depth, m
$\hat{\partial}$	Height of Trapezoidal Section at Soil Segment, m
F_o	Soil Normal Reaction, N
F_1	Normal Force on the Forward Failure Plane, N
μF_1	Soil Frictional Reaction, N
μF_0	Soil Metal Friction, N
K	Soil Cutting Resistance, N/m
K_b	Soil Cutting Resistance, N
L_o	Tool Length or Base of Trapezoidal Soil Segment, m
L_1, L_2	Segmental Length of the Opposite Side of the Trapezoidal Soil Segment, m
V_0	Tool Velocity (directed horizontally), m/s
Z	Tool draft parameter which is a function of the tool lifting angle, f, the angle at the soil failure plane, B and coefficient of soil- soil friction M, and coefficient of soil metal friction, M_1

CHAPTER 1

INTRODUCTION

1.1 Overview of Oil Palm Fronds

Mulching is a sequence of operations that cut and mixed the soil and dry oil palm fronds during the replanting operations. Ideally, the oil palm fronds and oil palm trunks are scattered or windrowed for the vertically operated steel mulcher blade to penetrate 20 cm below skid/tyre level cut and mulch the fronds and trunks. It is generally recommended 2-3 months waiting period to dry after felling or pruning of oil palm fronds before mulching (Pandey, 2004). A mulching tool, particularly the blade system, cut the oil palm fronds and trunks to the desired degree and mixes them well with the soil and manipulate the soil sufficiently during replanting. They are important parameters for assessing implement performance energy requirements (Godwin, 2007). The force required to drag the mulcher blades into the soil for soil mulching are criteria used to measure the suitability of blades (Arvidsson et al., 2004; Olatunji and Davies, 2009). The primary concern is the relationship between mulching implement and soil in design and practice of blades for soil mulching (Shen and Kushwaha, 1998). The soil conditions and geometry of mulching blades affects the force required for a given implement. Hence, the soil-tool-mulching combination should be studied and blade geometry to evaluate the blade performance. The energy applied to the soil by the mulching blades must be exploited efficiently in incorporating the oil palm fronds into the soil. The power requirement per unit of soil mulched with the oil palm fronds must be low. The capacity of the mulching blade system must be high as reported by Yovel et al., (2008). The soil parameters used to determine the performance of mulching blades are depth of penetration of the blades and soil condition.

Conventional methods of land clearing for replanting and subsequent upkeep of oil palms involve the “chip and burn method” (Ooi et al., 2004). Cut down of long-standing oil palm trees and breaking into pieces and allow it to dry are methods involved, after which the crop residues are set ablaze. However, burning was usually incomplete and leftover oil palm fronds and trunks became a breeding ground for *Oryctes rhinoceros* (L) beetles. Kamarudin et al. (2007) reported that up to 500/ha of beetle larvae and pupae were found in the unburnt palm biomass at 12 months after burning.

With the ban on open burning, the chipped oil palm fronds and trunks were not burnt but windrowed, usually, two oil palm fronds rows to one windrow, and left to decompose in the palm inter-rows or mulched when the oil palm fronds have dried and decomposed (Ooi and Heriansyah, 2005).

The windrowed oil palm fronds and trunks took two years to decompose completely and this resulted in very high breeding of *O. Rhinoceros* beetles. Gitau et al. (2009) reported that when oil palm fronds and trunks from two palm rows were stacked into a windrow in the inter-row, a total of 1258/ha of larvae, pupae, and adult beetles were found in the windrowed oil palm biomass at the twelfth month after felling of old oil palms trees.

The number increased to 1870/ha at the twenty-fourth month. Breeding of beetles continued into the third year even in the smaller windrows comprising a single row of oil palm fronds and trunks and 1920/ha of larvae, pupae, and adult beetles were found in such windrows at the thirtieth month after the palms were felled (Ooi et al., 2010).

The zero-burning technique of replanting oil palm was the underplanting method whereby the new young plant was planted under thinned old palms, which were gradually poisoned as the young plant grew (Manjeri et al., 2014). This method of replanting resulted in even higher level of beetle breeding. Ramle, Wahid, Norman, Glare, and Jackson, (2010) reported beetle larvae amounted to 2100/ha in the poisoned standing oil palms twelve months after the palms were poisoned and the population increased to 18,000/ha six months later. It took 24 months for the poisoned standing palms to decompose completely. The beetle-caused varying degree of damage to 84% of the under-planted palms as reported by Ooi et al., (2004).

Currently, the *rhinoceros* beetle is the most serious pest in immature and young mature palms in Malaysia. Ahmad and Suan, (1993) and Chung et al., (1999) reported that beetle damage caused crop losses of 40% and 92% in the first year of harvesting respectively. Although the pest could be controlled by a combination of cultural and chemical methods (Chung, 2015), the most effective way of controlling the pest is through the destruction of the pest breeding sites during mulching.

Oil palm fronds and trunks if not properly treated would serve as the source of rats and *Ganoderma boninense* disease problem. Severe infestations of the later caused yield loss of 45% (Darus and Basri, 2000). The presence of large amount of big chunks of windrowed oil palm fronds and trunks about 85t/ha dry matter (Haron et al., 1996) impeded field access and hindered replanting and the subsequent field upkeep work. Similarly, the nutrient released by the windrowed decomposing oil palm biomass were beyond the root zone of the young replanted palms as the major drawback.

Annual production of oil palm fronds globally is projected at 3.440 million tonnes and the vast amounts were not utilized properly. The increase in demand for palm oil yearly keeps the oil palm fronds waste figures rising and based on that, 10 percent of oil palm wastes were utilized with leftover 90 percent causing plantation problems as current techniques of discarding are hazardous (Gupta et al., 2010).

Mulching of oil palm trunk chips and fronds encouraged accelerated decomposition of oil palm fronds and trunks, thus eradicating *Oryctes rhinoceros* (L) beetles breeding locations. Similarly destroyed *Oryctes rhinoceros* (L) beetles larvae during the operation, field upkeep work were speeded up, improved access to oil palm field and enhanced supervision. The legumes and oil palms benefited well from distributed mulched oil palm fronds as added advantage (Sung et al., 2017).

The HM50 tractor mounted mulcher had the potential of mulching 340 oil palm trunks or 2.5 hectares per day as indicated from the initial results obtained in 1998. However, because of machine outage duration and worn out of mulching blades, actual yield was less (Hoak et al., 2001).

The use of mulcher in oil palm plantation is increasing for mulching oil palm fronds and trunks during replanting operations. However, there is lack of information about the performance evaluation of the implement based on relationship between blade lifting angles, tractor forward speed and tractor PTO speed on the effects of noise, actual tractor PTO speed, vibration, degree of mulching, mulching depth, actual tractor forward speed, torque, power and fuel consumption on mulching oil palm fronds and trunks during replanting operation which is the aim of the research. Similarly, an equation to predict power requirement of mulcher blades for mulching oil palm fronds is lacking.

1.2 Statement of the Problem

The conventional method of establishing new oil palm plantations or replanting is the clearing and burnt technique. Forest or old palm trees are felled, stacked and burnt, thereby polluting the environment and particles cause a haze problem. Burning is aimed at disposing of waste material, eliminating pests and diseases by destroying their breeding ground. In addition, burning of unwanted biomass and other waste material is the cheapest and fastest method of waste disposal. This activity causes excessive release of CO_2 to the atmosphere and contribute to climate change and global warming. Besides, the zero-burning technique in oil palm plantation was financially and economically expensive compared to the burn method.

Machine acquisition and maintenance usually involves a high cost to the plantation. Only large plantations are able to afford these new heavy mulchers and not readily available to smaller plantation owners.Though the tractor mounted mulcher implement is cheaper and more convenient than the heavy mulchers but farmers were still complaining on its low performance in degree of mulching. Hence there is a need to improve the blade.

1.3 Research Objectives

The general objective of the project was to develop and evaluate blades with different lifting angles for mulching oil palm fronds prior to seedling planting and the specific objectives were:

1. To modify the original blade and fabricate three different tractor mounted mulcher blades.
2. To determine the effects of different blades lifting angles with respect to noise, actual tractor PTO speeds, vibration, degree of mulching, mulching depth, actual tractor forward speeds, torque, power, and fuel consumption.
3. To derive an equation to predict power requirement of mulcher blades for mulching oil palm fronds

1.4 Significance of the Study

The main contribution of this research is on the development and evaluation of blades based on geometry and lifting angles and the performance in terms of noise, actual tractor PTO speeds, vibration, degree of mulching, mulching depth, actual tractor forward speeds, torque, power, and fuel consumption. This research will also provide to literature in related works on development and field evaluations of different lifting angles blades on mulching oil palm fronds. Conference papers and peer-reviewed journal articles published in research learned community will be made available to researchers and students for the contribution as the background knowledge. It is expected that the selected mulcher blade will reduce oil palm fronds and trunks wastes, disease inoculums of *Ganoderma boninense,* reduces idle period, facilitate cultivation and successive plantation maintenance and encouraging utilization of minerals released by decaying oil palm crop residues by freshly planted oil palm. Hence, it contributes to sustainable palm oil production in Malaysia.

1.5 Research Scope

The scope of this research was limited to the development and performance evaluation of a new blade for tractor mounted mulcher with particular interest on mulching oil palm fronds and trunks during replanting period. Field evaluation of the mulcher blades was focussed on the performance in terms of good degree of mulching with less torque, low fuel consumption and less noise and vibration during the field operations. Furthermore, an equation was derived to predict power requirements of mulcher blades for mulching oil palm fronds.

1.6 Thesis Organisation

The thesis is outlined as follows; Chapter one describes the background of the study on mulching oil palm fronds and how the development and field evaluation of blades would aid in mulching the oil palm fronds to ease decomposition and destroy insects and diseases during replanting. Chapter two begins by laying out the theoretical dimensions of the research and looks at how the effect of blade geometry and lifting angles influence rate of fuel consumption, degree of mulching, torque, noise, and vibration. Chapter three describes the design, synthesis, characterization, and evaluation of the methodology in developing and evaluating of blades and data collections. Chapter four presents results and detailed discussions based on the analysis and inferred with other researchers. Summary, Conclusions, and Recommendations are drawn for future work in Chapter five.

1.7 Research Methodology Flow Chart



Figure 1.1 : Research Methodology Flowchart

REFERENCES

Abdalla, O., A Mohamed, E., M El Naim, A., A El Shiekh, M., and B Zaied, M. (2014). Effect of Disc and Tilt Angles of Disc Plough on Tractor Performance under Clay Soil. *Unpublished M. Eng.(Agric.) Thesis, University of Khartoum, Sudan.*

Abbasi, T., and Abbasi, S. (2010). Biomass Energy and the Environmental Impacts Associated with its Production and Utilization. *Renewable and Sustainable Energy Reviews, 14*(3), 919-937.

Abdallah, A. B. (2015). *Effect of Ploughing Depth and Speed of Three Tillage Implements on Tractor Performance.* UOFK. *Unpublished M. Eng.(Agric.) Thesis, University of Khartoum, Sudan*

Abdirshit, R., Yusup, N., and Geni, M. (2016). Structural Optimization and Dynamic Stability Analysis of Rotary Blade. *Journal of Agricultural Mechanization Research, 1*, 013.

Abu-Hamdeh, N. H. (2004). *The Effect of Tillage Treatments on Soil Water Holding Capacity and on Soil Physical Properties.* Paper Presented at the 13th International Soil Conservation Organisation Conference–Brisbane.

Adapa, P., Tabil, L., and Schoenau, G. (2011). Grinding Performance and Physical Properties of Non-Treated and Steam Exploded Barley, Canola, Oat and Wheat Straw. *Biomass and Bioenergy, 35*(1), 549-561.

Aguilera, A., and Martin, P. (2001). Machining Qualification of Solid Wood of Fagus Silvatica L. and Piceaexcelsa L.: Cutting Forces, Power Requirements and Surface Roughness. *Holz als Roh-und Werkstoff, 59*(6), 483-488.

Ahmad, A. L., and Suan, S. (1993). *The Control of Oryctes Rhinoceros by Clean Clearing and Its Effect on Early Yield in Palm-to-Palm Replants.* Paper presented at the PORIM International Palm Oil Conference. Progress, Prospects Challenges Towards the 21st Century.(Agriculture) September 9-14Kuala Lumpur, Malaysia.

Ahmad, D. (1986). A Width of Cut Analysis on the Performance of a Rotary Strip Tiller. *Pertanika, 9*, 7-15.

Ahmad, F. (2001). *Sustainable Agriculture System in Malaysia.* Paper presented at the Regional Workshop on Integrated Plant Nutrition System (IPNS), Development in Rural Poverty Alleviation, United Nations Conference Complex, Bangkok, Thailand.

Ahmad, R., Naveed, M., Aslam, M., Zahir, Z. A., Arshad, M., and Jilani, G. (2008). Economizing the use of Nitrogen Fertilizer in Wheat Production through Enriched Compost. *Renewable Agriculture and Food Systems, 23*(3), 243-249.

Aholoukpé, H., Dubos, B., Flori, A., Deleporte, P., Amadji, G., Chotte, J.-L., and Blavet, D. (2013). Estimating aboveground Biomass of Oil Palm: Allometric Equations for Estimating Frond Biomass. *Forest Ecology and Management, 292*, 122-129.

Aji, I., Sapuan, S., Zainudin, E., and Abdan, K. (2009). Kenaf Fibres as Reinforcement for Polymeric Composites: A Review. *International Journal of Mechanical and Materials Engineering, 4*(3), 239-248.

Al-Jasim, A. (1993). The Technical and Economic Indicators for Soil Harrowing with Disk Harrows. *The Iraqi Journal of Agricultural Sciences*. 37: (Special Issue): 8-15, 1993

Alam, A. (2006). Future Requirements of Agricultural Machines for Mechanizing Agriculture. *Indian Council of Agricultural Research*, 175-196. Annual report April 1, 2006 to March 31, 2007 Krishi Anusandhan Bhavan I Pusa, New Delhi 110 012, India

Alavi, N., and Hojati, R. (2012). Modeling the Soil Cutting Process in Rotary Tillers using Finite Element Method. *Journal of Agricultural Technology, 8*(1), 27-37.

Anikwe, M. (2000). Amelioration of a Heavy Clay Loam Soil with Rice Husk Dust and its Effect on Soil Physical Properties and Maize Yield. *Bioresource Technology, 74*(2), 169-173.

Annoussamy, M., Richard, G., Recous, S., and Guerif, J. (2000). Change in Mechanical Properties of Wheat Straw Due to Decomposition and Moisture. *Applied Engineering in Agriculture, 16*(6), 657.

Armin, A. (2014). *Mechanics of Soil-Blade Interaction. Unpublished Ph.D. (Mechanical Engr.) Thesis,* University of Saskatchewan.

Arvidsson, J., Keller, T., and Gustafsson, K. (2004). Specific Draught for Mouldboard Plough, Chisel Plough and Disc Harrow at Different Water Contents. *Soil and tillage research, 79*(2), 221-231.

ASABE. (2011). ASABE Standard Sustainable Agricultural Framework. Agricultural Machinery Management Data 2950 Niles Road, St. Joseph, MI 49085.

Atkins, T. (2009). *The Science and Engineering of Cutting: The Mechanics and Processes of Separating, Scratching and Puncturing Biomaterials, Metals, and Non-Metals*: Butterworth-Heinemann.

Awalludin, M. F., Sulaiman, O., Hashim, R., and Nadhari, W. N. A. W. (2015). An Overview of the Oil Palm Industry in Malaysia and its Waste Utilization Through Thermochemical Conversion, Specifically Via Liquefaction. *Renewable and Sustainable Energy Reviews, 50*, 1469-1484.

Aybek, A., Kamer, H. A., and Arslan, S. (2010). Personal Noise Exposures of Operators of Agricultural Tractors. *Applied Ergonomics, 41*(2), 274-281.

Azadbakht, M., Torshizi, M. V., Ghajarjazi, E., and Ziaratban, A. (2016). Determination of Some Constant Parameters during Cutting of Canola Stem. *Agricultural Engineering International: CIGR Journal, 18*(2), 351-359.

Azmalisa, T., Wan Asma, I., Zulkafli, H., and Norazwina, Z. (2010). *Optimization of Glucose Production from Oil Palm Trunk via Enzymatic Hydrolysis.* Paper presented at the The 13th Asia Pacific Confederation of Chemical Engineering Congress (APCChE'2012).

Baesso, M. M., Martins, G. A., Baesso, R. C., Fischer, C., and Silvestrini, J. C. (2014). Noise and Vibration of Tractors: An Ergonomic Evaluation. *International Journal of Applied, 4*(4) 46-54.

Bakar, A. A., Hassan, A., and Mohd Yusof, A. F. (2006). The Effect of Oil Extraction of the Oil Palm Empty Fruit Bunch on the Processability, Impact, and Flexural Properties of PVC-U Composites. *International Journal of Polymeric Materials, 55*(9), 627-641.

Barker, D., Beuerlein, J., Dorrance, A., Eckert, D., Eisley, B., Hammond, R., and Mullen, R. (2005). Ohio Agronomy Guide. *Bulletin, 472*.

Barker, M. E. (2008). *Predicting Loads on Ground Engaging Tillage Tools using Computational Fluid Dynamics*: Iowa State University.Unpublished Ph.D. Thesis.

Baruah, D., and Panesar, B. (2005). Energy Requirement Model for a Combine Harvester, Part I: Development of Component Models. *Biosystems Engineering, 90*(1), 9-25.

Battaglia, M. A., Rocca, M. E., Rhoades, C. C., and Ryan, M. G. (2010). Surface Fuel Loadings within Mulching Treatments in Colorado Coniferous Forests. *Forest Ecology and Management, 260*(9), 1557-1566.

Bentaher, H., Ibrahmi, A., Hamza, E., Hbaieb, M., Kantchev, G., Maalej, A., and Arnold, W. (2013). Finite Element Simulation of Moldboard–Soil Interaction. *Soil and tillage research, 134*, 11-16.

Bismarck, A., Mishra, S., and Lampke, T. (2005). Plant Fibers as Reinforcement for Green Composites. ECCM15 - 15th European Conference on Composite Materials, Venice, Italy, 24-28 June 2012, 1-9.

Björheden, R., and Dahlin, B. (1999). *The Complete Logging Machine-the Feasibility of the Harvester-Forwarder in Swedish Forestry.* Paper presented at the Timber Harvesting and transportation Technologies for Forestry in the New Millenium. Conference Proceedings. Pietermaritzburg, South Africa June.

Bosrotsi, C., Addo, A., Dzisi, K., and Agodzo, S. (2017). Development of a Yam Harvester using Finite Element Methods International Journal of Modern Studies in Mechanical Engineering (IJMSME) Volume 3, Issue 1, 2017, PP 35-44 ISSN 2454-9711 (Online) DOI: http://dx.doi.org/10.20431/2454-9711.0301005 www.arcjournals.org

Bouza-Rodríguez, J. B., and Miramontes-Sequeiros, L. C. (2014). Three-Dimensional Biomechanical Analysis of the Bovine Humerus. *Applied Bionics and Biomechanics, 11*(1, 2), 13-24.

Brandt, A. (2011). *Noise and Vibration Analysis: Signal Analysis and Experimental Procedures*: John Wiley & Sons New York City.

Broek, D. (2012). *Elementary Engineering Fracture Mechanics*: Springer Science and Business Media, Netherlands.

Bukhari, S., Baloch, J., Marani, G., Panhwar, M., and Zafarullah, M. (1992). Effect of Disc and Tilt Angle on Filed Capacity and Power Requirements of Mounted Plow. Agriculture Mechanization in Asia. *African and Latin America, 23*, 9-12.

Burdorf, A., and Swuste, P. (1993). The Effect of Seat Suspension on Exposure to Whole-Body Vibration of Professional Drivers. *The Annals of occupational hygiene, 37*(1), 45-55.

Calvo, A., Deboli, R., Preti, C., and De Maria, A. (2014). Daily Exposure to Hand-Arm Vibration by Different Electric Olive Beaters. *Journal of Agricultural Engineering, 45*(3), 103-110.

Cankaya, S., Koyuncu, A., and Balaban, M. (2016). Steering Wheel Idle Vibration Improvement on Tractor. *Sigma: Journal of Engineering and Natural Sciences/Mühendislik ve Fen Bilimleri Dergisi, 34*(1), 91-103.

Čedík, J., Pexa, M., Pražan, R., Kubín, K., and Vondřička, J. (2015). Mulcher Energy Intensity Measurement in Dependence on Performance. *Agronomy Research, 13*(1), 46-52.

Čedík, J., Pražan, R., and Pexa, M. (2017). Effect of Rake Angle and Cutting Speed on Energy Demands of Mulcher with Vertical Axis of Rotation. *Agronomy Research* **15**(4), 1540–1549, 2017 https://doi.org/10.15159/AR.17.007

Celik, A., and Altikat, S. (2008). Geometrical Analysis of the Effects of Rotary Tiller Blade Path on the Distribution of Soil Slice Size. *Applied Engineering in Agriculture, 24*(4), 409-413.

Chin, K., H'ng, P., Chai, E., Tey, B., Chin, M., Paridah, M., . . . Maminski, M. (2013). Fuel Characteristics of Solid Biofuel Derived from Oil Palm Biomass and Fast Growing Timber Species in Malaysia. *Bioenergy Research, 6*(1), 75-82.

Choy, C. K., and Hoak, O. L. (2000). An Improved Field Practice and Mechanisation of FFB Evacuation and Manuring in Oil Palm Plantations. *In 2000 PIPOC Proceedings: Emerging Technologies and Opportunities in the Next Millennium*. Palm Oil Research Institute of Malaysia, Kuala Lumpur. pp 454-476.

Chung, G., Sim, S., and Balasubramaniam, R. (1999). *Effects of Pest Damage during Immature Phase on the Early Yields of Oil Palm.* Paper Presented at the Proceeding PORIM International Palm Oil Congress: Emerging Technologies and Opportunities in the next Millennium.

Chung, G. F. (2015). Effects of Pests and Diseases on Oil Palm Yield. *Palm Oil: Production Processing Characterization, and Uses, Elsevier Amsterdam*, 163-210.

Chung, S., Sudduth, K., and Hummel, J. (2006). Design and Validation of an On-The-Go Soil Strength Profile Sensor. *Transactions of the ASABE, 49*(1), 5-14.

Corte, E., Duarte, M. L. M., Batista, H. S., and Silva, G. (2011). *Commercial Vehicle Comfort under Human Vibration Perspective.* Proceedings of SAE-China Congress 2015: Selected Papers pp 521-527.

Cowan, J. S. (2013). *The Use of Biodegradable Mulch for Tomato and Broccoli Production: Crop Yield and Quality, Mulch Deterioration, and Growers' Perceptions*: Washington State University.

Cristóvão, L. (2013). *Machining Properties of Wood: Tool Wear, Cutting Force and Tensioning of Blades.* Unpublished Ph.D. Thesis. Division of Wood Science and Technology Department of Engineering Sciences and Mathematics Luleå University of Technology Skellefteå, Sweden 2013.

Cvetanovic, B., and Zlatkovic, D. (2013). Evaluation of Whole-Body Vibration Risk in Agricultural Tractor Drivers. *Bulg. J. Agric. Sci, 19*(5), 1155-1160.

Cvetković, D., and Praščević, M. (2005). Noise and Vibration. International Journal of Automotive Engineering Vol. 3, Number 4, Dec 2005, 30-42.

Danilović, M., Ilić, M., Ćuprić, N., Antonić, S., and Stojnić, D. (2015). Fuel Consumption in the Transport of Technical Broadleaf Roundwood in Lowland Areas. *Glasnik Sumarskog fakulteta*(suppl.), 25-34.

Danilović, M., Stojnić, D., Karić, S., and Sučević, M. (2014). Transport of Technical Roundwood by Forwarder and Tractor Assembly from Poplar Plantations. *Nova mehanizacija šumarstva, 35*(1), 11-22.

Darus, A., and Basri, M. (2000). Intensive IPM for Management of Oil Palm Pests. *Oil Palm Bull, 41*, 1-14.

Datta, A. C. (2003). Harvesting and Threshing. *Handbook of Postharvest Technology, 1*, 57-116.

Dauda, S. M., Ahmad, D., Abdan, K., and Othman, J. (2015). Effect of Cutting Speed on Cutting Torque and Cutting Power of Varying Kenaf-Stem Diameters at Different Moisture Content. Pertanika J. Trop. Agric. Sci. 38 (4): 549 - 561 (2015).

De Cauwer, C., Van Mierlo, J., and Coosemans, T. (2015). Energy Consumption Prediction for Electric Vehicles Based on Real-World Data. *Energies, 8*(8), 8573-8593.

Deboli, R., Calvo, A., Preti, C., and Paletto, G. (2008). *Whole Body Vibration (WBV) Transmitted to the Operator by Tractors Equipped with Radial Tires.* Paper presented at the Proc. Int. Conf. Innovation Technology to Empower Safety, Health, and Welfare in Agriculture and Agro-food Systems, Ragusa, Italy.

Deshmukh, M., Thakare, S., and Saraf, V. (2015). Influence of Blade Parameters on Cutting Force for Jowar Stalks. *Madras Agricultural Journal,* 102 (7-9): 277-280, September 2015.

Dexter, A. (2004). Soil Physical Quality: Part I. Theory, Effects of Soil Texture, Density, and Organic Matter, and Effects on Root Growth. *Geoderma, 120*(3), 201-214

Duke, M., and Goss, G. (2007). Investigation of Tractor Driver Seat Performance With Non-Linear Stiffness and On-Off Damper. *Biosystems Engineering, 96*(4), 477-486.

Elamin, I. E. A. (2015). *Tillage; Draft, and Power as Influenced by Soil Moisture Content, Tractor Forward Speed, and Plowing Depth in New Halfa Agricultural Scheme (SUDAN). Unpublished M. Eng.(Agric.) Thesis, University of Khartoum, Sudan.*

Evans, J. (2004). *Practical Solutions to Noise Problems in Agriculture*: Prepared by Silsoe Research Institute and RMS Vibration Test Laboratory for the Health and Safety Executive 2004 HSE Books.

Farias, M. S. d., Schlosser, J. F., Linares, P., Barbieri, J. P., Negri, G. M., Oliveira, L. F. V. d., and Rüdell, I. I. P. (2017). Fuel Consumption Efficiency of An

Agricultural Tractor Equipped with Continuously Variable Transmission. *Ciência Rural, 47*(6).

Farooq, M., Flower, K., Jabran, K., Wahid, A., and Siddique, K. H. (2011). Crop Yield and Weed Management in Rainfed Conservation Agriculture. *Soil and Tillage Research, 117*, 172-183.

Favreau, J. (1998). Analysis of Harvesting Costs in Eastern Canada. **AGRIS:** International Information System for the Agricultural Science and Technology. Information Systems Division, National Agricultural Library. Slovak Agricultural Library 234-250.

Gaines, L., Vyas, A., and Anderson, J. (2006). Estimation of Fuel Use by Idling Commercial Tractors. *Transportation Research Record: Journal of the Transportation Research Board*(1983), 91-98.

Gameda, S., Raghavan, G., Theriault, R., and McKyes, E. (1983). Effect of Subsoil Compaction on Corn Production. Information Systems Division, National Agricultural Library. Beltsville, Maryland and Washington, D.C United States, 101(1) 48-57.

Gebregziabher, S., Mouazen, A., Van Brussel, H., Ramon, H., Meresa, F., Verplancke, H., . . . De Baerdemaeker, J. (2007). Design of the Ethiopian Hard Plough using Structural Analysis Validated with Finite Element Analysis. *Biosystems Engineering, 97*(1), 27-39.

Ghaffariyan, M. R., Apolit, R., and Kuehmaier, M. (2015). Analysis And Control of Fuel Consumption Rates of Harvesting Systems: A Review of International Studies. February 2015, Industry Bulletin 15, 1-4 p Australian Forest Operations Research Alliance.

Ghahrae, O., Khoshtaghaza, M., and Bin Ahmad, D. (2008). Design and Development of Special Cutting System for Sweet Sorghum Harvester. *Journal of Central European Agriculture, 9*(3), 469-474.

Gitau, C. W., Gurr, G. M., Dewhurst, C. F., Fletcher, M. J., and Mitchell, A. (2009). Insect Pests and Insect-Vectored Diseases of Palms. *Austral Entomology, 48*(4), 328-342.

Godwin, R. (2007). A Review of the Effect of Implement Geometry on Soil Failure and Implement Forces. *Soil and Tillage Research, 97*(2), 331-340.

Godwin, R., and O'Dogherty, M. (2007). Integrated Soil Tillage Force Prediction Models. *Journal of Terramechanics, 44*(1), 3-14.

Goglia, V., Gospodaric, Z., Filipovic, D., and Djukic, I. (2006). Influence on Operator's Health of Hand-Transmitted Vibrations from Handles of a Single-Axle Tractor. *Annals of Agricultural and Environmental Medicine, 13*(1), 33.

Goh, C. S., Tan, K. T., Lee, K. T., and Bhatia, S. (2010). Bio-Ethanol From Lignocellulose: Status, Perspectives, and Challenges in Malaysia. *Bioresource Technology, 101*(13), 4834-4841.

Goli, G., Fioravanti, M., Marchal, R., Uzielli, L., and Busoni, S. (2010). Up-Milling and Down-Milling Wood with different Grain Orientations–the Cutting Forces Behaviour. *European Journal of Wood and Wood Products, 68*(4), 385-395.

Gravalos, I., Gialamas, T., Kateris, D., Xyradakis, P., Tsiropoulos, Z., and Moshou, D. (2009). *Vibration Measurements and Analysis of Agricultural Tractors Operating on Traditional and Electronic Regulator.* Paper Presented at the Proc. of the XXXIII CIOSTA–CIGR V conf. On Technology and Management to Ensure Sustainable Agriculture, Agro-Systems, Forestry and Safety. Reggio Calabria, Italy.

Grisso, R., Ehrhardt, J., Kocher, M., Jasa, P., and Schinstock, J. (2015). Using the Veris Electrical Conductivity Cart as a Draft Predictor. *Agr. Eng. (2012/3), 45 - 61*

Gupta, R., Gopal, R., Jat, M., Jat, R. K., Sidhu, H., Minhas, P., and Malik, R. (2010). *Wheat Productivity in Indo-Gangetic Plains of India During 2010: Terminal Heat Effects and Mitigation Strategies*. Conservation Agriculture Newsletter Issue 14, 2010 1-5 p.

Gwani, E. (1986). Design, Fabrication, and Testing of Manually Operated Sorghum Harvester. *Unpublished M. Eng.(Agric.) Thesis, Ahmadu Bello University, Zaria*.

Hailu, M., Workneh, T. S., and Belew, D. (2013). Review on Postharvest Technology of Banana Fruit. *African Journal of Biotechnology, 12*(7).

Hamilton, G. W. (1999). New Mulch Technology for Turfgrass Establishment. *Golf Course Management, 67*, 53-55.

Hanjalic, K., van de Krol, R., and Lekic, A. (2007). *Sustainable Energy Technologies: Options and Prospects*. Springer Publisher Netherland 25-49 p eBook ISBN 978-1-4020-6724-2

Hansson, P., Lindgren, M., Nordin, M., and Pettersson, O. (2003). A Methodology for Measuring the Effects of Transient Loads on the Fuel Efficiency of Agricultural Tractors. *Applied Engineering in Agriculture, 19*(3), 251.

Haron, K., Zakaria, Z. Z., and Anderson, J. (1996). *Management of Palm Residues using Various Replanting Techniques in Oil Palm Plantations*: Palm Oil Research Institute of Malaysia 1996, 1-3 p.

Hartley, B. E., Gibson, J. M., Thomasson, J. A., and Searcy, S. W. (2011). *Machine Performance of Forage Harvesting Equipment on High-Tonnage Sorghum.* Paper presented at the 2011 Louisville, Kentucky, August 7-10, 2011.

Hassan, M. A., Yee, L.-N., Yee, P. L., Ariffin, H., Raha, A. R., Shirai, Y., and Sudesh, K. (2013). Sustainable Production of Polyhydroxyalkanoates from Renewable Oil-Palm Biomass. *Biomass and Bioenergy, 50*, 1-9.

Henson, I. E., Betitis, T., Tomda, Y., and Chase, L. D. (2012). The Estimation of Frond Base Biomass (FBB) of Oil Palm. *Journal of Oil Palm Research, 24* (December), 1473-1479.

Herrick, J. E., and Jones, T. L. (2002). A Dynamic Cone Penetrometer for Measuring Soil Penetration Resistance. *Soil Science Society of America Journal, 66*(4), 1320-1324.

Hillel, D. (2013). *Fundamentals of Soil Physics*: Academic Press. 22 Oct 2013 - Technology and Engineering - 413 pages.

Hinds, W. C. (2012). *Aerosol Technology: Properties, Behavior, and Measurement of Airborne Particles*: 2nd Edition ISBN: 978-0-471-19410-1 504 pages John Wiley and Sons London

Hoak, O. L., Heng, T. S., and Chuan, P. N. H. (2001). Innovations to Management Practices in Oil Palm Estates. ISP National Seminar: Strategic Directions for the Sustainability of the Oil Palm Industry. 11-12 June 2001 Shangri- La's Tanjung Aru Resort, Kota Kinabalu, Sabah

Honglei, J., Chenglin, M., and Jin, T. (2007). Study on Universal Blade Rotor for Rototilling and Stubble-Breaking Machine. *Soil and Tillage Research, 94*(1), 201-208.

Hoque, M., Sokhansanj, S., Naimi, L., Xiaotao, B., Lim, J., and Alvin, W. (2007). *Review and Analysis of Performance and Productivity of Size Reduction Equipment for Fibrous Materials.* Paper Presented at the 2007 ASAE Annual Meeting.

Hoseinzadeh, B., and Shirneshan, A. (2012). Bending and Shearing Characteristics of Canola Stem. *American-Eurasian Journal of Agricultural and Environmental Sciences, 12*(3), 275-281.

Hostens, I., Deprez, K., and Ramon, H. (2004). An Improved Design of Air Suspension for Seats of Mobile Agricultural Machines. *Journal of Sound and Vibration, 276*(1), 141-156.

Hou, C.-Y., and Chang, J.-J. (1997). Models for the Estimation of Weldment Fatigue Crack Initiation Life. *International Journal of Fatigue, 19*(7), 537-541.

Howard, C. N. (2010). Testing Fuel Efficiency of Tractors with both Continuously Variable and Standard Geared Transmissions. Unpublished MSc Thesis University of Nebraska

Howard, C. N., Kocher, M. F., Hoy, R. M., and Blankenship, E. E. (2013). Testing the Fuel Efficiency of Tractors with Continuously Variable and Standard Geared Transmissions. *Transactions of the ASABE, 56*(3), 869-879.

Hpwizard. (2012). Tire Friction and Rolling Resistance Coefficients. *htt//hpwizard.com/tire-friction-coefficient.html accessed 12/7/2012*.

Hughes, T. J. (2012). *The Finite Element Method: Linear Static and Dynamic Finite Element Analysis*: Technology and Engineering Courier Corporation, ISBN 0486135020, 9780486135021, 704 pages.

Igathinathane, C., Pordesimo, L., Schilling, M., and Columbus, E. (2011). Fast and Simple Measurement of Cutting Energy Requirement of Plant Stalk and Prediction Model Development. *Industrial crops and products, 33*(2), 518-523.

Igathinathane, C., Womac, A., Sokhansanj, S., and Narayan, S. (2007). Size Reduction of Wet and Dry Biomass by Linear Knife Grid Device. *ASABE Paper*(076045).

Ince, A., Uğurluay, S., Güzel, E., and Özcan, M. (2005). Bending and Shearing Characteristics of Sunflower Stalk Residue. *Biosystems Engineering, 92*(2), 175-181.

Jain, K. K. (2006). *Studies on Vibrational Characteristics of Different Tractor Seats and Development of Vibration Isolator for Tractor Seat.* Unpublished Ph.D. Thesis (Agricultural Engineering),.Department of Farm Machinery and Power Engineering Jawaharlal Nehru Krishi: Vishwa Vidyalaya, College of Agricultural Engineering Jabalpur

Javadi, A., and Hajiahmad, A. (2006). Effect of a New Combined Implement for Reducing Secondary Tillage Operation. *International Journal of Agriculture and Biology, 8*(6), 724-727.

Johnson, P. (2013). Energy Requirements and Productivity of Machinery used to Harvest Herbaceous Energy Crops. Unpublished MSc in Agricultural and Biological Engineering University of Illinois at Urbana-Champaign.

Ju, J.-S. (2007). Study on the Characteristics of Tiller Blade Shapes by Spray-Welding Hardening. *Journal of Marine Science and Technology, 15*(3), 219-231.

Kamarudin, N. H., Wahid, M. B., Moslim, R., and Ali, S. R. A. (2007). The Effects of Mortality and Influence of Pheromone Trapping on the Infestation of Oryctes

Rhinoceros in an Oil Palm Plantation. *Journal of Asia-Pacific Entomology, 10*(3), 239-250.

Karjalainen, T., and Asikainen, A. (1996). Greenhouse Gas Emissions from the use of Primary Energy in Forest Operations and Long-Distance Transportation of Timber in Finland. *Forestry: An International Journal of Forest Research, 69*(3), 215-228.

Kawuyo, U. A. (2011). *Mathematical Modelling of Draught Characteristics of Selected Animal-Drawn Implements on the Upland Soils of Samaru, Nigeria.* Department of Agricultural Engineering Faculty of Engineering, Ahmadu Bello University, Zaria.

Keen, A., Gholkar, M., Ward, J., Salokhe, V., and Soni, P. (2009). *Force Measurement between a Tractor and a Three-Point Linkage Mounted Cultivation Implement.* Paper Presented at the Proceedings of the 10th International Agricultural Engineering Conference, Bangkok, Thailand, 7-10 December 2009. Role of Agricultural Engineering in Advent of changing Global Landscape.

Khalid, H., Zin, Z., and Anderson, J. (1999). Quantification of Oil Palm Biomass and Nutrient Value in a Mature Plantation. I. Above-Ground Biomass. *Journal of Oil Palm Research, 11*(1), 23-32.

Khalid, M. M., and Kushwaha, R. (1991). *Energy Evaluation of Tillage Tools Using Soil Bin* (0148-7191)," SAE Technical Paper 911825, 1991, https://doi.org/10.4271/911825.

Kichler, C. M., Fulton, J. P., Raper, R. L., Zech, W. C., McDonald, T. P., and Brodbeck, C. J. (2007). *Spatially Monitoring Tractor Performance to Evaluate Energy Requirements of Variable Depth Tillage and Implement Selection.* Paper Presented at the 2007 ASAE Annual Meeting.

Kirisci, V., Blackmore, B., Godwin, R., and Blake, J. (1993). *Design and Calibration of Three Different Three-Point Linkage Dynamometers.* Paper Presented at the American Society of Agricultural Engineers. Meeting (USA). no. 931009
.

Klocke, F., and Kuchle, A. (2011). Cutting Tool Materials and Tools. *Manufacturing Processes 1*, 95-196.

Koller, K. (2003). Techniques of Soil Tillage. *Soil Tillage in Agroecosystems*, 1-25.

Koppejan, J., and Van Loo, S. (2012). *The Handbook of Biomass Combustion and Co-Firing*: Routledge. Publishing for a Sustainable Future London

Kováč, J., and Mikleš, M. (2010). Research on Individual Parameters for Cutting Power of Woodcutting Process by Circular Saws. *Journal of Forest Science, 56*(6), 271-277.

Kumar, A., Mathur, N., Varghese, M., Mohan, D., Singh, J., and Mahajan, P. (2005). Effect of Tractor Driving on Hearing Loss in Farmers in India. *American Journal of Industrial Medicine, 47*(4), 341-348.

Lam, P., Sokhansanj, S., Bi, X., Lim, C., Naimi, L., Hoque, M., and Ye, X. (2008). Bulk Density of Wet and Dry Wheat Straw and Switchgrass Particles. *Applied Engineering in Agriculture, 24*(3), 351-358.

Landon, J. R. (2014). *Booker Tropical Soil Manual: A Handbook for Soil Survey and Agricultural Land Evaluation in the Tropics and Subtropics*: Routledge. 27 Jan 2014 - Science - 530 pages

Lee, D.-H., Kim, Y.-J., Chung, S.-O., Choi, C.-H., Lee, K.-H., and Shin, B.-S. (2015). Analysis of the PTO Load of a 75kW Agricultural Tractor during Rotary Tillage and Baler Operation in Korean Upland Fields. *Journal of Terramechanics, 60*, 75-83.

Lee, K. T., and Ofori-Boateng, C. (2013). *Sustainability of Biofuel Production from Oil Palm Biomass*: ISBN 978-981-4451-69-7 ISBN 978-981-4451-70-3 (eBook) DOI 10.1007/978-981-4451-70-3 Springer Singapore

Lim, K., Zainal, Z., Quadir, G., and Abdullah, M. (2007). Plant-Based Energy Potential and Biomass Utilization in Malaysia. *International Energy Journal, Vol. 1 No.*2, 1-12p.

Löfgren, B. (1999). Forwarder Trials' 98. *Results-Skogforsk (Sweden)*. *ISSN:* 1103-6222 http://aims.fao.org/serials/c_603228c4.

Löfroth, C., and Svenson, G. (2012). ETT–Modular System for Timber Transport–One More Stack (ETT) and Bigger Stacks (ST). *Skogforsk Arbetsrapport*(758).

Lutolf, M. P., Gilbert, P. M., and Blau, H. M. (2009). Designing Materials to Direct Stem-Cell Fate. *Nature, 462*(7272), 433.

Madenci, E., and Guven, I. (2007). *The Finite Element Method and Applications in Engineering Using ANSYS®*: Publisher Springer US eBook ISBN 978-1-4899-7550-8 DOI 10.1007/978-1-4899-7550-8 Pages 657.

Mahmoodi, E., and Jafari, A. (2010). Influential Parameters for Designing and Power Consumption Calculating of Cumin Mower. *Australian Journal of Crop Science, 4*(3), 142.

Makange, N., and Tiwari, V. (2015). Effect of Horizontal and Vertical Axis Rotavators on Soil Physical Properties and Energy Requirement. *Trends in Biosciences, 8* (12), 3225-3234.

Makkonen, I. (2004). Saving Fuel in Mechanized Forestry Operations. *Forest Engineering Research Institute of Canada, Pointe-Claire, QC. Internal Report IR-2004-08*.

Mandal, S. K., Bhattacharya, B., and Mukherjee, S. (2013). Optimization of Design Parameters for Rotary Tiller's Blade. Proceedings of the 1st International and 16th National Conference on Machines and Mechanisms (iNaCoMM2013), IIT Roorkee, India, Dec 18-20 2013, 533-539 p.

Manjeri, G., Muhamad, R., and Tan, S. G. (2014). Oryctes Rhinoceros Beetles, an Oil Palm Pest in Malaysia. *Annual Research and Review in Biology, 4*(22), 3429.

Marsot, J., Claudon, L., and Jacqmin, M. (2007). Assessment of Knife Sharpness by Means of a Cutting Force Measuring System. *Applied Ergonomics, 38*(1), 83-89.

Mathanker, S. K., and Hansen, A. C. (2014). Harvesting System Design and Performance *Engineering and Science of Biomass Feedstock Production and Provision* (pp. 85-139): Springer.

Matin, M. A., Fielke, J., and Desbiolles, J. (2015). Torque and Energy Characteristics for Strip-Tillage Cultivation when Cutting Furrows using Three Designs of Rotary Blade. *Biosystems Engineering, 129*, 329-340.

McLaughlin, N., Drury, C., Reynolds, W., Yang, X., Li, Y., Welacky, T., and Stewart, G. (2008). Energy Inputs for Conservation and Conventional Primary Tillage Implements in a Clay Loam Soil. *Transactions of the ASABE, 51*(4), 1153-1163.

McRandal, D., and McNulty, P. (1978). Impact Cutting Behaviour of Forage Crops I. Mathematical Models and Laboratory Tests. *Journal of Agricultural Engineering Research, 23*(3), 313-328.

Megahed, S., and Haroun, A. (2012). Analysis of the Dynamic Behavioral Performance of Mechanical Systems With Multi–Clearance Joints. *Journal of Computational and Nonlinear Dynamics, 7*(1), 011002.

Misra, R. (2012). Determine the Fatigue Behavior of Engine Damper Caps Screw Bolt. *International Journal of Computational Engineering Research, 2*(4), 981-990.

Miu, P. I., Woma, A. R., Cannayen, I., and Sokhansanj, S. (2006). *Analysis of Biomass Comminution and Separation Processes in Rotary Equipment–A*

Review. Paper Presented at the 2006 ASAE Annual Meeting. Paper No. 066169, (doi: 10.13031/2013.21523).

Mohammed, T. A. F. (2015). *Effect of Forward Speed on Tractor Performance under Clay Loam Soil.* Unpublished MSc Thesis in Agricultural Engineering University of Khartoum, Sudan.

Morgan, R. P. C. (2009). *Soil Erosion and Conservation*: John Wiley & Sons. Blackwell Publishing 350 Main Street, Malden, MA 02148-5020, USA

Mouazen, A. M., and Neményi, M. (1999). Finite Element Analysis of Subsoiler Cutting in Non-Homogeneous Sandy Loam Soil. *Soil and Tillage Research, 51*(1), 1-15.

Mouazen, A. M., and Ramon, H. (2002). A Numerical–Statistical Hybrid Modelling Scheme for Evaluation of Draught Requirements of a Subsoiler Cutting a Sandy Loam Soil, as Affected by Moisture Content, Bulk Density, and Dpth. *Soil and Tillage Research, 63*(3), 155-165.

Murray, A. B. (2007). Reducing Model Complexity for Explanation and Prediction. *Geomorphology, 90*(3), 178-191.

Naderloo, L., Alimadani, R., Akram, A., Javadikia, P., and Khanghah, H. Z. (2009). Tillage Depth and Forward Speed Effects on Draft of Three Primary Tillage Implements in Clay Loam Soil. *Journal of Food, Agriculture, and Environment, 76*(3): 382-385.

Naimi, L. J., Sokhansanj, S., Mani, S., Hoque, M., Bi, T., Womac, A. R., and Narayan, S. (2006). *Cost and Performance of Woody Biomass Size Reduction for Energy Production.* Paper Presented at the 2006 ASAE Annual Meeting Paper No. 06-10: 1-13 p.

Nasrin, A., Ma, A., Choo, Y., Mohamad, S., Rohaya, M., Azali, A., and Zainal, Z. (2008). Oil Palm Biomass as Potential Substitution Raw Materials for Commercial Biomass Briquettes Production. *American Journal of Applied Sciences, 5*(3): 179-183.

Nieuwenhof, P. (2003). *Modeling of the Energy Requirements of a Non-Row Sensitive Corn Header for a Pull-Type Forage Harvester.*

Nkakini, S. O. (2015). Application of Sensitivity Measured Parameters for Models Evaluation. *Agricultural Engineering International: CIGR Journal, 17*(3): 43-60 p.

Noor, M. M. (2003). Zero Burning Techniques in Oil Palm Cultivation: An Economic Perspective. *Oil Palm Ind Econ J, 3*, 16-24.

Nordfjell, T., Athanassiadis, D., and Talbot, B. (2003). Fuel Consumption in Forwarders. *International Journal of Forest Engineering, 14*(2), 11-20.

O'Dogherty, M. (1982). A Review of Research on Forage Chopping. *Journal of Agricultural Engineering Research, 27*(4), 267-289.

O'Dogherty, M., Huber, J., Dyson, J., and Marshall, C. (1995). A Study of the Physical and Mechanical Properties of Wheat Straw. *Journal of Agricultural Engineering Research, 62*(2), 133-142.

Olatunji, O., and Davies, R. (2009). Effect of Weight and Draught on the Performance of Disc Plough on Sandy-Loam Soil. *Research Journal of Applied Sciences, Engineering, and Technology, 1*(1), 22-26.

Ooi, L.-H., and Heriansyah, H. (2005). Palm Pulverisation in Sustainable Oil Palm Replanting. *Plant Production Science, 8*(3), 345-348.

Ooi, L., Kodiappan, P., and Gunarajan, M. (2010). Some Pulverisation Techniques of Clearing Old Palms for Replanting. *Planter, 80*(943), 631-650.

Oosterveer, P. (2015). Promoting Sustainable Palm Oil: Viewed from a Global Networks and Flows Perspective. *Journal of Cleaner Production, 107*, 146-153.

Orlowski, K. A., Ochrymiuk, T., Atkins, A., and Chuchala, D. (2013). Application of Fracture Mechanics for Energetic Effects Predictions While Wood Sawing. *Wood Science and Technology, 47*(5), 949-963.

Osborne, S. L., Johnson, J. M., Jin, V. L., Hammerbeck, A. L., Varvel, G. E., and Schumacher, T. E. (2014). The Impact of Corn Residue Removal on Soil Aggregates and Particulate Organic Matter. *Bioenergy Research, 7*(2), 559-567.

Osman, A. N., Xia, L., and Dongxing, Z. (2011). Effects of Tilt Angle of Disk Plough on Some Soil Physical Properties, Work Rate and Wheel Slippage under Light Clay Soil. *International Journal of Agricultural and Biological Engineering, 4*(2), 29-35.

Paddan, G., and Griffin, M. (2002). Evaluation of Whole-Body Vibration in Vehicles. *Journal of Sound and Vibration, 253*(1), 195-213.

Pandey, M. (2004). Present Status and Future Requirements of Farm Equipment for Crop Production. *Central Institute of Agricultural Engineering, Bhopal*, DOI: 10.1111/j.0272-4332.2004.00432.x, 24: 69-113

Payandeh, M., Lar, M. B., Bagheri, J., and Poor, Z. K. (2011). Effect of Forward Speed, Load, and Cabin on Tractor Noise and the Health of Drivers. *Journal of American Science, 7*(8).

Pellizzi, G., Cavalchini, A. G., and Lazzari, M. (2012). *Energy Savings in Agricultural Machinery and Mechanization*: Publisher Springer, Dordrecht, DOI https://doi.org/10.1007/978-94-009-1365-3, Print ISBN 978-94-010-7108-6, 35-107 p.

Perdok, U., and Kouwenhoven, J. (1994). Soil-Tool Interactions and Field Performance of Implements. *Soil and tillage research, 30*(2-4), 283-326.

Ping, L. Y., Sung, C. T. B., Joo, G. K., and Moradi, A. (2012). Effects of Four Soil Conservation Methods on Soil Aggregate Stability. *Malaysian Journal of Soil Science, 16*, 43-56.

Poodt, M., Koolen, A., and Van der Linden, J. (2003). FEM Analysis of Subsoil Reaction on Heavy Wheel Loads with Emphasis on Soil Preconsolidation Stress and Cohesion. *Soil and Tillage Research, 73*(1), 67-76.

Prokeš, B., Mačvanin, N., Savin, L., Simikić, M., and Lomen, I. (2012). Possible Health Effects of Vibration on Tractor Drivers and Preventive Measures. *Agricultural Engineering, 38*(3), 189.

Ragesh, K. (2015). Design Modification of Power Weeder for Paddy Crop. M. Tech. (Agril. Engg.) Thesis Department of Farm Machinery and Power Engineering Sv College of Agricultural Engineering Technology and Research Station, Faculty of Agricultural Engineering Indira Gandhi Krishi Vishwavidyalaya Raipur (Chhattisgarh)

Rajaram, G., and Erbach, D. (1998). Drying Stress Effect on Mechanical Behaviour of a Clay-Loam Soil. *Soil and Tillage Research, 49*(1), 147-158.

Ramesh, P., Singh, M., and Rao, A. S. (2005). Organic Farming: Its Relevance to the Indian Context. *Current Science, 88*(4), 561-568.

Ramle, M., Wahid, M., Norman, K., Glare, T., and Jackson, T. (2010). The Incidence and use of Oryctes Virus for Control of Rhinoceros Beetle in Oil Palm Plantations in Malaysia. *Journal of Invertebrate Pathology, 89*(1), 85-90.

Ravindra, P., and Sarbatly, R. H. (2013). *Advances in Biofuels*: Publisher Springer US DOI 10.1007/978-1-4614-6249-1, eBook ISBN 978-1-4614-6249-1, 268 p.

Reicosky, D., and Archer, D. (2007). Moldboard Plow Tillage Depth and Short-Term Carbon Dioxide Release. *Soil and Tillage Research, 94*(1), 109-121.

Rosa, U., and Wulfsohn, D. (2008). Soil Bin Monorail for High-Speed Testing of Narrow Tillage Tools. *Biosystems Engineering, 99*(3), 444-454.

Rottensteiner, C., Tsioras, P., Neumayer, H., and Stampfer, K. (2013). Vibration and Noise Assessment of Tractor-Trailer and Tractor-Mounted Chippers. *Silva Fennica, 47*(5), 14.

Rotz, C., and Muhtar, H. (1992). Rotary Power Requirements for Harvesting and Handling Equipment. *Applied Engineering in Agriculture, 8*(6), 751-757.

Sambo, S. (2002). Fuel Consumption for Ground-Based Harvesting Systems in Western Canada. *Advantage, 3*(29), 1-12.

Samson, R., Duxbury, P., Drisdelle, M., and Lapointe, C. (2000). Assessment of Pelletized Biofuels. *Publication at: http://www. Reap-Canada. com/Reports/pelletaug2000. html*.

Sanglerat, G. (2012). *The Penetrometer and Soil Exploration*: Elsevier Publishing Company, Amsterdam (Vol. 1).

Savin, L., Tomic, M., Simikic, M., Dedovic, N., and Zoranovic, M. (2011). The Effects of Working Parameters and Tillage Quality on Rotary Tiller Specific Work Requirement. *African Journal of Agricultural Research, 6*(31), 6513-6524.

Scarlett, A., Price, J., and Stayner, R. (2007). Whole-Body Vibration: Evaluation of Emission and Exposure Levels Arising from Agricultural Tractors. *Journal of Terramechanics, 44*(1), 65-73.

Schell, D. J., and Harwood, C. (1994). Milling of Lignocellulosic Biomass. *Applied Biochemistry and Biotechnology, 45*(1), 159-168.

Scholz, F., Duss, M., Hasslinger, R., and Ratnasingam, J. (2009). Integrated Model for Prediction of Cutting Forces. *in: Proceedings of the 19th International Wood Machining Seminar, 21-23 October, Nanjing Forestry University, Nanjing, China, pp* 183-190.

Schubert, G., and Bernotat, S. (2004). Comminution of Non-brittle Materials. *International Journal of Mineral Processing, 74*, S19-S30.

Schweithelm, J., Jessup, T., and Glover, D. (1999). Conclusions and Policy Recommendations. *Indonesia's Fires and Haze: The Cost of Catastrophe*, 130-144.

Secretariat, A. (2003). Guidelines for the Implementation of the ASEAN Policy on Zero Burning. *ASEAN Secretariat, Jakarta*.

Servadio, P., Marsili, A., and Belfiore, N. (2007). Analysis of Driving Seat Vibrations in High Forward Speed Tractors. *Biosystems Engineering, 97*(2), 171-180.

Shafiq, M. (2014). Verbal Report on Lack of Farmers Patronage for the Purchase of the Howard Mulcher Implement. *Howard Alatpertanian Sdn. Bhd, Rawang, Selangor Darul Ehsan.*

Shao, G., Chernow, E., Kibira, D., and Lyons, K. W. (2011). *A Prototype of Modeling and Simulation for Sustainable Machining.* Paper Presented at the IEEE International Symposium on Assembly and Manufacturing.

Shen, J., and Kushwaha, R. L. (1998). *Soil-Machine Interactions: A Finite Element Perspective*: Marcel Dekker Inc., New York, USA 1998 pp.ix + 333 pp. ref.7 pp.

Shmulevich, I., Asaf, Z., and Rubinstein, D. (2007). Interaction between Soil and a Wide Cutting Blade using the Discrete Element Method. *Soil and Tillage Research, 97*(1), 37-50.

Shuit, S. H., Tan, K. T., Lee, K. T., and Kamaruddin, A. (2009). Oil Palm Biomass as a Sustainable Energy Source: A Malaysian Case Study. *Energy, 34*(9), 1225-1235.

Singh, P., Sulaiman, O., Hashim, R., Peng, L. C., and Singh, R. P. (2013). Evaluating Biopulping as an Alternative Application on Oil Palm Trunk using the White-Rot Fungus Trametes Versicolor. *International Biodeterioration & Biodegradation, 82*, 96-103.

Sirjacobs, D., Hanquet, B., Lebeau, F., and Destain, M.-F. (2002). On-Line Soil Mechanical Resistance Mapping and Correlation with Soil Physical Properties for Precision Agriculture. *Soil and Tillage Research, 64*(3), 231-242.

Sokhansanj, S., and Lang, W. (1996). Prediction of Kernel and Bulk Volume of Wheat and Canola During Adsorption and Desorption. *Journal of Agricultural Engineering Research, 63*(2), 129-136.

Spinelli, R., Magagnotti, N., Paletto, G., and Preti, C. (2011). Determining the Impact of Some Wood Characteristics on the Performance of a Mobile Chipper. *Silva Fennica, 45*(1), 85-95.

Sreekala, M., Kumaran, M., Joseph, S., Jacob, M., and Thomas, S. (2000). Oil Palm Fibre Reinforced Phenol Formaldehyde Composites: Influence of Fibre Surface Modifications on the Mechanical Performance. *Applied Composite Materials, 7*(5), 295-329.

Srivastava, A. K., Goering, C. E., Rohrbach, R. P., and Buckmaster, D. R. (2006). Hay and Forage Harvesting. *Engineering Principles of Agricultural Machines*, 325-402.

Stępniewski, A. A., and Zaremba, M. (2014). Experimental and Theoretical Method of Determination of Loads for Cutting Units. Scientific Quarterly Journal ISNN 1429-7264 Agricultural Engineering 2014: 2 (150):155-162 DOI: http://dx.medra.org/10.14654/ir.2014.150.041

Strudley, M. W., Green, T. R., and Ascough, J. C. (2008). Tillage Effects on Soil Hydraulic Properties in Space and Time: State of the Science. *Soil and Tillage Research, 99*(1), 4-48

Sudduth, K. A., Chung, S.-O., Andrade-Sanchez, P., and Upadhyaya, S. K. (2008). Field Comparison of Two Prototype Soil Strength Profile Sensors. *Computers and Electronics in Agriculture, 61*(1), 20-31.

Sundberg, U., and Svanqvist, N. (1987). Fuel Consumption as Indicator of the Economics in Mechanization. *Scandinavian Journal of Forest Research, 2*(1-4), 389-398.

Sung, C. T. B. (2016). Availability, Use, and Removal of Oil Palm Biomass in Indonesia. Report Prepared for the International Council on Clean Transportation Department of Land Management, Faculty of Agriculture, Universiti. Putra Malaysia.

Sung, C. T. B., Ishak, C. F., Abdullah, R., Othman, R., and Ali, Q. (2017). 5 Soil Properties (Physical, Chemical, Biological, Mechanical). Technical Bulletin 60, Faculty of Agriculture, Universiti Pertanian Malaysia, Serdang, Malaysia, 2017, 103-154 p.

Tabatabaeefar, A., Emamzadeh, H., Varnamkhasti, M. G., Rahimizadeh, R., and Karimi, M. (2009). Comparison of Energy of Tillage Systems in Wheat Production. *Energy, 34*(1), 41-45.

Tabatabaeekoloor, R. (2011). Soil Characteristics at the In-Row and Inter-Row Zones after Strip-Tillage. *African Journal of Agricultural Research, 6*(32), 6598-6603.

Talib, B. A., and Darawi, Z. (2002). An Economic Analysis of the Malaysian Palm Oil Market. *Oil Palm Industry Economic Journal, 2*(1), 19-27.

Teti, R., Jemielniak, K., O'Donnell, G., and Dornfeld, D. (2010). Advanced Monitoring of Machining Operations. *CIRP Annals-Manufacturing Technology, 59*(2), 717-739.

Topakci, M., Celik, H. K., Canakci, M., Rennie, A., Akinci, I., and Karayel, D. (2010). Deep Tillage Tool Optimization by Means of Finite Element Method: Case Study for a Subsoiler Tine. *Journal of Food, Agriculture, and Environment, 8*(2), 531-536.

UNEP. (2012). Converting Waste Oil Palm Trees into a Resource *United Nations Environment Programme Division of Technology, Industry and Economics International Environmental Technology Centre Osaka, Japan*.

Upadhyaya, S. K., Andrade-Sanchez, P., Sakai, K., Chancellor, W. J., and Godwin, R. J. (2009). Tillage Advances in Soil Dynamics. *American Society of Agricultural and Biological Engineers, 3*, 273-322.

Vakili, M., Rafatullah, M., Ibrahim, M. H., Salamatinia, B., Gholami, Z., and Zwain, H. M. (2015). A Review on Composting of Oil Palm Biomass. *Environment, Development, and Sustainability, 17*(4), 691-709.

van Dam, J., and Elbersen, H. (2006). Palm Oil Production for Oil and Biomass: The Solution for Sustainable Oil Production and Certifiably Sustainable Biomass Production *Quick-Scans on Upstream Biomass: Yearbook 2004 and 2005* (pp. 105-115).

Vrielink, H. H. O. (2012). Comparison of High-Power Agricultural Tractors: Effect on Whole-Body Vibration Exposure. Final Report Tractor Suspension Test 2012, ErgoLab Research B.V. Alexanderweg 56 NL-6721 HH Bennekom

Wahab, R., Sulaiman, O., Yusof, M., Bhat, I. U. H., Rasat, S. M., Khalid, I., and Sanusi, H. W. (2013). Physical and Strength Properties of Bio-composites made from Mixture of Oil Palm Frond and Kenaf Bast. *International Biodeterioration & Biodegradation, 86*, 100-104.

Walsh, D., Wiedemann, J., Strandgard, M., Ghaffariyan, M. R., and Skinnell, J. (2011). FibrePlus' Study: Harvesting Stemwood Waste Pieces in Pine Clearfall. *CRC for Forestry Bulletin, 18*, 3p.

Warsta, L., Taskinen, A., Koivusalo, H., Paasonen-Kivekäs, M., and Karvonen, T. (2013). Modelling Soil Erosion in a Clayey, Subsurface-Drained Agricultural Field with a Three-Dimensional FLUSH Model. *Journal of Hydrology, 498*, 132-143.

Watson, H. J. (2013). *Modern Gear Production*: Elsevier. 22 Oct 2013 - Technology and Engineering - 376 pages

Wennerstrum, S., Kendrick, T., Tomaka, J., and Cain, J. (2002). Size Reduction Solutions for Hard-to-Reduce Materials. *Powder and Bulk Engineering, 16*(1), 43-49.

Wild, K. J., Walther, V., and Schueller, J. K. (2009). *Optimizing Fuel Consumption and Knife Wear in a Self-Propelled Forage Chopper by Improving the Grinding Strategy.* Paper Presented at the 2009 Reno, Nevada, June 21-June 24, 2009

Wilhelm, W. W., Johnson, J. M., Karlen, D. L., and Lightle, D. T. (2007). Corn Stover to Sustain Soil Organic Carbon Further Constrains Biomass Supply. *Agronomy Journal, 99*(6), 1665-1667.

Withers, P., and Bhadeshia, H. (2001). Residual Stress. Part 1–Measurement Techniques. *Materials Science and Technology, 17*(4), 355-365.

Wu, Z., Iqbal, A., and Amara, F. B. (2013). Introduction and Preliminaries *Modeling and Control of Magnetic Fluid Deformable Mirrors for Adaptive Optics Systems* (pp. 1-41): Springer.

Yiljep, Y., and Mohammed, U. (2005). Effect of Knife Velocity on Cutting Energy and Efficiency During Impact Cutting of Sorghum Stalk. *Unpublished Ph.D.(Agric.) Thesis, Ahmadu Bello University, Zaria*.

Yovel, Y., Franz, M. O., Stilz, P., and Schnitzler, H..U. (2008). Plant Classification from Bat-Like Echolocation Signals. *Plos Computational Biology, 4*(3), e1000032.

Yu, M., Womac, A. R., and Pordesimo, L. O. (2003). *Review of Biomass Size Reduction Technology.* Paper Presented at the 2003 ASAE Annual Meeting. Paper number 036077, (DOI: 10.13031/2013.15454)

Yule, I., Kohnen, G., and Nowak, M. (1999). A Tractor Performance Monitor with DGPS Capability. *Computers and Electronics in Agriculture, 23*(2), 155-174.

Zadeh, S. A., and Kushwaha, R. (2006). *Development of a Tillage Energy Model using a Simple Tool.* Paper Presented at the 2006 ASAE Annual Meeting Paper No. 06-130, 1-15 p.

Zhang, Y., Zuo, T. T., Tang, Z., Gao, M. C., Dahmen, K. A., Liaw, P. K., and Lu, Z. P. (2014). Microstructures and Properties of High-Entropy Alloys. *Progress in Materials Science, 61*, 1-93.