

UNIVERSITI PUTRA MALAYSIA

BLOCK ONE-STEP METHODS FOR SOLVING STIFF DIFFERENTIAL EQUATIONS

MUHAMMAD IZZAT ZAKWAN BIN MOHD ZABIDI

IPM 2014 11



BLOCK ONE-STEP METHODS FOR SOLVING STIFF DIFFERENTIAL EQUATIONS



MUHAMMAD IZZAT ZAKWAN BIN MOHD ZABIDI

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfillment of the Requirements for the Degree of Master of Science

September 2014

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Master of Science

BLOCK ONE-STEP METHODS FOR SOLVING STIFF DIFFERENTIAL EQUATIONS

By

MUHAMMAD IZZAT ZAKWAN BIN MOHD ZABIDI

September 2014

Supervisor: Prof. Madya Zanariah Binti Abdul Majid, PHD Faculty: Institute for Mathematical Research

In this research, both stiff ordinary differential equations (ODEs) and parabolic partial differential equation (PDEs) are solved using the *A*-stable one-step block method with Newton's iteration with constant step size.

Two-point block one-step method and three-point block one-step method had been proposed in this research. These two methods are used to approximate the solutions for stiff ODEs and parabolic PDEs at two and three points simultaneously. The implementation of these methods will be in predictor and corrector mode. The predictor formulae is formulated from the modified block method itself. Newton's iteration is adapted in implementation of the block methods. The order, error constant, convergence and stability of each method are also discussed.

This study also focused on solving parabolic PDEs. In order to solve parabolic PDEs using the proposed methods, we reduced the form of parabolic PDEs into ODEs by discretizing the parabolic equation using method of line. To illustrate the applicability of the proposed method, several numerical results are shown and compared with the results obtained by the existing methods

In conclusion, the proposed methods are suitable for solving stiff ordinary differential equations at varies stepsizes especially when the stepsizes are larger. Other than that, the proposed method also appropriate for solving stiff parabolic partial differential equations due to acceptable results that had been produced.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

KAEDAH BLOK SATU-LANGKAH UNTUK PENYELESAIAN PERSAMAAN PEMBEZAAN KAKU

Oleh

MUHAMMAD IZZAT ZAKWAN BIN MOHD ZABIDI

September 2014

Penyelia : Prof. Madya Zanariah Binti Abdul Majid, PHD Fakulti : Institut Penyelidikan Matematik

Dalam kajian ini, kedua-dua persamaan pembezaan biasa kaku dan persamaan pembezaan separa parabolik telah diselesaikan dengan menggunakan kaedah blok *A*-stabil satu-langkah dengan lelaran Newton menggunakan saiz langkah yang malar.

Terdapat dua kaedah yang telah dicadangkan dalam kajian ini jaitu kaedah blok dua-titik satu-langkah dan kaedah blok tiga-titik satu-langkah. Kedua-dua kaedah telah digunakan untuk mengira penyelesaian bagi persamaan pembezaan biasa kaku dan persamaan pembezaan separan parabolik, pada dua dan tiga titik serentak. Dalam pelaksanaan kedua-dua keadah, kaedah peramal dan pembetul akan digunakan. Formula peramal dirumuskan daripada kaedah blok yang diubah suai sendiri. Lelaran Newton telah disesuaikan ke dalam setiap kaedah blok sebagai pembetul. Peringkat, pemalar ralat, penumpuan dan kestabilan setiap kaedah juga telah dibincangkan.

Persamaan pembezaan separa dalam kajian ini akan lebih tertumpu kepada penyelesaian persamaan pembezaan separa parabolik. Untuk menyelesaikan persamaan pembezaan separa parabolik dengan menggunakan kaedah yang dicadangkan, kami akan menurunkan bentuk persamaan pembezaan separa parabolik kepada persamaan pembezaan biasa dengan mendiskretkan persamaan parabolik menggunakan kaedah garis. Beberapa keputusan berangka ditunjukkan untuk dibandingkan dengan keputusan yang diperolehi melalui kaedah yang sedia ada untuk menggambarkan kesesuaian kaedah yang dicadangkan.

Secara keseluruhan, kita dapat membuat kesimpulan bahawa kaedah yang dicadangkan adalah sesuai untuk menyelesaikan persamaan pembezaan biasa kaku pada saiz langkah yang bervariasi terutama ketika saiz langkah adalah lebih besar. Selain daripada itu, kaedah yang dicadangkan juga sesuai untuk menyelesaikan persamaan pembezaan separa dengan memberi keputusan yang boleh diterima pakai.

ACKNOWLEDGEMENTS

In the name of God, the Most Gracious, the Most Merciful. Alhamdulillah, for over two years doing research and making this Master thesis entitled, "Block one-step methods for solving stiff differential equations" success.

I would like to express my gratitude to my supervisor, Associate Professor Dr Zanariah Abdul Majid for her guidance, ideas, encouragements and many more for helping finish this study. Without her guidance this thesis would not have been possible. My gratitude also goes to my co-supervisor, Dr. Norazak Senu for his advice all this time.

Secondly, I wish to express my sincere thanks to my parents and family for their love, encouragement and supports both financially and mentality to complete my study. Next, I would like to give a big thanks to my lovely wife for her support and encouragement in order to help me success in my study. Thanks are also addressed to my coursemates Mughti, Shah, Radzi, Phang, Khoo, Huda, Azizah, Nadzreen, Hafiz, Suzila, Sheera, Wani, Amir, Asyraf, Tee, Fira and Azlan and others for giving so much idea and support during this study.

Last but not least, I also want to express my gratitude towards all people that help me during this journey whether direct or indirectly. Thanks also to Institute for Mathematical Research staff for their assistance throughout my study and my financial support MyBrain and GRF. There are no such words to describe their kindness and contribution in making this thesis. This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of **Master of Science.** The members of the Supervisory Committee were as follows:

Zanariah Abdul Majid, PhD

Associate Professor Institute for Mathematical Research Universiti Putra Malaysia (Chairman)

Norazak Senu, PhD

Senior Lecturer Faculty of Science Universiti Putra Malaysia (Member)

BUJANG KIM BIN HUAT, PhD Professor and Dean School of Graduate Studies Universiti Putra Malaysia Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature:	Date:
Name and Matric No.:	

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature:	Signature:
Name of	Name of
Chairman of	Member of
Supervisory	Supervisory
Committee:	Committee:

TABLE OF CONTENTS

			Page
ABSTRA	ACT		i
ABSTRA	1K		ii
ACKNO	WLEDGE	MENTS	iii
APPRO	VAL		iv
DECLA	RATION		vi
LIST O	F TABLES	_	ix
LIST O	F FIGURES	6	xii
LIST O	F ABBREV	IATIONS	xiv
СНАРТ	ER		
1	INTR	ODUCTION	
	1.1	Introduction	1
	1.2	Objective of the thesis	2
	1.3	Scope of study	3
	1.4	Outline of the thesis	3
2	ТТТЕ	PATURE REVIEW	
4	2.1	Introduction	Δ
	2.1	Initial value problem	4 4
	2.2	Multisten method	4
	2.5	Lagrange interpolation polynomial	5
	2.7	Preliminary mathematical concepts	6
	2.5	Stiff differential equations	10
	2.0 2.7	Review of previous works	10
3	TWO	-POINT ONE-STEP BLOCK METHOD FOR SOL	VING
	STIF	F ORDINARY DIFFERENTIAL EQUATIONS	
	3.1	Introduction	13
	3.2	Derivation of two-point one-step block method	13
	3.3	Stability and order of the method	15
	3.4	Implementation of the two-point one-step	19
	3.5	Algorithm 2PBOSM	20
	3.6	Problems tested	22
	3.7	Numerical results	24
	3.8	Discussion	36
4	THR	EE-POINT ONE-STEP BLOCK METHOD FOR S	OLVING
	STIF	F ORDINARY DIFFERENTIAL EQUATIONS	
	4.1	Introduction	38
	4.2	Derivation of three-point one-step block method	38
	4.3	Stability and order of the method	40
	4.4	Implementation of the three-point one-step	45
	4.5	Numerical results	46

4.6 Discussion

58

5	SOL BLO	VING PARTIAL DIFFERENTIAL EQUATIONS	USIN	G
	5.1	Introduction		60
	5.2	Partial differential equations		60
	5.3	Method of lines		60
	5.4	Implementation of the block method		61
		5.4.1 Two-point one-step block method		63
		5.4.2 Three-point one-step block method		63
	5.5	Algorithm 2PPDE		64
	5.6	Problems tested		65
	5.7	Numerical results		67
	5.8	Discussion		85
6	CON	CLUSION		
	6.1	Summary		86
	6.2	Future work		87
REFERENC	CES			88
BIODATA (JF STU	JDENT	93	0.4
LIST OF PU	BLIC	ATIONS		94

LIST OF TABLES

Table		Page
3.1	Comparison between 2PBOSM and 2PBOSM* for Problem 1	25
3.2	Comparison between 2PBOSM and 2PBOSM* for Problem 2	26
3.3	Comparison between 2PBOSM and 2PBOSM* for Problem 3	27
3.4	Comparison between 2PBOSM and 2PBOSM* for Problem 4	28
3.5	Comparison between 2PBOSM and 2PBOSM* for Problem 5	29
3.6	Comparison between 2PBOSM and 3BEBDF for Problem 6	30
3.7	Comparison between 2PBOSM and 3BEBDF for Problem 7	30
3.8	Comparison between 2PBOSM and 3BEBDF for Problem 8	30
3.9	Comparison between 2PBOSM and BBDF(5) for Problem 9	31
3.10	Comparison between 2PBOSM and BBDF(5) for Problem 10	31
4.1	Comparison between 3PBOSM and 3PBOSM* for Problem 1	47
4.2	Comparison between 3PBOSM and 3PBOSM* for Problem 2	48
4.3	Comparison between 3PBOSM and 3PBOSM* for Problem 3	49
4.4	Comparison between 3PBOSM and 3PBOSM* for Problem 4	50
4.5	Comparison between 3PBOSM and 3PBOSM* for Problem 5	51
4.6	Comparison between 3PBOSM and 3BEBDF for Problem 6	52
4.7	Comparison between 3PBOSM and 3BEBDF for Problem 7	52
4.8	Comparison between 3PBOSM and 3BEBDF for Problem 8	52
4.9	Comparison between 3PBOSM and BBDF(5) for Problem 9	53
4.10	Comparison between 3PBOSM and BBDF(5) for Problem 10	53
5.1	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	69
	1 when N=2, $h=0.5$	
5.2	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	69
	1 when N=4, $h=0.25$	
5.3	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	69
~ 4	I when $N=10$, $h=0.1$	70
5.4	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	/0
	1 when $N=20$, $h=0.05$	70
5.5	1 when N=40, k=0.025	70
56	1 when N=40, <i>h</i> =0.025 Comparison between DK2, MCHW DK2 and 2DDDE for solving Problem	70
3.0	Comparison between KKS, MCHW-KKS and 2PPDE for solving Problem 1 when $N=60$ $k=0.0167$	70
57	Comparison between DK3 MCHW DK3 and 2DDDE for solving Problem	71
5.7	2 when N=2 $k=0.5$	/1
58	Comparison between RK3 MCHW-RK3 and 2PPDE for solving Problem	71
5.0	2 when N-4 h -0.25	/ 1
59	Comparison between RK3 MCHW-RK3 and 2PPDE for solving Problem	71
5.7	2 when N=10 h =0 1	/1
5.10	Comparison between RK3 MCHW-RK3 and 2PPDE for solving Problem	72
2.10	2 when N=20, $h=0.05$	· _
5.11	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	72
	2 when N=40, <i>h</i> =0.025	
5.12	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem	72
	2 when N=60, <i>h</i> =0.0167	

5.13	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when $N=2$, $h=0.1$	73
5.14	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when $N=4$, $h=0.5$	73
5.15	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when N=10 k =0.2	73
5.16	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when N=20 $h=0.1$	74
5.17	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when N=40 $h=0.05$	74
5.18	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 3 when N=60, h =0.0334	74
5.19	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when $N=2$, $h=0.5$	75
5.20	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when $N=4$, $h=0.25$	75
5.21	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when $N=10$, $h=0.1$	75
5.22	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when $N=20$, $h=0.05$	76
5.23	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when $N=40$, $h=0.025$	76
5.24	Comparison between RK3, MCHW-RK3 and 2PPDE for solving Problem 4 when N=60, <i>h</i> =0.0167	76
5.25	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=2$, $h=0.5$	77
5.26	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=4$, $h=0.25$	77
5.27	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=10$, $h=0.1$	77
5.28	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=20$, $h=0.05$	78
5.29	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=40$, $h=0.025$	78
5.30	Comparison between RK4, CoM and 3PPDE for solving Problem 1 when $N=60$, $h=0.0167$	78
5.31	Comparison between RK4, CoM and 3PPDE for solving Problem 2 when $N=2$, $h=0.5$	79
5.32	Comparison between RK4, CoM and 3PPDE for solving Problem 2 when $N=4$, $h=0.25$	79
5.33	Comparison between RK4, CoM and 3PPDE for solving Problem 2 when $N=10$, $h=0.1$	79
5.34	Comparison between RK4, CoM and 3PPDE for solving Problem 2 when $N=20$, $h=0.05$	80
5.35	Comparison between RK4, CoM and 3PPDE for solving Problem 2 when N=40, h =0.025	80

- 5.36 Comparison between RK4, CoM and 3PPDE for solving Problem 2 when 80 N=60, *h*=0.0167
- 5.37 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 81 N=2, h=0.1
- 5.38 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 81 N=4, h=0.5
- 5.39 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 81 N=10, h=0.2
- 5.40 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 82 N=20, *h*=0.1
- 5.41 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 82 N=40, *h*=0.05
- 5.42 Comparison between RK4, CoM and 3PPDE for solving Problem 3 when 82 N=60, *h*=0.0334
- 5.43 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 83 N=2, h=0.5
- 5.44 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 83 N=4, h=0.25
- 5.45 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 83 N=10, h=0.1
- 5.46 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 84 N=20, *h*=0.05
- 5.47 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 84 N=40, *h*=0.025
- 5.48 Comparison between RK4, CoM and 3PPDE for solving Problem 4 when 84 N=60, *h*=0.0167

LIST OF FIGURES

Figure Page 1.1 The flow of heat on an insulation rod 2 3.1 Two-point one-step block method 13 3.2 Stability region of two-point one-step block method 19 Graph maximum errors versus h for 2PBOSM and 2PBOSM* for solving 3.3 32 Problem 1 3.4 32 Graph maximum errors versus h for 2PBOSM and 2PBOSM* for solving Problem 2 3.5 Graph maximum errors versus h for 2PBOSM and 2PBOSM* for solving 33 Problem 3 Graph maximum errors versus h for 2PBOSM and 2PBOSM* for solving 3.6 33 Problem 4 3.7 Graph maximum errors versus h for 2PBOSM and 2PBOSM* for solving 34 Problem 5 3.8 Graph maximum errors versus h for 3BEBDF and 2PBOSM for solving 34 Problem 6 3.9 Graph maximum errors versus h for 3BEBDF and 2PBOSM for solving 35 Problem 7 3.10 Graph maximum errors versus h for 3BEBDF and 2PBOSM for solving 35 problem 8. 3.11 Graph maximum errors versus h for BBDF(5) and 2PBOSM for solving 36 Problem 9 3.12 Graph maximum errors versus h for BBDF(5) and 2PBOSM for solving 36 Problem 10 4.1 Three-point one-step block method 38 4.2 Stability region of three-point one-step block method 45 Graph maximum errors versus h for 3PBOSM and 3PBOSM* for solving 4.3 54 Problem 1 4.4 Graph maximum errors versus h for 3PBOSM and 3PBOSM* for solving 54 Problem 2 4.5 Graph maximum errors versus h for 3PBOSM and 3PBOSM* for solving 55 Problem 3 4.6 Graph maximum errors versus h for 3PBOSM and 3PBOSM* for solving 55 Problem 4 Graph maximum errors versus h for 3PBOSM and 3PBOSM* for solving 4.7 56 Problem 5 Graph maximum errors versus h for 3BEBDF and 3PBOSM for solving 4.8 56 Problem 6 4.9 Graph maximum errors versus h for 3BEBDF and 3PBOSM for solving 57 Problem 7 4.10 Graph maximum errors versus *h* for 3BEBDF and 3PBOSM for solving 57 Problem 8 4.11 Graph maximum errors versus *h* for BBDF(5) and 3PBOSM for solving 58 Problem 9

4.12	Graph maximum errors versus <i>h</i> for BBDF(5) and 3PBOSM for solving	58
	Problem 10	
5.1	Two-point one-step block method for solving parabolic partial differential	61
	Equation	
5.2	Three-point one-step block method for solving parabolic partial	62
	differential Equation	



LIST OF ABBREVIATIONS

ODEs	:	Ordinary Differential Equations
PDEs	:	Partial Differential Equations
IVPs	:	Initial Value Problems
LMM	:	Linear Multistep Method
2PBOSM	:	Implementation of Two-point One-step block Method with Newton's
		iteration for Solving Stiff Ordinary Differential Equations and
		Parabolic Partial Differential Equations
2PBOSM*	:	Implementation of Two-point One-step block Method with Fix Point
		Iteration (<i>PECE</i>) for Solving Stiff Ordinary Differential Equations
2PPDE	:	Implementation of Two-point one-step block method with Newton's
		iteration for solving parabolic PDEs
3PBOSM	:	Implementation of Three-point One-step block Method with Newton's
		iteration (<i>PECE</i>) for Solving Stiff Ordinary Differential Equations and
		Parabolic Partial Differential Equations
3PBOSM*	:	Implementation of Three-point One-step block Method with Fix Point
		Iteration for Solving Stiff Ordinary Differential Equations
3PPDE	:	Implementation of Three-point one-step block method with Newton's
		iteration for solving parabolic PDEs
3BEBDF	:	Implementation of Fourth Order 3-point Block Extended Backward
		Differential Formula for Solving Stiff Ordinary Differential Equations
BBDF(5)	:	Implementation of Fifth Order Block Backward Differential Formula
		for Solving Stiff Ordinary Differential Equations
RK3	:	Implementation of Third Order Runge-Kutta for Solving Parabolic
		Partial Differential Equations
MCHW-	:	Implementation of Modified C ₀ M Weights Runge-Kutta Three Method
RK3		for Parabolic Partial Differential Equations
RK4	:	Implementation of Fourth Order Runge-Kutta for Solving Parabolic
		Partial Differential Equations
CoM	:	Implementation of New Fourth Order Runge-Kutta Formula Based On
		The Contra-Harmonic $(C_0 M)$ Mean for Solving Parabolic Partial
		Differential Equations

CHAPTER 1

INTRODUCTION

1.1 Introduction

Differential equations occur frequently in many branches of science, including pure and applied mathematics. Those branches of science are chemical process, mechanical processes and mathematical models of electrical.

Differential equations can be classified into two parts which are ordinary differential equations (ODEs) and partial differential equations (PDEs). ODE is equation involving functions and derivatives while the PDEs involving functions and their partial derivatives.

An ODE is a differential equation in which the unknown function is a function of a single independent variable. In the simplest form, the unknown function is a real or complex valued function, but more generally, it may be vector-valued or matrix-valued: this corresponds to a system of ODEs for a single function. When a different part of ODEs system has different time dependencies, this ODES equation become stiff ODEs. A small step size is needed in order to get an accurate result when we use existing numerical method except that the method is with A-stability properties.

An unknown function will be called as PDEs when the unknown function is a function of various independent variables and involving partial derivatives. PDEs can be classified into three major categories which are elliptic, parabolic and hyperbolic.

Elliptic PDEs can be considered as Poisson equation:

$$\frac{\partial^2 u}{\partial x^2}(x, y) + \frac{\partial^2 u}{\partial y^2}(x, y) = f(x, y),$$

The function f(x, y) describes the input to the problem on a plane R whose boundary denote by S. Typically, this type of equation arises in the study of various time-dependent physical problems such as the energy potential of a point in a plane acted on by the force of gravity plane, two-dimensional steady-state problems involving in compressible fluids and steady-state heat distribution in a plane region. In the study of steady-state distribution of heat in a plane region requires that f(x, y) = 0, in the result will simplify the Poisson equation into:

$$\frac{\partial^2 u}{\partial x^2}(x, y) + \frac{\partial^2 u}{\partial y^2}(x, y) = 0,$$

which is called Laplace's equation.

PDEs can be described as the physical problems of heat flow along the rod length l (see Figure 1.1), which is considered to have a uniform temperature in each element of the cross-section. In this condition, a perfectly insulated on a rod lateral surface is required. The form of parabolic PDEs:

$$\frac{\partial u}{\partial t}(x,t) = \alpha^2 \frac{\partial^2 u}{\partial x^2}(x,t),$$

where the constant α is determined by the heat-conductive properties of the material of which rod is composed and is assumed to be independent of the position in the rod.



Figure 1.1 The flow of heat on a insulation rod. (Source Burden *et al.* 2005)

Wave equation is an example of hyperbolic PDEs. For example, an elastic string of length l is stretched between two supports at the same horizontal level. When the string is in a motion state and its vibration is on a vertical plane, the vertical displacement u(x,t) of point x at time t satisfies the PDEs

$$\frac{\partial^2 u}{\partial t^2}(x,t) = \alpha^2 \frac{\partial^2 u}{\partial x^2}(x,t), \qquad 0 < x < l, \qquad 0 < l,$$

provided that damping effects are neglected and the amplitude is too large. In this research, we will only focus on solving parabolic PDEs using the proposed method.

Source: Burden et al. (2005)

1.2 Objective of the thesis

The goal of this study is to propose two types of block method in solving stiff ODEs and parabolic PDEs. The objectives of the research are:

- a) To establish the order, convergent and stability region for two-point and threepoint block one-step methods.
- b) To formulate the two-point and three-point block one-step methods for solving stiff ODEs using constant step size.
- c) To formulate the two-point and three-point block one-step methods for solving parabolic PDEs using constant step size.

1.3 Scope of the study

The scope of this study will focus on solving two types of problems, i.e. first order ODEs equations and one dimensional of PDEs. Two-point and three-point block onestep methods will be implemented to compute both problems using constant step size. In addition, C program will be used to run the develop code of the methods. MATHEMATICA software will be used to plot the stability region of both block methods.

1.4 Outline of the thesis

There are six chapters in this thesis. In chapter one, the introduction of this thesis will be discussed. It covers the general introduction for differential equations, the main objectives of this thesis and the scope of study for this thesis.

Chapter two consists of preliminary mathematical concepts and literature review of the previous work will be discussed at the end of this chapter.

Chapter three presents the two-point block one-step method for solving stiff ODEs using constant step size. The derivation of this method, stability region, order, algorithm of this method, problem tested and the implementation of this method also have been discussed in this chapter. Discussion will be at the end of this chapter.

Chapter four deals with three-point block one-step method for solving stiff ODEs using constant step size. The derivation of this method, stability region, order, algorithm of this method, problem tested and the implementation of this method have also been discussed in this chapter. This chapter will finish with the discussion of the results.

Chapter five discusses the PDEs that will solve using block method. This chapter also includes the introduction of PDEs, method of lines, implementation of the block method, algorithm of the method and the test problem. The numerical results and discussion will be at the end this chapter.

Chapter six consists of the summary and the findings of this study. It also provides recommendations for future work.

REFERENCES

- Ababneh, O. Y. and Rozita R. 2009. New third order runge kutta based on contraharmonic mean for stiff problems, *Applied Mathematical Science*, 3(8):365–376.
- Ahmad, R. R. and Yaacob, N. 2005a. Third-order composite Runge Kutta method for stiff problems, *International Journal of Computer Mathematics*, 82(10):1221–1226.
- Ahmad, R. R. and Yaacob, N. 2005b. Sin-Cos-Taylor-Like method for solving stiff differential equations, *Journal of Fundamental Sciences*, 1(1):34–43.
- Akinfenwa, O. A., Yao, N. M. and Jator, S. N. 2011. Implicit two step continuous hybrid block methods with four off-steps points for solving stiff ordinary differential equation, *World Academy of Science, Engineering and Technology*, 51:425-428.
- Akinfenwa, O. A., Jator, S. N. and Yao, N. M 2011a. A self starting block Adams methods for solving stiff ordinary differential equation, *The 14th IEE International Conference on Computational Science and Engineering*.
- Akinfewa, O. A., Jator, S. N. and Yao, N. M 2011b. A linear multistep hybrid with continuous coefficient for solving stiff ordinary differential equation, *Journal of Modern Mathematics and Statistics*, 5(2):47-53.
- Al-Rabeh, A. 1992. Towards a general integration algorithm for time-dependent onedimensional systems of parabolic partial differential equations using the method of lines, *Journal of Computational and Applied Mathematics*, 42:187-198.
- Boscarino, S. 2009. On an accurate third order implicit-explicit Runge-Kutta method for stiff problems, *Applied Numerical Mathematics*, 59:1515-1528.
- Bujanda, B. and Jorge, J. C. 2002. Additive Rung-Kutta methods for the resolution of linear parabolic problems, *Journal of Computational and Applied Mathematics*, 140:99-117.
- Burden, R. L. and Faires, J. D. (2005). USA:Numerical Analysis fifth edition. Boston: Belmont: PWS-KENT publishing company.
- Butcher, J. C. and Rattenbury, N. 2005. ARK methods for stiff problems from *Applied Numerical Mathematics*, 53:165–181.
- Chepurniy N. Runge-Kutta for ordinary differential equations, https://www.sharcnet.ca/help/index.php/RUNGE-KUTTA_Tutorial (accessed 24 February 2012).

- CHU, M. T. 1983. An automatic multistep method for solving stiff initial value problems, *Journal of Computational and Applied Mathematics*, 9:229-238.
- Curtiss, C. F. and Hirdchfelder, J. O. 1952. Integration of stiff equations, *Mathematics: Curtiss and Hirschfelder*, 2:488-490.
- Evans, D. J. and Yaakub, A. R. 1995. A new fourth order Runge-Kutta formula based on the Contra-Harmonic (CoM) Mean, *Intern. J. Computer Math*, 57:249-256.
- Fatunla, S. O. 1991. Block methods for second order ODEs, *Intern. j. Computer Math*, 41: 55–63.
- Gonzalez-Pinto, S. and Rojas-Bello, R. 2005. Speeding up Newton-type iterations for stiff problems, *Journal of Computational and Applied Mathematics*, 181: 266– 279.
- Graney, L. and Richardson, A. A. 1981. The numerical solution of non-linear partial differential equations by the method of lines, *Journal of Computational and Applied Mathematics*, 7:229-236.
- Hasni, M. M. (2014) One-step Block Methods for Direct Solving Of Linear Boundary Value Dirichlet and Neuman Type Problems. Master Thesis, Universiti Putra Malaysia.
- Hairer, E. and Wanner, G. 1999. Stiff differential equations solved by Radau methods, Journal of Computational and Applied Mathematics, 111:93-111.
- Hochbruck, M. and Ostermann, A. 2005. Exponential Runge-Kutta methods for parabolic problems, *Applied Numerical Mathematics*, *53*:323-339.
- Houwen, P. J. V. D. H. 1996. The development of Runge-Kutta methods for partial differential equations, *Applied Numerical Mathematics*, 20:261-272
- Ibrahim, Z. B., Othman, K. I. and Suleiman, M. 2007. Implicit *r*-point block backward differentiation formula for solving first-order stiff ODEs, *Applied Mathematics and Computation*, 186: 558–565.
- Ibrahim, Z. B., Othman, K. I. and Suleiman, M. 2012. 2-point block predictor-corrector of Backward Differential Formulas for solving second order ordinary differential equations directly, *Chiang Mai J. Sci*, 39(3): 502–510.
- Kanaga, A. E. K. P. and Dhayaraban, D. P. 2011. Comparison of Single Term Walsh Series Technique and Extended RK methods based on variety of means to solve stiff non-linear systems, *Recent Research in Science and Technology*, 3(9): 22-30.

- Kleefeld, B. and Martin-Vaquero, J. 2012. SERK2v2: A new second-order stabilized explicit Runge-Kutta method for stiff problems, *Wiley Online Library*
- Kumleng, G. M., Adee, S. O. and Skwame, Y. 2013. Implicit two step Adam Moulton hybrid block method with two off-step points for solving stiff ordinary differential equations, *Journal of Natural Science Research*, 3(9):77-81.
- Lambert, J. D. (1973). USA: Computational Methods in Ordinary Differential Equations. New York,NY: JohnWiley & Sons.
- Majid, Z. A., Suleiman, M. B., Ismail, F. and Othman, M. 2003. 2-point block one step method half Gauss-Seidel for solving first order ordinary differential equations, *Matematika*, 19(2):91–100.
- Majid, Z. A., Suleiman, M. B. and Omar, Z. 2006. 3-point implicit block one step method for solving ordinary differential equations, *Bull. Malays.Math. Sci. Soc.* (2) 29(1):23–31.
- Majid, Z. A., Mukhtar, N. Z. and Ismail, F. (2011). Direct two-point block one-step method for solving general second-order ordinary differential equations, *Mathematical Problems in Engineering*.
- Majid, Z. A., Mokhtar, N. Z. and Suleiman, M. 2012. Direct two-point block one-step method for solving general second-order ordinary differential equations, *Mathematical Problems in Engineering* vol. 2012, Article ID 184253, 16 pages.
- Martín-Vaquero, J. and Janssen, B. 2009. Second-order stabilized explicit Runge–Kutta methods for stiff problems, *Computer Physics Communications*, 180:1802–1810.
- Milne, W. E. 1953. Numerical solution of differential equations, John Wiley, New York.
- Mukhtar, N. Z., Majid, Z. A. and Ismail, F. 2011. Solutions of general second order ODEs using direct block method of Runge-Kutta type, *Journal of Quality Measurement and Analysis*, 7(2):145-154.
- Mukhtar, N. Z. (2011) Direct One-step Block Methods for solving General Second Order Non-stiff Ordinary Differential Equations. Master Thesis, Universiti Putra Malaysia.
- Musa, H., Suleiman, M. B. and Senu, N. 2012. Fully implicit 3-point Block Extended Backward Differentiation Formula for stiff initial value problems, *Applied Mathematical Science*, 6(85):4211–4228.
- Nasir, N. A. A. M., Ibrahim, Z. B., Othman, K. I. and Suleiman, M. 2012. Numerical solution of first order stiff ordinary differential equations using fifth order Block Backward Differentiation Formulas, *Sains Malaysiana*, 41(4):489–492.

- Pushpam, A. E. K. and Dhayabaran, D. P. 2011. Comparison of single term Walsh series technique and extended RK methods based on variety of means to solve stiff non-linear systems, *Recent Research in Science and Technology*, 3(9):22-30.
- Radzi, H. M., Majid, Z.A., Ismail, F. and Suleiman, M. 2012. Two and three point onestep block method for solving delay differential equations, *Journal of Quality Measurement and Analysis*, 8(1):29–41.
- Ramos, H. and Vigo-Agular, J. 2007. An almost L-stable BDF-type method for the numerical solution of stiff ODEs, *Wiley InterScience*.
- Rasdi, N. (2013) Direct One-step Block Methods for solving Special Order Delay Differential Equations. Master Thesis, Universiti Putra Malaysia.
- Rosser, J. B. 1967. A Runge-Kutta for all seasons, SIAM Review, 9:417–452.
- Shafie S. 2013. Implementation of modified SIRK method on solving stiff ordinary differential equations, *International Journal of Humanities and Management Science*, 1(1):2320-4044.
- Shampine, L. F. and Watts, H. A. 1969. Block implicit one-step method, *Mathematics of Computation*, 23:731–740.
- Sharmila, R. G. and Amirtharaj, E. C. H. 2011. Implementation of a new third order weighted Runge-Kutta formula based on Centrodial Mean for solving stiff initial value problem, *Recent Research in Science and Technology*, 3(10):91–97.
- Sharmin, E. N. 1964. Application of the method of straight lines to the solution of boundary value problems for certain non-selfconjugate two-dimensional second order elliptic equations, Moscow, 240–246.
- Verwer, J. G. 1977. On A class of stabilized three-step Rung-Kutta methods for the numerical integration of parabolic equations, *Journal of Computational and Applied Mathematics*, 3:155-166.
- Verwer, J. G. 1996. Explicit Runge-Kutta methods for parabolic partial differential equations, *Applied Numerical Mathematics*, 22:359-379.
- Williams, J. and Hood, F. D. 1974. Aclass of A-stable advanced multistep methods, *Mathematics of Computation*, 28(125): 163-177.
- Yatim, S. A. M., Ibrahim, Z. B., Othman, K. I. and Suleiman, M. 2013. A numerical algorithm for solving stiff ordinary differential equations, *Hindawi Publishing Corporation Mathematical Problems in Engeneering*, volume 2013, 11 pages.

Zafarullah, A. 1970. Application of the method of lines to parabolic partial differential equations with error estimates, *Journal of the Association for Computing Machinery*, 17(2): 294-302.

