



**UNIVERSITI PUTRA MALAYSIA**

***GENERATION AND MANAGEMENT OF FATS, OIL AND GREASE IN  
FOOD WASTE AMONG RESIDENTS IN PRECINCT 14, PUTRAJAYA,  
MALAYSIA***

**LILI MASTURA BINTI CHE WIL**

**FPAS 2018 21**



**GENERATION AND MANAGEMENT OF FATS, OIL AND GREASE IN  
FOOD WASTE AMONG RESIDENTS IN PRECINCT 14, PUTRAJAYA,  
MALAYSIA**

By

**LILI MASTURA BINTI CHE WIL**

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,  
in Fulfillment of the Requirements for the Degree of Master of Science**

**September 2017**

## **COPYRIGHT**

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Master of Science

**GENERATION AND MANAGEMENT OF FATS, OIL AND GREASE IN  
FOOD WASTE AMONG RESIDENTS IN PRECINCT 14, PUTRAJAYA,  
MALAYSIA**

By

**LILI MASTURA BINTI CHE WIL**

**September 2017**

**Chairman : Sabrina Ho Abdullah, PhD**  
**Faculty : Environmental Studies**

Fats, Oil and Grease (FOG) is a result of cooking and can always be found in daily domestic food waste. The improper management of domestic FOG waste causes many environmental problems as a result of pipe blockage and sewage overflow. Thus this study focused on gaining knowledge on the management of domestic FOG waste among the households in the residential area of Precinct 14, Putrajaya. This study had been structured with three objectives. The first objective of this study was to assess the level of awareness, attitude and practices towards domestic FOG waste among households in Precinct 14, Putrajaya. The first objective was achieved using the questionnaire survey method. A total of 453 respondents from Precinct 14, Putrajaya were involved in the survey. The result showed that households in Precinct 14, Putrajaya have a high level of awareness and attitude but a modest level of practice towards domestic FOG waste management. The second objective of this study was to determine the generation rate and composition of FOG waste from food waste of households in Precinct 14, Putrajaya. There were seven households involved in this second objective, where lab analysis with the involvement of Soxhlet Extraction Method was used to obtain the results. The result of the analysis showed that the total collected food waste was 18.983kg over a period of seven days. The range of FOG composition in every gram of food waste generated per household in Precinct 14, Putrajaya was found to be between 4.80% and 38.60%. The total FOG generation for seven selected households in seven days was approximately 0.955kg. The third objective of this study was to identify the factors contributing towards domestic FOG waste generation. A linear regression analysis was used to achieve this third objective. The results from the linear regression analysis revealed that the factors influencing the FOG waste generation were attitude, practice, age, level of education and the number of family members. This study had managed to reveal the actual composition of FOG waste in the daily food waste generated by the households in Precinct 14, Putrajaya.

The rate of FOG composition and generation can be controlled with a better attitude and practice on food waste management. Practicing proper food waste management is also able to improve the quality of the environment. Proper management practices of FOG waste can be instilled through good environmental education.

Keywords: fats, oil and grease (FOG), food waste, FOG waste generation, FOG waste management, awareness, attitude, practice



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**PENJANAAN DAN PENGURUSAN LEMAK, MINYAK DAN GRIS DALAM  
SISA MAKANAN DI KALANGAN PENDUDUK PRESINT 14, PUTRAJAYA,  
MALAYSIA**

Oleh

**LILI MASTURA BINTI CHE WIL**

**September 2017**

**Pengerusi : Sabrina Ho Abdullah, PhD**  
**Fakulti : Pengajian Alam Sekitar**

Lemak, Minyak dan Gris (LMG) adalah hasil masakan dan selalu ditemui dalam sisa makanan harian. Pengurusan sisa LMG yang tidak terurus boleh menyebabkan masalah alam sekitar seperti paip tersumbat dan limpahan sisa kumbahan. Oleh itu, kajian ini fokus kepada mengkaji pengetahuan isirumah terhadap pengurusan sisa domestik LMG di kawasan perumahan Presint 14, Putrajaya. Kajian ini dijalankan berdasarkan tiga objektif. Objektif pertama adalah untuk mengetahui tahap kesedaran, sikap dan amalan terhadap pengurusan sisa domestik LMG di kawasan perumahan Presint 14, Putrajaya. Objektif pertama dicapai dengan menggunakan kaedah kaji selidik. Seramai 453 responden dari Presint 14, Putrajaya terlibat di dalam kaji selidik ini. Keputusan kaji selidik menunjukkan isi rumah di Presint 14, Putrajaya mempunyai tahap kesedaran dan sikap yang tinggi tetapi mempunyai tahap amalan ditahap sederhana terhadap pengurusan sisa domestik LMG. Objektif kedua kajian ini adalah untuk menentukan kadar penjaan dan komposisi sisa LMG dari sisa makanan isirumah di Presint 14, Putrajaya. Terdapat tujuh buah isirumah terlibat di dalam objektif kedua ini, di mana analisis makmal dengan penglibatan Kaedah Pengekstrakan Soxhlet digunakan untuk mendapatkan keputusan. Keputusan analisis menunjukkan bahawa jumlah sisa makanan terkumpul adalah 18.983kg untuk tujuh hari. Komposisi LMG di dalam setiap gram sisa makanan untuk sebuah rumah adalah di dalam lingkungan 4.80% dan 38.60%. Jumlah keseluruhan LMG dijana seminggu adalah 0.955kg. Objektif ketiga adalah untuk mengenalpasti faktor menyumbang terhadap penjaan sisa domestik LMG. Analisis regresi linear digunakan untuk mencapai objektif ketiga. Keputusan dari analisis linear regresi menunjukkan bahawa faktor mempengaruhi kadar penjaan sisa LMG adalah sikap, amalan, umur, tahap pendidikan dan bilangan ahli keluarga. Kajian ini telah berjaya mendedahkan komposisi sebenar sisa LMG di dalam sisa makanan harian oleh sisarumah di Presint 14, Putrajaya. Kadar penjaan dan komposisi LMG boleh dikawal dengan sikap dan

amalan yang lebih baik terhadap pengurusan sisa makanan. Selain itu, amalan pengurusan sisa makanan yang lebih baik akan meningkatkan kualiti alam sekitar. Amalan pengurusan sisa LMG yang lebih baik akan dapat terlaksana dengan pendidikan alam sekitar sejak dari kecil.

Kata kunci: sisa lemak, sisa minyak dan sisa gris, sisa makanan, penjanaan sisa LMG, tingkah laku, amalan, kesedaran



## ACKNOWLEDGEMENTS

**Bismillahirrahmanirrahim,**

Give thanks to Allah SWT, The Lord of Majesty and Generosity for blessing me with the patience, strong will and good health during the preparation of the Master Research project. This project is successfully completed with the support, guidance and contribution from many individuals.

Firstly, deepest appreciation and thank you to my supervisor, Dr Sabrina Ho. Abdullah and Assoc. Prof. Dr. Latifah Abd Manaf, my co-supervisor, for their precious advices, ideas, comments, encouragement and guidance. It is a wonderful journey of project implementation under their supervision, who patiently guides me to the perfection.

Heartful thanks to my siblings, and to all my friends that involves in this project directly or indirectly, for the helps, support and encouragement in finishing this project.

Thank You.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

**Sabrina Ho Abdullah, PhD**

Senior Lecturer

Faculty of Environmental Studies

Universiti Putra Malaysia

(Chairman)

**Latifah Abd Manaf, PhD**

Associate Professor

Faculty of Environmental Studies

Universiti Putra Malaysia

(Member)

---

**ROBIAH BINTI YUNUS, PhD**

Professor and Dean

School of Graduate Studies

Universiti Putra Malaysia

Date:

## Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name and Matric No.: Lili Mastura binti Che Wil, GS39480

## Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: \_\_\_\_\_

Name of  
Chairman of  
Supervisory  
Committee:

Dr. Sabrina Ho Abdullah

Signature: \_\_\_\_\_

Name of  
Member of  
Supervisory  
Committee:

Associate Professor Dr. Latifah Abd Manaf

## TABLE OF CONTENTS

	Page
<b>ABSTRACT</b>	i
<b>ABSTRAK</b>	iii
<b>ACKNOWLEDGEMENTS</b>	v
<b>APPROVAL</b>	vi
<b>DECLARATION</b>	viii
<b>LIST OF TABLES</b>	xiii
<b>LIST OF FIGURES</b>	xiv
<b>LIST OF ABBREVIATIONS</b>	xv

### CHAPTER

<b>1</b>	<b>INTRODUCTION</b>	1
	1.1 Background	1
	1.2 Problem Statement.	3
	1.3 Research Objectives	5
	1.4 Significance of Study	5
	1.5 Scope of Study	6
	1.6 Limitations	6
	1.7 Thesis Organization	6
<b>2</b>	<b>LITERATURE REVIEW</b>	8
	2.1 Household Solid Waste	8
	2.1.1 Household Solid Waste Management	9
	2.1.2 Food Waste Management in Malaysia	10
	2.1.3 Household FOG Waste Management in Malaysia	12
	2.1.4 FOG Waste Management in Putrajaya	14
	2.2 Waste Management Awareness, Attitude and Practice	15
	2.2.1 Awareness	15
	2.2.2 Attitude	16
	2.2.3 Practice	17
	2.3 Fats, Oil and Grease (FOG)	18
	2.3.1 Environmental Effects of Fats, Oil and Grease	20
	2.4 Fats, Oil and Grease Waste Generation and Composition	21
	2.5 Factors contributing toward Domestic Fats, Oil and Grease Waste Generation	22
	2.6 Conclusion	23

<b>3</b>	<b>METHODOLOGY</b>	<b>24</b>
3.1	Research Framework	24
3.2	Survey of Practices in the Management of Domestic Fats, Oil and Grease	25
3.2.1	Study area	26
3.2.2	Population and Sampling Design	27
3.2.3	Survey Questionnaire	28
3.2.4	Validation of Questionnaire	29
3.2.5	Pilot Test	30
3.2.6	Data collection	30
3.2.7	Data analysis	31
3.3	Laboratory Analysis of Fats, Oil and Grease Composition	32
3.3.1	Food Waste Sample Collection	33
3.3.1.1	Type of Food Waste Collected	34
3.3.2	Sample size	34
3.3.3	Lab analysis	35
3.4	Factors contributing toward Domestic Fats, Oil and Grease Waste Generations	40
<b>4</b>	<b>RESULTS AND DISCUSSION</b>	<b>42</b>
4.1	Domestic Fats, Oil and Grease Waste Management Practices, Awareness and Attitude Study	42
4.1.1	Respondents' Demographic Profile	42
4.1.2	Severity Index	44
4.1.2.1	Severity Index of Awareness on Domestic FOG Waste Management	44
4.1.2.2	Severity Index of Attitude on Domestic FOG Waste Management	46
4.1.2.3	Severity Index of Practice on Domestic FOG Waste Management	48
4.1.3	Level of Awareness, Attitude and Practice of the Management of Domestic FOG Waste	50
4.1.4	Relationship between Practice, Awareness and Attitude towards Domestic FOG Waste Management	52
4.2	FOG Waste Generation and Composition Study	53
4.3	Factors Contributing to Domestic FOG Waste Generation	56
4.4	Conclusion	59
<b>5</b>	<b>CONCLUSIONS AND RECOMMENDATION</b>	<b>60</b>
5.1	Summary of Findings and Conclusions	60
5.2	Recommendations	61

<b>REFERENCES</b>	63
<b>APPENDICES</b>	72
<b>BIODATA OF STUDENT</b>	81
<b>PUBLICATION</b>	82



## LIST OF TABLES

Table	Page
2.1 Typical Characteristic of Untreated Domestic Wastewater in the USA	20
2.2 Acceptable condition of oil and grease from sewage and industrial discharges under related regulation of Standard A and B Environmental Quality Act 1974	21
2.3 Summary of Previous FOG researches result in Malaysia	22
2.4 Malaysian Food Waste Composition (%)	22
3.1 Summary of Likert scale	29
3.2 Reliability Test Result	30
3.3 Severity Index Rating Classification	32
4.1 Descriptive statistics for Demographic Profile	43
4.2 Severity index of Awareness Survey	44
4.3 Severity Index of Attitude Survey	46
4.4 Severity Index of Practice Survey	48
4.5 Respondents' Level of Awareness on Domestic FOG Waste Management in Precinct 14, Putrajaya	50
4.6 Respondents' Level of Attitude on Domestic FOG Waste Management in Precinct 14, Putrajaya	51
4.7 Respondents' Level of Practice on Domestic FOG Waste Management in Precinct 14, Putrajaya	51
4.8 Summary of Pearson Correlation Test between the Awareness and Practice on Domestic FOG Waste Management	52
4.9 Summary of FOG composition in Food Waste Sample	55
4.10 Food Waste and FOG Generation Estimation	55
4.11 Regression Model Result	57

## LIST OF FIGURES

Figure	Page
2.1 Malaysia Household Waste Composition in 2012	9
2.2 Food Waste Composition in Selected Countries	10
2.3 Average Amount of Fat a Person consumed per day in Selected Countries	12
2.4 Household pipe system in Malaysia	14
3.1 Research Framework	25
3.2 Aerial View of Precinct 14, Putrajaya	27
3.3 Flow chart of the data collection	31
3.4 Flow chart of method in FOG Generation Rate and Composition Study	33
3.5 Flow chart of the FOG Generation Rate and Composition analysis	36
3.6 Food waste sample	37
3.7 Soxhlet extraction set-up	38
3.8 The rotary evaporator process	39
3.9 The collected lipid	39
4.1 Summary of Severity Index of Awareness Survey on Domestic FOG Waste Management among the Residents in Precinct 14, Putrajaya	45
4.2 Summary of Severity Index of Attitude on Domestic FOG Waste Management among the Residents in Precinct 14, Putrajaya	47
4.3 Summary of Severity Index of Practice on Domestic FOG Waste Management among the Residents in Precinct 14, Putrajaya	49
4.4 Food Waste Generation in Precinct 14, Putrajaya	54
4.5 The factors contributing to FOG waste generation	58

## LIST OF ABBREVIATIONS

FOG	Fats, Oil and Grease
WCO	Waste Cooking Oil
MSW	Municipal Solid Waste
IWK	Indah Water Konsortium
HSW	Household Solid Waste
JKR	Jabatan Kerja Raya
BPH	Bahagian Pengurusan Hartanah
SSOs	Sanitary Sewer Overflows
STPs	Sewage Treatment Plants
WHO	World Health Organization
BOD	Biochemical Oxygen Demand

# CHAPTER 1

## INTRODUCTION

Chapter 1 presents the introduction of the study, statement of the problem, research objectives, significance, scope and limitations, assumptions, and operational definitions of terms utilized in this study.

### 1.1 Background

Food waste, as a major constituent of solid municipal waste to most countries, has become a burden to environmental management with various serious environmental and economic issues.

It was estimated that 1.3 billion tonnes of food waste is generated annually in the world, which is equivalent to approximately USD750 billion (FAO, 2013). In Malaysia, the generation of food waste has increased tremendously, as from 4.4 million tonnes in 2005 to approximately 5.5 million tonnes in 2013, and the number estimated may reach up to 6.5 million tonnes in 2020 (Hamid et al., 2012; Papargyropoulou et al., 2014). It was reported that half of every 31,000 tonnes of waste produced daily consisted of organic kitchen waste (Yasin et al., 2013).

As waste management is known as one of the major concerns affecting environmental problems faced by most municipalities, the increasing generation of food waste has not made waste management easy (Agamuthu and Fauziah, 2011). Improper food waste management may lead to many environmental problems, which in turn brings about a series of serious complications to the environmental condition and public health. Odour, decay, vermin attraction, groundwater contamination and greenhouse gas emission problems results from the poor management of food waste. Recently, popular discourse in conferences or research papers has related food waste, which consists of Fats, Oil and Grease (FOG), to the growing number of environmental problems (Williams et al., 2012; Chan, 2010) .

FOG, generally known as lipid, is a by-product of cooking. In certain Asian countries, FOG is known to be present in high quantities of food consumption (Stabnikova et al., 2005). An average Malaysian consumes at least 78.3g of fat per day, which qualifies Malaysia to be among the top 10 countries that consumes a high average amount of fat each day (Ferdman, 2015). It is deduced that people in many developed countries including Malaysia tend to move to western diets, which caused a rise in the consumption of FOG due to urbanization and increased affluence (Williams et al.,

2012; Mirnalini et al., 2008). Thus, the resultant production of kitchen waste consisting of FOG is expected.

However, FOG is not supposed to be found in wastewater (Gonzalez et al., 2008; Williams et al., 2012). Thus, any discovery of FOG concentration in untreated domestic wastewater actually demonstrates poor practices of kitchen management by the household (Roya, 2014; Williams et al., 2012). Several researchers had named domestic kitchen waste as among the largest contributors to FOG problems to the environment (O.Alade, et al., 2011; Hafid et al., 2011; Yin et al., 2013). When FOG is found in untreated wastewater, the main source is always kitchen water. This is due to the fact that households are inclined to discard food scraps containing FOG, especially the disposal waste cooking oil (WCO) into the sink as an easier way for disposal (Awang et al., 2015). FOG also may come in residual emulsions, which are directly released from household dishwashers (Roya, 2014).

The consequences of improper management of FOG waste may cause many environmental problems. The most common problem that is widely discussed is pipe blockage (O.Alade, et al., 2011; Hafid et al., 2011; Yin et al., 2013; Williams et al., 2012; Gonzalez et al., 2008). As FOG ends up in the sink either deliberately or as a result of ignorance, the washed down FOG that passes through the kitchen sink or drain naturally tends to stick to the insides of sewer pipes. The cool internal surfaces and the presence of water in sewer lines provide ideal locations for the formation of FOG deposits (He et al., 2013). These FOG deposits will eventually reduce the diameter of the sewer line until it will completely block the pipes, resulting in flooding or sewage overflow.

Cases of flooding or sewage overflow not only pose a risk to people's health, but also results in destruction of the environment and high costs of maintenance. The sewage overflow also exposes the surrounding population to pathogens and attracts vermin (Gonzalez et al., 2008; Williams et al., 2012). When the oily wastewater flows into the drains, it is later discharged directly into the watercourses, contaminating water resources and leading to a series of other problems. If the untreated sewage reaches the ocean, the risks or dangers that we would then face are coastal contamination, beach closures, and associated potential human health risks (Shaffer et al., 2003).

Several conferences and researches that have discussed FOG have shown that the problem is not only limited to certain countries (Williams et al., 2012). In the USA the accumulation of hardened and insoluble FOG deposits have been found to be the cause of pipe blockages, contributing to 40 to 50% of a total of 138 000 annual cases of sanitary sewer overflows (SSOs) (Keener et al., 2007). The excessive build-up of FOG has also been identified as the main reason behind more than 60% of sewer blockages that occurred in the year 2000 in Hong Kong (Chan, 2010) and 21% of all sewer blockages in Australia (Mattsson et al., 2014).

In Malaysia, FOG has been a challenge in environmental management, especially in an urban city such as Putrajaya. Up to approximately 70% of the sanitary sewer overflows (SSOs) that have occurred in Malaysia has been related to FOG accumulation (Husain et al., 2014). Indah Water Konsortium (IWK), a Malaysian national sewerage company, reported that in 2010, IWK received approximately 22,184 public complaints on blockage and manhole overflows. Based on IWK's report, the major contributors towards these blockages was indeed FOG build-up in the sewer pipes (Nair, 2011; IWK, 2011). FOG that is poured down into the sink might not have to travel far through the pipes before they begin to form FOG deposits and cause complete blockages (Roya, 2014). The cause of these blockages by FOG seems related to poor household waste management and the reality of sewage treatment plants in Malaysia, which has not been designed to handle lipid deposition (Rasit et al., 2015). Thus, problems associated with FOG continue to occur and reoccur in every state.

## **1.2 Problem Statement**

The residents in Putrajaya generate approximately 27.6 tonnes of food waste per day, which is 69% of a total of 40 tonnes of waste generated per day. This figure makes Putrajaya the state with the highest amount of food waste compared to other states in Malaysia (Sheikh Abd. Rahim, 2009). However, from this amount, only approximately 95% to 97% of the total waste generated reported was successfully sent to landfills for disposal (Desa et al., 2012). The remaining 2 to 5% is an alarming figure and can be considered an environmental issue, one of which is created by the FOG derived from food wastes. According to Alam Flora Sdn. Bhd, in one year, more than 130 tonnes of FOG from generated food waste were disposed into drains (Daniel, 2016). These FOG waste became hardened formations and adheres strongly to pipe walls, blocking the piping system and causing Sanitary Sewer Overflows (SSOs) (Williams et al., 2012). In addition, the cleaning of massive networks of drains in the city cannot be done frequently, thus resulting in gunk build-up, producing nasty smells and clogging the drains (Daniel, 2016).

FOG waste issues need to be tackled from the waste management side as waste problems should be addressed from the source (Tchobanoglous et al., 1996). Although most municipalities have targeted restaurants and the food industry as the major sources of FOG discharge, residential areas are playing a more significant role in FOG waste production. Roya (2014) reported that residential areas, especially those with high population densities, produced shocking results of FOG waste production. Furthermore, household habits and routine have been found to affect the environment significantly (Stern, 2000). In residential areas, households choose easier ways to dispose FOG waste, which is usually by using the kitchen piping channels during cleaning, which is a common practice resulting from ignorance. Poor kitchen practice is the reason why despite public information and campaigns, significant quantities of FOG are still found entering the sewers (Williams et al., 2012). Household attitudes and current practices in discharging domestic FOG, have given rise to the FOG

problem in the municipal sewer systems and the environment as a whole (Kamilah et al., 2013). Thus, good practice of FOG waste management is needed, as research has proven that this can minimize the contribution of oil and grease to the collection system, which may reduce the risk of sewer line blockages and other mentioned problems by up to 50% (Dodd and Roger, 2002).

The lack of household awareness and knowledge about waste management has contributed to the FOG waste problem (Kamilah et al., 2013; Papargyropoulou et al., 2014). Furthermore, households tend to ignore the after-effects, which has definitely worsened the problem (Desa et al., 2011). The study conducted by Agamuthu and Fauziah (2011) proved that waste management in Malaysia is still in a poor state. The lack of study on the household awareness, attitude and practice on the management of FOG waste has created difficulties for the researcher in finding the solution to the problem (Aminrad and Zakariya, 2013). This study therefore sought to understand the problem from the perspective of the household itself with Precinct 14, Putrajaya being selected as the study area for this study. In order to better understand and provide a clearer picture on the FOG problem, this study has also measured the generation and composition of daily FOG produced by the household.

Domestic FOG waste management issue has been a common occurrence, however its existence has not been as popular as other municipal waste. Prevention of the problem is the most suitable solution to avoid any incurred cost. The first step to prevent the problem from occurring was to identify the factors that influenced the problem. Thus, this study had investigated household awareness, attitude and practice towards FOG waste management through a set of survey questionnaire distributed among the households. In order to better understand the issue of domestic FOG waste management, this study had further investigated the FOG produced by households. In this study, the actual amount of FOG waste produced by the household everyday was verified using laboratory tests on food samples that were collected from the participants in Precinct 14, Putrajaya.

The study on the awareness, attitude and practice of households on FOG waste management was relevant, as preventing FOG waste from entering our drains proved to be difficult. The reason was because although installation of “grease traps” or “grease interceptors” is highly recommended in retaining lipids or reducing the impact of FOG in wastewater before draining into public water sources, the installation of these equipment is not cheap, and therefore is not something that everyone is able to afford (He et al., 2013). FOG limits in sewer systems was only 100 mg/L in most municipalities but this limit can vary depending on several factors, such as the type of sewers, slope of sewers, flow in sewers, operation and maintenance of the sewers, and history of grease-related clogs (Department of Public Work, 2013). However, previous researches have found that even when grease interceptors were installed, effluent FOG concentrations could still peak at well over 1000 mg/L, meaning that these equipment were not working as effectively as they should be (Williams et al., 2012). This proved that good management attitudes and practices were cheaper and more relevant

solutions, which was the main focus of this study. Furthermore, the attention that has been given to the matter is still greatly lacking despite the fact that domestic FOG waste management problems do exist in this country. As most of the research attention has focused on larger scales such as municipal solid waste or industrial waste discharges, FOG waste has become a neglected environmental problem (Parizeau et al., 2014; Kamilah et al., 2013; Ashraf et al., 2010; Dodd and Roger, 2002). Although there have been many researches from other countries, their experiences cannot be generalized since the food patterns and/or sewer system characteristics may differ (Mattsson et al., 2014). A new research on FOG specifically will be an effort in helping to better understand the matter. This study was conducted based on questions that have arisen, such as those shown below:

1. What are the levels of awareness, attitude and practices in the management of domestic kitchen waste among the residential households in Precinct 14, Putrajaya?
2. What is the FOG waste generation rate and the composition percentage in kitchen waste of selected residential area in Precinct 14, Putrajaya?
3. What are the factors contributing towards domestic FOG waste generation?

### **1.3 Research Objectives**

With the above views in mind the study will be undertaken with the following objectives:

1. To assess the level of awareness, attitude and practice in the management of domestic FOG waste in the residential area of Precinct 14, Putrajaya.
2. To determine the generation rate and composition of FOG in kitchen waste of Precinct 14, Putrajaya.
3. To identify the factors contributing towards domestic FOG waste generation.

### **1.4 Significance of Study**

This study focused on gaining knowledge on domestic FOG waste management among the households in the residential area of Precinct 14, Putrajaya. By conducting this study, a clear view on the actual behavioral practices in the management of domestic FOG waste in the residential area of Precinct 14, Putrajaya can be observed. This information was beneficial in further understanding the issue in order to solve the problems related to food waste generally and FOG waste specifically. Furthermore, this study identified the major factors that contributed to FOG waste management problems. The factors can be further used to develop any effective and efficient domestic kitchen waste management plan or model to counteract the problems faced by the community. The data of the composition and generation rate of FOG from

domestic kitchen waste provided important information on FOG components in Malaysia's domestic kitchen waste and the consumption profile of the oil and fatty foods among Malaysians. This study will help to increase public awareness and understanding towards the importance of domestic kitchen waste management. The education value brought by this study may reduce public complaints on sewer systems, as well as costs for sewer operations and maintenance (this study area supported by Bahagian Pengurusan Hartanah (BPH), Putrajaya), besides reducing the environmental impact caused by ignorance on the issue. Lastly, it is hoped that this study could contribute in reducing environmental problems, as Pongráz et al., (2002) wrote; *“waste management is an urgent problem for society and every contribution is important”*.

### **1.5 Scope of Study**

The focus of the study was on practices on the management of FOG from domestic kitchen waste, solely in the focus area, which was Putrajaya. The questionnaire survey conducted in this study focused on the awareness, attitude and practices of the residential community of an area in Putrajaya towards behavioral practices in the management of domestic FOG waste. Meanwhile, the laboratory analysis used in this study focused on measuring the generation rate and composition of FOG in domestic kitchen waste from Precinct 14, Putrajaya. Both of the findings led the study to identify major factors contributing to FOG waste management problems.

### **1.6 Limitations**

As this study area was the residential of Precinct 14, Putrajaya, the finding will be applied to this area only and cannot be generalized to other parts of Malaysia. This study focused solely on the management of domestic FOG waste, thus, the result applies to FOG waste produced by households only and is not applicable to any other sources.

### **1.7 Thesis Organization**

This thesis is organized into five chapters as follows.

Chapter 2 gave a review on previous research that is relevant to this study. The overall concept of this study was discussed, where the conceptual framework was presented.

Chapter 3 described the methodology used in this study. In this chapter, all the methods learned from previous research that were suitable to complete this study were explained in detail.

Chapter 4 discussed the result of this research. The results were based on the objectives of the study and represented graphically with Table and Graph charts.

Finally, Chapter 5 summarized and concluded the findings of this study, besides providing recommendations. It is hoped that these findings and recommendations would help to provide more information about FOG waste problems among the community in Precinct 14, Putrajaya.



## REFERENCES

- Abd Rahim, M. H., Ahmad Zikni, R. Z. J., Ahmad, F., & Lyndon, N. (2012). Green Advertising and Environmentally Responsible Consumer Behavior: The Level of Awareness and Perception of Malaysian Youth. *Asian Social Science*, 8(5), 46–54. <http://doi.org/10.5539/ass.v8n5p46>
- Abdul Hamid, A., Ahmad, A., Ibrahim, M. H., & Nik Abdul Rahman, N. N. (2012). Food Waste Management in Malaysia- Current Situation and Future Management Options. *Journal of Industrial Research & Technology*, 2(1), 36–39.
- Abdul Razak, A. (2013). *Solid waste management in Malaysia: The way forward. Environmental Health Focus* (Vol. 2013). Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:SOLID+WASTE+MANAGEMENT+IN+MALAYSIA++THE+WAY+FORWARD#2>
- Abu Qdais, H. ., Hamoda, M. ., & Newham, J. (1997). Analysis of Residential Solid waste at Generation Sites, 395–405.
- Abu Samah, M. A., Abdul Manaf, L., Ahsan, A., Sulaiman, W. N. A., Agamuthu, P., & D'Silva, J. L. (2013). Household solid waste composition in Balakong City, Malaysia: trend and management. *Polish Journal of ...*, 22(6), 1807–1816. Retrieved from <http://www.pjoes.com/pdf/22.6/Pol.J.Environ.Stud.Vol.22.No.6.1807-1816.pdf>
- Afroz, R., Mehedi, M., Akhtar, R., & Duasa, J. (2013). Survey and Analysis of Public Knowledge , Awareness and Willingness to Pay in Kuala Lumpur , Malaysia - A Case Study on Household WEEE Management. *Journal of Cleaner Production*, 52(185–193). <http://doi.org/10.1016/j.jclepro.2013.02.004>
- Agamuthu, P., & Fauziah, S. (2011a). Challenges and issues in moving towards sustainable landfilling in a transitory country-Malaysia. *Waste Management & Research*, (September 2010). <http://doi.org/10.1177/0734242X10383080>
- Agamuthu, P., & Fauziah, S. (2011b). Challenges and Issues In Moving Towards Sustainable Landfilling In A Transitory Country-Malaysia, (September 2010). <http://doi.org/10.1177/0734242X10383080>
- Ahmad, J., & Mustafa, H. (2011). Pengetahuan, sikap dan amalan masyarakat Malaysia terhadap isu alam sekitar. *Akademika*, 81(3), 103–115. Retrieved from <http://www.ukm.my/penerbit/akademika/ACROBATAKADEMIKA81-3/jademik81-3Bab 12-lock.pdf>
- Alade, A. O., Jameel, A. T., Muyubi, S. A., Abdul Karim, M. I., & Alam, M. Z. (2011). Removal Of Oil And Grease As Emerging Pollutants Of Concern ( EPC ) In Wastewater Stream. *IIUM Engineering Journal*, 12(4), 161–169.

- Aminrad, Z., & Zakariya, S. (2013). Relationship Between Awareness, Knowledge and Attitudes Towards Environmental Education Among Secondary School Students in Malaysia. *World Applied Sciences Journal*, 22(9), 1326–1333. <http://doi.org/10.5829/idosi.wasj.2013.22.09.275>
- Ashraf, M. A., Maah, M. J., & Yusoff, I. (2010). Water Quality Characterization of Varsity Lake, University of Malaya, Kuala Lumpur, Malaysia. *E-Journal of Chemistry*, 7(s1), S245–S254. <http://doi.org/10.1155/2010/396215>
- Awang, S., Zamri, R. A., Ibrahim, N. H., Syarifuddin, N. S., Bali, M., Rengasamy, T., & HJ. Iksan, Z. (2015). Kesedaran Kitar Semula Sisa Minyak Masak dalam Kalangan Pelajar Sarjana Pendidikan Sains Universiti Kebangsaan Malaysia, 18(2), 45–52.
- Aziz, A. (2009). Investigating Households Attitude Toward Recycling of Solid Waste in Malaysia : A Case Study, 3(2), 275–288.
- Bao, R. (2011). *Waste and Recycling Attitudes and Behavior of Students in Turku*. University of Turku.
- Barr, S. (2007). Factors Influencing Environmental Attitudes and Behaviors: A U.K. Case Study of Household Waste Management. *Environment and Behavior*, 39(4), 435–473. <http://doi.org/10.1177/0013916505283421>
- Bavani, M. (2017). A growing plumbing problem. *The Star*. Retrieved from <https://www.thestar.com.my/metro/community/2017/01/11/a-growing-plumbing-problem-experts-warn-that-used-oil-and-fat-blatantly-poured-into-drains-by-restau/>
- Berahir, N. A. (2013). *Level of Knowledge, Awareness and Practice on Waste Management in Bandar Baru Bangi*. Universiti Putra Malaysia.
- Chan, H. (2010). Removal and recycling of pollutants from Hong Kong restaurant wastewaters. *Bioresource Technology*, 101(17), 6859–67. <http://doi.org/10.1016/j.biortech.2010.03.104>
- Charles, M. (2014). *Environmental Awareness Among Key Actors of Selected Zambian Schools of Nchelenge District in Luapula Province*.
- Dahlén, L., & Lagerkvist, A. (2008). Methods for household waste composition studies. *Waste Management (New York, N.Y.)*, 28(7), 1100–12. <http://doi.org/10.1016/j.wasman.2007.08.014>
- Daniel, S. (2016). Mandatory for traders to have grease traps from Jan 1 - Community – The Star Online. *The Star*.
- Department of Public Work. (2013). *Fats, Oils and Greases (FOG) Guidance Document*.

- Desa, A., Abd Kadir, N. B., & Yusoooff, F. (2011). A study on the knowledge, attitudes, awareness status and behaviour concerning solid waste management. *Procedia - Social and Behavioral Sciences*, 18, 643–648. <http://doi.org/10.1016/j.sbspro.2011.05.095>
- Desa, A., Abd Kadir, N. B., & Yusoooff, F. (2012). Waste Education and Awareness Strategy: Towards Solid Waste Management (SWM) Program at UKM. *Procedia - Social and Behavioral Sciences*, 59, 47–50. <http://doi.org/10.1016/j.sbspro.2012.09.244>
- Dodd, J. P., & Roger, D. L. (2002). *Tennessee Oil and Grease Control Guidance Document*. Retrieved from <http://www.tn.gov/environment/wpc/publications/pdf/GuidanceDoc.pdf>
- Duroy, Q. M. (2005). The Determinants of Environment Awareness and Behavior. *Rensselaer Working Papers in Economics*, (501). Retrieved from <http://www.rpi.edu/dept/economics/www/workingpapers/>
- El-Masry, M. H., El-Bestawy, E., & El-Adl, N. I. (2004). Bioremediation of Vegetable Oil and Grease from Polluted Wastewater Using a Sand Biofilm System. *World Journal of Microbiology and Biotechnology*, 20(6), 551–557. <http://doi.org/10.1023/B:WIBI.0000043162.17813.17>
- Esteves, S., & Devlin, D. (2010). *Food Waste Chemical Analysis*.
- Ferdman, R. A. (2015). Where people around the world eat the most sugar and fat - The Washington Post. *The Washington Post*, p. 1. Retrieved from [https://www.washingtonpost.com/news/wonk/wp/2015/02/05/where-people-around-the-world-eat-the-most-sugar-and-fat/?utm\\_term=.b93436fa34ec](https://www.washingtonpost.com/news/wonk/wp/2015/02/05/where-people-around-the-world-eat-the-most-sugar-and-fat/?utm_term=.b93436fa34ec)
- Force, F. (2002). *Considerations for the Management of Discharge of Fats, Oil and Grease (FOG) to Sanitary Sewer Systems*. North Carolina Department of Environment and Natural Resources (NCDENR). Retrieved from <http://www.p2pays.org/ref/>
- Gea, T., Ferrer, P., Alvaro, G., Valero, F., Artola, A., & Sánchez, A. (2007). Co-composting of sewage sludge:fats mixtures and characteristics of the lipases involved. *Biochemical Engineering Journal*, 33(3), 275–283. <http://doi.org/10.1016/j.bej.2006.11.007>
- Gonzalez, A., Larosa, R., & Parjus, J. (2008). Grease Trap Waste Treatment and Fat, Oil, and Grease (FOG) Recovery System. *US Patent 7,338,602*. Retrieved from <http://www.google.com/patents/US7338602>
- Hafid, H. S., Abdul Rahman, N. 'Aini, Abd-Aziz, S., & Hassan, M. A. (2011). Enhancement of Organic Acids Production from Model Kitchen Waste via Anaerobic Digestion. *Journal of Biotechnology*, 10(65), 14507–14515. <http://doi.org/10.5897/AJB11.1360>

- Harun, R., Hock, L. K., & Othman, F. (2011). Environmental Knowledge and Attitude among Students in Sabah. *World Applied Sciences Journal*, 14, 83–87.
- Hassan, A., Rahman, N. A., & Syed Abdullah, S. I. S. (2009). The Level of Environmental Knowledge, Awareness, Attitudes and Practices among UKM Students.
- He, X., de los Reyes III, F. L., Leming, M. L., Dean, L. O., Lappi, S. E., & Ducoste, J. J. (2013). Mechanisms of Fat, Oil and Grease (FOG) Deposit Formation in Sewer Lines. *Water Research*, 47(13), 4451–9. <http://doi.org/10.1016/j.watres.2013.05.002>
- He, X., Iasmin, M., Dean, L. O., Lappi, S. E., Ducoste, J. J., & de los Reyes III, F. L. (2011). Evidence for Fat, Oil, and Grease (FOG) Deposit Formation Mechanisms in Sewer Lines. *Environmental Science & Technology*, 45(10), 4385–91. <http://doi.org/10.1021/es2001997>
- Heberlein, T. a. (2010). Environmental attitudes. *Journal of Environmental Management*, 91, 2254–62. <http://doi.org/10.1016/j.jenvman.2010.06.007>
- Hungerford, H. R., & Volk, T. L. (1990). Changing Learner Behavior through Environmental Education. *Journal of Environmental Education*. <http://doi.org/10.1080/00958964.1990.10753743>
- Husain, Ii. A. F., Alkhatib, M. F., Jammi, M. S., Mirghani, M. E. S., Zainuddin, Z., & Hoda, A. (2014). Problems, Control, and Treatment of Fat, Oil, and Grease (FOG): A Review. *Journal of Oleo Science*, 752(8), 747–752. Retrieved from <http://jlc.jst.go.jp/DN/JST.JSTAGE/jos/ess13182?from=Google>
- Iasmin, M., Dean, L. O., Lappi, S. E., & Ducoste, J. J. (2014). Factors that influence properties of FOG deposits and their formation in sewer collection systems. *Water Research*, 49(1935), 92–102. <http://doi.org/10.1016/j.watres.2013.11.012>
- Ibrahim, A. N., & Asmawi, M. Z. (2012). The Level of Awareness towards Environmental Issues and Concern among Students in Tertiary Level . Case Study of Universities Students in Kuala Lumpur and Klang Valley of Malaysia
- Irwan, D., Basri, N. E. ., & Watanabe, K. (2012). Interrelationship between Affluence and Household Size on Municipal Solid Waste Arising: Evidence from Selected Residential Areas of Putrajaya. *Journal of Asian Scientific Research*, 2(11), 747–758. Retrieved from <http://www.aessweb.com/pdf-files/747-758.pdf>
- Irwan, D., Basri, N., Watanabe, K., & Abushammala, M. F. M. (2013). Influence of Income Level and Age on Per Capita Household Solid Waste Generation in Putrajaya, Malaysia. *Jurnal Teknologi*, 2(1999), 21–28. Retrieved from <http://www.jurnalteknologi.utm.my/index.php/jurnalteknologi/article/view/2186>

- IWK. (2011). Making A Difference to Our Lives and Environment via a Greener Today for Cleaner & Safer Tomorrow (Sustainability Report 2011).
- Jalil, A. (2010). Sustainable Development in Malaysia: A Case Study on Household Waste Management. *Journal of Sustainable Development*, 3(3), 91–102. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&authtype=crawler&jrnl=19139063&AN=55381536&h=PYb03v0QWhXLk3emmQ67lzQCxYUW0Xu%2FCG6z883x3RP%2BMLEQ7P6cvDycocaJLwd1h6fR2sfj%2BcSIh2nHGZi2Hw%3D%3D&crl=c>
- Japan International Cooperation Agency. (2006). *The Study on National Waste Minimisation in Malaysia*.
- Jereme, I. A., Siwar, C., Begum, R. A., Talib, B. A., & Alam, M. (2015). Assessing Problems and Prospects of Solid Waste Management in Malaysia, 10(2), 70–87.
- Kabir, I., Yacob, M., & Radam, A. (2014). Households' Awareness, Attitudes and Practices Regarding Waste Cooking Oil Recycling in Petaling, Malaysia. *IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT)*, 8(10), 45–51. <http://doi.org/10.9790/2402-081034551>
- Kamaruddin, K. (2017). Decreasing water quality affecting Putrajaya Lake and Wetlands. *Bernama*. Retrieved from <http://english.astroawani.com/malaysia-news/decreasing-water-quality-affecting-putrajaya-lake-and-wetlands-136401>
- Kamidin, T. (2006). Perkaitan Antara Pengetahuan dan Sikap Terhadap Alam Sekitar Di Kalangan Guru Pelatih Maktab Perguruan Batu Lintang. *Jurnal Penyelidikan IPBL*, 7, 61–77.
- Kamilah, H., Sudesh, K., & AY, T. (2013). The Management of Waste Cooking Oil : A Preliminary Survey. *Health and the Environmental Journal*, Vol 4, No.
- Karatekin, K. (2014). Social Studies Pre-service Teachers' Awareness of Solid Waste and Recycling. *Procedia - Social and Behavioral Sciences*, 116, 1797–1801. <http://doi.org/10.1016/j.sbspro.2014.01.474>
- Keener, K. M., Ducoste, J. J., & Holt, L. M. (2008). Properties Influencing Fat, Oil, and Grease Deposit Formation. *Water Environment Research*, (12), 2241–6.
- Kim Teck, L., Abdullah, A., & Idris, M. (2010). Anggaran dan Ciri Fizikokimia Sisa Buangan Makanan di Bandar Baru Bangi. *Sains Malaysiana*, 39(5), 717–723.
- Kotchen, M. J., & Reiling, S. D. (2000). Environmental attitudes, motivations, and contingent valuation of nonuse values: a case study involving endangered species. *Ecological Economics*, 32(1), 93–107. [http://doi.org/10.1016/S0921-8009\(99\)00069-5](http://doi.org/10.1016/S0921-8009(99)00069-5)

- Lam, M. K., Tan, K. T., Lee, K. T., & Mohamed, A. R. (2009). Malaysian palm oil: Surviving the food versus fuel dispute for a sustainable future. *Renewable and Sustainable Energy Reviews*, 13(6–7), 1456–1464. <http://doi.org/10.1016/j.rser.2008.09.009>
- Lee, S., & Paik, H. S. (2011). Korean household waste management and recycling behavior. *Building and Environment*, 46(5), 1159–1166. <http://doi.org/10.1016/j.buildenv.2010.12.005>
- Licy, C. D., Vivek, R., Saritha, K., Anies, T. K., & Josphina, C. T. (2013). Awareness, Attitude and Practice of School Students towards Household Waste Management. *Journal of Environment*, 2(6), 147–150.
- Magnani, R. (1997). Food Nutrition Technical Assistance- Sampling Guide.
- Majid, M. Z. ., & McCaffer, R. (1997). Discussion of Assesment of Work Performance of Maintenance Contractors in Saudi Arabia. *Jurnal of Management*, 13(5), 91.
- Manaf, L. A., Samah, M. A. A., & Zukki, N. I. M. (2009). Municipal solid waste management in Malaysia: practices and challenges. *Waste Management (New York, N.Y.)*, 29(11), 2902–6. <http://doi.org/10.1016/j.wasman.2008.07.015>
- Mat Said, A., Ahmadun, F., Hj. Paim, L., & Masud, J. (2003). Environmental concerns, knowledge and practices gap among Malaysian teachers. *International Journal of Sustainability in Higher Education*, 4(4), 305–313. <http://doi.org/10.1108/14676370310497534>
- Mattsson, J., Hedström, A., Viklander, M., & Blecken, G.-T. (2014). Fat, Oil, and Grease Accumulation in Sewer Systems: Comprehensive Survey of Experiences of Scandinavian Municipalities. *Journal of Environmental Engineering*, 4014003. [http://doi.org/10.1061/\(ASCE\)EE.1943-7870.0000813](http://doi.org/10.1061/(ASCE)EE.1943-7870.0000813)
- McClements, D. J. (2005). *Food Emulsions: Principles, Practice and Techniques*. CRC Press. Boca Raton, FL (2nd Editio).
- Meerah, T. S. M., Halim, L., & Nadeson, T. (2010). Environmental citizenship: What level of knowledge, attitude, skill and participation the students own? *Procedia - Social and Behavioral Sciences*, 2(2), 5715–5719. <http://doi.org/10.1016/j.sbspro.2010.03.933>
- Mirnalini, K., Zalilah, M. S., Safiah, M. Y., Tahir, a., Siti, H. M. D., Siti, R. D., ... Normah, H. (2008). Energy and nutrient intakes: Findings from the Malaysian Adult Nutrition Survey (MANS). *Malaysian Journal of Nutrition*, 14(1), 1–24.
- Moh, Y. C., & Abd Manaf, L. (2014). Overview of household solid waste recycling policy status and challenges in Malaysia. *Resources, Conservation and Recycling*, 82, 50–61. <http://doi.org/10.1016/j.resconrec.2013.11.004>

- Montefrio, M. J., Xinwen, T., & Obbard, J. P. (2010). Recovery and pre-treatment of fats, oil and grease from grease interceptors for biodiesel production. *Applied Energy*, 87(10), 3155–3161. <http://doi.org/10.1016/j.apenergy.2010.04.011>
- Morris, K. I., Salleh, S. A., Chan, A., Ooi, M. C. G., Abakr, Y. a., Oozeer, M. Y., & Duda, M. (2015). Computational study of urban heat island of Putrajaya, Malaysia. *Sustainable Cities and Society*, (275), 14. <http://doi.org/10.1016/j.scs.2015.04.010>
- Nair, V. (2011). IWK Disposing of unwanted material the main cause of blockage in sewer pipes - Community \_ The Star Online. *The Star*.
- Niekerk, I. van. (2014). *Waste management behaviour : a case study of school children in Mpumalanga , South Africa*. North-West University.
- Ojeda-Ben fez, S., Vega, C. A. De, & Marquez-Montenegro, M. Y. (2008). Household solid waste characterization by family socioeconomic profile as unit of analysis. *Resources, Conservation and Recycling*, 52(7), 992–999. <http://doi.org/10.1016/j.resconrec.2008.03.004>
- Organisation, F. and A. (2013). Food wastage footprint.
- Papargyropoulou, E., Padfield, R., Rupani, P. F., & Zakaria, Z. (2014). Towards Sustainable Resource and Waste Management in Developing Countries : The Role of Commercial and Food Waste in Malaysia. *International Journal of Waste Resources*, 4(3), 2–7. <http://doi.org/10.4172/2252-5211.1000151>
- Parizeau, K., von Massow, M., & Martin, R. (2014). Household-level dynamics of food waste production and related beliefs, attitudes, and behaviours in Guelph, Ontario. *Waste Management*. <http://doi.org/10.1016/j.wasman.2014.09.019>
- Putrajaya, P. (2012). *Laporan Inisiatif Bandar Hijau Karbon Rendah Putrajaya*.
- Qu énéneur, M., & Marty, Y. (1994). Fatty acids and sterols in domestic wastewaters. *Water Research*, 28(5), 1217–1226. Retrieved from <http://www.sciencedirect.com/science/article/pii/0043135494902100>
- Quested, T. E., Parry, a. D., Eastal, S., & Swannell, R. (2011). Food and drink waste from households in the UK. *Nutrition Bulletin*, 36(4), 460–467. <http://doi.org/10.1111/j.1467-3010.2011.01924.x>
- Rasit, N., Idris, A., Harun, R., & Wan Ab Karim Ghani, W. A. (2015). Effects of lipid inhibition on biogas production of anaerobic digestion from oily effluents and sludges: An overview. *Renewable and Sustainable Energy Reviews*, 45, 351–358. <http://doi.org/10.1016/j.rser.2015.01.066>

- Refsgaard, K., & Magnussen, K. (2009). Household behaviour and attitudes with respect to recycling food waste - experiences from focus groups. *Journal of Environmental Management*, 90(2), 760–771.  
<http://doi.org/10.1016/j.jenvman.2008.01.018>
- Rohana, S., Yatim, M., & Arshad, M. A. (2010). Household Solid Waste Characteristics and Management in Low Cost Apartment in Petaling Jaya , Selangor. *Health and the Environmental Journal*, 1(2), 58–63.
- Roya, Y. (2014). *Modeling FOG Deposit Formation and Accumulation in Sewer Collection Systems*.
- Sabri, M., & Yong, T. (2006). Tahap Keprihatinan Alam Sekitar dan Amalan Kepenggunaan Hijau Pengguna di Petaling Jaya, Selangor. *Pertanika Journal of Social Sciences & Humanities*, 14(2), 95–109. Retrieved from <http://psasir.upm.edu.my/3585/>
- Schiettecatte, W., Tize, R., & De Wever, H. (2014). Comparison of costs for three hypothetical alternative kitchen waste management systems. *Waste Management & Research : The Journal of the International Solid Wastes and Public Cleansing Association, ISWA*, 32(11), 1094–102.  
<http://doi.org/10.1177/0734242X14554646>
- Shaffer, J., Steinbach, S., Hamlett, B., Troxel, W., Dryden, F., & Wheatley, N. (2003). *Fats , Oils , and Grease ( FOG ) Control Study Report*.
- Sheikh Abd. Rahim, S. M. (2009). Putrajaya hasil sisa makanan tertinggi. *Utusan*.
- Shin, H., Han, S., & Hwang, H. (2014). Analysis of the characteristics of fat, oil, and grease (FOG) deposits in sewerage systems in the case of Korea. *Desalination and Water Treatment*, (February 2015), 1–9.  
<http://doi.org/10.1080/19443994.2014.910141>
- Stabnikova, O., Ang, S.-S., Liu, X.-Y., Ivanov, V., Tay, J.-H., & Wang, J.-Y. (2005). The use of hybrid anaerobic solid-liquid (HASL) system for the treatment of lipid-containing food waste. *Journal of Chemical Technology & Biotechnology*, 80(4), 455–461. <http://doi.org/10.1002/jctb.1225>
- Stern, P. C. (2000). Toward a Coherent Theory of Environmentally Significant Behavior. *Journal of Social Issues*, 56(3), 407–424. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/0022-4537.00175/pdf>
- Stoll, U., & Gupta, H. (1997). Management Strategies for Oil and Grease Residues. *Waste Management & Research*, 15(1), 23–32.  
<http://doi.org/10.1177/0734242X9701500103>
- Wenlock, R. ., Buss, D. ., Derry, B. ., & Dixon, E. . (1980). Household food wastage in Britain. *Britain Journal of Nutrition*, (43), 53.

Williams, J. B., Clarkson, C., Mant, C., Drinkwater, A., & May, E. (2012). Fat, oil and grease deposits in sewers: characterisation of deposits and formation mechanisms. *Water Research*, 46(19), 6319–28.

<http://doi.org/10.1016/j.watres.2012.09.002>

Yasin, N. H. M., Mumtaz, T., Hassan, M. A., & Abd Rahman, N. (2013). Food Waste and Food Processing Waste for Biohydrogen Production: A review. *Journal of Environmental Management*, (130), 375–85.  
<http://doi.org/10.1016/j.jenvman.2013.09.009>

Yin, C., Dong, X., Lv, L., Wang, Z., Xu, Q., Liu, X., & Yan, H. (2013). Economic Production of Probiotics from Kitchen Waste. *Food Science Biotechnology*, 22(22 (S)), 59–63. <http://doi.org/10.1007/s10068-013-0049-1>

Zulzaha, F. F. (2016). Signs of pollution in Putrajaya Lake. *The Star*. Retrieved from <https://www.thestar.com.my/metro/focus/2016/04/18/signs-of-pollution-in-putrajaya-lake-algal-bloom-murky-water-and-dead-fish-indicate-poor-water-quali/>