



UNIVERSITI PUTRA MALAYSIA

***COMPARISON STUDY OF WATER QUALITY IN SELECTED DISTURBED
AND UNDISTURBED PEAT SWAMP FOREST RIVERS OF SIBU AND
BINTULU SARAWAK***

NORAINI ROSLI

FSPM 2012 6

NORAINI BINTI ROSLI

MASTER OF SCIENCE

2012



**COMPARISON STUDY OF WATER QUALITY IN SELECTED
DISTURBED AND UNDISTURBED PEAT SWAMP FOREST RIVERS OF
SIBU AND BINTULU SARAWAK**

NORAINI ROSLI

**MASTER OF SCIENCE
UNIVERSITI PUTRA MALAYSIA**

2012



**COMPARISON STUDY OF WATER QUALITY IN SELECTED DISTURBED
AND UNDISTURBED PEAT SWAMP FOREST RIVERS OF SIBU AND
BINTULU SARAWAK**

By

NORAINI ROSLI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfillment of the Requirement for the Degree of Master of Science**

JULY 2012



DEDICATIONS

Special dedicated to my beloved families, father and mother; Rosli Ebi and Dramatasiah Wen Sia @Abdullah, my friends & my fiancé; Micheal Gonzalez@Muhammad Firdaus Abdullah

I dedicate this work with Love. Thanks for everything...



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirements for the degree of Master of Science

**COMPARISON STUDY OF WATER QUALITY IN SELECTED
DISTURBED AND UNDISTURBED PEAT SWAMP FOREST RIVERS
OF SIBU AND BINTULU SARAWAK**

By

NORAINI BINTI ROSLI

July, 2012

Chairman: Assoc. Prof Dr Seca Gandaseca, PhD

Faculty : Faculty of Agriculture and Food Sciences

A study on status of water quality at natural peat swamp forest and converted peat swamp forest into oil palm plantation was conducted. The peat swamp forest of Batang Igan Sibu and Ladang Semanok Tatau (disturbed peat swamp forest) and Pandan Sebauh Bintulu and Sepadok Bintulu (undisturbed peat swamp forest) were chosen. Peat swamp forest of Batang Igan Sibu and Ladang Semanok Tatau was an oil palm plantation area while Pandan Sebauh Bintulu and Sepadok Bintulu was a natural peat swamp forest. This study was conducted to determine a status of water quality at peat swamp forest of Batang Igan Sibu and other peat swamp forest area for comparative study and to investigate differences between water quality condition in disturbed and undisturbed peat swamp forest. A total of 180 water samples were collected at four different sampling stations (S1, S2, S3 and S4) in six different months

from July 2009 to July 2010 at Batang Igan Sibuh and once each at Ladang Semanok Tatau, Pandan Sebauh Bintulu and Sepadok Bintulu within December 2010 to April 2011. *In-situ* data included temperature; conductivity, dissolved oxygen (DO), pH and turbidity were recorded. Ammoniacal nitrogen ($\text{NH}_3\text{-N}$), biochemical oxygen demand (BOD), chemical oxygen demand (COD) and total suspended solids (TSS) were conducted in the laboratory. The Water Quality Index (WQI) which was calculated based on six water quality parameters namely dissolved oxygen, biochemical oxygen demand, chemical oxygen demand, pH, ammoniacal nitrogen and total suspended solids, was representative of the state of water quality at study area. Results for water quality parameters shows, temperature range (29.4-30.31°C), pH range (3.66-4.1), DO range (3.37-3.86 mg/L), conductivity (69.67-80.73 $\mu\text{S cm}^{-1}$), TSS range (25-27.7 mg/L), turbidity (4.15-5.2 NTU), BOD range (3.55-3.6 mg/L), COD (30-38 mg/L) and ammoniacal nitrogen (0.38-0.41 mg/L) at river water of Batang Igan Sibuh and Ladang Semanok Tatau. This study showed that the physical-chemical parameters of water in peat swamp forest of Batang Igan Sibuh and Ladang Semanok Tatau were range from Class II, Class III and Class IV respectively. The most influence parameter that causes the deteriorating of water quality to Class III is DO, BOD, COD and ammonia analysis and Class IV for pH. pH and dissolved oxygen of the water were found under very poor water quality status; however it is normal for peat water. Based on WQI of river water at peat swamp forest at Batang Igan Sibuh and Ladang Semanok Tatau, S1, S2, S3 and S4 were categorized under Class III (moderate water quality) while river water at Pandan Sebauh Bintulu and Sepadok Bintulu categorized under Class II (good water quality). The physical-chemical

parameters of water at Pandan Sebauh Bintulu and Sepadok Bintulu were range from Class I and Class II; except for DO of water that is categorized under Class III and Class IV for pH. This study showed that the river water of peat swamp forest at Batang Igan Sibul and Ladang Semanok Bintulu (disturbed peat swamp forest) was affected due to agricultural and oil palm plantation activities that took place at that area while compared to river water at peat swamp forest of Pandan Sebauh Bintulu and Sepadok Bintulu (undisturbed) were under Class II (good water quality).

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk Ijazah Master Sains

**KAJIAN PERBANDINGAN KUALITI AIR SUNGAI HUTAN PAYA
GAMBUT TERGANGGU DAN TIDAK TERGANGGU TERPILIH DI SIBU
DAN BINTULU SARAWAK**

Oleh

NORAINI BINTI ROSLI

Julai, 2012

Pengerusi : Prof. Madya Dr Seca Gandaseca, PhD

Fakulti : Fakulti Sains Pertanian Dan Makanan

Satu kajian untuk menentukan status kualiti air hutan paya gambut semulajadi dan hutan paya gambut yang telah diubah menjadi ladang kelapa sawit telah dijalankan. Hutan paya gambut di Batang Igan Sibu dan Ladang Semanok Tatau (hutan paya gambut terganggu) dan Pandan Sebauh Bintulu dan Sepadok Bintulu (hutan paya gambut tidak terganggu) telah dipilih sebagai kawasan kajian. Hutan paya gambut Batang Igan Sibu dan Ladang Semanok Tatau telah di tukar menjadi ladang kelapa sawit manakala Pandan Sebauh Bintulu dan Sepadok Bintulu adalah hutan paya gambut semula jadi. Kajian ini dijalankan untuk menentukan status kualiti air di hutan paya gambut Batang Igan Sibu dan lain-lain hutan paya gambut untuk kajian perbandingan. Sejumlah 180 sampel air telah diambil dan dikumpulkan di empat stesen persampelan yang berlainan (S1, S2, S3 dan S4) iatu sebanyak enam kali pada Julai 2009 sehingga Julai 2010 di Batang Igan Sibu dan satu kali untuk setiap satu di

Ladang Semanok Tatau, Pandan Sebauh Bintulu dan Sepadok Bintulu dalam tempoh bermula Disember 2010 hingga April 2011. Data *in-situ* termasuk suhu, kekonduksian, oksigen terlarut (DO), pH dan kekeruhan masing-masing direkodkan. Nitrogen ammonia ($\text{NH}_3\text{-N}$), permintaan oksigen biokimia (BOD), permintaan oksigen kimia (COD) dan jumlah pepejal terampai (TSS) telah dijalankan di makmal. Indeks Kualiti Air (WQI) yang dikira berdasarkan enam parameter kualiti air iaitu oksigen terlarut, permintaan oksigen biokimia, permintaan oksigen kimia, pH, ammonia nitrogen dan jumlah pepejal terampai menunjukkan keadaan kualiti air di kawasan kajian. Keputusan bagi setiap parameter kualiti air seperti berikut; julat suhu ($29.4\text{-}30.31^\circ\text{C}$), julat pH (3.66-4.1), julat DO (3.37-3.86 mg/L), julat kekonduksian ($69.67\text{-}80.73 \mu\text{S cm}^{-1}$), julat TSS (25-27.7 mg/L), kekeruhan (4.15-5.2 NTU), julat BOD (3.55-3.6 mg/L), julat COD (30-38 mg/L) dan ammonia nitrogen (0.38-0.41 mg/L) di Batang Igan Sibul and Ladang Semanok Tatau. Kajian ini menunjukkan bahawa parameter fizikal-kimia air di hutan paya gambut Batang Igan Sibul dan Ladang Semanok Tatau adalah dari Kelas II, Kelas III dan kelas IV. pH dan oksigen terlarut air ditemui berada di bawah status kualiti air yang sangat teruk, tetapi ini merupakan perkara yang normal bagi air paya gambut. Parameter air yang paling banyak mempengaruhi dan menyebabkan kemerosotan kualiti air ke kelas III ialah DO, BOD, COD dan nitrogen ammonia dan pH dalam kelas IV. Berdasarkan Indeks Kualiti Air (WQI) di hutan paya gambut di Batang Igan Sibul dan Ladang Semanok Tatau, S1, S2, S3 dan S4 dikategorikan berada dalam Kelas III (kualiti air sederhana) manakala air sungai di Pandan Sebauh Bintulu dan Sepadok Bintulu berada dalam Kelas II (kualiti air baik), kecuali DO dalam kategori Kelas III dan pH dalam Kelas IV. Hasil kajian mendapati

bahawa air sungai hutan paya gambut Batang Igan Sibul dan Ladang Semanok Bintulu (hutan paya gambut terganggu) telah terjejas disebabkan oleh aktiviti pertanian dan perladangan kelapa sawit yang berlangsung di kawasan itu manakala kajian perbandingan kualiti air sungai di kawasan hutan paya gambut di Pandan Sebauh Bintulu dan Sepadok Bintulu (hutan paya gambut semulajadi) berada dalam Kelas II (kualiti air baik).



ACKNOWLEDGEMENTS

First and foremost, I would like to express my sincerest appreciation and gratitude to my Supervisory Committee chairman and member, Associate Prof. Dr. Seca Gandaseca and Dr. Mohd Hanafi Idris for their support, encouragement, and invaluable guidance throughout my research. This project has not possible without their valuable advice and guidance. My sincere thanks go to Mr. Johan Ismail for the assistance, help and advice during this research project.

Very special thanks to lab assistant Mr. Awangku Nizam Awang Saberan for guidance and assistance in conducting laboratory work. I also want to thank my sister Miss Norroziana Rosli for guidance and help. Heartfelt appreciation goes to my family and friends for continuous and unconditional support. My special thanks to the Dean, Deputy Deans and all members of the Faculty of Agriculture and Food Sciences especially staff from Department of Forestry Sciences UPM Bintulu Sarawak Campus for their help, advice and kind assistance during my study. Special thanks also to Ministry of Higher Education Malaysia for funding this research.

Finally, I express my deepest appreciation to my fiancé Micheal Gonzalez@Muhammad Firdaus for continued help and support during the entire research period. Last but not least, I offer my regards and blessings to all of those who supported me in any respect during the completion of the project.

I certify that a Thesis Examination Committee has met on 6 July 2012 to conduct the final examination of Noraini Rosli on her thesis entitled "Comparison of Water Quality in Selected Disturbed and Undisturbed Peat Swamp Forest Rivers of Sibul and Bintulu, Sarawak" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U. (A) 106] 15 March 1998. The Committee recommends that the student be awarded the Master of Science (with Thesis).

Members of the Thesis Examination Committee were as follows:

Joseph Bong Choon Fah, PhD

Associate Professor
Faculty of Agriculture and Food Sciences
Universiti Putra Malaysia
(Chairman)

Hishamuddin Omar, PhD

Faculty of Science
Universiti Putra Malaysia
(Internal Examiner)

Zelina Zaiton Ibrahim, PhD

Associate Professor
Faculty of Environmental Studies
Universiti Putra Malaysia
(Internal Examiner)

Muhammad Barzani Gasim, PhD

Professor
Faculty of Science and Technology
Universiti Kebangsaan Malaysia
Malaysia
(External Examiner)

SEOW HENG FONG, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

This thesis was submitted to Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master of Science.


The members of the Supervisory Committee were as follows:

Seca Gandaseca, PhD

Faculty of Agriculture and Food Sciences
Universiti Putra Malaysia Bintulu Sarawak Campus
(Chairman)

Mohd Hanafi bin Idris, PhD

Faculty of Agriculture and Food Sciences
Universiti Putra Malaysia Bintulu Sarawak Campus
(Committee Member)



BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

TABLE OF CONTENTS

| | Page |
|--|-------------|
| DEDICATION | ii |
| ABSTRACT | iii |
| ABSTRAK | vi |
| ACKNOWLEDGEMENTS | ix |
| APPROVAL | x |
| DECLARATION | xvi |
| LIST OF TABLES | xvii |
| LIST OF FIGURES | xviii |
| LIST OF ABBREVIATIONS | xx |
| CHAPTER | |
| 1 INTRODUCTION | 1 |
| 1.1 Background | 1 |
| 1.2 Problem Statement | 4 |
| 1.3 Objectives | 4 |
| 2 LITERATURE REVIEW | 5 |
| 2.1 Peat Swamp Forest | 5 |
| 2.1.1 Status of Peat Swamp Forest of Sarawak | 7 |
| 2.1.2 Extent of PSF by Region and Division Region | 7 |
| 2.1.3 Land Use Pattern in Peat Swamp Forest areas of Sarawak | 9 |
| 2.1.4 Impact of Oil Palm Plantations on Peatland | 10 |

Conversion in Sarawak


| | | |
|-------|---|----|
| 2.2 | Water | 11 |
| 2.2.1 | Water Quality | 13 |
| 2.2.2 | Irrigation Water for Agriculture | 14 |
| 2.2.3 | Water Pollution | 17 |
| 2.3 | Origin of Water Pollutants | 17 |
| 2.4 | Sources of River Water Pollution | 17 |
| 2.4.1 | Natural Factor | 19 |
| 2.4.2 | Human Activities | 20 |
| 2.5 | Effect of Land Use Activity | 21 |
| 2.5.1 | Agricultural Activity | 21 |
| 2.5.2 | Industrial Wastes | 24 |
| 2.5.3 | Domestic Sewage | 24 |
| 2.5.4 | Settlements Activity | 25 |
| 2.6 | Physico-Chemical Parameters | 25 |
| 2.6.1 | Dissolved oxygen (DO) | 26 |
| 2.6.2 | Biochemical Oxygen Demand (BOD) | 27 |
| 2.6.3 | Chemical Oxygen Demand (COD) | 28 |
| 2.6.4 | Total Suspended Solid (TSS) | 29 |
| 2.6.5 | Ammoniacal Nitrogen (NH ₃ -N) | 30 |
| 2.6.6 | pH | 31 |
| 2.6.7 | Turbidity | 32 |
| 2.7 | River Classification and Pollutant Status | 34 |
| 2.8 | Water Quality Index (WQI) | 34 |
| 2.8.1 | DOE Water Quality Index Classification Based on Water Quality Index (WQI) | 36 |

| | | |
|---|---|----|
| 3 | MATERIALS AND METHODS | 37 |
| | 3.1 Introduction | 37 |
| | 3.2 Description of Study Site | 38 |
| | 3.2.1 Sketch Map of Study Area | 39 |
| | 3.3 Determination of Parameter Use | 43 |
| | 3.4 Sampling Methods | 43 |
| | 3.4.1 Water Sampling | 44 |
| | 3.4.2 Water Preservation | 44 |
| | 3.4.3 Water Quality Measurement | 45 |
| | 3.5 Physico-Chemical Analysis and Assessment | 46 |
| | 3.6 Laboratory Analysis | 47 |
| | 3.6.1 Measurement of Biochemical Oxygen Demand (BOD) | 47 |
| | 3.6.2 Measurement of Chemical Oxygen Demand (COD) | 48 |
| | 3.6.3 Measurement of Ammoniacal Nitrogen (NH ₃ -N) | 50 |
| | 3.6.4 Measurement of Total Suspended Solids (TSS) | 52 |
| | 3.7 Data Analysis | 53 |

| | | |
|---|--|-----|
| 4 | RESULTS AND DISCUSSIONS | 55 |
| | 4.1 Introduction | 55 |
| | 4.2 Results and Discussions | 56 |
| | 4.2.1 Water Quality Parameter at All Study Area | 58 |
| | 4.2.1.1 Temperature | 58 |
| | 4.2.1.2 pH | 59 |
| | 4.2.1.3 Dissolved Oxygen (DO) | 62 |
| | 4.2.1.4 Ammoniacal Nitrogen (NH ₃ -N) | 67 |
| | 4.2.1.5 Biochemical Oxygen Demand (BOD) | 70 |
| | 4.2.1.6 Chemical Oxygen Demand (COD) | 72 |
| | 4.2.1.7 Total Suspended Solids (TSS) | 74 |
| | 4.2.1.8 Turbidity | 76 |
| | 4.2.1.9 Conductivity | 78 |
| | 4.3 Conclusion | 80 |
| 5 | SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH | 81 |
| | REFERENCES/BIBLIOGRAPHY | 84 |
| | APPENDICES | 97 |
| | LIST OF PUBLICATIONS | 105 |
| | BIODATA OF STUDENT | 106 |

DECLARATION

I declare that the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.



NORAINI BINTI ROSLI

Date:

LIST OF TABLES

| Table | | Page |
|-------|--|------|
| 1 | Extent of PSF by Region and Division Region | 8 |
| 2 | Annual deforestation of Sarawak peatland | 10 |
| 3 | DOE Water Quality Index Classification | 35 |
| 4 | DOE Water Quality Classification based on Water Quality Index (WQI) | 36 |
| 5 | Mean and standard deviation of each parameter of water quality at all study area | 56 |
| 6 | Mean of six water quality parameters for WQI calculation | 57 |
| 7 | Water quality sub index parameters results at all study area | 57 |

LIST OF FIGURES

| Figure | | Page |
|---------------|---|-------------|
| 1 | Spatial distribution of peat swamp forest in Sarawak | 8 |
| 2 | Land use pattern in peat swamp forest of Sarawak | 9 |
| 3 | Distribution of earth's water | 11 |
| 4 | The location of water sampling in the study area | 38 |
| 5 | Sketch Map of Batang Igan Sibu | 39 |
| 6 | Sketch Map of Ladang Semanok Tatau | 40 |
| 7 | Sketch Map of Pandan Sebauh Bintulu | 41 |
| 8 | Sketch Map of Sepadok Bintulu | 42 |
| 9 | GPS (Model Garmin GPSMAP 76) | 43 |
| 10 | Plastic bottles (500 ml) and BOD bottles | 45 |
| 11 | Troll Multiparameter (Model 9500) | 46 |
| 12 | Temperature of river water at all study area | 59 |
| 13 | pH of river water at all study area | 61 |
| 14 | Dissolved oxygen (DO) of river water at all study area | 67 |
| 15 | Ammoniacal Nitrogen (NH ₃ -N) of river water at all study area | 70 |

| | | |
|-----------|--|----|
| 16 | Biochemical oxygen demand (BOD) of river water at all study area | 72 |
| 17 | Chemical oxygen demand (COD) of river water at all study area | 74 |
| 18 | Total suspended solids (TSS) of river water at all study area | 76 |
| 19 | Turbidity of river water at all study area | 78 |
| 20 | Conductivity of river water at all study area | 79 |

LIST OF ABBREVIATIONS

ANOVA – Analysis of Variance

AN – Ammoniacal Nitrogen

APHA – American Public Health Association

BOD – Biochemical Oxygen Demand

COD – Chemical Oxygen Demand

Cond - Conductivity

DO – Dissolved Oxygen

DOE – Department of Environment

EPA – Environment Protection Agency

GPS – Geographical Positioning System

NWQS – National Water Quality Standard

mg/L - milligrams per liter

NREB – Natural Resources and Environment Board

PSF – Peat swamp forest

Temp - Temperature

TSS – Total Suspended Solids

Turb - Turbidity

UPM – Universiti Putra Malaysia

WQI – Water Quality Index

SAS – Statistical Analysis System

% -Percent

°C - degree Celsius

mg/L - Milligram Per Liter



CHAPTER 1

INTRODUCTION

1.1 Background

Peat swamp forests are tropical moist forest, which grew and formed on a layer of dead leaves, wood and all parts of tree and plant. It is an accumulation of 100% of pure organic material (Firdaus *et al.*, 2010; Salimin *et al.*, 2010). They comprise a unique ecosystem characterized by water logging that is low in nutrients and dissolved oxygen levels in acidic water condition. Peat swamp forests are an important component of wetlands that are closely related between land and water, the transition zone or place where the water flow, nutrients cycling and sun energy which eventually form a perfect ecosystem of hydrology including soil and vegetation (UNDP, 2006).

Peat swamp forests are unique habitats for flora and fauna that containing a high proportion of endemic species (Page *et al.*, 1999). It is well known those tropical peat swamp forest is one subset of the wetland ecosystem that is ecologically and economically important globally (Mashhor *et. al*, 2004). Peat swamp forests provide benefits in variety of products from forestry, fisheries, water resources, ground water absorption, energy resources and also act as flood mitigation (UNDP, 2006). They play an important role in stabilizing the ecosystem, particularly in regulating drainage, microclimate, soil formation and water quality (Page *et al.*, 1999).

Peat swamps play a major role in supplying water to Sarawak's coastal lowlands and an important reservoir of water (Shakeran and Tsu, 2001). Water stored in the active layer or catotelm in peat swamps and the volumes remains constant for a long time if the peat is not disturbed by any activity. Most of the changes in water storage occurred in conjunction with the level of water table. It is estimated that the change in water storage is not more than 3-10% of its storage volume (Ingram, 1983; Mashhor *et al.*, 2004). Water flows freely in the active layer of water or acrotelm. Water storage is critical to the balance of water in peat swamps and at surrounding areas. Agricultural activity, logging activity, peat extraction and destruction of peat swamp drainage also give a negative effect and negative implication on the hydrology (Hamilton, 2005).

The water in peat swamp is almost black in color. The main reason is the presence of an organic material from peat decomposition. The black water produced from the contact of water with organic litter and debris such as leaves and wood in various and at different stages of decomposition. Humic acid and tannin is derived from the decomposition of lignin and it is a principal of coloring matter. All of this played very important role in maintaining water balance in the peat swamp forest ecosystem (Sawyer and McCarty, 1978; Gasim *et al.*, 2007).

Malaysia is considered as one of the major tropical peat country in the world. Peat swamp forest (PSF) is Malaysia's largest wetland type that is cover about 75% of the Malaysia total wetlands (UNDP, 2006). There are more than 70% of the peat swamp

forests are located in Sarawak, about 20% in Peninsular Malaysia and the remainder in Sabah (UNDP, 2006). Peat swamp forests in Malaysia are being extensively cleared for agriculture, plantation and variety of development project that may cause destruction in the quality of peat swamp forest. PSF is treating due to increasing of unsustainable development activities in the PSF areas (Sawal, 2003; UNDP, 2006; Gasim *et al.*, 2007). Sarawak is a state in Malaysia that has a land area of 12.4 million hectares. Out of this, more than 13% has been drained and developed mainly for agriculture, reforestation and rural settlement. About a third of peat land areas in the coastal lowland of Sarawak have been converted to oil palm plantation because Sarawak Government has identified the oil palm plantation sector as one of the core export-oriented industries that would contribute towards the long term economic growth to the state. Many more of tropical peat land is being cleared and converted into agriculture and plantations for economic return (Melling, 1999). Therefore, have causing the destruction of biodiversity, loss of soil and serious threat to the water resources in the peat swamp forests area (John, 2005).

The utilization of peat for agricultural and plantation purposes includes drainage and the use of fertilizers. Any of uncontrolled drainage will change the physical and chemical properties of the land. Its function as a buffer against saltwater intrusion between upland and the coastal zones and as a provider of essential freshwater for the coastal mangrove forests will be reduced or even eliminated (Mashhor *et. al*, 2004). Beside, their also play a main role as reservoirs for flood and storm water and have an ability to let it flow out during the dry periods. Thus it is important to make sure the peat water is not polluted.

1.2 Problem statement

The tropical peat swamps forests have been facing tremendous challenges in the face of development and exploitation lately. Majority of the forest in Malaysia especially in Sarawak state has been selectively logged resulting in reduced of biodiversity. The increasing rate in population due to the exploitation of forest areas by human activities through deforestation, logging, agricultural and plantation activity cause the destruction to peat swamp forest ecosystem and causing various problems such as soil loss and serious threat to the water resources in the peat swamp forests area. Without proper planning, the continuous exploitation, conversion and development of peat swamp forest area will cause long-term negative impact to the environment include its water quality. The understanding to identify the class of river water by referring to Water Quality Index (WQI) and National Water Quality Standards (NWQS) is very important and essential because it's showing the quality of the water. Therefore, this study is conducted to determine water quality of this river and also focuses on investigating different between water quality condition in disturbed and undisturbed peat swamp forests in order to achieve sustainable development and for better understanding of the effective water conservation and management.

1.3 Objective

The objectives of this study were:

1. To determine the water quality status of peat swamp forest at Sibu Sarawak and Bintulu Sarawak area based on Water Quality Index (WQI) classification and National Water Quality Standards (NWQS).
2. To investigated differences between water quality condition in disturbed and undisturbed peat swamp forests.

REFERENCES

- Abdullah, M.H. and B. Musta, (1999). Phreatic water quality of the Turtle Island of West Malaysia: Pulau Hill Inc. New York. Selingan Pulau Bakungan Kechil. *Borneo Sci.*, 6: 1-9.
- Abler, D.G., (1996). *Environmental policies and induced innovation: The case of agriculture*. In: Agriculture Markets: Mechanism, Failures and Regulations. Elsevier, Amsterdam.
- ADB (Asian Development Bank), (1997). Daro-Mukah Coastal Zone Development Project TA No.2478-MAL.
- Alexander Schriewer, (2010). Water Pollution. IWA Water Wiki by <http://www.iwawaterwiki.org>.
- Amy L. Vickers, *Handbook of Water Use and Conservation*, (1997): Boca Raton, FL: Lewis Publishers, in press); J.S. Wallace and C.H. Batchelor, Managing Water Resources for Crop Production, *Philosophical Transactions of the Royal Society of London Biological Science*, vol. 352.
- Alexander K. Sayok, Lau Seng, and Richard Dagang Belanda, (2011). Impacts of Land-use on Bunut Lake, Sarawak, Malaysia.
- Alongi, D.M., Chong, V.C., Dixona, P., Sasekumar, A. and Tirendia, F., (2003). The Influence of Fish Cage Aquaculture on Pelagic Carbon Flow and Water Chemistry in Tidally Dominated Mangrove Estuaries of Peninsular Malaysia. *Marine Environmental Research*. 55. 313–333.
- Amadi, A.N., P.I. Olasehinde, E.A. Okosun and J. Yisa, (2010). Assessment of the Water Quality Index of Otamiri and Oramiriukwa Rivers. *Phys. Int.*, 1: 116-123.
- Andriessse, J.P. (1988). Nature and management of tropical peat soils. *FAO Soils Bulletin 59*. FAO, Rome.
- APHA (American Public Health Association), (2005). *Standard Methods for the Examination of Water and Wastewater. 21st Edn*. American Public Health Association, Washington, DC.
- APEC, (2011). APEC Water Systems: Free Drinking Water. Learn about water quality. http://www.freedrinkingwater.com/water_quality/quality1/1-how-dissolved-oxygen-affects-waterquality.Htm.
- Ardebili, O., Didar, P. and Soheilinia, S. (2006). *Distribution and Probable Origin of Heavy Metals in Sediments of Bakhtegan Lake, Fars Province, Iran*. Goldschmidt Conference Abstracts. Iran.
- Ayers R.S. and Westcot D.W. (1998). *Water quality for agriculture*. FAO Irrigation and Drainage Paper 29 (p. 97), FAO, Rome.

- Bahadir, T., Bakan, G., Altas, L. and Buyukgungor, H. (2005). *The Investigation of Lead Removal by Biosorption: An Application at Storage Battery Industry Wastewaters*. Ecotoxicology and Environmental Safety.
- Baum, A., T. Rixen and J. Samiaji, (2007). Relevance of peat draining rivers in central Sumatra for the riverine input of dissolved organic carbon into the ocean. *Estuar. Coast. Shelf Sci.*, 73: 563-570.
- Baroni, L., Cenci, L., Tettamanti, M., Berati, M. (2007). Evaluating the environmental impact of various dietary patterns combined with different food production systems. *European Journal of Clinical Nutrition* **61** (2): 279–286.
- Bennett, E.L., van de Eelaart, C. Hoisington and Y.L. Tie (1996). Peat swamps of Sarawak: how should they be used? (pp. 63-69) *Sarawak Gazette* 73 (1535).
- Brian, G., (2008). My environment concerns info. The History of Water Pollution. <http://www.myenvironmentconcerns.info/concerns/pollution/the-history-of-water-pollution>.
- Cech, T.V, (2003). *Principles of Water Resources: History, Development, Management, and Policy*. United State of America: John Wiley & Sons, Inc.
- Claude., E.B, (2000). *Water Quality: An Introduction*. Alabama Agricultural Experiment Station, Department of Fisheries and Allied Aquacultures Auburn University, USA.
- Clair N. Sawyer, Perry L. McCarty, Gene F. Parkin (2003). *Chemistry for Environmental Engineering and Science* (5th ed.). New York: McGraw-Hill.
- Chen, C.W., Kao, C.M, Chen, C.F. and Dong, C.D. (2006). Distribution and Accumulation of Heavy Metals in the Sediments of Kaohsiung Harbor, Taiwan. *Chemosphere*. 66. 1431–1440.
- CIA (Central Intelligence Agency), (2008). The world fact book. <https://www.cia.gov/library/publications/the-world-factbook/>.
- Cohen, P. and G.E. Mallard. (1993). Effects of agriculture on U.S. water quality--a national perspective. In Eckstein, Y. and A. Zaporozec, ed. Environmental impacts of agricultural activities: Proc. Industrial and Agricultural Impacts on the Hydrologic Environment. *Water Environment Federation*. 2: 93-108.
- Cox, B.A., (2003). A review of dissolved oxygen modeling techniques for lowland rivers. *The Science of the Total Environment* 314–316, 303–334.
- Daniel, T.C., A.N. Sharpley, D.R. Edwards, R. Wedepohl and J.L. Lemunyon (1994). Minimizing surface water eutrophication from agriculture by phosphorus management. *J. Soil and Water Cons.* 49: 30-38.

- Das, J. and B.C. Acharya, (2003). Hydrology and assessment of lotic water quality in Cuttack City, India. *Water, Air Soil Pollut.*, 150: 163-175.
- Davide, V., Pardos, M., Diserens, J., Ugazio, G., Thomas, R. and Dominik, J. (2002). Characterization of Bed Sediments and Suspension of the River Po (Italy) During Normal and High Flow Conditions. *Water Research*. 37. 2847–2864.
- Davis, A. P. and McCuen, R. H., (2005). Storm water management for smart growth. 1st edition. *Springer Science and Business Media*.
- DOE (Department of Environment Malaysia), (2006). Interim National Water Quality Standards for Malaysia. http://www.doe.gov.my/index.php?option=com_content&task=view&id=244&Itemid=615&lang=en.
- DOE (Department of Environment Malaysia), (2008). *Malaysia Environmental Quality 2008*. Syaszaz Holdings Sdn. Bhd.
- DOE (Department of Environment), (2009). Water Quality (River) Monitoring System/Programme and Pollution Control. Hashim Daud (Director, Water and Marine Division). Ministry of Natural Resources and Environment.
- Diersing and Nancy, (2009). *Water Quality: Frequently Asked Questions PDA*. NOAA.
- Donald, A.M., Glibert, P.M. and Burkholder, J.M. (2002). Harmful Algal Blooms and Eutrophication: Nutrient Sources, Composition, and Consequences. *Estuaries*. 25. 704–726.
- Drever, J.I., (1997). The Geochemistry of Natural Waters: *Surface and Groundwater Environments* 3rd Edn (pp. 436) Prentice Hall, New Jersey.
- Driche, M.,D. Abdessemed and G.Nezzal, (2008). Treatment of wastewater by natural lagoon for its reuse in irrigation. *Am. J. Eng. Applied Sci.*, 1 (4): 408-413.
- Edlira, S., and Vasil Kashuta, (2008). *Irrigation water quality and its effects upon soil*. BALWOIS 2008 – Ohrid, Republic of Macedonia.
- European Commission (Agriculture and Rural Development). *Agriculture and Environment*. Agriculture and Water, 30 October 2010.
- EPA, (1997). Profile of the Fossil Fuel Electric Power Generation Industry (Report) Document No. EPA/310-R-97-007. pp. 24.
- Fatimah, M.N., H., Ismail, M.N Salleh and A.A., Ibrahim. Hidrologi Kejuruteraan. Terjemahan Daripada Wilson, E.M (1992) *Engineering Hydrology*. Johor Bahru: Unit Penerbitan Akademik, UTM.
- FAO, (1996). Control of water pollution from agriculture. Chapter 1: *Introduction to agricultural water pollution*. The Food and Agriculture Organisation and Natural Resources Management and Environment Department. <http://www.fao.org/docrep/W2598E/W2598E00.htm>.

- Firdaus, M.S., S. Gandaseca, O.H. Ahmed and N.M.A. Majid, (2010). Effect of converting secondary tropical peat swamp forest into oil palm plantation on selected peat soil physical properties. *Am. J. Environ. Sci.*, 6: 402-405.
- Franca, S., Vinagre, C., Ca, A.I. and Cabral, H.N. (2005). Heavy Metal Concentrations in Sediment, Benthic Invertebrates and Fish in Three Salt Marsh Areas Subjected to Different Pollution Loads in the Tagus Estuary (Portugal). *Baseline /Marine Pollution Bulletin*. 50. 993–1018.
- Gandaseca, S., Sabang, O.H. Ahmed and N.M.A. Majid, (2009). Vegetation assessment of the characteristics of saturated wetland soil and well drained forest soil. *Am. J. Agric. Biol. Sci.*, 4: 167-172.
- Gandaseca, S., N. Rosli, J. Ngayop and C.I Arianto, (2011). Status of water quality based on physico-chemical assessment on river water at Wildlife Sanctuary Sibuti Mangrove Forest, Miri Sarawak. *Am. J. Environ. Sci.*, 7: 269-275.
- Gary W. Hergert and Delno Knudsen, (1977). G77-328 *Irrigation Water Quality Criteria*. Historical Materials from University of Nebraska-Lincoln, Paper 1416.
- Gasim M.B., B.S. Ismail, M.E. Toriman, S.I. Mir and C.C. Tan, (2007). A physico-chemical assessment of the Bebar River Pahang, Malaysia. *Global J. Environ. Res.*, 1: 7-11.
- Gasim M.B., Toriman M.E, Rahim S.A, Islam M.S, C.C. Tan and Juahir H., (2006). Hydrology, water quality and land-use assessment of Tasik Chini's feeder rivers, Pahang, Malaysia. *Malaysian Journal of Society and Space.*, 2: 72 – 86.
- Gammons, C.H., Slotton, D.G., Gerbrandt, B., Weight, W., Young, C.A., McNearny, R.L., Camac, E., Calderon, R. and Tapia, H. (2005). Mercury Concentrations of Fish, River Water, and Sediment in the Rio Ramis-Lake Titicaca Watershed, Peru. *Science of the Total Environment*. 368. 7– 648.
- Gleick., P.H., (1993). *Water in Crisis: A Guide to the World's Freshwater Resources. Water reserves on the earth*. Oxford University Press.
- Gupta P.K., (2004). *Methods in Environmental Analysis: Water Soil and Air* (pp.8-10). Agrobios, India.
- Gupta, P.K., (2009). *Methods in Environmental Analysis: Water, Soil and Air* (pp. 433) 1st Edn., Agrobios, India.
- Grainger, A. (1993). *Controlling tropical deforestation*. Earthscan Publications Ltd, London.
- Ghrefat, H. and Yusuf, N. (2006). Assessing Mn, Fe, Cu, Zn, and Cd Pollution in Bottom Sediments of Wadi Al-Arab Dam, Jordan. *Chemosphere*. 65. 2114–2121.

- Greenhalgh and Alison, (2001). *Healthy living- Water*. BBC Health.
- Gonzalez, R., Araujo, M.F., Burdloff, D., Cachao, M., Cascalho, J., Corredeira, C. J.Dias, M.A., Fradique, C., Ferreira, J., Gomes, C., Machado, A., Mendes, I. and Rocha, F. (2006). Sediment and Pollutant Transport in the Northern Gulf Of Cadiz: A Multi-Proxy Approach. *Journal of Marine Systems*.
- Hamilton, L.S., (2005). Forest and water. A thematic study prepared in the framework of the Global Forest Resources Assessment. Food and Agriculture Organization of the United Nation. <ftp://ftp.fao.org/docrep/fao/011/i0410e/i0410e01.pdf>.
- Homens, M.M., Stevens, R.L., Abrantesa, F. and Cato, I. (2005). Heavy Metal Assessment for Surface Sediments from Three Areas of the Portuguese Continental Shelf. *Continental Shelf Research*. 26. 1184–1205.
- Himanshu, T., (1999). Assessment of Irrigation in India. *World Commission on Dams* (pp. 44-45). South Asia Network on Dams, Rivers and People, India.
- Hoai, T.L., Guiral, D. and Rougier, C. (2006). Seasonal Change of Community Structure and Size Spectra of Zooplankton in the Kaw River Estuary (French Guiana). *Estuarine Coastal and Shelf Science*. 68. 47-61.
- Hogan M., Leda Patmore, G. Latshaw and H. Seidman (1973). *Computer modeling of pesticide transport in soil for five instrumented watersheds*, U.S. Environmental Protection Agency Southeast Water laboratory, Athens, Ga. ESL Inc., Sunnyvale, California.
- Ingram, H.A.P., (1983). Hydrology. In: *Ecosystems of the World, 4A, Mores--Swamp, Bog, Fen and Moor*, Gore, A.J.P. Ed. (pp. 67-158). Elsevier Scientific Publishing Company, New York.
- IOS (International Organization for Standardization), (2011). "13.060: Water quality". Geneva, Switzerland.
- ISO, (2011). "91.140.60: Water supply systems".
- James S. Shortle, David G. Abler and Mark Ribauda, (2001). *Environmental Policies for Agricultural Pollution Control Ed.* (pp. 1-11), CABI Publishing.
- Jamie, B., and Richard, B. (1996). Water Quality Monitoring. *A practical guide to the design and implementation of freshwater quality studies and monitoring programmes* (pp.1-196). Taylor & Francis Group.
- Jarvie, H.P., Neala, U.C., Smart, R., Owen, R., Fraser, Forbes, D.I. and Wade, A. (2006). Use of Continuous Water Quality Records for Hydrograph Separation and to Assess Short-Term Variability and Extremes in Acidity and Dissolved Carbon Dioxide for The River Dee, Scotland. *The Science of the Total Environment*. 265. 85-98.

- Jeffrey, P., Ruth F. Weiner., and P. Aarne Vesilind, (1998). *Environmental Pollution and Control Fourth Edition* (pp. 65). Butterworth-Heinemann, A member of the Reed Elsevier group.
- Jiri, M., E. Watt, E. Zemen and H. Sieker, (2001). *Advances in Urban Stormwater and Agricultural Runoff Source Controls. IV. Earth and Environmental Sciences-Vol.6* (pp. ix). Kluwer Academic Publishers.
- John, E., (2005). Fearing the Worst for Borneo. *New Straits Times*. http://findarticles.com/p/newsarticles/new-straits-imes/mi_8016/is_20050821/fearingborneo/ai_n44303706/.
- Ken Rubin, (2011). ASK-AN-EARTH-SCIENTIST. *Sources of Water Pollution*. Department of Geology and Geophysics, University of Hawaii, Honolulu, HI.
- Keizrul Abdullah and Jusoh Juhaimi, (1996). *An appraisal of Malaysia's water resources: Problems and prospects in state of environment in Malaysia*, Consumer Association of Penang (CAP).
- Keith Beven, (2004). Robert E. Horton's perceptual model of infiltration processes, *Hydrological Processes*. *Wiley Intersciences*.
- Klapper, H., W. Geller and M. Schultze, (1996). Abatement of acidification in mining lakes in Germany. *Lakes Reservoir: Res. Manage.*, 2: 7-16.
- Lau Seng, M., Mohamed, K., Apun, A.B.C., Hong, T.M., Guan and A., Sayok, (2005). *Water quality of Loagan Bunut, Marudi, Sarawak*. Scientific Journey Through Borneo: Loagan Bunut - the Wetland Heritage of Sarawak.
- Masyitah, A., (2008). Water quality studies of Semenyih Dam. Degree Thesis. Universiti Teknologi Malaysia. http://eprints.ptar.uitm.edu.my/828/1/MASYITAHABDULLAH_08_24.pdf.
- Mashhor M., Ahyaudin A., Jack R., Abu Hassan A., and Asyraf M., (2004). *Tropical peat swamps. Safe-Guarding a Global Natural Resource*. Penerbit USM.
- Melling, L. *Sustainable agricultural development on peatland*. Workshop on Working towards Integrated Peatland Management for Sustainable Development, Kuching, 17-18 August 1999.
- Metcalf and Eddy. Inc. (2004). *Wastewater Engineering Treatment, Disposal and Reuse*. 3rd Ed. New York: McGraw-Hill Publishing Co. Ltd.
- Metcalf and Eddy Inc., G. Tchobanoglous, F.L. Burton and H.D. Stensei, (2002). *Wastewater Engineering: Treatment and Reuse. 4th Edn* (pp. 1408) McGraw-Hill Higher Education, New York.
- Meybeck M., Lestel L., Bonte P., Moilleron R., Colin J.I., Rousselot O., Herve D., De Ponteves C., Groisbois C., Thevenot D.,(2007), Historical perspectives of heavy metal contamination (Cd, Cr, Cu, Hg, Pb, Zn) in the Seine river basin

(France) following a DPSIR approach (1950-2005)., *Sci. Total Environment*, 375 :204-231.

Michaud, J.P. 1991. *A citizen's guide to understanding and monitoring lakes and streams*. Publ. #94-149. Washington State Dept. of Ecology, Publications Office, Olympia, WA, USA (360) 407-7472.

Mohamad, M. *Problems in the management of rivers for drinking water supply: Case studies*. Proceeding of the International Symposium Management of Rivers for the Future, MRF'93, UPM, Kuala Lumpur 1993.

Mohamed, M., E. Padmanabhan, B.L.H. Meind and W.B. Siong, (2002). The Peat Soils of Sarawak. Universiti Malaysia Sarawak, Malaysia. <http://www.strapeat.alterra.nl/download/12%20peat%20soils%20of%20Sarawak.pdf>

Moore, P.D. and D.J. Bellamy, (1974). Peatlands. *Elek Science* pp.198-213.

Moore, M.L. 1989. NALMS management guide for lakes and reservoirs. North American Lake Management Society, P.O. Box 5443, Madison, WI, 53705-5443, USA. <http://www.nalms.org>.

Mcneil, D. G., and Closs, G. P. (2007). Behavioural responses of a south-east Australian floodplain fish community to gradual hypoxia. *Freshwater Biology*, 52, 412–420.

Nathanson, J.A (1986). *Technology and Pollution Control*. United State of America: John Wiley & Sons, Inc.

Nurhidayah, H., (2007). Assessment on water quality and biodiversity within Sungai Batu Pahat. M.Sc. Thesis, Universiti Teknologi Malaysia. <http://eprints.utm.my/6416/>.

Nurul, A., M.H., (2010). Effect of domestic sewage treatment plant effluent on river water quality. Degree Thesis, Universiti Teknologi Malaysia. <http://www.efka.utm.my/thesis/IMAGES/3PSM/2010/JKS-2/nurulashikinaa060169d10ttt.pdf>.

North Dakota Department of Health, (2005). Water Quality. <http://www.ndhealth.gov/WQ/>.

Otukune, T.V. and C.O. Biukwu, (2005). Impact of Refinery Influent on Physico-chemical properties of a water body on Niger Delta. *J. Applied Ecol. Environ. Res.*, 3: 61-72.

Page, S. E., J.O. Rieley, O.W. Shotyky and D. Weiss, (1999). *Interdependence of peat and Vegetation in a Tropical Peat Swamp Forest*. Philosophical Transactions of the Royal Society London, Series B, 354: 1885-1897.

- Pescod, M.B. (2004). Wastewater treatment and use in agriculture – FAO irrigation and drainage paper 47. http://www.bvsde.paho.org/bvsair/e/repindex/rep84/vleh/fulltext/acrobat/was_tew.pdf.
- Rieley, J.O. and Page, S. (1997). Preface. In Rieley, J.O. and Page, S.E. (eds). *Biodiversity and sustainability of tropical peatlands*. Proceedings of the International Symposium on Biodiversity, Environmental Importance and Sustainability of Tropical Peat and Peatlands, Palangka Raya, Central Kalimantan, Indonesia, 4-8 September 1995. Cardigan, UK: Samara Publishing.
- Rieley, J.O. and Page, S.E. (eds.) (2005). *Wise Use of Tropical Peatlands - Focus on Southeast Asia*. Wageningen, ALTERNIA, 168 pp. + appendices. www.strapeat.alterra.wur.nl.
- Rieumont, S.O., De La Rosa, D., Lima, L., Graham, D.W., Alessandro, K.D. and Borroto, J. (2004). Assessment of Heavy Metal Levels in Almendares River Sediments-Havana City, Cuba. Francisco Martineza, J. Sanchez *Water Research*. 39. 3945–3953.
- Ritter, W. F., and Shirmohammadi, A. (2001). *Agricultural nonpoint source pollution: Watershed management and hydrology*. Boca Raton, Fla: Lewis Publishers.
- RAP, (2002). *Cuyahoga River Water Quality Monitoring Program*. Cleveland State University.
- Said, A., Stevens, D. K., and Sehlke, G. (2004). An innovative index for evaluating water quality in streams. *Environmental Management*. 34(3), 406–414.
- Salimin, M.I., S. Gandaseca, O.H. Ahmed and N.M.A. Majid, (2010). Comparison of selected chemical properties of peat swamp soil before and after timber harvesting. *Am. J. Environ. Sci.*, 6: 164-167.
- Sarawak Metereological Department, (2011).
- Satrio, A.E., S. Gandaseca, O.H. Ahmed and N.M.A. Majid, (2009a). Effect of precipitation fluctuation on soil carbon storage of a tropical peat swamp forest. *Am. J. Applied Sci.*, 6: 1484-1488.
- Satrio, A.E., S. Gandaseca, O.H. Ahmed and N.M.A. Majid, (2009b). Influences of chemical properties on soil carbon storage of a tropical peat swamp forest. *Am. J. Applied Sci.*, 6: 1969-1972.
- Sawal, P. and J.D. Mamit (1998). *Environmental degradation of the coastal zone of Sarawak*. Seminar on Land Use and Coastal Zone Management, 11-12 August 1998, Miri, Sarawak.
- Sawal, P. (2003). *Threats to Peat Swamp Forest of Sarawak*. Joint Working Group Malaysia - The Netherlands Sustainable Management of Peat Swamp Forests

of Sarawak with Special Reference to Ramin. Alterra, Wageningen UR, The Netherlands. Forest Department Sarawak, Malaysia, Sarawak Forestry Corporation, Malaysia.

Sawyer, C.N. and P.L. McCarty, (1978). *Chemistry for Environmental Engineering*. 3rd Edn. McGraw- Hill Inc. New York.

Sawyer, C.N, P. McCarty and G. Parkin, (2002). *Chemistry for Environmental Engineering and Science*. 5th Edn. McGraw-Hill, New York.

Seidel, H., K. Gorsch and A. Schumichen, (2005). Effect of oxygen limitation on solid-bed bioleaching of heavy metals from contaminated sediments. *Chemosphere*, 65: 102-109.

Segura, R., Arancibia, V., Zuniga, M.C. and Pasten, P. (2005). Distribution of Copper, Zinc, Lead and Cadmium Concentrations in Stream Sediments from the Mapocho River in Santiago, Chile. *Journal of Geochemical Exploration*. 91. 71–80.

Shakeran, M.S. and C.H. Tsu, (2001). *Peat water catchment area*. Proc. Workshop on water management for sustainable agricultural development of peatland, 28-29 March 2001, Damai, Kuching.

Shannon Teoh, (2011). Palm oil risks all Sarawak peat forests by 2020. <http://www.themalaysianinsider.com/malaysia/article/palm-oil-risks-all-sarawak-peat-forests-by-2020-says-study/>

Sharma, R.K., Agrawal, M. and Marshall, F. (2005). Heavy Metal Contamination of Soil and Vegetables in Suburban Areas of Varanasi, India. *Ecotoxicology and Environmental Safety*. 66. 258–266.

Shashank, N. (2011). Sewage Water Pollution. <http://www.buzzle.com/articles/sewage-water-pollution.html>.

Smith, J.M., (2004). Water quality trends in the Blackwater River Watershed Canaan Valley, West Virginia. M.Sc. Thesis., 8-80. West Virginia University. <http://gradworks.umi.com/14/24/1424039.html>.

Smith, R.L. (2005). *The ecology of man: an ecosystem approach* (2nd Edition) Harper & Row, N.Y. Sharma, R.K., Agrawal, M. and Marshall, F. (2005). Heavy Metal Contamination of Soil and Vegetables in Suburban Areas of Varanasi, India. *Ecotoxicology and Environmental Safety*. 66. 258–266.

Silvius, M. J. and W. Giesen, (1996). *Towards integrated management of swamp forests: a case study from Sumatra*. Maltby, E., C.P. Immirzi & R. J. Safford (Eds). *Tropical Lowland Peatlands of Southeast Asia* (pp. 247-267). Proc. Workshop on Integrated Planning and Management of Tropical Lowland Peatlands, 3-8 July 1992, Cisarua, Indonesia, IUCN, Gland, Switzerland.

- Sime Darby, (1999). *Report on integrated development plan study for coastal peatland in Sarawak for State Planning Unit*. Chief's Minister Department.
- Seidel, H., K. Gorsch and A. Schumichen, (2005). Effect of oxygen limitation on solid-bed bioleaching of heavy metals from contaminated sediments. *Chemosphere*, 65: 102-109.
- Shelton, T. (1991). *Interpreting Drinking Water Quality Analysis-What Do the Numbers Mean?* New Brunswick, NJ: Rutgers Cooperative Extension.
- Snyder, R. L.; Melo-Abreu, J. P. (2005). *Frost protection: fundamentals, practice, and economics –Volume 1* (PDF) Food and Agriculture Organization of the United Nations.
- Spellman, F.R (1999). *Water Treatment and Sanitation: A Handbook of Simple Method for Rural Areas in Developing Countries*. Vol.1-Fundamental Level. Pennsylvania. U.S.A. Technomic Publishing Company, Inc.
- Stephen R. Grattan, (2002). *Irrigation Water Salinity and Crop Production*. University of California, Division of Agriculture and Natural Resources.
- Tchobanoglous, George Stensel, H. David Burton, Franklin L. Metcalf and Eddy, Inc (2003). *Wastewater engineering: treatment and reuse*. New York. McGraw-Hill Publishing Company.
- Ten, W.P., (2002). *An Assessment of Environmental Impacts with Respect to Peatland Development in Sarawak*. M. Env. Sci. Dissertation, Universiti Malaysia, Sarawak.
- Turgut, C. (2002). The Contamination with Organochlorine Pesticides and Heavy Metals in Surface Water in Kucuk Menderes River in Turkey, 2000–2002. *Environment International*. 29. 29-32.
- Thomas, Weisse., and Peter S., (2006). Effect of pH on growth, cell volume, and production of freshwater ciliates, and implications for their distribution. *American Society of Limnology and Oceanography, Inc. Limnol. Oceanogr.*, 51(4), 2006, 1708–1715.
- UNDP (United Nations Development Programme), (2006). Malaysia's peat swamp forests conservation and sustainable use. <http://www.undp.org.my/malaysias-peat-swampforests-conservation-and-sustainable-use>.
- UN- Water, (2009). World Water Day brochure, <http://www.unwater.org/worldwaterday/downloads/wwd09brochureenLOW.pdf>.
- UN GEMS/Water, (2005). Suspended solids and water quality. National Water Research Institute Burlington. <http://www.gemswater.org/atlasgwq/solids-e.html>.

- UP Services Sdn Bhd, (1996). *Proposed Oil Palm Plantation at Mukah-Dalat: Environmental Impact Assessment Report* submitted to NREB, Sarawak.
- US EPA (United States Environmental Protection Agency), (2005). *Protecting water quality from agricultural runoff. Clean water is everybody's business.* Revised March 2005.
- US EPA (United States Environmental Protection Agency), (2006). *Water Quality Standards Review and Revision.* Washington, DC.
- US EPA (United States Environmental Protection Agency), (2009). Irrigation. <http://www.epa.gov/agriculture/ag101/cropirrigation.html>.
- US EPA (United States Environmental Protection Agency), (2011). Water > Water Pollutants. <http://www.epa.gov/ebtpages/watewaterpollutants.html>.
- USGS (U.S. Geological Survey), (2011). Groundwater quality. <http://ga.water.usgs.gov/edu/earthgwquality.html>.
- UNEP (United Nations Environment Programme), (2001), *Global Environmental Monitoring System/Water Quality Monitoring System.* The well being of Nations, Washington, DC: Island Press, 2001.
- UNEP (United Nations Environment Programme), (2006). *Water Quality. For Ecosystem and Human Health.* Global Environment Monitoring System/Water Programme. <http://www.gemswater.org>
- Wan Maznah, W. O. and Mansor, M. (2002). Aquatic pollution assessment based on attached diatom communities in the Pinang River Basin, Malaysia. *Hydrobiologia* 487: 229-241.
- WRMHD (Water Resources Management and Hydrology Division), (2009). *Study on the river water quality trends and indexes in Peninsular Malaysia* (pp. 17). Water Resources Publication No. 21.
- Waziri, M. and V.O. Ogugbuaja, (2010). Interrelationship between physicochemical water pollution indicators: A case study of River Yobe-Nigeria. *Am. J. Sci. Ind. Res.*, 1: 76-80. <http://scihub.org/AJSIR/PDF/2010/1/AJSIR-1-1-76-80.pdf>.
- Weisse, T. and Stadler, P., (2006). Effect of pH on growth, cell volume and production of freshwater ciliates and implications for their distribution. *Limnol. Oceanogr.*, 51: 1708-1715.
- Williams, J. F.; S. R. Roberts, J. E. Hill, S. C. Scardaci, and G. Tibbits, (2007). *Managing Water for Weed Control in Rice.* UC Davis, Department of Plant Sciences.
- WHO (World Health Organization), (1985). *Guidelines for Drinking Water Quality, Vol. 3: Drinking Water Quality Control in Small Community Supplies.* Geneva.

- WHO (World Health Organization), (1998). *Guidelines for Drinking Water Quality*. 2nd Edn., (pp. 200), Geneva.
- WHO (World Health Organization), (2004). *Guidelines for Drinking Water Quality, Third Edition, Vol 1*. Geneva.
- WHO (World Health Organization), (2011). *Water Sanitation and Health. Recreational (Bathing) Waters. Volume 1 - Coastal and fresh waters*.
- Wong, J. (2002). *Report on status of peat swamp forest in Sarawak for the sustainable management of peat swamp forests of Sarawak with special reference to ramin (Gonystylus bancanus)*, Forest Department, Sarawak.
- WWF (World Wide Fund) for Nature and The World Conservation Union (IUCN), (1995). *Centres of Plant Diversity: A Guide and Strategy for Their Conservation*. Volume 2: Asia, Australasia and the Pacific. Cambridge: IUCN.
- WWF (World Wide Fund), 2011. Mangrove Forest. <http://www.wwf.org.my/>.
- Wust, R.A.J. and R.M. Bustin, (2004). *Late Pleistocene Environmental Engineering*. 3rd Edn. (pp. 192) McGraw-Hill and Holocene Development of the Interior Peat-Book Co., New York.
- Xu, Q.J., Nian, Y.G., Jin, X.C., Yan, C.Z., Liu, J. and Jiang, G.M. (2006). Effects of Chitosan on Growth of an Aquatic Plant (*Hydrilla Verticillata*) in Polluted Waters with Different Chemical Oxygen Demands. *Journal of Environmental Sciences*. 19. 217-221.
- Yılmaz, F., Özdemir, N., Demirak, A. and Tuna, A.L. (2005). *Analytical, Nutritional and Clinical Methods: Heavy Metal Levels in Two Fish Species Leuciscus Cephalus and Lepomis Gibbosus*. Food Chemistry. 100. 830–835.
- Yisa, J. and T. Jimoh, (2010). Analytical studies on water quality index of River Landzu. *Am. J. Applied Sci.*, 7: 453-458.
- Yogeswaran, M. 1995. *The Sarawak coastal wetland as a water asset: An urgent need to integrate development and conservation*. Proc. Seminar on Environment and Development: Towards Promoting Sustainable Development in Sarawak, AZAM, Sarawak.
- Zainudin, Z., N.A. Rahman, N. Abdullah and N.F.Mazlan, (2010). Development of water quality model for Sungai Tebrau using QUAL2K. *J.Applied Sci*.
- Zhang, X., Sun, H., Zhang, Z. Niu, Q., Chen, Y. and Crittenden, J.C. (2006). Enhanced Bioaccumulation of Cadmium in Carp in the Presence of Titanium Dioxide Nanoparticles. *Chemosphere*. 67. 160–166.

Zettler, M.L., Schiedek, D. and Bobertz, B. (2007). Benthic Biodiversity Indices versus Salinity Gradient in the Southern Baltic Sea. *Marine Pollution Bulletin*. 55. 258–270.

Zulkafi, A.R., and A. Zahari (1999). *Fish and Water Quality Survey in Paya Indah Wetlands Sanctuary*. Paper presented at International Conference & Workshop on Tropical Peat Swamp. Safe-Guarding, A Global Natural Resource. Universiti Sains Malaysia, Penang, Malaysia. 27-29 July 1999.



LIST OF PUBLICATIONS

1. Rosli. N., S. Gandaseca, J. Ismail and M.I. Jailan (2010). Comparative study of water quality at different peat swamp forest of Batang Igan Sibuluan Sarawak. *Am. J. Environ. Sci.*, 6: 416-421. [Published]
2. Gandaseca, S., N. Rosli, J. Ngayop and C.I Arianto. (2011). Status of water quality based on physico-chemical assessment on river water at Wildlife Sanctuary Sibuti Mangrove Forest, Miri Sarawak. *Am. J. Environ. Sci.*, 7: 269-275. [Published]

BIODATA OF STUDENT

Miss Noraini Rosli was from Bintulu Sarawak. She had received her primary education at SK Bintulu primary school and her secondary education at SMK Bandar Bintulu Sarawak. After completing her SPM examination, she pursued her undergraduate program at Universiti Putra Malaysia taking Diploma of Forestry which is eventually graduated on 2005. After that, she continues her degree and awarded Bachelor of Science Bioindustry on 2009.

After graduation, she enrolled her postgraduate study in degree of Master of Science in 2009, which embarked on a study related to water quality and graduated on 2012. During this postgraduate study, she has published some of her research in conference and journals. She also presented her research findings in International Forum in Kuching, Sarawak. Currently she continued her study for a Doctor of Philosophy (PhD) majoring in water quality under Faculty of Agriculture and Food Sciences Universiti Putra Malaysia Bintulu Sarawak Campus.