




***STRUCTURAL, ELASTIC AND OPTICAL PROPERTIES OF ZINC
BOROTELLURITE GLASS SYSTEMS CO-DOPED WITH Ho_2O_3 AND
 Ag_2O/Ag_2O NPs***

USMAN ABDULLAHI

FS 2019 75



**STRUCTURAL, ELASTIC AND OPTICAL PROPERTIES OF ZINC
BOROTELLURITE GLASS SYSTEMS CO-DOPED WITH Ho_2O_3 AND
 $\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs**



Thesis Submitted to the School of Graduate Studies, Universiti Putra
Malaysia, in Fulfillment of the Requirements for the Degree of
Doctor of Philosophy

April 2019

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use may only be made with express, prior, written permission of Universiti Putra Malaysia

Copyright © Universiti Putra Malaysia



DEDICATION

This work is dedicated to the entire family of Alkali Usman Sita Hassan



Abstract of a thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement for the degree of Doctor of Philosophy

STRUCTURAL, ELASTIC AND OPTICAL PROPERTIES OF ZINC BOROTELLURITE GLASS SYSTEMS CO-DOPED WITH Ho_2O_3 AND $\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs

By

USMAN ABDULLAHI

April 2019

Chairman : Professor Halimah Mohamed Kamari, PhD
Faculty : Science

Series of zinc borotellurite glass doped with holmium oxide (Ho_2O_3), co-doped with holmium and silver oxide (Ag_2O) and finally co-doped with holmium and silver oxide nanoparticles (Ag_2O NPs) were successfully synthesized using the conventional melt quenching technique. The glass series were prepared using the chemical formulas of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} \{(\text{Ho}_2\text{O}_3)_x\}$ (where $x=0.005, 0.01, 0.02, 0.03, 0.04$ molar fraction) and $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} \{(\text{Ag}_2\text{O})_y\}$ (where $y=0.01, 0.02, 0.03, 0.04, 0.05$ molar fraction).

XRD results confirmed the amorphous nature of the glass samples. The infrared spectra of the glass systems indicate the presence of TeO_3 , TeO_4 , BO_3 and BO_4 vibrational units in the various concentration of the series. The presence of silver nanoparticles was confirmed by the TEM images. The structural, elastic and optical properties of the glass systems were studied using various characterization techniques through densimetry, Fourier Transform Infrared Spectroscopy (FTIR), X-ray diffraction spectroscopy, Ultra-Violet Visible Spectroscopy (UV-Vis) and Ultrasound measurement.

For structural analysis physical parameters such as density, molar volume, oxygen molar volume, crystalline volume, excess volume, oxygen packing density (OPD) and dopant ionic concentration were studied. The density of Ho_2O_3 doped series increased from 4.5388 g/cm^3 at 0.005 molar fraction to 4.9451 g/cm^3 at 0.04 molar fraction while molar volume decreased from 26.1172 to $25.8159 \text{ cm}^3/\text{mol}$ accordingly. Similar trend of increase in density and decrease in molar volume were exhibited by the other two series. Generally, oxygen molar volume and excess volume show decreasing trend for all the three series as the concentration of the dopants were increased. While

crystalline volume, OPD, and dopant ionic concentration increase with increase in dopants concentration. This behaviour generally increase the compactness and rigidity of the synthesized glass system.

Substantial change was observed in the ultrasonic velocities (longitudinal and transverse velocities), elastic moduli (longitudinal modulus, Young modulus, bulk modulus and shear modulus), Poisson's ratio, microhardness, softening temperature and Debye temperature which ascertained the changes that exist in the structure of the glass as a result of introduction of the dopants to the host structure. In all the glass series the elastic moduli show increasing trends, so also softening and Debye temperatures while microhardness follow decreasing trend as the dopant concentration decreased. Poisson's ratio does not exceed maximum of 0.28 in its increasing trend for all the glass series. These behaviours illustrated by the generated elastic parameters are in favour of increase in the rigidity of the glass structure. The elastic moduli were also investigated theoretically using four models, Makishima- Mackenzie model, Rocherulle model, Bond compression model and Ring deformation model. It was established for this glass system that Ring deformation model gives excellent results that fit with experimental elastic moduli with more than 90% correlation coefficient in most of its values.

Being a non-crystalline material, this glass system undergoes indirect transition with indirect optical band gap decreasing (E_{opt}) from 3.1169 eV at 0.01 molar fraction to 2.9702 eV at 0.04 molar fraction for Ho_2O_3 doped series. Similarly, E_{opt} decreased from 3.1899 to 2.3242 eV and from 2.7819 to 2.2093 eV for $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ and $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs co-doped series respectively. The refractive indices show increasing trend as the dopants concentration increase for all the series. It was found that doping with $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs influenced the increase in refractive index most. The Urbach energy (ΔE) increases with increase in dopants concentration for all the three series. But the $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs doped series possessed highest Urbach energy of 0.4935 eV at 0.05 molar fraction. Molar electronic polarizability (α_m) of this glass system follow increasing trend as the dopants concentration increase, with highest electronic polarizability of 11.1866 at 0.05 molar fraction realised for $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs doped series. Metallization criterion of this glass series decreases with increase of dopants concentration for all the series. The $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs doped series has lowest metallization criterion that falls between minimum of 0.3164 and maximum of 0.3591. The highest value of metallization criterion is 0.3865 for $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ doped series. With this range of values for metallization criterion it is alarming that the synthesized glasses can serve as non-linear optical materials. The gain bandwidth obtained theoretically using McCumber theory confirmed that the synthesized glasses are potential candidate for photonics such as fiber lasers and amplifiers. Therefore, this research contributes towards addressing the pressing challenge of developing new materials for photonics.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**SIFAT STRUKTUR, KENYAL DAN OPTIK SISTEM KACA ZINK
BOROTELLURIT YANG DI-KO-DOP DENGAN Ho_2O_3 DAN Ag_2O /
NANOZARAH Ag_2O**

Oleh

USMAN ABDULLAHI

April 2019

Pengerusi : Professor Halimah Mohamed Kamari, PhD
Fakulti : Sains

Siri kaca zink borotelurit didop dengan holmium oksida (Ho_2O_3), ko-dop dengan holmium dan argentum oksida (Ag_2O) dan yang terakhir ko-dop dengan nanozarah holmium dan argentum oksida (Ag_2O NPs) berjaya dihasilkan menggunakan teknik konvensional sepuh lindap. Siri kaca itu dihasilkan menggunakan formula kimia $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ (di mana $x=0.005, 0.01, 0.02, 0.03, 0.04$ molar fraction) dan $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs) $_y$ (di mana $y=0.01, 0.02, 0.03, 0.04, 0.05$ molar fraction).

Keputusan XRD meyakinkan keadaan amorfus sampel-sampel kaca itu. Spektra inframerah sistem kaca itu menandakan kehadiran getaran unit TeO_3 , TeO_4 , BO_3 dan BO_4 di dalam berbagai kepekatan siri itu. Kehadiran nanozarah argentum dipastikan oleh imej TEM. Ciri-ciri struktur, kenyal dan optik sistem kaca itu dipelajari menggunakan berbagai teknik pencirian melalui densimetri, spektroskopi inframerah jelmaan Fourier (FTIR), spektroskopi pembelauan sinar-X, Spektroskopi UV-nampak (UV-Vis), kefotopendarcahayaan (PL) dan pengukuran ultrasonik.

Bagi analisis struktur, parameter fizikal seperti ketumpatan, isipadu molar, isipadu molar oksigen, isipadu habluran, isipadu lebihan, ketumpatan pemandatan oksigen (OPD) dan kepekatan ion dopan telah dikaji. Ketumpatan siri yang didop dengan Ho_2O_3 meningkat daripada 4.5388 g/cm^3 pada 0.005 molar fraction kepada 4.9451 g/cm^3 pada 0.04 molar fraction manakala isipadu molar menurun daripada $26.1172 \text{ cm}^3/\text{mol}$ kepada $25.8159 \text{ cm}^3/\text{mol}$. corak yang sama dalam peningkatan ketumpatan dan penurunan isipadu molar juga ditunjukkan di dalam kedua-dua siri yang lain. Secara umumnya, isipadu molar oksigen dan isipadu lebihan menunjukkan corak yang menurun untuk ketiga-tiga siri apabila kepekatan dopan dinaikkan. Manakala isipadu

habluran, OPD dan kepekatan ion dopan meningkat dengan kenaikan kepekatan dopan. Kelakuan ini secara umumnya meningkatkan kepadatan dan ketegaran sistem kaca yang dihasilkan.

Perubahan yang besar dapat dilihat pada halaju ultrasonik (halaju membujur dan melintang), modulus-modulus kenyal (modulus membujur, modulus Young, modulus pukal dan modulus melintang), nisbah Poisson, kekerasan mikro, suhu pelembutan dan suhu Debye yang memastikan perubahan yang wujud di dalam struktur kaca itu adalah hasil daripada pengenalan dopan ke dalam struktur perumah tersebut. Di dalam semua siri kaca itu, modulus-modulus kenyal menunjukkan trend menaik, begitu juga dengan suhu pelembutan dan Debye manakala kekerasan mikro mengikut trend yang menurun apabila kepekatan dopan dinaikkan. Nisbah Poisson tidak melebihi nilai maksimum 0.28 di dalam trendnya yang menaik untuk kesemua siri kaca itu. Kelakuan ini ditunjukkan oleh parameter kenyal yang berhasil yang menunjukkan kepada kenaikan ketegaran struktur kaca itu. Modulus-modulus kenyal juga dipelajari secara teori menggunakan empat model, model Makishima-Mackenzie, model Rocherulle, model mampatan ikatan dan model canggaan gegelang. Ianya telah disimpulkan bagi sistem kaca ini bahawa model mampatan ikatan memberikan keputusan yang paling baik yang bertepatan dengan modulus-modulus kenyal eksperimen dengan lebih daripada 90% pekali korelasi di dalam kebanyakan nilai-nilainya.

Sebagai bahan tidak hablur, sistem kaca ini mengalami peralihan tidak langsung dengan jurang jalur optik tidak langsung (E_{opt}) menurun daripada 3.1169 eV pada 0.01 molar fraction kepada 2.9702 eV pada 0.04 molar fraction bagi siri didop dengan Ho_2O_3 . Begitu juga E_{opt} menurun daripada 3.1899 kepada 2.3242 eV dan daripada 2.7819 kepada 2.2093 eV masing-masing bagi siri $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ and ko-didop $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs. Indeks biasan menunjukkan trend yang menaik apabila kepekatan dopan ditingkatkan bagi semua siri. Pendopan dengan $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs ditemui paling mempengaruhi kenaikan indeks biasan. Tenaga Urbach (ΔE) meningkat dengan kenaikan kepekatan dopan untuk ketiga-tiga siri tersebut. Tetapi siri yang didop dengan $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs memiliki tenaga Urbach yang paling tinggi dengan 0.4935 eV pada 0.05 molar fraction. Kekutuhan elektronik molar (α_m) sistem kaca ini mengikut trend yang menaik apabila kepekatan dopan ditingkatkan, dengan kekutuhan elektronik yang paling tinggi adalah 11.1866 pada 0.05 molar fraction disedari pada siri yang didop dengan $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ NPs. Kriteria metalisasi siri kaca ini menurun dengan kenaikan kepekatan dopan untuk kesemua siri. Siri didop dengan $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ mempunyai kriteria penglogaman paling rendah yang jatuh di antara nilai minimum 0.3164 dan maksimum 0.3591. Nilai kriteria metalisasi yang paling tinggi adalah 0.3865 bagi siri yang didop $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$. Dengan julat nilai bagi kriteria penglogaman ini, ia menunjukkan bahawa kaca yang dihasilkan ini boleh digunakan sebagai bahan optik tidak linear. Lebar jalur gandaan yang diperolehi secara teori menggunakan teori McCumber meyakinkan bahawa kaca-kaca yang dihasilkan adalah calon yang berpotensi untuk fotonik seperti laser gentian dan penguat. Maka, penyelidikan ini menyumbang terhadap menangani cabaran kritikal dalam menghasilkan bahan baru untuk fotonik.

ACKNOWLEDGEMENTS

All praises be to Allah, the most magnificent, the most merciful. May the blessings of Allah be on to the sealed of Prophets Muhammad (S. A. W).

My profound gratitude be to Allah with whose blessings I am able to accomplish this work. I am deeply grateful to my supervisor Prof. Dr. Halimah Mohamed Kamari who supported me morally and academically up to the completion of this thesis. Thank you Prof. for the motherhood care given to me. May Allah reward you abundantly, may He fulfil your wishes here and hereafter. I am also grateful to my co-supervisors Dr. Amirah Abd Latif and Dr. Farah Diana Muhammad for their guidance and useful discussions.

My greatest appreciation to my brother Muhammad Usman Sita for the moral and financial support. To my wife Fatima Zakariyya Musa I have no word that is enough to express my appreciation to the Patience, love and care you have shown throughout this journey, may Allah bless you and fulfil your dreams.

I would also like to express my sincere gratitude to my lab. Colleagues for their wonderful contributions through useful discussions and constructive criticism. Those that graduated may Allah bless the knowledge acquired, while those that are in the course may He ease your journey.

I lastly thanks the technical staff of the Faculty of Science as well as the staff of institute of Bioscience for their contributions towards the success of this work. Thank you all.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Halimah Binti Mohamed Kamari, PhD

Professor

Faculty of Science

Universiti Putra Malaysia

(Chairman)

Amirah Abd Latif, PhD

Senior Lecturer

Faculty of Science

Universiti Putra Malaysia

(Member)

Farah Diana Muhammad, PhD

Senior Lecturer

Faculty of Science

Universiti Putra Malaysia

(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean

School of Graduate Studies

Universiti Putra Malaysia

Date:

Declaration by graduate students

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: Usman Abdullahi , GS40896

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature:

Name of Chairman
of Supervisory
Committee:

Professor Dr. Halimah Binti Mohamed Kamari

Signature:

Name of Member
of Supervisory
Committee:

Dr. Amirah Abd Latif

Signature:

Name of Member
of Supervisory
Committee:

Dr. Farah Diana Muhammad

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xiii
LIST OF FIGURES	xx
LIST OF ABBREVIATIONS	xxix
 CHAPTER	
1 INTRODUCTION	1
1.1 Background of the research	1
1.2 Problem statements	2
1.3 Objectives of the study	3
1.4 Hypotheses	3
1.5 Scope and limitations of the study	4
1.6 Significance of the study	4
1.7 Thesis outlines	4
2 LITERATURE REVIEW	6
2.1 Zinc borotellurite glasses	6
2.2 Rare-earth doped zinc borotellurite glasses	7
2.3 Holmium doped glasses	9
2.4 Structural and Physical properties	13
2.4.1 X-ray diffraction (XRD)	13
2.4.2 Fourier transform infrared spectroscopy (FTIR)	13
2.4.3 Density and molar volume	16
2.4.4 Other Physical parameters	17
2.5 Elastic properties	19
2.5.1 Ultrasonic velocities	19
2.5.2 Elastic moduli	21
2.5.3 Elastic theoretical models	21
2.5.4 Other Elastic parameters	23
2.6 Optical properties	27
2.6.1 Optical absorption spectra	27
2.6.2 Optical energy band gap	29
2.6.3 Refractive index	30
2.6.4 Urbach energy	31
2.6.5 Electronic polarizability, electronegativity and optical basicity	32
2.6.6 McCumber theory and Gain bandwidth	35
2.6.7 Other Optical parameters	36
2.7 Summary of previous research	38

3	THEORY	40
3.1	Definition of glass	40
3.2	Formation of glass	41
3.3	Network and structure of tellurite glass	42
3.4	Network and Structure of borate glass	44
3.5	Elastic Properties	47
3.5.1	Concept of Elasticity	47
3.6	Theoretical models	50
3.6.1	Makishima-Mackenzie Model	50
3.6.2	Rocherulle Model	51
3.6.3	Bond compression model	53
3.6.4	Ring Deformation Model	54
3.6.5	Experimental elastic moduli and related parameters	56
3.7	Optical Properties	59
3.7.1	Optical Absorption, Energy band gap, Urbach energy and Extinction coefficient	60
3.7.2	Refractive index, Molar refraction and Metallization criterion	63
3.7.3	Reflection loss, Transmission coefficient and Dielectric constant	64
3.7.4	Electronic polarizability, electronegativity and optical basicity	64
3.7.5	Photoluminescence (PL)	69
3.7.6	McCumber theory	71
3.8	Structural Properties	75
3.8.1	X-ray diffraction spectroscopy (XRD)	75
3.8.2	Fourier Transforms Infrared Spectroscopy (FTIR)	76
3.8.3	Density, Molar volume, oxygen molar volume, crystalline volume, excess volume and oxygen packing density.	77
3.8.4	Holmium ion concentration (N), Holmium inter-ionic distance (R_i) and Polaron	78
3.8.5	Radius (R_p)	78
3.8.6	Holmium yield field strength (F) and Boron-Boron separation	79
4	MATERIALS AND METHODS	80
4.1	Sample preparation	80
4.2	Sample characterization for Structural properties	83
4.2.1	Measurement of Density and Molar volume	83
4.2.2	X-ray Diffraction (XRD)	83
4.2.3	Fourier Transforms Infrared Spectroscopy (FTIR)	85
4.2.4	Transmission Electron Microscopy (TEM)	86
4.3	Sample characterization for optical properties	86
4.3.1	Ultraviolet-Visible Spectroscopy (UV-Vis)	86
4.3.2	Photoluminescence (PL)	87
4.4	Sample characterization for elastic properties	87
4.4.1	Pulse-echo technique	87

5	RESULTS AND DISCUSSION	89
5.1	Structural properties	89
5.1.1	X-ray diffraction (XRD) analysis	89
5.1.2	Fourier Transform Infrared (FTIR) analysis	91
5.1.3	Transmission electron microscopy (TEM) analysis	100
5.1.4	Density and Molar volume analysis	101
5.1.5	Other Physical parameters	104
5.2	Elastic properties	107
5.2.1	Ultrasonic velocities	107
5.2.2	Elastic moduli	110
5.2.3	Poisson's ratio (σ)	114
5.2.4	Microhardness (H)	117
5.2.5	Debye temperature (θ_D)	117
5.2.6	Softening temperature (T_s)	120
5.2.7	Fractal bond connectivity (d)	120
5.2.8	Fugacity (f_g)	123
5.2.9	Acoustic impedance (Z)	123
5.2.10	Thermal expansion coefficient (α)	126
5.2.11	Elastic theoretical models	126
5.2.11.1	Makishima-Mackenzie Model	126
5.2.11.2	Rocherulle Model	132
5.2.11.3	Bond compression Model	134
5.2.11.4	Ring deformation Model	141
5.3	Optical properties	155
5.3.1	Optical absorption spectra	155
5.3.2	Optical band gap and Urbach energy	157
5.3.3	Refractive index, Molar refraction, Molar polarizability and electronic polarizability	165
5.3.4	Oxide ion polarizability	172
5.3.5	Electronegativity	176
5.3.6	Optical basicity	182
5.3.7	Metallization criterion	187
5.3.8	Reflection loss, Transmission coefficient and Dielectric constant	189
5.3.9	Photoluminescence	192
5.3.10	McCumber Theory, Gain coefficient and Gain band width	195
6	CONCLUSIONS AND FUTURE RESEARCH	206
6.1	Conclusions	206
6.2	Future researches	209
REFERENCES		210
BIODATA OF STUDENT		229
LIST OF PUBLICATIONS		230

LIST OF TABLES

Table	Page
2.1 Findings of previous studies on properties of various glass compositions	38
4.1 Weight of individual oxide for different value of x in 13g	81
4.2 Weight of individual oxide for different value of y in 13g	81
5.1 Band center (B) and band area of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	96
5.2 Band center (B) and band area of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	97
5.3 Band center (B) and band area of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	97
5.4 FTIR assignments of the deconvoluted IR spectra of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	98
5.5 FTIR assignments of the deconvoluted IR spectra of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	98
5.6 FTIR assignments of the deconvoluted IR spectra of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	99
5.7 Density and Molar volume of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	102
5.8 Density and Molar volume of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O/ Ag}_2\text{O NPs})_y$ glass system	102
5.9 Oxygen molar volume (V_o), crystalline volume (V_c), excess volume (V_{excess}) and Oxygen packing density (OPD) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ Glass system	104
5.10 Oxygen molar volume (V_o), crystalline volume (V_c), excess volume (V_{excess}) and Oxygen packing density (OPD) of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	105
5.11 Oxygen molar volume (V_o), crystalline volume (V_c), excess volume (V_{excess}) and Oxygen packing density (OPD) of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	105

5.12	Holmium ion concentration N (ions/cm ³), Holmium inter-ionic distance R _i (Å), Polaron radius R _p (Å), Holmium yield field strength F (cm ³) and Boron-Boro Separation dB – B (nm) of {((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	105
5.13	Silver ion concentration N (ions/cm ³), Silver inter-ionic distance R _i (Å), Polaron radius R _p (Å), Silver yield field strength F (cm ³) and Boron-Boron Separation dB – B (nm) of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	106
5.14	Silver nano ion concentration N (ions/cm ³), Silver nano inter-ionic distance R _i (Å), Polaron radius R _p (Å), Silver nano yield field strength F (cm ³) and Boron-Boron Separation dB – B (nm) of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } .. s _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O NPs) _y glass system	106
5.15	Longitudinal velocity <i>vl</i> and Shear velocity <i>vs</i> of {((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	107
5.16	Longitudinal velocity <i>vl</i> and Shear velocity <i>vs</i> of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O/ Ag ₂ O NPs) _y glass systems	108
5.17	Elastic moduli of {((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	111
5.18	Elastic moduli of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	111
5.19	Elastic moduli of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y}	111
5.20	Poisson's ratio (σ), Microhardness (H), Debye temperature (θ_D) and Softening temperature (T_s) of {((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	116
5.21	Poisson's ratio (σ), Microhardness (H), Debye temperature (θ_D) and Softening temperature (T_s) of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	116
5.22	Poisson's ratio (σ), Microhardness (H), Debye temperature (θ_D) and Softening temperature (T_s) of [{((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O NPs) _y glass system	117
5.23	Fugacity (f _g), Fractal bond connectivity (d), Acoustic impedance (Z) and thermal Expansion coefficient (α) of {((TeO ₂) _{0.7} (B ₂ O ₃) _{0.3}) _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	122

5.24	Fugacity (f_g), Fractal bond connectivity (d), Acoustic impedance (Z) and thermal Expansion coefficient (α) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	122
5.25	Fugacity (f_g), Fractal bond connectivity (d), Acoustic impedance (Z) and thermal Expansion coefficient (α) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	123
5.26	Packing density (V_i) and dissociation energy (G_i) of all the chemical oxides used in the study	127
5.27	Total packing density (V_t), total dissociation energy (G_t), Young modulus (E_{mm}), bulk modulus (K_{mm}), shear modulus (G_{mm}) and Poisson's ratio (σ_{mm}) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	127
5.28	Total packing density (V_t), total dissociation energy (G_t), Young modulus (E_{mm}), bulk modulus (K_{mm}), shear modulus (G_{mm}) and Poisson's ratio (σ_{mm}) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	127
5.29	Total packing density (V_t), total dissociation energy (G_t), Young modulus (E_{mm}), bulk modulus (K_{mm}), shear modulus (G_{mm}) and Poisson's ratio (σ_{mm}) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	128
5.30	Packing density (C_t), Young modulus (E_{rm}), bulk modulus (K_{rm}), shear modulus (G_{rm}) and Poisson's ratio (σ_{rm}) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	132
5.31	Packing density (C_t), Young modulus (E_{rm}), bulk modulus (K_{rm}), shear modulus (G_{rm}) and Poisson's ratio (σ_{rm}) of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O/ Ag}_2\text{O NPs})_y$ glass system	132
5.32	First order stretching force constant (f), the number of cross-link density per cation (nc), number of cations per glass formula unit (Nc), coordination number (nf) and bond length (r)	134
5.33	Total number of cations per glass formula unit (η), average cross-link density per unit formula nc and number of network bond per unit volume nb (m^{-3})	135
5.34	Total number of cations per glass formula unit (η), average cross-link density per unit formula nc and number of network bond per unit volume nb (m^{-3})	135
5.35	Elastic moduli, Poisson's ratio and ratio K_{bc}/K_e of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system by Bond compression model	136

5.36	Elastic moduli, Poisson's ratio and ratio K_{bc}/K_e of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O)_y$ glass system glass system by Bond compression model	136
5.37	Elastic moduli, Poisson's ratio and ratio K_{bc}/K_e of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O\ NPs)_y$ glass system glass system by Bond compression model	137
5.38	Average stretching force constant and atomic ring size of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{1-x}(Ho_2O_3)_x$ glass system	142
5.39	Average stretching force constant and atomic ring size of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O/Ag_2O\ NPs)_y$ glass system	142
5.40	Comparison between the experimental elastic moduli and Poisson's ratio (E_{exp} , K_{exp} , G_{exp} and σ_{exp}) with Theoretical elastic moduli and Poisson's ratio (E_{mm} , E_{rm} , E_{bc} , E_{rd} , K_{mm} , K_{rm} , K_{bc} , K_{rd} , G_{mm} , G_{rm} , G_{bc} , G_{rd} , and σ_{mm} , σ_{rm} , σ_{bc} , σ_{rd}) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{1-x}(Ho_2O_3)_x$ glass system	146
5.41	Comparison between the experimental elastic moduli and Poisson's ratio (E_{exp} , K_{exp} , G_{exp} and σ_{exp}) with Theoretical elastic moduli and Poisson's ratio (E_{mm} , E_{rm} , E_{bc} , E_{rd} , K_{mm} , K_{rm} , K_{bc} , K_{rd} , G_{mm} , G_{rm} , G_{bc} , G_{rd} , and σ_{mm} , σ_{rm} , σ_{bc} , σ_{rd}) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O)_y$ glass system	147
5.42	Comparison between the experimental elastic moduli and Poisson's ratio (E_{exp} , K_{exp} , G_{exp} and σ_{exp}) with Theoretical elastic moduli and Poisson's ratio (E_{mm} , E_{rm} , E_{bc} , E_{rd} , K_{mm} , K_{rm} , K_{bc} , K_{rd} , G_{mm} , G_{rm} , G_{bc} , G_{rd} , and σ_{mm} , σ_{rm} , σ_{bc} , σ_{rd}) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O\ NPs)_y$ glass system	148
5.43	Indirect optical band gap energy (E_{opt}) and Urbach energy (ΔE) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{1-x}(Ho_2O_3)_x$ glass system	159
5.44	Indirect optical band gap energy (E_{opt}) and Urbach energy (ΔE) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O/Ag_2O\ NPs)_y$ glass system	160
5.45	Refractive index (n), Molar refraction (R_m), Molar polarizability (α_m) and electronic polarizability (α_e) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{1-x}(Ho_2O_3)_x$ glass system	166
5.46	Refractive index (n), Molar refraction (R_m), Molar polarizability (α_m) and electronic polarizability (α_e) of $\{((TeO_2)_{0.7}(B_2O_3)_{0.3})_{0.7}(ZnO)_{0.3}\}_{0.7}\{(Ho_2O_3)_{0.3}\}_{1-y}(Ag_2O)_y$ glass system	166

- 5.47 Refractive index (n), Molar refraction (R_m), Molar polarizability (α_m) and electronic polarizability (α_e) of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} \{(Ho_2O_3)_{0.3}\}_{1-y} (Ag_2O \text{ NPs})_y$ glass system 166
- 5.48 Optical band gap energy E_{opt} (eV), refractive index (n), refractive index based oxide ion polarizability $\alpha_{02} - (n)$ (\AA^3) and optical band gap energy based oxide ion polarizability $\alpha_{02} - (E_{opt})$ (\AA^3) of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system 172
- 5.49 Optical band gap energy E_{opt} (eV), refractive index (n), refractive index based oxide ion polarizability $\alpha_{02} - (n)$ and optical band gap energy based oxide ion polarizability $\alpha_{02} - (E_{opt})$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} \{(Ho_2O_3)_{0.3}\}_{1-y} (Ag_2O)_y$ glass system 173
- 5.50 Optical band gap energy E_{opt} (eV), refractive index (n), refractive index based oxide ion polarizability $\alpha_{02} - (n)$ and optical band gap energy based oxide ion polarizability $\alpha_{02} - (E_{opt})$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} \{(Ho_2O_3)_{0.3}\}_{1-y} (Ag_2O \text{ NPs})_y$ glass system 173
- 5.51 Pauling electronegativity (χ_i), average electronegativity (χ_{av}) and average electronegativity based oxide ion polarizability $\alpha_{02} - \chi_{nav}, n = 1,2,3$ of the oxides contained in $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system 176
- 5.52 Average electronegativity (χ_{av}) and average electronegativity based oxide ion polarizability $\alpha_{02} - \chi_{nav}, n = 1,2,3$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system 177
- 5.53 Average electronegativity (χ_{av}) and average electronegativity based oxide ion polarizability $\alpha_{02} - \chi_{nav}, n = 1,2,3$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} \{(Ho_2O_3)_{0.3}\}_{1-y} (Ag_2O/ Ag_2O \text{ NPs})_y$ glass system 177
- 5.54 Optical energy gap based optical electronegativity $\Delta\chi * E_{opt}$, refractive index based optical electronegativity $\Delta\chi * n$, energy band gap optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * E_{opt}$ and refractive index optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * n$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system 179
- 5.55 : Optical energy gap based optical electronegativity $\Delta\chi * E_{opt}$, refractive index based optical electronegativity $\Delta\chi * n$, energy band gap optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * E_{opt}$ and refractive index optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * n$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} \{(Ho_2O_3)_{0.1-y} (Ag_2O)_y\}$ glass system 179

5.56	Optical energy gap based optical electronegativity $\Delta\chi * E_{opt}$, refractive index based optical electronegativity $\Delta\chi * n$, energy band gap optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * E_{opt}$ and refractive index optical electronegativity based oxide ion polarizability $\alpha_{02} - \Delta\chi * n$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O NPs)_y$ glass system	180
5.57	Optical basicity of nth oxide $\Lambda nn = 1,2,3,4$, theoretical optical basicity Λth and average electronegativity based optical basicity $\Lambda\chi_{navm} = 1,2,3,4$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system	183
5.58	Optical basicity of nth oxide $\Lambda nn = 1,2,3,4$, theoretical optical basicity Λth and average electronegativity based optical basicity $\Lambda\chi_{navm} = 1,2,3,4$ of $\{((TeO_2)_{0.7} B_2O_3)_{0.3}\}_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O / Ag_2O NPs)_y$ glass system	183
5.59	Refractive index based optical basicity Λn , energy band gap based optical basicity ΛE_{opt} , refractive index optical electro negativity based optical basicity $\Lambda\Delta\chi * n$ and energy gap optical negativity based optical basicity $\Lambda\Delta\chi * E_{opt}$ of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system	183
5.60	Refractive index based optical basicity Λn , energy band gap based optical basicity ΛE_{opt} , refractive index optical electro negativity based optical basicity $\Lambda\Delta\chi * n$ and energy gap optical negativity based optical basicity $\Lambda\Delta\chi * E_{opt}$ of $\{((TeO_2)_{0.7} B_2O_3)_{0.3}\}_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O)_y$ glass system	184
5.61	Refractive index based optical basicity Λn , energy band gap based optical basicity ΛE_{opt} , refractive index optical electro negativity based optical basicity $\Lambda\Delta\chi * n$ and energy gap optical negativity based optical basicity $\Lambda\Delta\chi * E_{opt}$ of $\{((TeO_2)_{0.7} B_2O_3)_{0.3}\}_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O NPs)_y$ glass system	184
5.62	Metallization criterion (M), Reflection loss (R_L), Transmission coefficient (T) and dielectric constant (ϵ) of $\{((TeO_2)_{0.7} (B_2O_3)_{0.3})_{0.7} (ZnO)_{0.3}\}_{1-x} (Ho_2O_3)_x$ glass system	188
5.63	Metallization criterion (M), Reflection loss (R_L), Transmission coefficient (T) and dielectric constant (ϵ) of $\{((TeO_2)_{0.7} B_2O_3)_{0.3}\}_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O)_y$ glass system	188
5.64	Metallization criterion (M), Reflection loss (R_L), Transmission coefficient (T) and dielectric constant (ϵ) of $\{((TeO_2)_{0.7} B_2O_3)_{0.3}\}_{0.7} (ZnO)_{0.3}\}_{0.7} ((Ho_2O_3)_x)_{1-y} (Ag_2O NPs)_y$ glass system.	188

- 5.65 Peak absorption cross section (σ_{ab}) and peak emission cross section (σ_{em}) of $\{((\text{TeO}_2)0.7 (\text{B}_2\text{O}_3)0.3)0.7 (\text{ZnO})0.3\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system at 1156 nm 201
- 5.66 Peak absorption cross section (σ_{ab}) and peak emission cross section (σ_{em}) of $[\{((\text{TeO}_2)0.7 \text{ B}_2\text{O}_3)0.3\}_{0.7} \{(\text{Ho}_2\text{O}_3)_y\}_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O NPs})_y$ glass system at 1158nm/1160 nm 201
- 5.67 Stimulated emission cross section (σ_{em}), Full width at half maximum (FWHM) and Gain band width (GBW) 202

LIST OF FIGURES

Figure	Page
3.1 The Enthalpy Vs Temperature diagram for glass forming liquid	41
3.2 Classification of structural units in tellurite system	43
3.3 Mechanism of transformation of TeO_4 (tbp) to TeO_3 (tp)	44
3.4 Borate groups observed in several borate compounds.	45
3.5 Borate groups observed in several borate compounds.	46
3.6 Creation of non-bridging oxygen in boric oxide glasses due to addition of Oxygen from a modifier oxide (Varshneya, 1994)	46
3.7 Conversion from BO_3 to BO_4 group (Varshneya, 1994)	47
3.8 Diagrammatical illustration of elastic moduli (a) Young modulus	49
3.9 Schematic diagram showing (a) direct excitation of the activator and (b) indirect excitation followed by energy transfer from the sensitizer or host	70
3.10 Demonstrating reinforcement interactions between X-rays and crystalline Material	76
3.11 Basic components of an FTIR spectrometer	76
4.1 Schematic flow chart for the synthesis of Ho_2O_3 and $\text{Ho}_2\text{O}_3/\text{Ag}_2\text{O}$ doped Zinc Borotellurite glass system	82
4.2 Schematic diagram of X-ray scattering in a material.	84
5.1 XRD spectra for $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	90
5.2 XRD spectra for $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	90
5.3 XRD spectra for $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system.	91
5.4 FTIR spectra for $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	92
5.5 FTIR spectra for $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	92

5.6	FTIR spectra for $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system	93
5.7	Deconvoluted FTIR spectra of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ Glass system at $x = 0.04$ molar fraction	95
5.8	Deconvoluted FTIR spectra for $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O) $_y$ glass system at $y = 0.04$ molar fraction	95
5.9	Deconvoluted FTIR spectra for $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system at $y = 0.04$ molar fraction	96
5.10	TEM image of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system at $y = 0.03$ molar fraction	100
5.11	Variation of density and molar volume with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	102
5.12	Variation of density and molar volume with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O) $_y$ glass system	103
5.13	Variation of density and molar volume with concentration of Ag_2O NPs in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system	103
5.14	Variation of longitudinal and shear velocities with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	108
5.15	Variation of longitudinal and shear velocities with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O) $_y$ glass system	109
5.16	Variation of longitudinal and shear velocities with concentration of Ag_2O NPs in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system	109
5.17	Variation of elastic moduli with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	112
5.18	Variation of elastic moduli with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O) $_y$ glass system	112
5.19	Variation of elastic moduli with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y}$ (Ag_2O NPs) $_y$ glass system	113
5.20	Variation of Poisson's ratio and Micro hardness with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	114

5.21	Variation of Poisson's ratio and Micro hardness with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	114
5.22	Variation of Poisson's ratio and Micro hardness with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	115
5.23	Variation of Debye temperature and softening temperature with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	118
5.24	Variation of Debye temperature and softening temperature with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	118
5.25	Variation of Debye temperature and softening temperature with concentration of Ag_2O nano in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	119
5.26	Variation of Fugacity and Fractal bond connectivity with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	121
5.27	Variation of Fugacity and Fractal bond connectivity with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	121
5.28	Variation of Fugacity and Fractal bond connectivity with concentration of Ag_2O NPs $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	122
5.29	Variation of Acoustic impedance and Thermal expansion coefficient with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	124
5.30	Variation of Acoustic impedance and Thermal expansion coefficient with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	125
5.31	Variation of Acoustic impedance and Thermal expansion coefficient with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O NPS})_y$ glass system	125
5.32	Variation of Makishima-Mackenzie elastic moduli with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	129

5.33	Variation of Makishima-Mackenzie elastic moduli with concentration of Ag ₂ O in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	130
5.34	Variation of Makishima-Mackenzie elastic moduli with concentration of Ag ₂ O nano in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O NPs) _y glass system	130
5.35	Variation of Makishima-Mackenzie Poisson's ratio with concentration of Ho ₂ O ₃ in {{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	131
5.36	Variation of Makishima-Mackenzie Poisson's ratio with concentration of Ag ₂ O/Ag ₂ O nano in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O/ Ag ₂ O NPs) _y glass system	131
5.37	Variation of Rocherulle elastic moduli with concentration of Ho ₂ O ₃ in {{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system.	133
5.38	Variation of Rocherulle elastic moduli with concentration of Ag ₂ O/Ag ₂ O nano in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O/ Ag ₂ O NPs) _y glass system	134
5.39	Variation of Bond compression model elastic moduli with concentration of Ho ₂ O ₃ in {{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	137
5.40	Variation of Bond compression model elastic moduli with concentration of Ag ₂ O in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	138
5.41	Variation of Bond compression model elastic moduli with concentration of Ag ₂ O Nano in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O NPs) _y glass system	138
5.42	Variation of K _{bc} /K _e ratio and atomic ring size <i>l</i> with concentration of Ho ₂ O ₃ in {{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{1-x} (Ho ₂ O ₃) _x glass system	139
5.43	Variation of K _{bc} /K _e ratio and atomic ring size <i>l</i> with concentration of Ag ₂ O in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O) _y glass system	140
5.44	Variation of K _{bc} /K _e ratio and atomic ring size <i>l</i> with concentration of Ag ₂ O nano in [{{(TeO ₂) _{0.7} (B ₂ O ₃) _{0.3} } _{0.7} (ZnO) _{0.3} } _{0.7} {(Ho ₂ O ₃) _{0.3} }] _{1-y} (Ag ₂ O NPs) _y glass system	140
5.45	Variation of Poisson's ratio with concentration of Ho ₂ O ₃ , Ag ₂ O and Ag ₂ O NPs in holmium, silver and silver nano doped zinc borotellurite glasses	141

5.46	Variation of Ring deformation model elastic moduli with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	143
5.47	Variation of Ring deformation model elastic moduli with concentration of Ag_2O in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	143
5.48	Variation of Ring deformation model elastic moduli with concentration of Ag_2O nano in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	144
5.49	Correlation of the experimental Young modulus with theoretical Young moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	144
5.50	Correlation of the experimental Bulk modulus with theoretical Bulk moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	145
5.51	Correlation of the experimental Shear modulus with theoretical Shear moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	145
5.52	Correlation of the experimental Young modulus with theoretical Young moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	149
5.53	Correlation of the experimental Bulk modulus with theoretical Bulk moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	150
5.54	Correlation of the experimental Shear modulus with theoretical Shear moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	150
5.55	Correlation of the experimental Young modulus with theoretical Young moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	151
5.56	Correlation of the experimental Bulk modulus with theoretical Bulk moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	151
5.57	Correlation of the experimental Shear modulus with theoretical Shear moduli in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	152
5.58	Correlation coefficient analysis of the experimental Young modulus with theoretical Young moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system	153

5.59	Correlation coefficient analysis of the experimental Bulk modulus with theoretical Bulk moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	154
5.60	Correlation coefficient analysis of the experimental Shear modulus with theoretical Shear moduli in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	155
5.61	Absorption spectra of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	156
5.62	Absorption spectra of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	156
5.63	Absorption spectra of $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	157
5.64	Tauc's plot to determine optical band gap energy in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	158
5.65	Tauc's plot to determine optical band gap energy in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	158
5.66	Tauc's plot to determine optical band gap energy in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	159
5.67	Variation of optical band gap energy with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	161
5.68	Variation of optical band gap energy with concentration of $\text{Ag}_2\text{O}/\text{Ag}_2\text{O NPs}$ in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O NPs})_y$ glass system	162
5.69	Plot of $\ln\alpha$ vs $\hbar\omega$ for the determination of Urbach energy in	163
5.70	Plot of $\ln\alpha$ vs $\hbar\omega$ for the determination of Urbach energy in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O})_y$ glass system	163
5.71	Plot of $\ln\alpha$ vs $\hbar\omega$ for the determination of Urbach energy in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	164
5.72	Variation of Urbach energy with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	165
5.73	Variation of Urbach energy with concentration of $\text{Ag}_2\text{O}/\text{Ag}_2\text{O NPs}$ in $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O NPs})_y$ glass system	165
5.74	Variation of refractive index and electronic polarizability with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ ($\text{Ho}_2\text{O}_3)_x$ glass system	167

- 5.75 Variation of refractive index and electronic polarizability with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system 169
- 5.76 Variation of refractive index and electronic polarizability with concentration of Ag_2O NPs in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O} \text{ NPs})_y$ glass system 169
- 5.77 Variation of molar refraction and molar polarizability with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system 170
- 5.78 : Variation of molar refraction and molar polarizability with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system 170
- 5.79 Variation of molar refraction and molar polarizability with concentration of Ag_2O NPs in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O} \text{ NPs})_y$ glass system 171
- 5.80 Least square plots of optical band gap energy and refractive index based oxide ion Polarizabilities with respect to energy band gap and refractive index respectively $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system 175
- 5.81 Least square plots of optical band gap energy and refractive index based oxide ion Polarizabilities with respect to energy band gap and refractive index respectively in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system 175
- 5.82 Least square plots of optical band gap energy and refractive index based oxide ion Polarizabilities with respect to energy band gap and refractive index respectively in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O} \text{ NPs})_y$ glass system 176
- 5.83 Refractive index based oxide ion polarizability against average electronegativity based oxide ion polarizability of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ glass system 178
- 5.84 Refractive index based oxide ion polarizability against average electronegativity based oxide ion polarizability of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O} \text{ NPs})_y$ glass system 178
- 5.85 Least square plots of energy band gap and refractive index optical electronegativity based oxide ion polarizabilities with energy band gap and refractive index based oxide ion polarizabilities respectively in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ Glass system 180

5.86	Least square plots of energy band gap and refractive index optical electronegativity based oxide ion polarizabilities with energy band gap and refractive index based oxide ion polarizabilities respectively in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ag}_2\text{O}\}_x \text{ glass system}$	181
5.87	Least square plots of energy band gap and refractive index optical electronegativity based oxide ion polarizabilities with energy band gap and refractive index based oxide ion polarizabilities respectively in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ag}_2\text{O NPs}\}_y \text{ glass system}$	181
5.88	Least square plots of energy and refractive index optical electronegativity based optical basicities with energy and refractive index based optical basicities in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\{\text{ZnO}\}_{0.3})_{1-x} (\{\text{Ho}_2\text{O}_3\}_x \text{ glass system}$	185
5.89	Least square plots of energy and refractive index optical electronegativity based optical basicities with energy and refractive index based optical basicities in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O}\}_y \text{ glass system}$	185
5.90	Least square plots of energy and refractive index optical electronegativity based optical basicities with energy and refractive index based optical basicities in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O NPs}\}_y \text{ glass system}$	186
5.91	Variation of Reflection loss and Transmission coefficient with concentration of Ho_2O_3 in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\{\text{ZnO}\}_{0.3})_{1-x} (\{\text{Ho}_2\text{O}_3\}_x \text{ glass system}$	190
5.92	Variation of Reflection loss and Transmission coefficient with concentration of Ag_2O in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O}\}_y \text{ glass system}$	190
5.93	Variation of Reflection loss and Transmission coefficient with concentration of $\text{Ag}_2\text{O NPs}$ in $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O NPs}\}_y \text{ glass system}$	191
5.94	Emission spectra of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\{\text{ZnO}\}_{0.3})_{1-x} (\{\text{Ho}_2\text{O}_3\}_x \text{ glass system at } 452 \text{ nm excitation wavelength}$	193
5.95	Emission spectra of $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O}\}_y \text{ glass system at } 452 \text{ nm excitation wavelength}$	193
5.96	Emission spectra of $\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\{\text{ZnO}\}_{0.3})_y (\{\text{Ho}_2\text{O}_3\}_{1-y} (\{\text{Ag}_2\text{O NPs}\}_y \text{ glass system at } 452 \text{ nm excitation wavelength}$	194
5.97	Energy level scheme depicting the absorption and emission transitions in $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\{\text{ZnO}\}_{0.3})_{1-x} (\{\text{Ho}_2\text{O}_3\}_x \text{ glass system}$	195

5.98	Absorption cross section of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ $(\text{Ho}_2\text{O}_3)_x$ glass system	196
5.99	Emission cross section of $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ $(\text{Ho}_2\text{O}_3)_x$ glass system	196
5.100	Absorption and emission cross sections of 1 mol % Ho_2O_3 doped $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x}$ $(\text{Ho}_2\text{O}_3)_x$ glass system	197
5.101	Absorption cross section of $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	197
5.102	Emission cross section of $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system.	198
5.103	Absorption and emission cross sections of 1 mol % Ag_2O doped $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O})_y$ glass system	198
5.104	Absorption cross section of $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	199
5.105	Emission cross section of $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	199
5.106	Absorption and emission cross sections of 1 mol % Ag_2O NPs doped $[\{((\text{TeO}_2)_{0.7} \text{B}_2\text{O}_3)_{0.3}\}_{0.7} (\text{ZnO})_{0.3}]_{0.7}$ $(\{(\text{Ho}_2\text{O}_3)_0\}_{1-y} (\text{Ag}_2\text{O NPs})_y$ glass system	200
5.107	Simple Gain of Ho_2O_3 doped series for 1 mol% concentration	202
5.108	Simple Gain of Ag_2O doped series for 1 mol% concentration	203
5.109	Simple Gain of Ag_2O NPs doped series for 1 mol% concentration	203
5.110	Overall Simple Gain against Population inversion for fiber lengths L=3, 5, 7, 9 and 11 m for 1156 nm signal of Ho_2O_3 1 mol% concentration	204
5.111	Overall Simple Gain against Population inversion for fiber lengths L=3, 5, 7, 9 and 11 m for 1158 nm signal of Ag_2O 1 mol% concentration	204
5.112	Overall Simple Gain against Population inversion for fiber lengths L=3, 5, 7, 9 and 11 m for 1160 nm signal of Ag_2O NPs 1 mol% concentration	205

LIST OF ABBREVIATIONS

TeO_2	Tellurium oxide
B_2O_3	Boron oxide
ZnO	Zinc oxide
Ho_2O_3	Holmium (III) oxide
Ag_2O	Silver oxide
Ag_2O NPs	Silver oxide nano particles
BOs	Bridging oxygens
NBOs	Non-bridging oxygens
XRD	X-ray diffraction
FTIR	Fourier transform infrared spectroscopy
TEM	Transmission electron microscopy
tbp	Trigonal bipyramids
tp	Trigonal pyramids
OPD	Oxygen packing density
V_e	Excess volume
V_o	Oxygen molar volume
V_c	Crystalline volume
ρ	Density
R_p	Polaron radius
R_i	Inter-ionic distance
N	Ionic concentration
F	Field strength

d_{B-B}	Boron-Boron separation
V_m	Molar volume
v_L	Longitudinal velocity
v_s	Shear velocity
L	Longitudinal modulus
E	Young modulus
K	Bulk modulus
G	Shear modulus
σ	Poisson's ratio
v_m	Mean ultrasonic velocity
θ_D	Debye temperature
T_s	Softening temperature
H	Microhardness
f_g	Fugacity
d	Fractal bond connectivity
Z	Acoustic impedance
K	Extinction coefficient
V_t	Packing density
G_t	Dissociation energy
n_b	Number of bonds per unit volume
\bar{n}_c	Average cross-link density
l	Atomic ring size
X_c	Peak position
α	Absorption coefficient

E_{opt}	Optical band gap energy
ΔE	Urbach energy
n	Refractive index
R_m	Molar refraction
α_m	Molar electronic polarizability
α_e	Electronic Polarizability
M	Metallization criterion
R_L	Reflection loss
T	Transmission coefficient
ϵ	Dielectric constant
$\alpha_{0^{2-}}$	Oxide ion polarizability
χ_{av}	Average electronegativity
$\Delta \chi^*$	Optical electronegativity
Λ	Optical basicity
σ_e	Stimulated emission cross-sections
σ_a	Absorption cross-sections
E_{ex}	Excitation energy
FOM	Figure of merit

CHAPTER 1

INTRODUCTION

1.1 Background of the research

Tellurium oxide (TeO_2) based glasses are currently of scientific and technological interest due to their unique properties such as low melting points, good thermal and chemical stability, slow crystallisation rates, low cut off phonon energy, high refractive indices, high dielectric constant and good infrared transmission (Azlan *et al.*, 2017). TeO_2 based glasses are considered as promising materials for use in optical amplifiers on account of their large third order non-linear susceptibility (Gayathri Pavani *et al.*, 2011). As it is known that pure TeO_2 cannot form glass under normal situation except under particular extreme conditions (Kundu *et al.*, 2014); additions of various oxides increase its glass forming range (Manikandan *et al.*, 2012). When tellurite combine with borates, boro-tellurite glasses are formed which are now intensively studied for their practical applications, and enhancement of the quality, transparency and refractive index of the resulted glass system (Gayathri Pavani *et al.*, 2011). Boron oxide B_2O_3 is a basic glass former due to its higher bond length, lower cation size, smaller heat of fusion and tri-valence nature of boron. Basically, in B_2O_3 glasses, the units are triangles, which are corner bonded in a random configuration (Kundu *et al.*, 2009). In borate glasses the main structural units are BO_3 triangles forming six member (boroxol) rings connected by B-O-B linkage (Yawale *et al.*, 2000). Usually addition of metal oxides modifies the boroxol ring into complex borate groups which result in the formation of various cyclic units like diborate or tetraborate groups (Mozzi and Warren, 1970). Thus, the addition of transition metal oxide into borotellurite glasses causes changes in their structures and influences the semiconducting behaviour of the glass system when the metal oxide is acting as a modifier (Bale *et al.*, 2008a; Bale *et al.*, 2008b). Hence addition of zinc oxide (ZnO) into boro tellurite glass network produces stability, low rates of crystallisation and enhances glass forming ability (Gayathri Pavani *et al.*, 2011). ZnO is a wide band gap semiconductor that is considered as an important multifunctional material due to its specific chemical surface and micro structural properties. It is used in various applications such as gas sensors, transparent electrodes and catalysts (Roy and Basu, 2002). ZnO can enter into the glass network either in the form of glass former, modifier or both. Nowadays doping inorganic glasses with rare-earth (RE) ions is receiving much attention from researchers. This is because rare-earth ions are extensively used to improve the physical and optical properties of host glasses due to their unique spectroscopic properties resulting from their optical transitions in the intra 4f shell (Nandi *et al.*, 2009). Moreover, it is highly pre-requisite to know the relationship between the host composition and radiative or non-radiative characters of the RE ions in order to design lasing glasses with high performance (Shen *et al.*, 2007). Among the rare-earth (RE) ions holmium ion (Ho^{3+}) is one of the ions currently receiving attention for its spectroscopic applications. It exhibits several electronic transitions in the visible and IR regions, which have relatively long-lived $^5\text{I}_7$ level and large peak stimulated emission cross-sections (Rao *et al.*, 2012a). In addition to that, the Ho^{3+} ion provides eye-safe potential laser emission even at room temperature with

a low threshold action that has attractive applications in atmospheric communication systems. Therefore, it is expected that glasses doped with Ho^{3+} ions are potential candidates for providing emissions which are useful for the development of visible and IR solid state lasers, respectively. Holmium doped fiber amplifier (HDFA) has many advantages as compare to other amplifiers such as EDFA and TDFA. HDFA has high efficiency as compare to EDFA. It has high gain and high power amplifier. HDFA has wide area of sensing technique where other amplifiers failed.

Pure borate glasses possess low refractive index, high melting point and high phonon energies $\sim 1300\text{-}1500\text{cm}^{-1}$, hence they are highly suitable for designing new optical devices when they combine with rare-earth elements due to their good RE ion solubility. On the other hand, tellurite glasses compared to other oxides glasses are useful for achieving high rate of radiative transition of RE ions due to their unique properties of high non-linear refractive index, low melting point and low phonon energy of $\sim 700\text{-}800\text{cm}^{-1}$. Therefore, boro-tellurite glass combines these advantageous features of borate and tellurite glasses in their interactions with RE ions, thereby producing glass system with low phonon energy, relatively high thermal stability, high chemical durability and easy fabrication (Mahraz *et al.*, 2014). For the present work undoped zinc boro-tellurite is not considered as it is found irrelevant in terms of applications. This is because the lasing and amplifier application of the synthesized glasses is due to the presence of rare earth oxide (Ho_2O_3).

1.2 Problem statements

There are numerous researches on glass of various compositions in order to come out with most suitable glasses that fit into different applications. Tellurite glasses exhibit a range of unique properties which give them potential applications in pressure sensors or as new laser hosts, and these glasses are now under consideration in many other applications. Although the physical properties and structure of crystalline solids are now understood, this is not the case for amorphous materials including glass. The considerable theoretical difficulties in understanding the properties and structures of amorphous solids are amplified by the lack of precise experimental information. Research should therefore be accelerated to fill this gap. The benefits will include providing the fundamental bases of new optical glasses with many new applications, especially tellurite-glass-based optical fibers. New materials for optical switches; second-harmonic-generation, third-order-nonlinear optical materials; up-conversion glasses, and optical amplifiers need greater research attention.

In an attempt to fill some of the aforementioned research gap, researchers employed incorporation of rare earth (RE) oxides into tellurite based glasses. Rare earth doped zinc borotellurite glasses are typical examples. Doping with RE oxides enhances the optical properties of the host glass due to the existence of 4f electrons in these elements. As rare earth embedded into a solid matrix, the effect of ligand environment on the 4f shell is minimised (Reddy *et al.*, 2015). This is due to the effect of 4s and 5p which shielded the 4f shell. Hence it becomes easier for the 4f electrons to be ejected and produced the optical transitions that do not exist in the other compounds.

Several researches were conducted recently in order to explore the benefits of doping with rare earth oxides. On zinc borotellurite Ami Hazlin *et al.* (2017), Azlan *et al.* (2017), Eevon *et al.* (2016b), Faznny *et al.* (2016), Halimah *et al.* (2017) and Hazlin *et al.* (2018) all investigated the effect of different rare earth oxides on the optical properties of zinc borotellurite glass. But yet there is no research that investigated the effect of holmium trivalent ions (Ho^{3+} ions) on zinc borotellurite glass. As such this work is conducted in order to provide adequate experimental and theoretical data on structural, elastic and optical properties of zinc borotellurite glass doped with Ho_2O_3 and co-doped with $\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs.

1.3 Objectives of the study

The present study was conducted in order to achieve the following objectives:

1. To study the structural and elastic properties of zinc borotellurite glass doped with Ho_2O_3 and co-doped with $\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs, under the following chemical formula
 $\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{1-x} (\text{Ho}_2\text{O}_3)_x$ (where $x=0.005, 0.01, 0.02, 0.03, 0.04$ molar fraction) and $[\{((\text{TeO}_2)_{0.7} (\text{B}_2\text{O}_3)_{0.3})_{0.7} (\text{ZnO})_{0.3}\}_{0.7} \{(\text{Ho}_2\text{O}_3)_{0.3}\}]_{1-y} (\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs) $_y$ (where $y=0.01, 0.02, 0.03, 0.04, 0.05$ molar fraction).
2. To verify the domain of validity of four theoretical elastic models on multi component zinc borotellurite glasses.
3. To investigate the effect of holmium co-doped with $\text{Ag}_2\text{O}/\text{Ag}_2\text{O}$ NPs on the linear optical properties of zinc borotellurite glasses.
4. To determine the potential application of the synthesized glasses in Holmium Doped Fiber Amplifiers (H DFA) using McCumber theory

1.4 Hypotheses

Based on the objectives of the study the following hypotheses are projected:

1. It is expected that the addition of Ho_2O_3 , Ag_2O and Ag_2O NPs into the zinc borotellurite glass will influence changes in the structural properties of the host, thereby modifying other properties such as elastic and optical properties. For the enhancement of elastic properties (that is the increase in strength and rigidity of the glass), it is expected that elastic moduli, microhardness, Debye temperature and softening temperature will increase while Poisson's ratio will decrease. This is because rare earth ions promote the formation of bridging oxygens (BOs) that will increase the rigidity of the glass samples. The optical properties are expected to improve through decrease of the optical band gap and corresponding increase in refractive index, molar and electronic polarizabilities. This enhancement of optical properties is attributed to the unique 4f electrons of the rare earth ions.

2. If theoretical elastic models are valid with multi component glasses, it is expected that the experimental and the theoretical data of elastic moduli to be in a close range.
3. With introduction of the dopants it is expected that the stimulated emission cross-section obtained from the McCumber theory and the Gain band width (GBW) will be enhanced.

1.5 Scope and limitations of the study

The scope of the present study is limited to the physical and structural properties, elastic properties and linear optical properties. For the measurement of physical properties density was measured using densimeter MD-300S and molar volume was calculated from the measured density. For the structural properties the glass samples were characterized using x-ray diffraction (XRD) spectroscopy, Fourier Transforms Infrared Spectroscopy (FTIR) and Transmission Electron Microscopy (TEM). For the elastic properties ultrasonic pulse-echo technique was employed, from which ultrasonic velocities were measured at frequency of 5 MHz. All other elastic parameters were calculated from the ultrasonic velocities. For the optical properties the glass samples were characterized using Ultraviolet-Visible Spectroscopy (UV-Vis) at wavelength range of 200 to 1700 nm and Photoluminescence (PL) at wavelength range of 200 to 900 nm.

1.6 Significance of the study

Great expectations have been placed on the development of new glasses as indispensable materials in developing the vital industries of the near future. This can clearly be seen in such fields as optoelectronics, multimedia, and energy development. “New glasses” are those that have novel functions and properties, such as a higher light regulation, extraordinary strength, or excellent heat and chemical durability. Therefore, developing new glasses is a non-stop challenge that grows with time. Thus, the significance of the present study is to provide solution to some of the aforementioned challenges through synthesizing holmium doped zinc borotellurite glasses with enhanced mechanical and optical properties.

1.7 Thesis outlines

Chapter 1 consists of the background of the study, and brief introduction of the contained oxides and their significant roles in the glass compositions. The chapter also discussed the problem statements, objective of the study, hypotheses, scope and limitations of the study and significance of the study.

Chapter 2 gives a brief review of the previous literature that are related to the present study. These literatures give reports on zinc borotellurite glasses, Rare-earth doped

zinc borotellurite glasses, Holmium doped glasses, structural and physical properties, elastic properties, optical properties and McCumber theory.

Chapter 3 discussed the existing theories, equations and models used in this study. The derivations of some theoretical equations are also shown in this chapter.

Chapter 4 describes the procedures and techniques employed by the conventional melt quenching method for the fabrication of the glass samples. The chapter also discussed the basic of the characterization techniques used in the research.

Chapter 5 discussed and analysed the results and trends of the findings in the present work. This covers the physical, structural, elastic and non-linear optical properties of the synthesized glasses.

Chapter 6 summarized the important findings of the research, with some suggestions and recommendations for future researches.

REFERENCES

- Ab Aziz, S., Kamari, H. M., Hui, A. J., and Matori, K. A. (2012). Quantitative analysis on the elastic moduli of borate and phosphate glasses containing lead oxide. *Solid St. Sci. Technol Express* 8 (1), 16-20.
- Abd El-Moneim, A. (2012). Correlation between acoustical and compositional parameters of borate and tellurite glasses. *Materials Chemistry and Physics*, 135 (2-3), 653-657.
- Abdel-Baki, M., El-Diasty, F., and Wahab, F. A. A. (2006). Optical characterization of $x\text{TiO}_2-(60-x)\text{SiO}_2-40\text{Na}_2\text{O}$ glasses: II. Absorption edge, Fermi level, electronic polarizability and optical basicity. *Optics Communications*, 261 (1), 65-70.
- Ahmad, F., Aly, E. H., Atef, M., and ElOkr, M. (2014). Study the influence of zinc oxide addition on cobalt doped alkaline earth borate glasses. *Journal of Alloys and Compounds*, 593, 250-255.
- Alazoumi, S., Sidek, H., Halimah, M., Matori, K., Zaid, M., and Abdulbaset, A. (2017). Synthesis and elastic properties of ternary ZnO-PbO-TeO_2 glasses. *Chalcogenide Letters*, 14 (8), 303-320.
- Altaf, M., and Chaudhry, M. (2000). Effect of MnO on the optical band gap in $\text{MnO-CdO-P}_2\text{O}_5$ glasses. *Journal of the Korean Physical Society*, 36 (5), 265-268.
- Ami Hazlin, M. N., Halimah, M. K., Muhammad, F. D., and Faznny, M. F. (2017). Optical properties of zinc borotellurite glass doped with trivalent dysprosium ion. *Physica B: Condensed Matter*, 510, 38-42.
- Annapoorani, K., Basavapoornima, C., Murthy, N. S., and Marimuthu, K. (2016a). Investigations on structural and luminescence behavior of Er^{3+} doped Lithium Zinc borate glasses for lasers and optical amplifier applications. *Journal of Non-Crystalline Solids*, 447, 273-282.
- Annapoorani, K., Basavapoornima, C., Suriya Murthy, N., and Marimuthu, K. (2016b). Investigations on structural and luminescence behavior of Er^{3+} doped Lithium Zinc borate glasses for lasers and optical amplifier applications. *Journal of Non-Crystalline Solids*, 447, 273-282.
- Ayuni, J. N., Halimah, M. K., Talib, Z. A., Sidek, H. A. A., Daud, W. M., Zaidan, A. W., & Khamirul, A. M. (2011). Optical properties of ternary $\text{TeO}_2-\text{B}_2\text{O}_3-\text{ZnO}$ glass system. In IOP Conference Series: Materials Science and Engineering. 17, 012027.

- Aziatty, S., and Yahya, A. (2013). Enhancement of elastic properties by WO₃ partial replacement of TeO₂ in ternary (80– x) TeO₂–20PbO–xWO₃ glass system. *Journal of Non-Crystalline Solids*, 378, 234-240.
- Aziz, S. M., Sahar, M., and Ghoshal, S. (2017). Modified magnetic and optical properties of manganese nanoparticles incorporated europium doped magnesium borotellurite glass. *Journal of Magnetism and Magnetic Materials*, 423, 98-105.
- Azlan, M., Halimah, M., Shafinas, S., and Daud, W. (2014a). Polarizability and optical basicity of Er³⁺ ions doped tellurite based glasses. *Chalcogenide Letters*, 11 (7), 319-335.
- Azlan, M., Halimah, M., Shafinas, S., and Daud, W. (2015). Electronic polarizability of zinc borotellurite glass system containing erbium nanoparticles. *Materials Express*, 5 (3), 211-218.
- Azlan, M., Halimah, M., Shafinas, S., Daud, W., and Sidek, H. (2014b). Influence of erbium concentration on spectroscopic properties of tellurite based glass. *Solid State Science And Technology*, 22 (1-2), 148-156.
- Azlan, M., Halimah, M., and Sidek, H. (2017). Linear and nonlinear optical properties of erbium doped zinc borotellurite glass system. *Journal of Luminescence*, 181, 400-406.
- Azman, K., Razali, W., Azhan, H., and Sahar, M. (2012). *Luminescence Spectra of TeO₂-PbO-Li₂O Doped Nd₂O₃ Glass*. *Advanced materials research*, 501, 121-125.
- Babu, S., Seshadri, M., Balakrishna, A., Prasad, V. R., and Ratnakaram, Y. (2015). Study of multicomponent fluoro-phosphate based glasses: Ho³⁺ as a luminescence center. *Physica B: Condensed Matter*, 479, 26-34.
- Bahadur, A., Dwivedi, Y., and Rai, S. (2013). Optical properties of cerium doped oxyfluoroborate glass. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 110, 400-403.
- Balaji, S., Biswas, K., Sontakke, A. D., Gupta, G., Ghosh, D., and Annapurna, K. (2014). Al₂O₃ influence on structural, elastic, thermal properties of Yb³⁺ doped Ba–La-tellurite glass: Evidence of reduction in self-radiation trapping at 1 μm emission. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 133, 318-325.
- Balakrishna, A., Rajesh, D., and Ratnakaram, Y. (2014). Photoluminescence properties of Ho³⁺ ion in lithium-fluoroborate glass containing different modifier oxides. *AIP Conference Proceedings* 1591, 714-716.
- Bale, S., Rahman, S., Awasthi, A., and Sathe, V. (2008a). Role of Bi₂O₃ content on physical, optical and vibrational studies in Bi₂O₃–ZnO–B₂O₃ glasses. *Journal of Alloys and Compounds*, 460 (1-2), 699-703.

- Bale, S., Rao, N. S., and Rahman, S. (2008b). Spectroscopic studies of Bi₂O₃–Li₂O–ZnO–B₂O₃ glasses. *Solid State Sciences*, 10 (3), 326-331.
- Basavapoornima, C., Linganna, K., Kesavulu, C., Ju, S., Kim, B., Han, W.-T., and Jayasankar, C. (2017). Spectroscopic and pump power dependent upconversion studies of Er³⁺-doped lead phosphate glasses for photonic applications. *Journal of Alloys and Compounds*, 699, 959-968.
- Berwal, N., Dhankhar, S., Sharma, P., Kundu, R., Punia, R., and Kishore, N. (2017). Physical, structural and optical characterization of silicate modified bismuth-borate-tellurite glasses. *Journal of Molecular Structure*, 1127, 636-644.
- Bhatia, B., Meena, S., Parihar, V., and Poonia, M. (2015). Optical basicity and polarizability of Nd³⁺-doped bismuth borate glasses. *New Journal of Glass and Ceramics*, 5 (03), 44.
- Bogue, R., and Sladek, R. (1990). Elasticity and thermal expansivity of (AgI) x (AgPO₃) 1-x glasses. *Physical Review B*, 42 (8), 5280.
- Bolundut, L., Culea, E., Borodi, G., Stefan, R., Munteanu, C., and Pascuta, P. (2015). Influence of Sm³⁺: Ag codoping on structural and spectroscopic properties of lead tellurite glass ceramics. *Ceramics International*, 41 (2), 2931-2939.
- Bootjomchai, C., Laopaiboon, R., Pencharee, S., and Laopaiboon, J. (2014). Elastic moduli of borosilicate glasses doped with heavy metal oxides. *Journal of Non-Crystalline Solids*, 388, 37-45.
- Brady, G. W. (1957). Structure of tellurium oxide glass. *The Journal of Chemical Physics*, 27 (1), 300-303.
- Bridge, B., Patel, N., and Waters, D. (1983). On the elastic constants and structure of the pure inorganic oxide glasses. *physica status solidi (a)*, 77 (2), 655-668.
- Chang, K., Lee, T., and Hwa, L. (2003). Structure and elastic properties of iron phosphate glasses. *Chinese Journal of Physics*, 41 (4), 414-421.
- Chinnamat, W., Laopaiboon, R., Laopaiboon, J., Pencharee, S., and Bootjomchai, C. (2017). Influence of ionic radius modifying oxides on the elastic properties of glasses using ultrasonic techniques and FTIR spectroscopy. *Physics and Chemistry of Glasses-European Journal of Glass Science and Technology Part B*, 58 (5), 207-216.
- Dharma, J., Pisal, A., and Shelton, C. (2009). Simple method of measuring the band gap energy value of TiO₂ in the powder form using a UV/Vis/NIR spectrometer. *Application Note Shelton, CT: PerkinElmer*
- Dimitrov, V., and Komatsu, T. (1999). Electronic polarizability, optical basicity and non-linear optical properties of oxide glasses. *Journal of Non-Crystalline Solids*, 249 (2-3), 160-179.

- Dimitrov, V., and Komatsu, T. (2010). An interpretation of optical properties of oxides and oxide glasses in terms of the electronic ion polarizability and average single bond strength. *J. Univ. Chem. Technol. Metall*, 45 (3), 219-250.
- Dimitrov, V., and Komatsu, T. (2013). Electronic polarizability, optical basicity and single bond strength of oxide glasses. *Journal of Chemical Technology & Metallurgy*, 48 (6), 549-554
- Dimitrov, V., and Sakka, S. (1996a). Electronic oxide polarizability and optical basicity of simple oxides. I. *Journal of Applied Physics*, 79 (3), 1736-1740.
- Dimitrov, V., and Sakka, S. (1996b). Linear and nonlinear optical properties of simple oxides. II. *Journal of Applied Physics*, 79 (3), 1741-1745.
- Dongmei, S., Gangfeng, Y., Zhongmin, Y., Zhang, Q., and Jiang, Z. (2008). Spectral properties and energy transfer of Tm³⁺/Ho³⁺-codoped Ga₂O₃-Bi₂O₃-GeO₂-PbO glasses. *Journal of rare earths*, 26 (6), 912-914.
- Duffy, J. (1986). Chemical bonding in the oxides of the elements: A new appraisal. *Journal of Solid State Chemistry*, 62 (2), 145-157.
- Duffy, J. A. (1989). A common optical basicity scale for oxide and fluoride glasses. *Journal of Non-Crystalline Solids*, 109 (1), 35-39.
- Evon, C., Halimah, M., Azmi, Z., and Azurahanim, C. (2016a). Elastic properties of TeO₂-B₂O₃-ZnO-Gd₂O₃ glasses using non-destructive ultrasonic technique. *Chalcogenide Letters*, 13 (6), 281-289.
- Evon, C., Halimah, M., Zakaria, A., Azurahanim, C., Azlan, M., and Faznny, M. (2016b). Linear and nonlinear optical properties of Gd³⁺ doped zinc borotellurite glasses for all-optical switching applications. *Results in Physics*, 6, 761-766.
- Ehrt, D. (2009). *Photoluminescence in glasses and glass ceramics. IOP Conference Series: Materials Science and Engineering*. 2, 1-7.
- El-Mallawany, R. (1998). Tellurite glasses part 1. Elastic properties. *Materials Chemistry and Physics*, 53 (2), 93-120.
- El-Mallawany, R. (1999). Tellurite glasses: Part 2. Anelastic, phase separation, Debye temperature and thermal properties. *Materials Chemistry and Physics*, 60 (2), 103-131.
- El-Mallawany, R., Abdalla, M. D., and Ahmed, I. A. (2008). New tellurite glass: Optical properties. *Materials Chemistry and Physics*, 109 (2-3), 291-296.
- El-Mallawany, R., El-Khoshkhany, N., and Afifi, H. (2006). Ultrasonic studies of (TeO₂)₅₀-(V₂O₅)_{50-x}(TiO₂)_x glasses. *Materials Chemistry and Physics*, 95 (2-3), 321-327.

- El-Mallawany, R., Sidkey, M., Khafagy, A., and Afifi, H. (1994). Elastic constants of semiconducting tellurite glasses. *Materials Chemistry and Physics*, 37 (3), 295-298.
- El-Mallawany, R. A. (2016). *Tellurite glasses handbook: physical properties and data*: CRC press.
- El-Moneim, A. A. (2012). Correlation between acoustical and compositional parameters of borate and tellurite glasses. *Materials Chemistry and Physics*, 135 (2-3), 653-657.
- El-Moneim, A. A. (2014). Correlation between acoustical and compositional properties of binary and multi-component oxide glasses. *Int. J. Chem. Mater. Sci.*, 2 (1), 10-17.
- El Latif, L. (2005). Ultrasonic study on the role of Na~2O on the structure of Na~2O-B~2O~3 and Na~2O-B~2O~3-SiO~2 glasses. *Journal of pure and applied ultrasonics*, 27 (2/3), 80.
- Elkhoshkhany, N., Abbas, R., El-Mallawany, R., and Fraih, A. (2014). Optical Properties of quaternary TeO₂-ZnO-Nb₂O₅-Gd₂O₃ glasses. *Ceramics International*, 40 (9), 14477-14481.
- Elkhoshkhany, N., and El-Mallawany, R. (2015). Optical and kinetics parameters of lithium boro-tellurite glasses. *Ceramics International*, 41 (3), 3561-3567.
- Elshafie, A. (1997). Materials science communication room temperature ultrasonic wave velocity and attenuation in Ge10Se80-xSbxTe10 bulk glassy samples. *Materials Chemistry and Physics*, 51 (2), 182-185.
- Fares, H., Jlassi, I., Elhouichet, H., and Férid, M. (2014). Investigations of thermal, structural and optical properties of tellurite glass with WO₃ adding. *Journal of Non-Crystalline Solids*, 396, 1-7.
- Farouk, M., El-Maboud, A. A., Ibrahim, M., Ratep, A., and Kashif, I. (2015). Optical properties of Lead bismuth borate glasses doped with neodymium oxide. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 149, 338-342.
- Faznny, M., Halimah, M., and Azlan, M. (2016). Effect of lanthanum oxide on optical properties of zinc borotellurite glass system. *Journal of Optoelectronics and Biomedical Materials*, 8 (2), 49-59.
- Feng, L., Wang, J., Tang, Q., Liang, L., Liang, H., and Su, Q. (2007). Optical properties of Ho³⁺-doped novel oxyfluoride glasses. *Journal of Luminescence*, 124 (2), 187-194.

- Gaafar, M., El-Aal, N. A., Gerges, O., and El-Amir, G. (2009a). Elastic properties and structural studies on some zinc-borate glasses derived from ultrasonic, FT-IR and X-ray techniques. *Journal of Alloys and Compounds*, 475 (1-2), 535-542.
- Gaafar, M., El-Batal, F., El-Gazery, M., and Mansour, S. (2009b). Effect of doping by different transition metals on the acoustical properties of alkali borate glasses. *Acta Physica Polonica A*, 115 (3), 671.
- Gaafar, M., Shaarany, I., and Alharbi, T. (2014). Structural investigations on some cadmium-borotellurate glasses using ultrasonic, FT-IR and X-ray techniques. *Journal of Alloys and Compounds*, 616, 625-632.
- Gao, G., Wang, G., Yu, C., Zhang, J., and Hu, L. (2009). Investigation of 2.0 μm emission in Tm³⁺ and Ho³⁺ co-doped oxyfluoride tellurite glass. *Journal of Luminescence*, 129 (9), 1042-1047.
- Gayathri Pavani, P., Sadhana, K., and Chandra Mouli, V. (2011). Optical, physical and structural studies of boro-zinc tellurite glasses. *Physica B: Condensed Matter*, 406 (6-7), 1242-1247.
- Ghribi, N., Dutreilh-Colas, M., Duclère, J.-R., Gouraud, F., Chotard, T., Karray, R., Kabadou, A., and Thomas, P. (2015). Structural, mechanical and optical investigations in the TeO₂-rich part of the TeO₂-GeO₂-ZnO ternary glass system. *Solid State Sciences*, 40, 20-30.
- Goubeau, J., and Keller, H. (1953). RAMAN-Spektren und Struktur von Boroxol-Verbindungen. *Zeitschrift für anorganische und allgemeine Chemie*, 272 (5-6), 303-312.
- Gowda, V. V. (2015). Physical, thermal, infrared and optical properties of Nd³⁺ doped lithium-lead-germanate glasses. *Physica B: Condensed Matter*, 456, 298-305.
- Guo, H., Wang, Y., Gong, Y., Yin, H., Mo, Z., Tang, Y., and Chi, L. (2016). Optical band gap and photoluminescence in heavily Tb³⁺ doped GeO₂-B₂O₃-SiO₂-Ga₂O₃ magneto-optical glasses. *Journal of Alloys and Compounds*, 686, 635-640.
- Gupta, M., Mittal, R., Chaplot, S., and Rols, S. (2014). Phonons, nature of bonding, and their relation to anomalous thermal expansion behavior of M₂O (M= Au, Ag, Cu). *Journal of Applied Physics*, 115 (9), 093507.
- Halimah, M., Daud, W., and Sidek, H. (2010a). Effect of AgI addition on elastic properties of quaternary tellurite glass systems. *Chalcogenide Letters*, 7 (11), 613-620.
- Halimah, M., Daud, W., and Sidek, H. (2010b). Elastic properties of TeO₂-B₂O₃-Ag₂O glasses. *Ionics*, 16 (9), 807-813.
- Halimah, M., Daud, W., Sidek, H., Zaidan, A., and Zainal, A. (2010c). Optical properties of ternary tellurite glasses. *Mater. Sci. Pol.*, 28 (1), 173.

- Halimah, M., Daud, W., Sidek, H., Zainal, A., Zainul, A., and Jumiah, H. (2007). Structural analysis of borotellurite glass. *Am. J. Appl. Sci*, 4, 323-327.
- Halimah, M., Faznny, M., Azlan, M., and Sidek, H. (2017). Optical basicity and electronic polarizability of zinc borotellurite glass doped La³⁺ ions. *Results in Physics*, 7, 581-589.
- Hasnimulyati, L., Halimah, M., Zakaria, A., Halim, S., and Ishak, M. (2017). A comparative study of the experimental and the theoretical elastic data of Tm³⁺ doped zinc borotellurite glass. *Materials Chemistry and Physics*, 192, 228-234.
- Hasnimulyati, L., Halimah, M. K., Azmi, Z., Shaari, A. H., and Ishak, M. (2016). *Elastic properties of thulium doped zinc borotellurite glass*. *Materials Science Forum*, 863, 70-74.
- Hassanien, A. S., and Akl, A. A. (2015). Influence of composition on optical and dispersion parameters of thermally evaporated non-crystalline Cd₅₀S₅₀-xSex thin films. *Journal of Alloys and Compounds*, 648, 280-290.
- Hazlin, M. A., Halimah, M., and Muhammad, F. (2018). Absorption and emission analysis of zinc borotellurite glass doped with dysprosium oxide nanoparticles for generation of white light. *Journal of Luminescence*, 196, 498-503.
- Higazy, A., and Bridge, B. (1985). Elastic constants and structure of the vitreous system Co₃O₄-P₂O₅. *Journal of Non-Crystalline Solids*, 72 (1), 81-108.
- Hussain, N. S., Ali, N., Dias, A., Lopes, M., Santos, J., and Buddhudu, S. (2006). Absorption and emission properties of Ho³⁺ doped lead-zinc-borate glasses. *Thin Solid Films*, 515 (1), 318-325.
- Hwa, L.-G., Lu, C.-L., and Liu, L.-C. (2000). Elastic moduli of calcium aluminosilicate glasses studied by Brillouin scattering. *Materials Research Bulletin*, 35 (8), 1285-1292.
- Jayasankar, C., and Renuka, A. (1996). Optical properties of Tm³⁺ ions in lithium borate glasses. *Optical Materials*, 6 (3), 185-201.
- Jayasimhadri, M., Cho, E.-J., Jang, K.-W., Lee, H. S., and Kim, S. I. (2008). Spectroscopic properties and Judd-Ofelt analysis of Sm³⁺ doped lead-germanate-tellurite glasses. *Journal of Physics D: Applied Physics*, 41 (17), 175101.
- Jindal, R., Jatmiko, W., Singh, I. V., and Jayaganthan, R. (2012). Elastic Properties of Clinopyroxene Based Glasses along Diopside (CaMgSi₂O₆)-Jadeite (NaAlSi₂O₆) Join. *Journal of Minerals and Materials Characterization and Engineering*, 11 (03), 267.
- Jlassi, I., Elhouichet, H., and Ferid, M. (2011). Thermal and optical properties of tellurite glasses doped erbium. *Journal of Materials Science*, 46 (3), 806-812.

- Jose, R., Suzuki, T., and Ohishi, Y. (2006). Thermal and optical properties of TeO₂–BaO–SrO–Nb₂O₅ based glasses: New broadband Raman gain media. *Journal of Non-Crystalline Solids*, 352 (52-54), 5564-5571.
- Kamitsos, E., and Chryssikos, G. D. (1991). Borate glass structure by Raman and infrared spectroscopies. *Journal of Molecular Structure*, 247, 1-16.
- Kannappan, A., Thirumaran, S., and Palani, R. (2009). Elastic and mechanical properties of glass specimen by ultrasonic method. *ARPN Journal of Engineering and Applied Sciences*, 4 (1), 27-31.
- Kaur, G., Kumar, M., Arora, A., Pandey, O., and Singh, K. (2011). Influence of Y₂O₃ on structural and optical properties of SiO₂–BaO–ZnO–xB₂O₃–(10–x) Y₂O₃ glasses and glass ceramics. *Journal of Non-Crystalline Solids*, 357 (3), 858-863.
- Kesavulu, C., Kim, H., Lee, S., Kaewkhao, J., Wantana, N., Kothan, S., and Kaewjaeng, S. (2016). Influence of Er³⁺ ion concentration on optical and photoluminescence properties of Er³⁺-doped gadolinium-calcium silica borate glasses. *Journal of Alloys and Compounds*, 683, 590-598.
- Kesavulu, C., Sreedhar, V., Jayasankar, C., Jang, K., Shin, D.-S., and Yi, S. S. (2014). Structural, thermal and spectroscopic properties of highly Er³⁺-doped novel oxyfluoride glasses for photonic application. *Materials Research Bulletin*, 51, 336-344.
- Khafagy, A., El-Adawy, A., Higazy, A., El-Rabaie, S., and Eid, A. (2008). Studies of some mechanical and optical properties of:(70–x) TeO₂+ 15B₂O₃+ 15P₂O₅+ xLi₂O glasses. *Journal of Non-Crystalline Solids*, 354 (27), 3152-3158.
- Khalifa, F. (1989). Density and Molar Volume of Some Sodium Silicate Load Borate and Lead Silicate Glasses. *Indian J. Pure Appl. Phys.*, 27 (6), 279-281.
- Kirdsiri, K., Shamshad, L., Srisittipokakun, N., Rooh, G., and Kaewkhao, J. (2016). Study of the physical and optical properties of Holmium Ion doped soda lime silicate glasses. *Journal of Thai Interdisciplinary Research*, 11 (3), 32-38.
- Kodama, M., Matsushita, T., and Kojima, S. (1995). Velocity of sound and elastic properties of Li₂O-B₂O₃ glasses. *Japanese journal of applied physics*, 34 (5S), 2570.
- Konijnendijk, W. L. (1975). *The structure of borosilicate glasses*. Philips Research Laboratories.
- Konijnendijk, W. L., and Stevels, J. M. (1975). The structure of borate glasses studied by Raman scattering. *Journal of Non-Crystalline Solids*, 18 (3), 307-331.
- Krogh-Moe, J. (1959). *On the structure of boron oxide and alkali borate glasses*: Chalmers University of Technology.

- Krogh-Moe, J. (1969). The structure of vitreous and liquid boron oxide. *Journal of Non-Crystalline Solids*, 1 (4), 269-284.
- Kundu, R., Dhankhar, S., Punia, R., Nanda, K., and Kishore, N. (2014). Bismuth modified physical, structural and optical properties of mid-IR transparent zinc boro-tellurite glasses. *Journal of Alloys and Compounds*, 587, 66-73.
- Kundu, V., Dhiman, R., Maan, A., and Goyal, D. (2009). Optical and spectroscopic studies of ZnO-Bi₂O₃-B₂O₃ glasses. *Journal of optoelectronics and advanced materials*, 11 (11), 1595-1600.
- Lande, D., Orlov, S. S., Akella, A., Hesselink, L., and Neurgaonkar, R. (1997). Digital holographic storage system incorporating optical fixing. *Optics letters*, 22 (22), 1722-1724.
- Lather, M., Aghamkar, P., and Sanghi, S. (2015). Optical absorption and fluorescence spectral analysis of Ho³⁺ ions doped zinc bismuth borate glasses. *Journal of Integrated Science and Technology*, 3 (2), 28-33.
- Leciejewicz, J. (1961). The crystal structure of tellurium dioxide. A redetermination by neutron diffraction. *Zeitschrift für Kristallographie-Crystalline Materials*, 116 (1-6), 345-353.
- Lee, T. H., and Heo, J. (2006). Energy transfer processes and Ho 3+: I 5 5 level population dynamics in chalcohalide glasses. *Physical Review B*, 73 (14), 144201.
- Li, K., Wang, G., Zhang, J., and Hu, L. (2010). Broadband~ 2μm emission in Tm³⁺/Ho³⁺ co-doped TeO₂-WO₃-La₂O₃ glass. *Solid State Communications*, 150 (39-40), 1915-1918.
- Lim, T. Y., Wagiran, H., Hussin, R., Hashim, S., and Saeed, M. (2014). Physical and optical properties of dysprosium ion doped strontium borate glasses. *Physica B: Condensed Matter*, 451, 63-67.
- Linda, D., Duclère, J.-R., Hayakawa, T., Dutreilh-Colas, M., Cardinal, T., Mirgorodsky, A., Kabadou, A., and Thomas, P. (2013). Optical properties of tellurite glasses elaborated within the TeO₂-Tl₂O-Ag₂O and TeO₂-ZnO-Ag₂O ternary systems. *Journal of Alloys and Compounds*, 561, 151-160.
- Linganna, K., Agawane, G., and Choi, J. H. (2017). Longer lifetime of Er³⁺/Yb³⁺ co-doped fluorophosphate glasses for optical amplifier applications. *Journal of Non-Crystalline Solids*, 471, 65-71.
- Luo, H., Hu, X., Liu, W., Zhang, Y., Lu, A., and Hao, X. (2014). Compositional dependence of properties of Gd₂O₃-SiO₂-B₂O₃ glasses with high Gd₂O₃ concentration. *Journal of Non-Crystalline Solids*, 389, 86-92.

- Mahamuda, S., Swapna, K., Packiyaraj, P., Rao, A. S., and Prakash, G. V. (2013). Visible red, NIR and Mid-IR emission studies of Ho³⁺ doped Zinc Alumino Bismuth Borate glasses. *Optical Materials*, 36 (2), 362-371.
- Maheshvaran, K., Linganna, K., and Marimuthu, K. (2011). Composition dependent structural and optical properties of Sm³⁺ doped boro-tellurite glasses. *Journal of Luminescence*, 131 (12), 2746-2753.
- Maheshvaran, K., Veeran, P., and Marimuthu, K. (2013). Structural and optical studies on Eu³⁺ doped boro-tellurite glasses. *Solid State Sciences*, 17, 54-62.
- Mahraz, Z. A. S., Sahar, M., and Ghoshal, S. (2014). Band gap and polarizability of boro-tellurite glass: influence of erbium ions. *Journal of Molecular Structure*, 1072, 238-241.
- Mahraz, Z. A. S., Sahar, M., Ghoshal, S., Dousti, M., and Amjad, R. (2013). Silver nanoparticles enhanced luminescence of Er³⁺ ions in boro-tellurite glasses. *Materials Letters*, 112, 136-138.
- Makishima, A., and Mackenzie, J. (1973). Direct calculation of Young's modulus of glass. *Journal of Non-Crystalline Solids*, 12 (1), 35-45.
- Makishima, A., and Mackenzie, J. D. (1975). Calculation of bulk modulus, shear modulus and Poisson's ratio of glass. *Journal of Non-Crystalline Solids*, 17 (2), 147-157.
- Manikandan, N., Ryasnyanskiy, A., and Toulouse, J. (2012). Thermal and optical properties of TeO₂-ZnO-BaO glasses. *Journal of Non-Crystalline Solids*, 358 (5), 947-951.
- Marzouk, S. Y. (2009). Ultrasonic and infrared measurements of copper-doped sodium phosphate glasses. *Materials Chemistry and Physics*, 114 (1), 188-193.
- Marzouk, S. Y. (2010). The acoustic properties of borosilicate glass affected by oxide of rare earth gadolinium. *Physica B: Condensed Matter*, 405 (16), 3395-3400.
- Marzouk, S. Y., Seoudi, R., Said, D. A., and Mabrouk, M. S. (2013). Linear and non-linear optics and FTIR characteristics of borosilicate glasses doped with gadolinium ions. *Optical Materials*, 35 (12), 2077-2084.
- Mawlud, S. Q., Ameen, M. M., Sahar, M. R., Mahraz, Z. A. S., and Ahmed, K. F. (2017). Spectroscopic properties of Sm³⁺ doped sodium-tellurite glasses: Judd-Ofelt analysis. *Optical Materials*, 69, 318-327.
- McCumber, D. E. (1964). Theory of phonon-terminated optical masers. *Physical review*, 134 (2A), A299.
- Mo, Z., Guo, H., Liu, P., Shen, Y., and Gao, D. (2016). Luminescence properties of magneto-optical glasses containing Tb³⁺ ions. *Journal of Alloys and Compounds*, 658, 967-972.

- Moraes, J. C. S., Nardi, J., Sidel, S., Mantovani, B., Yukimitu, K., Reynoso, V., Malmonge, L., Ghofraniha, N., Ruocco, G., and Andrade, L. (2010). Relation among optical, thermal and thermo-optical properties and niobium concentration in tellurite glasses. *Journal of Non-Crystalline Solids*, 356 (41-42), 2146-2150.
- Mošner, P., Vosejpková, K., Koudelka, L., Montagne, L., and Revel, B. (2010). Structure and properties of ZnO–B₂O₃–P₂O₅–TeO₂ glasses. *Materials Chemistry and Physics*, 124 (1), 732-737.
- Mott, N., and Davis, E. (1979). Electronic processes in non-crystalline solids. *Clarendon press, Oxford*.
- Moustafa, F., Abdel-Baki, M., Fayad, A., and El-Diasty, F. (2014). Role of mixed valence effect and orbital hybridization on molar volume of heavy metal glass for ionic conduction pathways augmentation. *American Journal of Materials Science*, 4 (3), 119-126.
- Mozzi, R. L., and Warren, B. (1970). The structure of vitreous boron oxide. *Journal of Applied Crystallography*, 3 (4), 251-257.
- Myat, H., Myo, L., Pho, K., and Sein, H. (2006). Infrared Spectroscopic Study on the Structure of Ag₂O·B₂O₃ Glasses. *Jour. Myam Acad. Arts & Sc.* IV (2), 339-346.
- Nachimuthu, P., and Jagannathan, R. (1999). Judd-Ofelt Parameters, Hypersensitivity, and Emission Characteristics of Ln³⁺ (Nd³⁺, Ho³⁺, and Er³⁺) Ions Doped in PbO-PbF₂ Glasses. *Journal of the American Ceramic Society*, 82 (2), 387-392.
- Nadia, S., and Afifi, H. A. (2009). Structure and ultrasonic properties of vanadium tellurite glasses containing copper oxide. *Archives of Acoustics*, 34 (4), 641-654.
- Nanda, K., Berwal, N., Kundu, R., Punia, R., and Kishore, N. (2015). Effect of doping of Nd³⁺ ions in BaO–TeO₂–B₂O₃ glasses: A vibrational and optical study. *Journal of Molecular Structure*, 1088, 147-154.
- Nandi, P., Srinivasan, A., and Jose, G. (2009). Structural dependent thermal and optical properties of rare earth doped glass with mixed glass formers. *Optical Materials*, 31 (4), 653-659.
- Nawaz, F., Sahar, M., Ghoshal, S., Awang, A., and Amjad, R. (2014). Judd-Ofelt analysis of spectroscopic properties of Sm³⁺ doped sodium tellurite glasses co-doped with Yb³⁺. *Journal of Luminescence*, 147, 90-96.
- Neov, S., Gerasimova, I., Kozhukharov, V., and Marinov, M. (1980). The structure of glasses in the TeO₂-P₂O₅ system. *Journal of Materials Science*, 15 (5), 1153-1166.

- Noorazlan, A. M., Kamari, H. M., Zulkefly, S. S., and Mohamad, D. W. (2013). Effect of erbium nanoparticles on optical properties of zinc borotellurite glass system. *Journal of Nanomaterials*, 2013, 168.
- Obayes, H. K., Wagiran, H., Hussin, R., and Saeed, M. (2016). Structural and optical properties of strontium/copper co-doped lithium borate glass system. *Materials & Design*, 94, 121-131.
- Oo, H. M., Mohamed-Kamari, H., and Wan-Yusoff, W. M. D. (2012). Optical properties of bismuth tellurite based glass. *International journal of molecular sciences*, 13 (4), 4623-4631.
- Owen, A. (1996). Fundamentals of UV-visible spectroscopy. Hewlett-Packard Company.
- Pal, I., Sanghi, S., Agarwal, A., and Aggarwal, M. (2012). Spectroscopic and structural investigations of Er³⁺ doped zinc bismuth borate glasses. *Materials Chemistry and Physics*, 133 (1), 151-158.
- Pandarinath, M. A., Upender, G., Rao, K. N., and Babu, D. S. (2016). Thermal, optical and spectroscopic studies of boro-tellurite glass system containing ZnO. *Journal of Non-Crystalline Solids*, 433, 60-67.
- Pawar, P., Munishwar, S., Gautam, S., and Gedam, R. (2017). Physical, thermal, structural and optical properties of Dy³⁺ doped lithium alumino-borate glasses for bright W-LED. *Journal of Luminescence*, 183, 79-88.
- Pawar, P., Munishwar, S., and Gedam, R. (2016). Physical and optical properties of Dy³⁺/Pr³⁺ Co-doped lithium borate glasses for W-LED. *Journal of Alloys and Compounds*, 660, 347-355.
- Paz, E., Lodi, T., Gomes, B., Melo, G., Pedrochi, F., and Steimacher, A. (2016). Optical and spectroscopic investigation on Calcium Borotellurite glass system. *Solid State Sciences*, 55, 106-111.
- Pisarski, W., Goryczka, T., Wodecka-Duś, B., Płońska, M., and Pisarska, J. (2005). Structure and properties of rare earth-doped lead borate glasses. *Materials Science and Engineering: B*, 122 (2), 94-99.
- Rada, S., Dehelean, A., and Culea, E. (2011). FTIR and UV-VIS spectroscopy investigations on the structure of the europium–lead–tellurate glasses. *Journal of Non-Crystalline Solids*, 357 (16-17), 3070-3073.
- Rai, S., and Fanai, A. L. (2014). Spectroscopic studies of Ho³⁺ doped SiO₂-TiO₂ nanoparticle for photonic applications. *Sci. Vis.*, 14 (3), 112-117.
- Rai, S., Singh, A. K., and Singh, S. K. (2003). Spectroscopic properties of Ho³⁺ ions doped in tellurite glass. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 59 (14), 3221-3226.

- Rajendran, V., and El-Batal, H. (1995). Behaviour of acoustical parameters of mixed alkali silicate glasses. *Indian Journal of Pure and Applied Physics*, 33, 29-29.
- Rajesh, S., Saravanan, S., and Palani, R. (2015). *Structural and Elastic Properties of Li and W 6 Metal Ions Doped With Sodium Borate Glass Using Pulser–Receiver Technique*. *International Symposium on Ultrasonics*, 22 (24), 298-301.
- Ramachari, D., Moorthy, L. R., and Jayasankar, C. (2014). Gain properties and concentration quenching of Er³⁺-doped niobium oxyfluorosilicate glasses for photonic applications. *Optical Materials*, 36 (4), 823-828.
- Ramesh, P., Jagannath, G., Eraiah, B., and Kokila, M. (2018). *Optical and Physical Investigations of Lanthanum Bismuth Borate glasses doped with Ho₂O₃*. *IOP Conference Series: Materials Science and Engineering*. 310, 1-8
- Rao, C. S., Kumar, K. U., Babu, P., and Jayasankar, C. (2012a). Optical properties of Ho³⁺ ions in lead phosphate glasses. *Optical Materials*, 35 (2), 102-107.
- Rao, K. (2002). *Structural chemistry of glasses*: Elsevier Science Ltd
- Rao, S. L. S., Ramadevudu, G., Shareefuddin, M., Hameed, A., Chary, M. N., and Rao, M. L. (2012b). Optical properties of alkaline earth borate glasses. *International Journal of Engineering, Science and Technology*, 4 (4), 25-35.
- Rao, T., Reddy, R., Ahammed, Y. N., Parandamaiah, M., Hussain, N. S., Buddhudu, S., and Purandar, K. (2000). Luminescence properties of Nd³⁺: TeO₂–B₂O₃–P₂O₅–Li₂O glass. *Infrared physics & technology*, 41 (4), 247-258.
- Reddy, C. M., Raju, B. D. P., Sushma, N. J., Dhoble, N., and Dhoble, S. (2015). A review on optical and photoluminescence studies of RE³⁺ (RE= Sm, Dy, Eu, Tb and Nd) ions doped LCZSFB glasses. *Renewable and Sustainable Energy Reviews*, 51, 566-584.
- Reddy, M. R., Raju, S., and Veeraiah, N. (2000). Optical absorption and fluorescence spectral studies of Ho³⁺ ions in PbO–Al₂O₃–B₂O₃ glass system. *Journal of Physics and Chemistry of Solids*, 61 (10), 1567-1571.
- Reddy, R., Ahammed, Y. N., Azeem, P. A., Gopal, K. R., and Rao, T. (2001). Electronic polarizability and optical basicity properties of oxide glasses through average electronegativity. *Journal of Non-Crystalline Solids*, 286 (3), 169-180.
- Rocherulle, J., Ecolivet, C., Poulaïn, M., Verdier, P., and Laurent, Y. (1989). Elastic moduli of oxynitride glasses: Extension of Makishima and Mackenzie's theory. *Journal of Non-Crystalline Solids*, 108 (2), 187-193.
- Rojek, M., Stabik, J., and Sokół, S. (2007). Fatigue and ultrasonic testing of epoxy-glass composites. *Journal of Achievements in Materials and Manufacturing Engineering*, 20 (1-2), 183-186.

- Rose Leena, T., and Sheenu, T. (2013). *Synthesis and characterization of Tellurium oxide glasses for photonic applications*. (Doctoral dissertation, Cochin University of Science and Technology).
- Roy, S., and Basu, S. (2002). Improved zinc oxide film for gas sensor applications. *Bulletin of Materials Science*, 25 (6), 513-515.
- Saddeek, Y. B. (2004). Ultrasonic study and physical properties of some borate glasses. *Materials Chemistry and Physics*, 83 (2-3), 222-228.
- Saddeek, Y. B. (2005). Elastic properties of Gd³⁺-doped tellurovanadate glasses using pulse-echo technique. *Materials Chemistry and Physics*, 91 (1), 146-153.
- Saddeek, Y. B. (2012). Correlation between the dimensionality and the constants of elasticity of rare-earth doped borate glasses. *Glass Physics and Chemistry*, 38 (4), 373-378.
- Saddeek, Y. B., Afifi, H., and El-Aal, N. A. (2007). Interpretation of mechanical properties and structure of TeO₂–Li₂O–B₂O₃ glasses. *Physica B: Condensed Matter*, 398 (1), 1-7.
- Saddeek, Y. B., Aly, K., Dahshan, A., and Kashef, I. E. (2010). Optical properties of the Na₂O–B₂O₃–Bi₂O₃–MoO₃ glasses. *Journal of Alloys and Compounds*, 494 (1-2), 210-213.
- Saddeek, Y. B., Azooz, M. A., and Saddek, A. B. (2015). Ultrasonic investigations of some bismuth borate glasses doped with Al₂O₃. *Bulletin of Materials Science*, 38 (1), 241-246.
- Saddeek, Y. B., and El Latif, L. A. (2004). Effect of TeO₂ on the elastic moduli of sodium borate glasses. *Physica B: Condensed Matter*, 348 (1-4), 475-484.
- Saddeek, Y. B., and Gaafar, M. (2009). Physical and structural properties of some bismuth borate glasses. *Materials Chemistry and Physics*, 115 (1), 280-286.
- Saffarini, G., Schmitt, H., Shanak, H., Nowoczin, J., and Müller, J. (2003). Optical band gap in relation to the average coordination number in Ge—S—Bi thin films. *physica status solidi (b)*, 239 (1), 251-256.
- Said Mahraz, Z. A., Sahar, M. R., and Ghoshal, S. K. (2014). Band gap and polarizability of boro-tellurite glass: Influence of erbium ions. *Journal of Molecular Structure*, 1072, 238-241.
- Sajna, M., Thomas, S., Jayakrishnan, C., Joseph, C., Biju, P., and Unnikrishnan, N. (2016). NIR emission studies and dielectric properties of Er³⁺-doped multicomponent tellurite glasses. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 161, 130-137.

- Sajna, M., Thomas, S., Mary, K. A., Joseph, C., Biju, P., and Unnikrishnan, N. (2015). Spectroscopic properties of Er³⁺ ions in multicomponent tellurite glasses. *Journal of Luminescence*, 159, 55-65.
- Sakida, S., Hayakawa, S., and Yoko, T. (1999a). Part 1. 125Te NMR study of tellurite crystals. *Journal of Non-Crystalline Solids*, 243 (1), 1-12.
- Sakida, S., Hayakawa, S., and Yoko, T. (1999b). Part 2. 125 Te NMR study of M₂O–TeO₂ (M= Li, Na, K, Rb and Cs) glasses. *Journal of Non-Crystalline Solids*, 243 (1), 13-25.
- Samdani, G. R., and Chary, M. N. (2017). Md. Shareefuddin. *Physical and spectroscopic studies of Cr³⁺ doped mixed alkaline earth oxide borate glasses Mater*, 382-389.
- Schweizer, T., Samson, B., Hector, J., Brocklesby, W., Hewak, D., and Payne, D. (1999). Infrared emission from holmium doped gallium lanthanum sulphide glass. *Infrared physics & technology*, 40 (4), 329-335.
- Shelby, J. E. (2005). *Introduction to glass science and technology*: The Royal Society of Chemistry.
- Shelby, J. E. (2007). *Introduction to glass science and technology*: The Royal Society of Chemistry.
- Shen, X., Nie, Q., Xu, T., Dai, S., and Wang, X. (2007). Effect of B₂O₃ on luminescence of erbium doped tellurite glasses. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 66 (2), 389-393.
- Siddiqui, M. R. H., Adil, S., Assal, M., Ali, R., and Al-Warthan, A. (2013). Synthesis and characterization of silver oxide and silver chloride nanoparticles with high thermal stability. *Asian J Chem*, 25 (6), 3405-3409.
- Sidek, H., Rosmawati, S., Azmi, B., and Shaari, A. (2013). Effect of ZnO on the thermal properties of tellurite glass. *Advances in Condensed Matter Physics*, 2013, 1-6.
- Sidek, H., Rosmawati, S., Talib, Z., Halimah, M., and Daud, W. (2009). Synthesis and optical properties of ZnO-TeO₂ glass system. *American Journal of Applied Sciences*, 6 (8), 1489.
- Sidkey, M., El-Moneim, A. A., and El-Latif, L. A. (1999). Ultrasonic studies on ternary TeO₂–V₂O₅–Sm₂O₃ glasses. *Materials Chemistry and Physics*, 61 (2), 103-109.
- Sidkey, M., El Mallawany, R., Nakhla, R., and El-Moneim, A. A. (1997). Ultrasonic studies of (TeO₂) 1-x-(V₂O₅) x glasses. *Journal of Non-Crystalline Solids*, 215 (1), 75-82.

- Sidkey, M., and Gaafar, M. (2004). Ultrasonic studies on network structure of ternary TeO₂–WO₃–K₂O glass system. *Physica B: Condensed Matter*, 348 (1-4), 46-55.
- Silver, A., and Bray, P. (1958). Nuclear magnetic resonance absorption in glass. I. Nuclear quadrupole effects in boron oxide, soda-boric oxide, and borosilicate glasses. *The Journal of Chemical Physics*, 29 (5), 984-990.
- Singh, L., Thakur, V., Punia, R., Kundu, R., and Singh, A. (2014). Structural and optical properties of barium titanate modified bismuth borate glasses. *Solid State Sciences*, 37, 64-71.
- Singh, S., Kalia, G., and Singh, K. (2015). Effect of intermediate oxide (Y₂O₃) on thermal, structural and optical properties of lithium borosilicate glasses. *Journal of Molecular Structure*, 1086, 239-245.
- Souri, D. (2011). DSC and elastic moduli studies on tellurite-vanadate glasses containing antimony oxide. *The European Physical Journal B*, 84 (1), 47-51.
- Sreedhar, V., Vijaya, N., Ramachari, D., and Jayasankar, C. (2017). Luminescence studies on Er³⁺-doped zincfluorophosphate glasses for 1.53 μm laser applications. *Journal of Molecular Structure*, 1130, 1001-1008.
- Sreenivasulu, V., Upender, G., Mouli, V. C., and Prasad, M. (2015). Structural, thermal and optical properties of TeO₂–ZnO–CdO–BaO glasses doped with VO₂⁺. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 148, 215-222.
- Sreenivasulu, V., Upender, G., Priya, V. V., Mouli, V. C., and Prasad, M. (2014). Raman, DSC, ESR and optical properties of lithium cadmium zinc tellurite glasses. *Physica B: Condensed Matter*, 454, 60-66.
- Srinivasulu, K., Omkaram, I., Obeid, H., Kumar, A. S., and Rao, J. (2013). Structural and magnetic properties of Gd³⁺ ions in sodium–lead borophosphate glasses. *Journal of Molecular Structure*, 1036, 63-70.
- Srivastava, A., Gakhar, R., Dua, P., Senthil, K., Tawale, J., Sood, K., and Yong, K. (1820). Structural determination of Zn-O dumbbells in faceted nano-particles. *Microscopy: Science, Technology, Applications and Education*
- Suzuki, C., Kawai, J., Takahashi, M., Vlaicu, A.-M., Adachi, H., and Mukoyama, T. (2000). The electronic structure of rare-earth oxides in the creation of the core hole. *Chemical Physics*, 253 (1), 27-40.
- Swapna, K., Mahamuda, S., Venkateswarlu, M., Srinivasa Rao, A., Jayasimhadri, M., Shakya, S., and Prakash, G. V. (2015). Visible, Up-conversion and NIR (~1.5μm) luminescence studies of Er³⁺ doped Zinc Alumino Bismuth Borate glasses. *Journal of Luminescence*, 163, 55-63.

- Taki, Y., Shinozaki, K., Honma, T., Dimitrov, V., and Komatsu, T. (2014). Electronic polarizability and interaction parameter of gadolinium tungsten borate glasses with high WO₃ content. *Journal of Solid State Chemistry*, 220, 191-197.
- Tanaka, K., Fujita, K., Soga, N., Qiu, J., and Hirao, K. (1997). Faraday effect of sodium borate glasses containing divalent europium ions. *Journal of Applied Physics*, 82 (2), 840-844.
- Thakur, V., Singh, A., Punia, R., Kaur, M., and Singh, L. (2015). Effect of BaTiO₃ on the structural and optical properties of lithium borate glasses. *Ceramics International*, 41 (9), 10957-10965.
- Umair, M., and Yahya, A. (2013). Elastic and structural changes of xNa₂O-(35-x)V₂O₅-65TeO₂ glass system with increasing sodium. *Materials Chemistry and Physics*, 142 (2-3), 549-555.
- Umar, S., Halimah, M., Chan, K., and Latif, A. (2017a). Physical, structural and optical properties of erbium doped rice husk silicate borotellurite (Er-doped RHSBT) glasses. *Journal of Non-Crystalline Solids*, 472, 31-38.
- Umar, S., Halimah, M., Chan, K., and Latif, A. (2017b). Polarizability, optical basicity and electric susceptibility of Er³⁺ doped silicate borotellurite glasses. *Journal of Non-Crystalline Solids*, 471, 101-109.
- Upender, G., Devi, C. S., and Mouli, V. C. (2012). Role of WO₃ on DC conductivity and some optical properties of TeO₂ based glasses. *Materials Research Bulletin*, 47 (11), 3764-3769.
- Varshneya, A. K. (1994). *Fundamentals of inorganic glasses*: Academic press, Inc.
- Veit, U., and Rüssel, C. (2016). Density and Young's Modulus of ternary glasses close to the eutectic composition in the CaO-Al₂O₃-SiO₂-system. *Ceramics International*, 42 (5), 5810-5822.
- Venkateswarlu, M., Mahamuda, S., Swapna, K., Prasad, M., Rao, A. S., Shakya, S., Babu, A. M., and Prakash, G. V. (2015). Holmium doped Lead Tungsten Tellurite glasses for green luminescent applications. *Journal of Luminescence*, 163, 64-71.
- Warren, B. (1942). The basic principles involved in the glassy state. *Journal of Applied Physics*, 13 (10), 602-610.
- Warren, B., and Biscoe, J. (1938). Fourier analysis of x-ray patterns of soda-silica glass. *Journal of the American Ceramic Society*, 21 (7), 259-265.
- Warren, B., Krutter, H., and Morningstar, O. (1936). Fourier analysis of x-ray patterns of vitreous SiO₂ and B₂O₃. *Journal of the American Ceramic Society*, 19 (1-12), 202-206.

- Watekar, P. R., Ju, S., and Han, W.-T. (2008). Optical properties of Ho-doped alumino-germano-silica glass optical fiber. *Journal of Non-Crystalline Solids*, 354 (14), 1453-1459.
- Wei, T., Hu, Y., and Hwa, L. (2001). Structure and elastic properties of low-temperature sealing phosphate glasses. *Journal of Non-Crystalline Solids*, 288 (1-3), 140-147.
- Widanarto, W., Sahar, M., Ghoshal, S., Arifin, R., Rohani, M., Hamzah, K., and Jandra, M. (2013). Natural Fe₃O₄ nanoparticles embedded zinc-tellurite glasses: Polarizability and optical properties. *Materials Chemistry and Physics*, 138 (1), 174-178.
- Yawale, S., Pakade, S., and Adganokar, C. (1995). New type of behavior in ultrasonic velocity and adiabatic compressibility of Bi₂O₃-B₂O₃ glass. *Acoustica*, 81, 184.
- Yawale, S., Yawale, S., and Adgaonkar, C. (2000). Infrared investigations of some borate glasses. *Indian Journal of Engineering & Materials Sciences*, 7, 150-153.
- Yi, L., Wang, M., Feng, S., Chen, Y., Wang, G., Hu, L., and Zhang, J. (2009). Emissions properties of Ho³⁺: 5I7→ 5I8 transition sensitized by Er³⁺ and Yb³⁺ in fluorophosphate glasses. *Optical Materials*, 31 (11), 1586-1590.
- Yong, N. L., Ahmad, A., and Mohammad, A. W. (2013). Synthesis and characterization of silver oxide nanoparticles by a novel method. *Int J Sci Eng Res*, 4, 155-158.
- Yusub, S., Rao, P. S., and Rao, D. K. (2016). Ionic conductivity, dielectric and optical properties of lithium lead borophosphate glasses combined with manganese ions. *Journal of Alloys and Compounds*, 663, 708-717.
- Zaid, M. H. M., Matori, K. A., Ab Aziz, S. H., Kamari, H. M., Wahab, Z. A., Effendy, N., and Alibe, I. M. (2016). Comprehensive study on compositional dependence of optical band gap in zinc soda lime silica glass system for optoelectronic applications. *Journal of Non-Crystalline Solids*, 449, 107-112.
- Zhang, W., Lin, J., Jia, Y., Zhang, S., Zhao, J., Sun, G., Ye, S., Ren, J., and Rong, L. (2015). Enhanced 2–5 μm emission in Ho³⁺/Yb³⁺ codoped halide modified transparent tellurite glasses. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 134, 388-398.
- Zhao, S., Xin, F., Xu, S., Deng, D., Huang, L., Wang, H., and Hua, Y. (2011). Luminescence properties and energy transfer of Eu/Tb ions codoped aluminoborosilicate glasses. *Journal of Non-Crystalline Solids*, 357 (11-13), 2424-2427.

- Zhao, X., Wang, X., Lin, H., and Wang, Z. (2007). Electronic polarizability and optical basicity of lanthanide oxides. *Physica B: Condensed Matter*, 392 (1-2), 132-136.
- Zhao, X., Wang, X., Lin, H., and Wang, Z. (2008a). Average electronegativity, electronic polarizability and optical basicity of lanthanide oxides for different coordination numbers. *Physica B: Condensed Matter*, 403 (10-11), 1787-1792.
- Zhao, X., Wang, X., Lin, H., and Wang, Z. (2008b). A new approach to estimate refractive index, electronic polarizability, and optical basicity of binary oxide glasses. *Physica B: Condensed Matter*, 403 (13-16), 2450-2460.
- Zhong, Z. J. (2009). *Optical properties and spectroscopy of nanomaterials*: World Scientific Publishing Co. Pte. Ltd.
- Zulkefly, S. S., Kamari, H. M., Azis, A., Azlan, M. N., Yusoff, W., and Daud, W. M. (2016). Influence of erbium doping on dielectric properties of zinc borotellurite glass system. *Materials Science Forum*, 846, 161-171.