



***EFFECTS OF DIFFERENT PORCINE REPRODUCTIVE AND  
RESPIRATORY SYNDROME VACCINE REGIMES ON PIG IMMUNITY  
STATUS IN SELECTED PIG FARMS IN MALAYSIA***

**CHEAH ZI HERK**

**FPV 2019 8**



**EFFECTS OF DIFFERENT PORCINE REPRODUCTIVE AND  
RESPIRATORY SYNDROME VACCINE REGIMES ON PIG IMMUNITY  
STATUS IN SELECTED PIG FARMS IN MALAYSIA**

By

**CHEAH ZI HERK**

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in  
Fulfilment of the Requirements for the Degree of  
Master of Veterinary Science**

**May 2019**

## **COPYRIGHT**

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



## **DEDICATION**

**MY FATHER AND MOTHER,**

I Love You Forever

**MY WIFE,**

For all the love that you have gave to me

**MY SIBLINGS,**

For all the support and patience you have shown me

**MY BEST FRIENDS – the G.A. Gang,**

For the times you were there in my ups and downs

**MY COLLEAGUES**

For backing me up in my working place

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Veterinary Science

**EFFECTS OF DIFFERENT PORCINE REPRODUCTIVE AND  
RESPIRATORY SYNDROME VACCINE REGIMES ON PIG IMMUNITY  
STATUS IN SELECTED PIG FARMS IN MALAYSIA**

By

**CHEAH ZI HERK**

**May 2019**

**Chairman : Associate Professor Ooi Peck Toung, DVM, PhD**  
**Faculty : Veterinary Medicine**

Vaccination is a key component of PRRS disease control strategies. Various types of vaccines, including killed virus (KV) and modified-live virus (MLV) vaccines had been develop for the control of the disease. In Malaysia field condition, the producers adopted different vaccination regime which either breeder vaccination only or whole herd (both breeder and porker herd) vaccination regime. Therefore, the ideal vaccines option (strain or type) and vaccination approach had remained highly debatable in the market. Thus, the objective of this study is to determine the pig immunity status against PRRS in farm by comparing different farms which practicing different vaccination regime or different types of PRRS vaccines in Malaysia farm condition by using PCR and ELISA technique to check on the vertical and horizontal disease transmission and disease pressure in the farm. There are 4 vaccinations regime being include in this study where Farm A only vaccinated Type 2 MLV in breeder herd, Farm B vaccinated both Breeder and porkers with Type 2 MLV, Farm C only vaccinated Type 1 killed vaccine (KV) in Breeder herd and Farm D vaccinated both Breeder and porker with type 1 MLV. All samples collected from all farms were test with both PCR and ELISA. Results showed that whole herd vaccinating MLV approach is a better option for PRRSv control in the farm compare to breeder approach (Chapter 3). In the farm that practiced whole herd vaccination approach, Type 2 MLV showed its benefit in establishing the dominant strain in the farm and able to better control of PRRSv circulation in the farm as compare to Type 1 MLV (Chapter 4). When comparing between Type 2 MLV and Type 1 KV in breeder herd vaccination approach (Chapter 5), the study showed that Type 2 MLV demonstrated its benefit in controlling PRRSv shedding in the herd over Type 1 KV. The conclusion obtain from this research to combat PRRS by strategically practice whole herd vaccination regime (Chapter 3), using the Type 2 (US strain) vaccine strain (Chapter 4) and MLV type vaccine (Chapter 5).

*Key words: PRRS immunity, Whole-herd vaccination, modified live vaccine (MLV), killed vaccine (KV)*

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Perubatan Veterinar

**KESAN REJIM VAKSINASI REPRODUKTIF DAN PERNAFASAN  
SINDROME (PRRS) YANG BERBEZA TERHADAP STATUS IMMUNITY  
BABI DI LADANG BABI TERPILIH DI MALAYSIA**

Oleh

**CHEAH ZI HERK**

**Mei 2019**

**Pengerusi : Profesor Madya Ooi Peck Toung, DVM, PhD**  
**Fakulti : Perubatan Veterinar**

Vaksinasi adalah komponen utama untuk strategi kawalan penyakit PRRS. Pelbagai jenis vaksin, termasuk vaksin virus yang tidak aktif (KV) dan vaksin virus hidup yang diubah suai (MLV) telah dibangunkan untuk mengawal penyakit PRRS. Dalam keadaan lapangan Malaysia, pengeluar menerima vaksin rejim yang berlainan, sama ada vaksinasi pada pembiakan baka atau vaksinasi keseluruhan (vaksin pembiakan baka dan babi daging) terhadap PRRSv. Selain itu, pelbagai jenis vaksin PRRS dan rejim vaksinasi di pasaran menjadikan ideal vaksin dan rejim vaksin selalu dipersoalkan dan belum terbukti. Oleh itu, objektif kajian ini adalah untuk menentukan status imuniti babi terhadap PRRS di ladang dengan menggunakan teknik PCR dan ELISA dan membandingkan ladang-ladang yang mengamalkan rejim vaksinasi yang berbeza atau jenis-jenis vaksin PRRS dalam keadaan ladang Malaysia. Teknik PCR dan ELISA boleh menentukan tekanan penyakit PRRS di ladang daripada penilaian cara-cara penyebaran penyakit adalah tegak penyerbaran atau datar penyebaran. 4 rejim vaksinasi telah termasuk dalam kajian ini di mana Ladang A hanya memberi vaksinasi PRRS jenis 2 vaksin hidup yang diubah suai (MLV) dalam pembiakan baka, Ladang B memberi vaksin kepada pembiakan baka dan babi daging dengan PRRS jenis 2 vaksin MLV, Ladang C hanya pembiakan baka divaksinasi oleh PRRS jenis 1 vaksin tidak aktif (KV) dan Ladang D vaksinasi pembiakan baka dan babi daging dengan PRRS jenis 1 vaksin MLV. Semua sampel yang dikumpulkan dari semua ladang dan diujikan dengan cara PCR dan ELISA. Hasilnya menunjukkan bahawa seluruh vaksinasi (pembiakan baka dan babi daging) adalah pilihan yang lebih bermutu untuk memberi kawalan PRRSv dalam ladang berbanding dengan vaksinasi pembiakan baka sahaja (Bab 3). Jika dalam ladang yang memberi vaksinasi keseluruhan, vaksin PRRS jenis 2 tunjuk kelebihan dalam membina dominasi PRRSv dalam ladang dan dapat mengawal peredaran PRRSv berbanding dengan PRRSv jenis 1 (Bab 4). Vaksin jenis 2 MLV menunjuk kelebihan dalam kawalan PRRSv peredaran dalam ladang jika berbanding dengan vaksin jenis 1 tidak aktif (KV) (Bab 5). Kesimpulannya, pengamalan rejim vaksinasi keseluruhan (Bab 3) dengan menggunakan vaksin PRRS jenis 2 (Bab 4) dan jenis vaksin MLV (Bab 5).

*Kata Kunci: PRRS immuniti, seluruh vaksinasi, vaksin virus hidup yang diubah suai (MLV), vaksin virus yang tidak aktif (KV)*



## ACKNOWLEDGEMENTS

I would like to sincerely acknowledge the support and guidance I received from my supervisors especially the chairperson, Assoc Prof Dr Ooi Peck Toung, first for giving me the opportunity to work together with his swine team and for showing me his patience, guidance and support, mentally and financially, throughout the period of my study. To other members of my supervisory committee, Assoc Prof Dr Phang Lai Yee, I humbly appreciate your diligent efforts, positive suggestions and valuable observations which have guided me on my academic endeavours.

I would like to acknowledge the contribution of the staff of various laboratory, such as the UPM Swine Virology Laboratory and various people whom I would like to extend a personal note of thanks:

Dr. Kam Kok Yen, Vynter Low Suet Ee, Dr. Vivian Chua, Dr. Ng Zi Yao, Dr. Michelle Fong Wai Cheng, Mr. Yoong Lee Kong, Dr. Yong Chiun Khang, Dr. Evonne Lim, Dr. Eric Cheah Heng Chow, Dr. Sia Bang Wen, Dr. Lim Zhi Jian, Dr. Frankie Lau Pick Ping, Dr. Lee Chee Yien, Dr. Liew Hui Xian and Dr. Tan Shin-Yi.

Thank you for contributing to the completion of my project.

I am indebted to my family, especially my mother for her full support during the entire course of my endeavour. Her unique patience, unconditional love, motivation and understanding were the foundation of my completion. I sincerely appreciate all the love that she has given me. My achievement, it was due, no doubt, to my upbringing and love from my parents.

My special gratitude to my wife, Dr. Loong Wai Cheng, who has given me unconditional love, understanding and assurance that ensures the successful completion of my study, without which this may not be possible. This is for us, and for our future.

Last but not least, I would also like to thank my friends who have given me immense inspiration and motivation throughout my study.



This thesis was submitted to the Senate of University Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Veterinary Science. The members of the Supervisory Committee were as follows:

**Ooi Peck Toung, PhD**

Associate Professor  
Faculty of Veterinary Medicine  
Universiti Putra Malaysia  
(Chairman)

**Phang Lai Yee, PhD**

Associate Professor  
Faculty of Biotechnology and Biomolecular Science  
Universiti Putra Malaysia  
(Member)

---

**ROBIAH BINTI YUNUS, PhD**

Professor and Dean  
School of Graduate Studies  
Universiti Putra Malaysia

Date:

## Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Name and Matric No.: Cheah Zi Herk, GS45826

## Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) were adhered to.

Signature: \_\_\_\_\_

Name of Chairman  
of Supervisory  
Committee:

Associate Professor Dr. Ooi Peck Toung

Signature: \_\_\_\_\_

Name of Member  
of Supervisory  
Committee:

Associate Professor Dr. Phang Lai Yee

## TABLE OF CONTENTS

	<b>Page</b>
<b>ABSTRACT</b>	i
<b>ABSTRAK</b>	iii
<b>ACKNOWLEDGEMENTS</b>	v
<b>APPROVAL</b>	vi
<b>DECLARATION</b>	viii
<b>LIST OF TABLES</b>	xi
<b>LIST OF ABBREVIATIONS</b>	xiii
<b>CHAPTER</b>	
<b>1 INTRODUCTION</b>	1
1.1 Overview	1
1.2 Objectives	3
<b>2 LITERATURE REVIEW</b>	4
2.1 Aetiological Agent	4
2.2 Brief History of PRRS	4
2.3 Epidemiology of PRRS in Malaysia and other countries	5
2.4 Pathogenesis	6
2.5 Different PRRS vaccination available in Malaysia	7
2.6 Enzyme-linked Immunosorbent Assay (ELISA) and Polymerase Chain Reaction (PCR)	10
2.7 Herd PRRS Classification scheme by American Association of Swine Veterinarian (AASV)	11
<b>3 WHOLE HERD VS BREEDER VACCINATION WITH PRRS MODIFIED LIVE VACCINE</b>	14
3.1 Introduction	14
3.2 Materials and Methods	14
3.2.1 Animals	14
3.2.2 Enzyme-linked Immunosorbent Assays	16
3.2.3 PRRSv RNA Extraction from Serum Samples	16
3.2.4 One Step reverse-transcription (RT)-PCR	17
3.2.5 Multiplex Nested-PCR	17
3.2.6 Agarose Gel Electrophoresis and Photography	18
3.2.7 Statistical Analysis	18
3.3 Result for Farm A (Breeder vaccination) & Farm B (Whole herd vaccination)	19
3.3.1 ELISA result	19
3.3.1.1 Time Point 1	19
3.3.1.2 Time Point 2	19
3.3.2 PCR result	21
3.3.1.1 Time Point 1	21
3.3.1.2 Time Point 2	21
3.4 Discussion	22
3.5 Conclusion	25

<b>4</b>	<b>WHOLE HERD VACCINATION WITH US OR EU STRAIN OF PRRS MODIFIED LIVE VACCINE</b>	26
4.1	Introduction	26
4.2	Materials & Methods	26
4.2.1	Animals	26
4.2.2	Enzyme-linked Immunosorbent Assays	27
4.2.3	Polymerase Chain Reaction	27
4.2.4	Statistical Analysis	27
4.3	Results for Farm B (Type II Vaccine) & Farm D (Type I Vaccine)	28
4.3.1	ELISA results	28
4.3.1.1	Time Point 1	28
4.3.1.2	Time Point 2	28
4.3.2	PCR results	30
4.3.2.1	Time Point 1	30
4.3.2.2	Time Point 2	30
4.4	Discussion	31
4.5	Conclusion	34
<b>5</b>	<b>BREEDER HERD VACCINATION WITH TYPE II US MODIFIED LIVE VACCINE OR TYPE I EU KILLED VACCINE</b>	35
5.1	Introduction	35
5.2	Materials and methods	36
5.2.1	Animals	36
5.2.2	Enzyme-linked Immunosorbent Assays	36
5.2.3	Polymerase Chain Reaction	36
5.2.4	Statistical Analysis	36
5.3	Results for Farm A (US MLV) & Farm C (EU KV)	37
5.3.1	ELISA results	37
5.3.2	PCR results	37
5.4	Discussion	39
5.5	Conclusion	41
<b>6</b>	<b>GENERAL DISCUSSION AND RECOMMENDATION FOR FUTURE RESEARCH</b>	42
6.1	General Discussion	42
6.2	Impact for Malaysia	45
6.3	Recommendations for future studies	46
	<b>REFERENCES</b>	47
	<b>APPENDICES</b>	54
	<b>BIODATA OF STUDENT</b>	58
	<b>PUBLICATION</b>	59

## LIST OF TABLES

Table		Page
2.1	Currently available commercial porcine reproductive and respiratory syndrome (PRRS) vaccines in Malaysia	8
2.2	Summary of PRRS vaccination practice in Malaysia pig farms	10
2.3	Herd Classification for Porcine Reproductive and Respiratory Syndrome virus (PRRSv) according to shedding and exposure status	13
3.1	The comparison of the mean S / P ratio and seroprevalence of samples from Farm A & B at two different time points, after US MLV vaccinations respectively	20
3.2	The comparison of the prevalence of PRRSv from Farm A at first time points, after breeding herd US MLV vaccination	21
3.3	The comparison of the prevalence of PRRSv from Farm A at second time points, after breeding herd US MLV vaccination	22
3.4	The comparison of the prevalence of PRRSv from Farm B at first time points, after whole herd US MLV vaccination	22
3.5	The comparison of the prevalence of PRRSv from Farm B at second time points, after whole herd US MLV vaccination	22
4.1	The comparison of the mean S / P ratio and seroprevalence of samples from Farm B & D at two different time points, after US and EU MLV vaccinations respectively	29
4.2	The comparison of the prevalence of PRRSv from Farm B at first time points, after US MLV vaccination	30
4.3	The comparison of the prevalence of PRRSv from Farm B at second time points, after US MLV vaccination	31
4.4	The comparison of the prevalence of PRRSv from Farm D at first time points, after EU MLV vaccination	31
4.5	The comparison of the prevalence of PRRSv from Farm D at second time points, after EU MLV vaccination	31
5.1	The comparison of the mean S / P ratio and seroprevalence of samples from Farm A & C, after US and EU MLV vaccinations respectively	38
5.2	The comparison of the prevalence of PRRSv from Farm A, after US MLV vaccination	39



## LIST OF ABBREVIATIONS

ASSV	American Association of Swine Veterinarian
CD	Plasma Membrane Glycoprotein Receptor
DC-SIGN	Dendritic Cell-Specific ICAM-3 Grabbing Nonintegrin
ELISA	Enzyme-Linked Immunosorbent Assay
EU	European Strain
GP5	Glycoprotein
HP-PRRS	Highly Pathogenic Porcine Reproduction and Respiratory Syndrome
IM	Intramuscular
LV	Lelystad virus
KV	Killed vaccine
M	Membrane Protein
MLV	Modified Live Virus
N	Nucleocapsid
OIE	World Organisation for Animal Health
ORF	Open Reading Frame
PRRS	Porcine Reproductive and Respiratory Syndrome
PRRS-CAP	PRRS- Coordinated Agriculture Project
PRRSv	Porcine Reproductive and Respiratory Syndrome virus
PCR	Polymerase Chain Reaction
RNA	Ribonucleic acid
rRNA	Ribosomal Ribonucleic Acid
RT-PCR	Reverse Transcription Polymerase Chain Reaction
SD	Standard Deviation
S / P ratio	Ratio of Scotopic to Photopic Lumens
SPSS	Statistical Package for Social Sciences
SRCR	Scavenger Receptor Cystein-Rich
US	North American, United States Strain
USDA	United States Department of Agriculture
VN antibodies	Virus Neutralizing Antibodies



# CHAPTER 1

## INTRODUCTION

### 1.1 Overview

Porcine reproductive and respiratory and syndrome (PRRS), is a disease caused by PRRS virus (PRRSv), which is one of the clinically relevant and economically significant diseases in Malaysia (Neumann *et al.*, 2005). As the name suggests, the clinical signs of the disease include respiratory failure, seen in growing pigs and piglet, and also late-term reproductive failure, seen in sows and gilts. PRRSv can be classified into two different strains, Type I strain (European strain, Lelystad virus, LV) and also Type II strain (North American strain, VR-2332). The classification can be based on the entire genome or the 3'-terminal structural genes (T. Kim *et al.*, 2015; Zhou *et al.*, 2018). The highly pathogenic PRRSv (HP-PRRSv) strains was first detected in China in the year 2006, where infected pigs were developing clinical signs such as anorexia, respiratory distress with very high mortality and morbidity rates, high fever (above 41°C), red discoloration of skin and other clinical signs (Tian *et al.*, 2007). Subsequently, HP-PRRSv strains have since been reported all around the Eastern Asian countries, such as Philippines, Laos, Bhutan, Myanmar, Thailand, Cambodia, South Korea, and Russia (Ni *et al.*, 2012).

In Malaysia, a seroprevalence study showed that 82.4% of the pigs, tested in 94% farms were seropositive for PRRS (Jasbir *et al.*, 2008). More recently in 2012, a study showed that all the farms in Malaysia that were tested, 100% of it were seropositive, with 89.2% of the pigs seropositive (Kiu & Ooi, 2012).

Being within the order Nidovirales, family Arteriviridae, genus Arterivirus, PRRS is a small (approximately 50-65nm in diameter), enveloped, positive-sensed and single-stranded RNA virus. There are two antigenically and genetically different strains of PRRSv which are Type I virus in Europe and Type II in North American. Nowadays, both types share worldwide distribution with Type II predominant in North America and Asia (Zimmerman *et al.*, 2012). The viral genome is around 15 kbp long and encodes nine open reading frames, namely ORF1a, 1b, 2a, 2b, 3, 4, 5, 6, and 7 (Stadejek *et al.*, 2002). Within the different ORFs, the more conserved ORF7 is recommended as a potential target site for detection of PRRSv of different strains using RT-PCR (Guarino *et al.*, 1999).

The most frequently used tests to diagnose PRRS include ELISA, RT-PCR and serological assays. However, serological data alone may not be sufficient to identify and define the immune status towards PRRS in a breeding herd (S. Dee & Philips, 1997). In conjunction with this, molecular techniques, observations of clinical signs, and analysis of production data are also used simultaneously to determine the PRRSv immunity status of a breeding herd. Through continuous monitoring, these data can also be used to

identify and isolate the duration in the life of the piglet, where the infection started / occur for future pig flow management (S. Dee & Philips, 1997).

Although elimination of PRRS<sub>v</sub> or maintaining a PRRS<sub>v</sub>-free herd can be attempted (Chareerntantanakul, 2012), the virus is shed readily by infected swine and is highly transmissible via aerosols and fomites, explaining the persistency of the disease in the farm environment. It has also been reported that the virus is still infectious, even after 9.1km of airborne transmission (Otake *et al.*, 2010; Pileri & Mateu, 2016).

Due to the huge impact of PRRS in the industry, vaccination is one of the most important disease control strategies. Various types of vaccines, including killed virus (KV) and modified-live virus (MLV) vaccines had been developed for the control of the disease in both grower and breeding sow (Martínez-Lobo *et al.*, 2013).

Killed/Inactivated PRRS vaccines are known as safe but confer limited protection against either homologous or heterologous virus. PRRS killed vaccine seems to be able to reduce the disease severity when administered to the PRRS<sub>v</sub>-infected pigs (Chareerntantanakul, 2012). Another finding also showed that killed vaccine failed to prevent reproductive losses and congenital infection in fetuses (Scotti *et al.*, 2007). Besides, KV was also proven to have provided weak memory responses with sequential challenge without any obvious active immune responses in the vaccinated pigs (Kim *et al.*, 2011).

PRRS MLV vaccine is well known for its protective efficacy against PRRS<sub>v</sub> that are genetically homologous to the vaccine virus (Nan *et al.*, 2017). Some of its advantages it has over killed vaccine includes: (I) the ability to generate stronger and more complete immune response, (II) the ability for PRRS<sub>v</sub> neutralization, (III) the ability to limit post-challenge viremia, transplacental infection and viral shedding, and (IV) protection against clinical disease (Schelkopf *et al.*, 2014). Piglets born to vaccinated gilts also had higher body weight and survival rate at weaning than those born to non-vaccinated control gilt (Piontkowski *et al.*, 2016; Rowland, 2010).

However, there is concern for the immunogenicity and safety of MLV vaccine (Chareerntantanakul, 2012). Vaccination with PRRS-MLV is generally contraindicated in pregnant swine as a safety precaution and the main target populations are the growing and finishing pigs. The MLV vaccine virus replicates in the host, which allows shedding of attenuated PRRS<sub>v</sub> and creates the potential for exposure of immunologically naïve swine to the vaccine virus. Experimental and field studies reported that MLV strains can cause viremia, revert to virulence and spread transplacentally affecting the piglets born (Papatsiros, 2012). Piglets born to these MLV-infected sows can become carriers of PRRS<sub>v</sub>, shedding the MLV vaccine virus to other naïve pigs (Rowland, 2010).

In Malaysia field condition, PRRS vaccine in breeding herd is generally accepted by the producers while piglet's vaccination rate against PRRS<sub>v</sub> still remain low. Whole herd

vaccination regime (vaccinate both breeding herd and piglets) against PRRSv is not common in Malaysia pig industry. Furthermore, the presence of various type of vaccines and vaccination regimes in the market make the ideal type of vaccines and vaccination regime approach remain questionable and debatable and yet to be proven.

## **1.2 Objectives**

The objective of this study is to

1. Determine which type of vaccination regimes and types of vaccine is able to provide a better immunity against PRRS in selected pig farms in Malaysia by using PCR and ELISA technique.
2. To classify the herd PRRSv status by using American Association of Swine Veterinarian (ASSV) classification scheme in selected pig farms in Malaysia.

## REFERENCES

- Albina, E., Madec, F., Cariolet, R., & Torrison, J. (1994). Immune response and persistence of the porcine reproductive and respiratory syndrome virus in infected pigs and farm units. *The Veterinary Record*, *134*(22), 567-573.
- Allende, R., Laegreid, W. W., Kutish, G. F., Galeota, J. A., Wills, R. W., & Osorio, F. A. (2000). Porcine Reproductive and Respiratory Syndrome Virus: Description of Persistence in Individual Pigs upon Experimental Infection. *Journal of Virology*, *74*(22), 10834–10837.
- Angulo, J. (2015). Monitoring tools in PRRSv sow herd stabilization programs - PRRS.com. Retrieved from
- Baron, T., Albina, E., Leforban, Y., Madec, F., Guilmoto, H., Plana, D. J., & Vannier, P. (1992). Report on the first outbreaks of the porcine reproductive and respiratory syndrome (PRRS) in France. Diagnosis and viral isolation. *Ann.Rech. Vet.*, *23*(2), 161–166.
- Batista, L. (2005). Porcine reproductive and respiratory syndrome diagnostics in the breeding herd: Back to the basics. *J Swine Health Prod*, *13*(2), 96–98.
- Batista, L., Dee, S. A., Rossow, K. D., Dee, J., & Pijoan, C. (2002). Assessing the duration of persistence and shedding of porcine reproductive and respiratory syndrome virus in a large population of breeding-age gilts. *Canadian Journal of Veterinary Research*, *66*(3), 196–200.
- Bloemraad, M., de Kluijver, E. P., Petersen, A., Burkhardt, G. E., & Wensvoort, G. (1994). Porcine reproductive and respiratory syndrome: temperature and pH stability of Lelystad virus and its survival in tissue specimens from viraemic pigs. *Veterinary Microbiology*, *42*(4), 361–371.
- Cano, J. P., Dee, S. A., Murtaugh, M. P., & Pijoan, C. (2007). Impact of a modified-live porcine reproductive and respiratory syndrome virus vaccine intervention on a population of pigs infected with a heterologous isolate. *Vaccine*, *25*(22), 4382–4391.
- Cano, J. P., Dee, S. A., Murtaugh, M. P., Trincado, C. A., & Pijoan, C. B. (2007). Effect of vaccination with a modified-live porcine reproductive and respiratory syndrome virus vaccine on dynamics of homologous viral infection in pigs. *American Journal of Veterinary Research*, *68*(5), 565–571.
- Charentantanakul, W. (2012). Porcine reproductive and respiratory syndrome virus vaccines: Immunogenicity, efficacy and safety aspects. *World Journal of Virology*, *1*(1), 23.
- Choi, K., Park, C., Jeong, J., & Chae, C. (2016). Comparison of protection provided by Type I and Type II porcine reproductive and respiratory syndrome field viruses against homologous and heterologous challenge. *Veterinary Microbiology*, *191*,

- Christopher-Hennings, J., Faaberg, K. S., Murtaugh, M. P., Nelson, E. A., Roof, M. B., Vaughn, E. M., ... Zimmerman, J. J. (2002). Porcine reproductive and respiratory syndrome (PRRS) diagnostics: Interpretation and limitations. *Journal of Swine Health and Production*, 10(5), 213–218.
- Corzo, C. A., Mondaca, E., Wayne, S., Dee, S., Davies, P., & Morrison, R. B. (2010). Control and elimination of porcine reproductive and respiratory syndrome virus. *Virus Research*, 154(1–2), 185–192.
- Dea, S., Gagnon, C. A., Mardassi, H., Pirzadeh, B., & Rogan, D. (2000). Current knowledge on the structural proteins of Porcine Reproductive and Respiratory Syndrome (PRRS) virus: comparison of the North American and European isolates. *Archives of Virology*, 145(4), 659–688.
- Dee, S. A., Joo, H. S., Henry, S., Tokach, L., Park, B. K., Molitor, T., & Pijoan, C. (1996). Detecting subpopulations after PRRS virus infection in large breeding herds using multiple serologic tests. *Swine Health and Production*, 4(4), 181–184.
- Dee, S., & Philips, R. E. (1997). Use of polymerase chain reaction (PCR) to detect vertical transmission of porcine reproductive and respiratory syndrome virus (PRRSv) in piglets from gilt litters. *Swine Health Prod*, 7(5), 237–239.
- Duan, X., Nauwynck, H. J., Favoreel, H. W., & Pensaert, M. B. (1998). Identification of a putative receptor for porcine reproductive and respiratory syndrome virus on porcine alveolar macrophages. *J Virol*, 72(5), 4520–4523.
- Duinhof, T. F., Schaik, G. Van, Esch, E. J. B. Van, & Wellenberg, G. J. (2011). Detection of PRRSv circulation in herds without clinical signs of PRRS: Comparison of five age groups to assess the preferred age group and sample size. *Veterinary Microbiology*, 150(1–2), 180–184.
- Guarino, H., Goyal, S. M., Murtaugh, M. P., Morrison, R. B., & Kapur, V. (1999). Detection of porcine reproductive and respiratory syndrome virus by reverse transcription-polymerase chain reaction using different regions of the viral genome. *Journal of Veterinary Diagnostic Investigation*, 11(1), 27–33.
- Halbur, P. G., Paul, P. S., Frey, M. L., Landgraf, J., Eernisse, K., Meng, X. J., ... Rathje, J. a. (1996). Comparison of the Pathogenicity of 2 Us Porcine Reproductive and Respiratory Syndrome Virus Isolates With That of the Lelystad Virus. *Veterinary Pathology*, 32(6), 648–660.
- Holtkamp, D. J., Kliebenstein, J. B., Neumann, E. J., Zimmerman, J. J., Rotto, H. F., Yoder, T. K., ... Haley, C. A. (2013). Assessment of the economic impact of porcine reproductive and respiratory syndrome virus on United States pork producers. *Journal of Swine Health and Production* —, 12(2), 72–84.

- Holtkamp, D. J., Morrison, B., Classen, D. M., Becton, L., Henry, S., Rodibaugh, M. T., ... Zimmerman, J. (2011). Terminology for Classifying Swine Herds by PRRS Status. *Journal Of Swine Health And Production*, 19(February), 44–56.
- Jaganathan, S., Ooi, P. T., Phang, L. Y., Zeenathul, N. A., Tuam, S. M., Ong, L. P., ... Lim, B. K. (2013). An update on the status of Porcine Reproductive and Respiratory Syndrome Virus (PRRSv) isolated in Malaysia. In *The 6th Asian Pig Veterinary Society Congress*. Ho Chi Minh City, Vietnam.
- Jasbir, S., Kamaruddin, M. I., & Latiffa, H. (2008). Update on Porcine reproductive and respiratory syndrome (PRRS) seroprevalence in Malaysia. EMPRES Transboundary Animal Diseases Bulletin, FAO. In *13th International Symposium for the World Association of Veterinary Laboratory Diagnosticians (WAVLD)* (pp. 38–39).
- Kim, H., Kim, H. K., Jung, J. H., Choi, Y. J., Kim, J., Um, C. G., ... Song, D. S. (2011). The assessment of efficacy of porcine reproductive respiratory syndrome virus inactivated vaccine based on the viral quantity and inactivation methods. *Virology Journal*, 8, 1–12.
- Kim, T., Park, C., Choi, K., Jeong, J., Kang, I., Park, S. J., & Chae, C. (2015). Comparison of two commercial Type I porcine reproductive and respiratory syndrome virus (PRRSv) modified live vaccines against heterologous Type I and Type II PRRSv challenge in growing pigs. *Clinical and Vaccine Immunology*, 22(6), 631–640.
- King, S. J., Ooi, P. T., Phang, L. Y., Allaudin, Z. N. B., Loh, W. H., Tee, C. Y., ... Lim, B. K. (2017). Phylogenetic characterization of genes encoding for viral envelope glycoprotein (ORF5) and nucleocapsid protein (ORF7) of porcine reproductive & respiratory syndrome virus found in Malaysia in 2013 and 2014. *BMC Veterinary Research*, 13(1), 3.
- Kiu, V. T. L., & Ooi, P. T. (2012). Characterization of Porcine Reproductive and Respiratory Syndrome Virus Strains in Selected Farms in Malaysia. *7th Proceedings of the Seminar in Veterinary Sciences*, (March), 2012.
- Klinge, K. L., Vaughn, E. M., Roof, M. B., Bautista, E. M., & Murtaugh, M. P. (2009). Age-dependent resistance to Porcine reproductive and respiratory syndrome virus replication in swine. *Virology Journal*, 6, 1–11.
- Kolb, J., & Munoz, A. O. (2011). Displacement of PRRS wild-type virus from a large nursery production system. In *Allen D. Leman Swine Conference*.
- Kono, Y., Kanno, T., Shimizu, M., Yamada, S., Ohashi, S., Nakamine, M., & Shirai, J. (1996). Nested PCR for detection and typing of porcine reproductive and respiratory syndrome (PRRS) virus in pigs. *Journal of Veterinary Medicine Science*, 58(10), 941–946.



- Labaraque, G., Gucht, S. VAN, Nauwynck, H., Reeth, K. VAN, & Pensaert, M. (2003). Apoptosis in the lungs of pigs infected with porcine reproductive and respiratory syndrome virus and associations with the production of apoptogenic cytokines. *Veterinary Research*, *34*, 249–260.
- Lowe, J. F., Husmann, R., Firkins, L. D., Zuckermann, F. A., & Goldberg, T. L. (2005). Correlation of cell-mediated immunity against porcine reproductive and respiratory syndrome virus with protection against reproductive failure in sows during outbreaks of porcine reproductive and respiratory syndrome in commercial herds. *Journal of the American Veterinary Medical Association*, *226*(10), 1707–1711.
- Martelli, P., Gozio, S., Ferrari, L., Rosina, S., De Angelis, E., Quintavalla, C., ... Borghetti, P. (2009). Efficacy of a modified live porcine reproductive and respiratory syndrome virus (PRRSv) vaccine in pigs naturally exposed to a heterologous European (Italian cluster) field strain: Clinical protection and cell-mediated immunity. *Vaccine*, *27*(28), 3788–3799.
- Martínez-Lobo, F. J., De Lome, L. C., Díez-Fuertes, F., Segalés, J., García-Artiga, C., Simarro, I., ... Prieto, C. (2013). Safety of porcine reproductive and respiratory syndrome modified live virus (MLV) vaccine strains in a young pig infection model. *Veterinary Research*, *44*(1), 1–14.
- Martínez-Lobo, F. J., Díez-Fuertes, F., Segalés, J., García-Artiga, C., Simarro, I., Castro, J. M., & Prieto, C. (2011). Comparative pathogenicity of Type I and Type II isolates of porcine reproductive and respiratory syndrome virus (PRRSV) in a young pig infection model. *Veterinary Microbiology*, *154*(1–2), 58–68.
- Mengeling, W. L. (2005). The porcine reproductive and respiratory syndrome quandary . Part II: Vaccines and vaccination strategy. *Journal Of Swine Health And Production*, *13*(June), 152–156.
- Molina, R. M., Cha, S. H., Chittick, W., Lawson, S., Murtaugh, M. P., Nelson, E. A., ... Zimmerman, J. J. (2008). Immune response against porcine reproductive and respiratory syndrome virus during acute and chronic infection. *Veterinary Immunology and Immunopathology*, *126*(3–4), 283–292.
- Morrow, W. M., Roberts, J., van Heugten, E., Nemecheck, G., & Battrell, M. (n.d.). PRRS Fact Sheet for Animal Science. Retrieved from <https://pdfs.semanticscholar.org/eb13/059e1eae3f4067414d9d015a5a57d972ab91.pdf>
- Murtaugh, M. P., Stadejek, T., Abrahante, J. E., Lam, T. T. Y., & Leung, F. C. C. (2010). The ever-expanding diversity of porcine reproductive and respiratory syndrome virus. *Virus Research*, *154*(1–2), 18–30.
- Nan, Y., Wu, C., Gu, G., Sun, W., Zhang, Y. J., & Zhou, E. M. (2017). Improved vaccine against PRRSv: Current Progress and future perspective. *Frontiers in Microbiology*, *8*(AUG), 1–17.

- Neumann, E. J., Kliebenstein, J. B., Johnson, C. D., Mabry, J. W., Bush, E. J., Seitzinger, A. H., ... Zimmerman, J. J. (2005). Food Animal Economics. *Javma*, 227(3), 385–392.
- Nguyen, T. (2013). PRRS control in the region. In *28th Conference of the OIE Regional Commission for Asia, the Far East and Oceania* (pp. 1–8). Cebu, Philippines. Retrieved from
- Ni, J., Yang, S., Bounlom, D., Yu, X., Zhou, Z., Song, J., ... Tian, K. (2012). Emergence and pathogenicity of highly pathogenic porcine reproductive and respiratory syndrome virus in Vientiane, Lao People's Democratic Republic. *Journal of Veterinary Diagnostic Investigation*, 24(2), 349–354. <https://doi.org/10.1177/1040638711434111>
- Nilubol, D., Platt, K. B., Halbur, P. G., Torremorell, M., & Harris, D. L. (2004). The effect of a killed porcine reproductive and respiratory syndrome virus (PRRSv) vaccine treatment on virus shedding in previously PRRSv infected pigs. *Veterinary Microbiology*, 102(1–2), 11–18.
- OIE. (2008). *PORCINE REPRODUCTIVE RESPIRATORY SYNDROME PRRS: the disease, its diagnosis, prevention and control*. Paris. Retrieved from [http://www.oie.int/fileadmin/Home/eng/Our\\_scientific\\_expertise/docs/pdf/PRRS\\_guide\\_web\\_bulletin.pdf](http://www.oie.int/fileadmin/Home/eng/Our_scientific_expertise/docs/pdf/PRRS_guide_web_bulletin.pdf)
- Opriessnig, T., Pallarés, F. J., Nilubol, D., Vincent, A. L., Eileen, L., Acvm, D., ... Halbur, P. G. (2005). Genomic homology of ORF 5 gene sequence between of vaccine efficacy, 13(October), 246–253.
- Oropeza-Munoz, A., & Kolb, J. (2012). A methodical approach to PRRS management, A success story of production improvements. In *Allen D. Leman Swine Conference* (p. 193).
- Otake, S., Dee, S., Corzo, C., Oliveira, S., & Deen, J. (2010). Long-distance airborne transport of infectious PRRSv and *Mycoplasma hyopneumoniae* from a swine population infected with multiple viral variants. *Veterinary Microbiology*, 145(3–4), 198–208.
- Papatsiros, V. G. (2012). Porcine respiratory and reproductive syndrome virus vaccinology: A review for commercial vaccines. *American Journal of Animal and Veterinary Sciences*, 7(4), 149–158.
- Pileri, E., & Mateu, E. (2016). Review on the transmission porcine reproductive and respiratory syndrome virus between pigs and farms and impact on vaccination. *Veterinary Research*, 47(1), 1–13.
- Piontkowski, M. D., Kroll, J., Orveillon, F.-X., Kraft, C., & Coll, T. (2016). Safety and efficacy of a novel European vaccine for porcine reproductive and respiratory virus in bred gilts. *Canadian Journal of Veterinary Research = Revue Canadienne de Recherche Veterinaire*, 80(4), 269–280.



- Plagemann, P. G. W., & Moennig, V. (1992). Lactate Dehydrogenase-Elevating Virus, Equine Arteritis Virus, and Simian Hemorrhagic Fever Virus: A New Group of Positive-Strand RNA Viruses. *Advances in Virus Research*, 41, 99–192.
- Rajic, A., Dewey, C. E., Deckert, A. E., Friendship, R. M., Martin, S. W., & Yoo, D. (2001). Production of PRRSV-negative pigs commingled from multiple, vaccinated, serologically stable, PRRSV-positive breeding herds. *Journal of Swine Health and Production*, 9(4), 179–184.
- Reeth, K. Van. (1997). Pathogenesis and clinical aspects of a respiratory porcine reproductive and respiratory syndrome virus infection. *Veterinary Microbiology*, 55(1–4), 223–230.
- Rosow K.D. (1998). Porcine Reproductive and Respiratory Syndrome. *Veterinary Pathology*, 35(May), 1–20.
- Rovira, A., Clement, T., Christopher-hennings, J., Thompson, B., Engle, M., Reicks, D., & Mun, C. (2007). Evaluation of the sensitivity of reverse-transcription polymerase chain reaction to detect porcine reproductive and respiratory syndrome virus on individual and pooled samples from boars, 509, 502–509.
- Rowland, R. R. R. (2010). The interaction between PRRSV and the late gestation pig fetus. *Virus Research*, 154(1–2), 114–122.
- Schelkopf, A., Nerem, J., Cowles, B., Amodie, D., Swalla, R., & Dee, S. (2014). Reproductive, productivity, and mortality outcomes in late-gestation gilts and their litters following simulation of inadvertent exposure to a modified-live vaccine strain of porcine reproductive and respiratory syndrome (PRRS) virus. *Vaccine*, 32(36), 4639–4643.
- Scotti, M., Prieto, C., Alvarez, E., Simarro, I., & Castro, J. M. (2007). Failure of an inactivated vaccine against porcine reproductive and respiratory syndrome to protect gilts against a heterologous challenge with PRRSV. *The Veterinary Record*, 161(24), 809–813.
- Shibata, I., Mori, M., & Yazawa, S. (2000). Experimental Reinfection with Homologous Porcine Reproductive and Respiratory Syndrome Virus in SPF Pigs. *Journal of Veterinary Medical Science*, 62(1), 105–108.
- Stadejek, T., Porowski, M., & Pejsak, Z. (2005). Viraemia and seroconversion in piglets following vaccination with PRRSV-EU type vaccine - a field observation. *Bulletin of the Veterinary Institute in Pulawy*, 49(3), 273–277.
- Stadejek, T., Stankevicius, A., Storgaard, T., Oleksiewicz, M. B., Belák, S., Drew, T. W., & Pejsak, Z. (2002). Identification of radically different variants of porcine reproductive and respiratory syndrome virus in Eastern Europe: Towards a common ancestor for European and American viruses. *Journal of General Virology*, 83(8), 1861–1873.

- Suárez, P. (2000). Ultrastructural pathogenesis of the PRRS virus. *Veterinary Research*, 31(1), 47–55.
- Thanawongnuwech, R., Halbur, P. G., & Thacker, E. L. (2000). The role of pulmonary intravascular macrophages in porcine reproductive and respiratory syndrome virus infection. *Animal Health Research Reviews / Conference of Research Workers in Animal Diseases*, 1(2), 95–102.
- Tian, K., Yu, X., Zhao, T., Feng, Y., Cao, Z., Wang, C., ... Gao, G. F. (2007). Emergence of Fatal PRRSv Variants: Unparalleled Outbreaks of Atypical PRRS in China and Molecular Dissection of the Unique Hallmark. *PLoS ONE*, 2(6).
- Truyen, U., Wilhelm, S., Genzow, M., & Schagemann, G. (2006). Porcine reproductive and respiratory syndrome virus (PRRSv): A ring test performed in Germany to assess RT-PCR detection methods. *Journal of Veterinary Medicine Series B: Infectious Diseases and Veterinary Public Health*, 53(2), 68–74.
- Wensvoort, G., Terpstra, C., Pol, J. M., ter Laak, E. A., Bloemraad, M., de Kluyver, E. P., ... Wagenaar, F. (1991). Mystery swine disease in The Netherlands: the isolation of Lelystad virus. *The Veterinary Quarterly*, 13(3), 121–130.
- Wills, R. W., Doster, A. R., Galeota, J. A., Sur, J. H., & Osorio, F. A. (2003). Duration of infection and proportion of pigs persistently infected with porcine reproductive and respiratory syndrome virus. *Journal of Clinical Microbiology*, 41(1), 58–62.
- Zhang, Q., & Yoo, D. (2015). PRRS virus receptors and their role for pathogenesis. *Veterinary Microbiology*, 177(3–4), 229–241.
- Zhou, L., Kang, R., Yu, J., Xie, B., Chen, C., Li, X., ... Wang, H. (2018). Genetic characterization and pathogenicity of a novel recombined porcine reproductive and respiratory syndrome virus 2 among Nadc30-like, Jxa1-like, and Mlv-like strains. *Viruses*, 10(10).
- Zimmerman, J. J., Benfield, D. A., Dee, S. A., Murtaugh, M. P., Stadejek, T., Stevenson, G. W., & Torremorell, M. (2012). Porcine Reproductive and Respiratory Syndrome Virus (Porcine Arterivirus). In K. J. Zimmernann, J.J., Karriker, L.A., Ramirez A. and Schwartz (Ed.), *Disease of Swine* (10th ed., pp. 681–690). Chichester, West Sussex: Wiley-Blackwell Publishing.
- Zuckermann, F. A., Garcia, E. A., Luque, I. D., Christopher-Hennings, J., Doster, A., Brito, M., & Osorio, F. (2007). Assessment of the efficacy of commercial porcine reproductive and respiratory syndrome virus (PRRSv) vaccines based on measurement of serologic response, frequency of gamma-IFN-producing cells and virological parameters of protection upon challenge. *Veterinary Microbiology*, 123(1–3), 69–85.