



UNIVERSITI PUTRA MALAYSIA

**FUNCTIONAL PROPERTIES AND CHARACTERIZATION OF YOGURT
FORTIFIED WITH *Synsepalum dulcificum* (Schumach. & Thonn.)
Daniell AND MICROENCAPSULATED *Lactococcus lactis* Gh1**

NURUL FARHANA BINTI FAZILAH

FBSB 2019 18



**FUNCTIONAL PROPERTIES AND CHARACTERIZATION OF YOGURT
FORTIFIED WITH *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell
AND MICROENCAPSULATED *Lactococcus lactis* Gh1**

By

NURUL FARHANA BINTI FAZILAH

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirements for the Degree of Master of Science**

May 2019

COPYRIGHT

All material contained within the thesis, including without limitation text, logos, icons, photographs, and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

FUNCTIONAL PROPERTIES AND CHARACTERIZATION OF YOGURT FORTIFIED WITH *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell AND MICROENCAPSULATED *Lactococcus lactis* Gh1

By

NURUL FARHANA BINTI FAZILAH

May 2019

Chairman : Murni binti Halim, PhD
Faculty : Biotechnology and Biomolecular Sciences

Nowadays, functional food market is dominated by dairy based probiotic products mainly yogurt. The nutritional values of yogurt can be further enhanced by the inclusion of *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell extract and the addition of locally isolated probiotic *Lactococcus lactis* Gh1. *S. dulcificum* is a plant that possesses unique characteristics that can be used as a healthy food additive which acts as taste modifier besides providing antioxidant and anti-diabetic effects. The screening results of seed, leaf and pulp of *S. dulcificum* showed that pulp extracts contained significantly ($P < 0.05$) higher antioxidant (85.69 ± 0.004) and phenolic content ($15.93 \pm 0.002 \mu\text{g GAE Equiv. / g sample}$) than the other plant parts. More interestingly, *S. dulcificum* pulp also has stronger anti-diabetic properties than the standard drug, acarbose and hence it was chosen to be incorporated into yogurt. *L. lactis* Gh1 was encapsulated via extrusion (with alginate-starch coating agent) and spray drying (with gum Arabic and *S. dulcificum* pulp) methods to increase the cells viability. A total of seven different yogurts (C.plain (plain yogurt), C.pulp (contained pulp extract), F.plain (contained free cell *L. lactis* Gh1), F.pulp (contained free cell *L. lactis* Gh1 and pulp extract), B.plain (contained alginate-starch encapsulated *L. lactis* Gh1), B.pulp (contained pulp extract and alginate-starch encapsulated *L. lactis* Gh1), S.dry (contained spray dried *L. lactis* Gh1 coated with gum Arabic and pulp) were formulated. The yogurts were fermented at 42°C until pH 4.5 prior to storage at 4°C for 21 days. All the yogurts fortified with pulp extract showed a faster rate of pH reduction (~ 3 hours) than the plain yogurt (6 hours). The total phenolic content (TPC) of all yogurts showed an increasing trend throughout the storage. The presence of *S. dulcificum* pulp extract elevated ($P < 0.05$) the TPC in the yogurts whereas the antioxidant activity (DPPH assay) and inhibitory activity towards the key enzymes associated with diabetes (α -amylase and α -glucosidase) showed a gradual increase on the first 7 days but decreased afterward. In comparison, yogurts fortified with pulp extract showed a higher ($P < 0.05$) antioxidant and anti-diabetic activity than the plain

yogurt. The viability of *L. lactis* Gh1 in yogurt showed the highest survivability even on the last day (day 21) of refrigerated storage when it was being encapsulated in beads and according to the following order: B.plain (9.43 log CFU/mL)>B.pulp (9.04 log CFU/mL)> F.pulp (8.26 log CFU/mL) > S.dry (8.08 log CFU/mL)> F.plain (6.76 log CFU/mL). Meanwhile, the CFU/mL of the yogurt starter cultures, *Streptococcus thermophilus* and *Lactobacillus dulbrueckii* of all yogurts were drastically increased for the first week of storage especially for yogurts added with a non-microencapsulated *L. lactis* Gh1 (F.plain and F.pulp) but started to decrease after day 7. The flow behaviour of all yogurt samples had exhibited shear thinning behaviour with $n < 1$. In general, the incorporation of *S. dulcificum* and microencapsulated *L. lactis* Gh1 had greatly enhanced the quality and potential benefits of the functional yogurt products.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**SIFAT FUNGSIAN DAN PENCIRIAN YOGURT YANG DIPERKAYA
DENGAN *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell DAN
MIKROKAPSUL *Lactococcus lactis* Gh1**

Oleh

NURUL FARHANA BINTI FAZILAH

Mei 2019

Pengerusi : Murni binti Halim, PhD
Fakulti : Bioteknologi dan Sains Biomolekul

Pada masa kini, pasaran makanan berfungsi didominasi oleh produk probiotik berasaskan tenusu terutamanya yogurt. Nilai nutrisi yogurt boleh dipertingkatkan lagi dengan penambahan ekstrak dari *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell dan penambahan probiotik terpencil tempatan, *Lactococcus lactis* Gh1. *S. dulcificum* adalah tumbuhan yang mempunyai ciri-ciri unik yang boleh digunakan sebagai aditif makanan yang sihat yang bertindak sebagai pengubah selera selain memberikan kesan antioksidan dan anti-diabetes. Hasil saringan terhadap biji, daun dan isi buah *S. dulcificum* dengan ketara ($P < 0.05$) menunjukkan ekstrak isi buah mengandungi antioksidan (85.69 ± 0.004) dan kandungan fenolik ($15.93 \pm 0.002 \mu\text{g GAE Equiv / g sampel}$) yang lebih tinggi berbanding bahagian tumbuhan lain. Tambah menarik, isi buah *S. dulcificum* juga mempunyai ciri anti-diabetes yang lebih kuat berbanding ubat yang biasa digunakan, acarbose dan oleh itu ia dipilih untuk dimasukkan ke dalam yogurt. *L. lactis* Gh1 telah dikapsulkan melalui kaedah penyemperitan (dengan ejen salutan alginat-kanji) dan semburan pengeringan (bersama gam Arab dan *S. dulcificum*) untuk meningkatkan kebolehidupan sel. Sejumlah tujuh yogurt yang berbeza (C.plain (yogurt biasa), C.pulp (mengandungi ekstrak isi buah), F.plain (mengandungi sel bebas *L. lactis* Gh1), F.pulp (mengandungi sel bebas *L. lactis* Gh1 dan ekstrak isi buah), B.plain (mengandungi alginat-kanji kapsul *L. lactis* Gh1), B.pulp (mengandungi ekstrak isi buah dan alginat-kanji kapsul *L. lactis* Gh1), S.dry (mengandungi *L. lactis* Gh1 semburan kering yang disaluti dengan gam Arab dan isi buah) telah diformulasikan. Yogurt difermentasi pada suhu 42°C sehingga mencapai pH 4.5 sebelum disimpan pada 4°C selama 21 hari. Kesemua yogurt yang diformulasikan dengan ekstrak isi buah telah menunjukkan kadar pengurangan pH (~ 3 jam) yang lebih cepat berbanding dengan yogurt biasa (6 jam). Kandungan fenolik (TPC) semua yogurt tersebut menunjukkan trend peningkatan sepanjang dalam masa penyimpanan. Kehadiran ekstrak isi buah *S.*

dulcificum telah meningkatkan ($P < 0.05$) nilai TPC dalam semua yogurt tersebut manakala aktiviti antioksidan (assay DPPH) dan aktiviti perencat enzim utama penyebab kencing manis (α -amilase dan α -glucosidase) menunjukkan peningkatan beransur-ansur pada 7 hari pertama tetapi menurun selepas itu. Sebagai perbandingan, yogurt diperkaya dengan ekstrak isi buah menunjukkan aktiviti antioksidan dan anti-diabetes yang lebih tinggi ($P < 0.05$) daripada yogurt biasa. Kebolehidupan *L. lactis* Gh1 dalam yogurt telah menunjukkan kemandirian yang tertinggi sehingga hari terakhir (hari 21) penyimpanan sejuk apabila ia dikapsulkan dalam manik dan mengikut turutan berikut: B.plain (9.43 log CFU/mL) > B.pulp (9.04 log CFU/mL) > F.pulp (8.26 log CFU/mL) > S.dry (8.08 log CFU/mL) > F.plain (6.76 log CFU/mL). Sementara itu, CFU/mL dari kultur permulaan yogurt, *Streptococcus thermophilus* dan *Lactobacillus dulbrueckii* dalam semua yogurt telah meningkat secara drastik untuk minggu pertama penyimpanan terutamanya bagi yogurt yang ditambah dengan *L. lactis* Gh1 yang tidak dikapsulkan (F.plain dan F.pulp) tetapi mengalami penurunan selepas 7 hari. Kelakuan aliran semua sampel yogurt telah mempamerkan kelakuan penipisan ricih dengan $n < 1$. Secara umumnya, penggabungan *S. dulcificum* dan mikrokapsul *L. lactis* Gh1 telah meningkatkan kualiti dan potensi manfaat produk yogurt fungsian.

ACKNOWLEDGEMENTS

I would like to give thanks to Allah S.W.T for giving me strength and wisdom to complete this study. No words will be able to describe my heartfelt gratitude and appreciation to my supervisor, Dr Murni Halim for her constant guidance, valuable advice, idea, encouragement and assistance throughout my study.

I also want to thank my co-supervisor, Professor Dr. Arbakariya Ariff for his guidance, inspiration and support besides providing plant materials for my study. My sincere gratitude is also extended to Dr Mohd Ezuan Khayat for being member of supervisory committee and providing laboratory facilities for me to complete my study. Their contribution in all forms is much appreciated.

I would like to extend my gratitude to all my colleagues for their help, inspiration, technical assistance and the brainstorming discussion we had together.

Finally, I must express my very profound gratitude to my parents, sisters and family for providing me with unfailing support and continuous encouragement throughout my years of study and through the process researching and writing this thesis. This accomplishment would not have been possible without them.

Thank you.

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Murni Halim, PhD

Associate Professor

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Chairman)

Arbakariya Ariff, PhD

Professor

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Member)

Mohd Ezuan Khayat, PhD

Senior Lecturer

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean

School of Graduate Studies

Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software

Signature: _____

Date: _____

Name and Matric No: Nurul Farhana binti Fazilah, GS48409

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) were adhered to.

Signature: _____
Name of Chairman
of Supervisory
Committee: Associate Professor Dr. Murni Halim

Signature: _____
Name of Member
of Supervisory
Committee: Professor Dr. Arbakariya Ariff

Signature: _____
Name of Member
of Supervisory
Committee: Dr. Mohd Ezuan Khayat

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xiv
LIST OF FIGURES	xv
LIST OF APPENDICES	xvii
LIST OF ABBREVIATIONS	xviii
CHAPTER	
1 INTRODUCTION	1
2 LITERATURE REVIEW	4
2.1 Yogurt	4
2.1.1 Nutritional values of yogurt	4
2.1.2 Health benefits of yogurt	5
2.1.3 Types of yogurt	5
2.1.4 Yogurt starter culture	6
2.1.4.1 <i>Streptococcus thermophilus</i>	6
2.1.4.2 <i>Lactobacillus dulbrueckii</i> subs. <i>bulgaricus</i>	7
2.2 <i>Synsepalum dulcificum</i> (Miracle fruit)	8
2.2.1 The plant	9
2.2.2 Health benefits of <i>S. dulcificum</i>	10
2.3 Bioactive compounds of plant extract	11
2.3.1 Extraction of plant extracts	11
2.3.2 Total phenolic and flavonoid contents	12
2.3.3 Antioxidant	13
2.3.4 DPPH radical-scavenging activity	14
2.3.5 Anti-diabetic	14
2.3.5.1 <i>In vitro</i> models used in diabetic studies	16
2.3.5.2 α -amylase	16
2.3.5.3 α -glucosidase	16
2.4 Probiotics	17
2.4.1 Microbial species of probiotics	18
2.4.2 Desirable probiotic properties	18
2.4.3 Health benefits of probiotics	19
2.4.4 <i>Lactococcus lactis</i>	19
2.5 Microencapsulation of microbial cells	20
2.5.1 Common methods for cells microencapsulation	20
2.5.2 Microencapsulation technique by extrusion method	21
2.5.3 Microencapsulation technique via spray drying technique	22
2.5.4 Applications of microencapsulation cells in food	24

2.6	Food rheology	24
2.7	Concluding remarks	25
3	MATERIALS AND METHODS	27
3.1	Materials	27
3.1.1	Plant	27
3.1.2	Milk and starter culture	27
3.1.3	<i>Lactococcus lactis</i> Gh1	27
3.1.4	General chemicals, media and reagents	27
3.2	Characterization of <i>Synsepalum dulcificum</i>	27
3.2.1	Sample preparation	27
3.2.2	Water extraction of <i>Synsepalum dulcificum</i> plant	28
3.2.3	Screening of antioxidant properties in <i>Synsepalum dulcificum</i> plant parts	28
3.2.3.1	Total phenolic content assay	28
3.2.3.2	Total flavonoid content assay	28
3.2.3.3	Antioxidant activity by DPPH assay	28
3.2.4	<i>In-vitro</i> screening of anti-diabetic properties in <i>Synsepalum dulcificum</i> plant parts	29
3.2.4.1	Alpha amylase inhibition assay	29
3.2.4.2	Alpha glucosidase inhibition assay	29
3.3	Microencapsulation of <i>Lactococcus lactis</i> Gh1	30
3.3.1	Glycerol stocks	30
3.3.2	Cell Suspension Preparation	30
3.3.3	Microencapsulation via extrusion technique	30
3.3.3.1	Encapsulation efficiency (EE)	31
3.3.3.2	Release of encapsulated cells	31
3.3.4	Microencapsulation via spray drying	31
3.3.4.1	<i>Synsepalum dulcificum</i> pulp preparation	31
3.3.4.2	Sample mixture preparation for spray drying	31
3.3.4.3	Spray drying technique	32
3.3.4.4	Encapsulation efficiency (EE)	32
3.3.4.5	Morphology	32
3.3.4.6	Moisture content	32
3.3.4.7	Water Activity (A_w)	32
3.3.4.8	Hygroscopicity	32
3.3.4.9	Dissolution	33
3.3.5	Survivability of microencapsulated cells in different conditions	33
3.3.5.1	Survivability of cells in bile salt	33
3.3.5.2	Survivability of spray dried microencapsulated cells in simulated gastric juice	33
3.4	Yogurt formulation	33
3.4.1	Preparation of yogurt starter culture	33
3.4.2	Preparation of yogurt	33
3.4.3	Preparation of yogurt extracts	36
3.4.4	Analysis of yogurt sample	36

3.4.4.1	pH and total titrable acid (TTA) determination	36
3.4.4.2	Total phenolic content assay	36
3.4.4.3	Total flavonoid content assay	36
3.4.4.4	DPPH assay	37
3.4.4.5	α -amylase inhibition assay	37
3.4.4.6	α -glucosidase inhibition assay	37
3.4.4.7	Protein assay by O-Phthalaldehyde (OPA) assay	37
3.4.4.8	Rheology	37
3.4.4.9	Microbial viable cell counts	37
3.4.4.10	Scanning Electron Microscope (SEM)	38
3.5	Statistical analysis and data presentation	39
4	RESULTS AND DISCUSSION	40
4.1	Screening of antioxidant properties in <i>Synsepalum dulcificum</i> plant parts	40
4.2	Screening of anti-diabetic properties in <i>Synsepalum dulcificum</i> plant parts	41
4.2.1	α -amylase inhibitory activity	41
4.2.2	α -glucosidase inhibitory activity	42
4.3	Microencapsulations of <i>Lactococcus lactis</i> Gh1	44
4.3.1	Microencapsulations via extrusion technique	44
4.3.1.1	Encapsulation efficiency	44
4.3.1.2	Release of encapsulated cells in simulated colonic pH solution	44
4.3.2	Microencapsulation via spray drying	45
4.3.2.1	Encapsulation efficiency	45
4.3.2.2	Morphology (by Scanning Electron Microscope (SEM))	46
4.3.2.3	Moisture content	47
4.3.2.4	Water activity	48
4.3.2.5	Hygroscopicity	49
4.3.2.6	Dissolution	49
4.3.3	Survivability of microencapsulated cells in different conditions	50
4.3.3.1	Survivability of encapsulated cells in bile salt	50
4.3.3.2	Survivability of encapsulated cells in simulated gastric juice	51
4.4	Characterization of functional yogurt	53
4.4.1	pH determination	53
4.4.2	Total titrable acid (TTA) determination	56
4.4.3	Total phenolic content (TPC)	58
4.4.4	Total flavonoid content (TFC)	59
4.4.5	DPPH assay	61
4.4.6	α -amylase inhibitory activity	62
4.4.7	α -glucosidase inhibitory activity	63

4.4.8	Correlation between antioxidant activity and anti-diabetic activity	65
4.4.9	Proteolysis of milk protein in yogurt	66
4.4.10	Rheology properties	67
4.4.11	Viability of <i>L. lactis</i> Gh1 and yogurt starter culture strains (<i>Lactobacillus delbrueckii</i> and <i>Streptococcus thermophilus</i>)	71
4.4.12	Yogurt morphology	74
5	CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE RESEARCH	78
5.1	Conclusions	78
5.2	Recommendations for future research	79
	REFERENCES	80
	APPENDICES	110
	BIODATA OF STUDENT	119
	LIST OF PUBLICATIONS	120

LIST OF TABLES

Table		Page
2.1	The types of commercial yogurts and their definitions	6
2.2	Proximate composition of miracle fruit's flesh	9
2.3	Studies conducted on anti-diabetic compounds from plants	15
2.4	Genera of bacteria that are commonly used as probiotics in fermented dairy products	18
2.5	Potential health benefits of probiotics strains	19
2.6	Comparison of microencapsulation techniques	21
3.1	The composition of ingredients for yogurt preparation	35
4.1	Antioxidant properties of <i>Synsepalum dulcificum</i> seed, leaf and pulp extracts	41
4.2	α -amylase inhibitory activity of <i>Synsepalum dulcificum</i> plant parts and synthetic drug, acarbose	42
4.3	α -glucosidase inhibitory activity of <i>Synsepalum dulcificum</i> plant parts and synthetic drug, acarbose	43
4.4	Encapsulation efficiency of <i>Lactococcus Lactis</i> Gh1 entrapped in alginate-starch bead via extrusion technique	44
4.5	Encapsulation efficiency of spray dried <i>Lactococcus lactis</i> Gh1 in the presence of <i>Synsepalum dulcificum</i> pulp and gum Arabic	46
4.6	Moisture content of spray dried encapsulated <i>Lactococcus lactis</i> Gh1	48
4.7	Water activity, a_w of spray dried encapsulated <i>Lactococcus lactis</i> Gh1	49
4.8	Hygroscopicity (g/100g of adsorbed moisture) of spray dried encapsulated <i>Lactococcus lactis</i> Gh1	49
4.9	Dissolution of spray dried encapsulated <i>Lactococcus lactis</i> Gh1	50
4.10	Regression values of correlation between DPPH and α -amylase, and α -glucosidase determined for seven different yogurt formulations	65
4.11	Flow behaviour index, n of seven different yogurt formulations during cold storage at 4°C	68
4.12	Flow consistency index, K of seven different yogurt formulations during cold storage at 4°C	68

LIST OF FIGURES

Figure	Page
2.1 <i>Streptococcus thermophilus</i>	7
2.2 <i>Lactobacillus delbrueckii</i> subs. <i>bulgaricus</i>	8
2.3 <i>Synsepalum dulcificum</i> plant	9
2.4 Mechanism of action of alpha-glucosidase inhibitors	17
2.5 Cross section of the microencapsulated active ingredient. Image retrieved	22
2.6 A schematic diagram of the spray drying procedure	23
2.7 A graph of shear stress (τ) against shear rate (γ) defines the viscosity of a liquid	25
4.1 Release of alginate-starch encapsulated <i>Lactococcus lactis</i> Gh1 cells (via extrusion technique) in simulated colonic pH solution from 0.5 to 3 hours	45
4.2 Scanning electron micrographs (SEM) of non-encapsulated and encapsulated <i>Lactococcus lactis</i> Gh1	47
4.3 Viability of free (free cells) and extrusion (alginate bead) and spray dried (s.dry) encapsulated <i>Lactococcus lactis</i> Gh1 cells after exposure to simulated gastric juice at pH 1.55 (without pepsin) 37°C for two hours	51
4.4 Viability of free (free cells), extrusion (alginate bead) and spray dried (S.dry) encapsulated <i>L. lactis</i> Gh1 cells after exposure to simulated gastric juice at pH 1.55 (without pepsin) 37°C for one hour	52
4.5 Changes in pH of seven different yogurt formulations during fermentation during lactic acid fermentation at 42°C.	54
4.6 Changes in pH of seven different yogurt formulations during cold storage at 4°C. The error bars represent the standard deviations about the mean (n=3)	55
4.7 Changes of total titratable acid (TTA) in seven different yogurt formulations during fermentation. The error bars represent the standard deviations about the mean (n=3)	56

4.8	Changes of total titratable acid (TTA) in seven different yogurt formulations during cold storage at 4°C. The error bars represent the standard deviations about the mean (n=3)	57
4.9	Total phenolic content in all seven yogurt formulation during cold storage at 4°C. The error bars represent the standard deviations about the mean (n=3)	58
4.10	The total flavonoid content of seven different yogurt formulations during cold storage at 4°C	60
4.11	Percentage of DPPH inhibition of seven different yogurt formulations during cold storage at 4°C	61
4.12	Alpha amylase inhibitory activity of seven different yogurt formulations during cold storage at 4°C	63
4.13	Alpha glucosidase inhibitory activity of seven yogurt formulations during cold storage at 4°C	64
4.14	Proteolytic activity of seven yogurt formulations during cold storage at 4°C	67
4.15	Flow curve of different yogurt formulations during 21 days of cold storage at 4°C: (a) Day 0, (b) Day 7, (c) Day 14, (d) Day 21. Dash line (- -) indicated the graph of shear stress against rate, solid line (—) indicated the graph of apparent viscosity against shear rate	70
4.16	The colony forming (log CFU/mL) of yogurt starter culture strains; <i>Streptococcus thermophilus</i> in seven different yogurt formulations during cold storage at 4°C	71
4.17	The colony forming (log CFU/mL) of yogurt starter culture strains; <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> , in seven different yogurt formulations	72
4.18	The colony forming (log CFU/mL) of probiotic <i>Lactococcus lactis</i> Gh1 for five different yogurt formulations. The error bars represent the standard deviations about the mean (n=3)	74
4.19	Scanning electron microscopy (SEM) images of seven different yogurt formulations	77

LIST OF APPENDICES

Appendix		Page
I	Standard curve of gallic acid for total phenolic content	110
II	Standard curve of quercetin for total flavonoid content	111
III	Figure of growth profile probiotic <i>Lactococcus lactis</i> Gh1 growth in a 250 mL shake flask culture at 30°C in MRS based on colony forming unit (CFU/ml) (red) and optical density at 600 nm (blue).	112
IV	Standard curve of tryptone for O-Phthalaldehyde (OPA) assay	113
V	Figure used to calculate IC ₅₀ of acarbose for alpha amylase inhibitory activity assay	114
V	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> pulp extract for alpha amylase inhibitory activity assay	114
V	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> leaf extract for alpha amylase inhibitory activity assay	115
V	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> seed extract for alpha amylase inhibitory activity assay	115
VI	Figure used to calculate IC ₅₀ of acarbose for alpha glucosidase inhibitory activity assay	116
VI	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> pulp extract for alpha glucosidase inhibitory activity assay	116
VI	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> leaf extract for alpha glucosidase inhibitory activity assay	117
VI	Figure used to calculate IC ₅₀ of <i>Synsepalum dulcificum</i> seed extract for alpha glucosidase inhibitory activity assay	117
VII	Microencapsulation of <i>Lactococcus lactis</i> Gh1 via extrusion technique	118

LIST OF ABBREVIATIONS

%	Percentage
α	Alpha
a_w	Water activity
$^{\circ}\text{C}$	Degree Celsius
μL	Microliter
μm	Micrometer
μg	Microgram
CFU/mL	Colony forming unit per millilitre
CaCl_2	Calcium chloride
DPPH	2,2-diphenyl-1-picryl-hydrazyl-hydrate
GAE	Gallic acid equivalent
g	Gram
HCl	Hydrochloric acid
K	Flow consistency index
KH_2PO_4	Monopotassium phosphate
LAB	Lactic acid bacteria
M	Molarity
MRS	de Man Rogosa Sharpe broth and agar
mg	Milligram
mL	Millilitre
mm	Millimetre
mM	Millimolar
N	Normality
NaCl	Sodium chloride
NaOH	Sodium hydroxide
Na_2CO_3	Sodium carbonate
n	Flow behaviour index
nm	Nanometer
OD	Optical Density
OPA	O-phthalaldehyde
pNPG	p-nitrophenyl glucopyranoside
QR	Quercetin equivalent
rpm	Revolutions per minute
TTA	Titrateable acidity
U/mL	Unit per mililitre
v/v	Volume per volume
w/v	Weight per volume

CHAPTER 1

INTRODUCTION

Today, probiotic products have begun to gain worldwide interest for promoting health care apart from its good taste. Among dairy probiotic products, yogurt has the sharpest growth trends between consumers because it meets consumer's dietary needs. It is a ready to eat food which is also rich in nutritional components. Yogurt eating has been associated with several health benefits including improvement of lactose metabolism, anti-mutagenic properties, anti-carcinogenic properties, management of hypertension, anti-diarrheal properties, immune system stimulation and improvement in inflammatory bowel disease (Shakerian., 2015; Unal and Akalin., 2012). Attempts to make the fermented milk such as yogurt more palatable and nutritious have recently extended with the inclusion of rare fruits, natural extracts from plants, specific nutrients, collagen, as well as the additional probiotics and prebiotics.

Generally, yogurt is fermented milk using lactic acid bacteria as starter culture. Mixed culture of *Streptococcus thermophilus* and *Lactobacillus bulgaricus* are commonly used as starter culture for yogurt, but both of them cannot survive in sufficient amount in the digestive tract (Wihansah *et al.*, 2018). To confer health benefit, probiotic bacteria must arrive in intestines and remain viable in sufficient numbers at 6-7 log CFU/g of products (Fuller 1989; Kailasapathy and Chin., 2000; Krasaekoopt *et al.*, 2003). Therefore, in formulating probiotic yogurts, the addition of another probiotic strain that capable of surviving passage through digestive tract is essential in ensuring the minimum number of viable probiotic is sustained. In addition, cell microencapsulation technique is an alternative in protecting the cells to further enhance the survivability of probiotic strains. For successful encapsulation of viable cells, it is important to preserve the bacterial viability under different handling processes along with the type of encapsulation material that is compatible with the food material (Haffner *et al.*, 2016).

In general, different types of probiotic strains offered different nutritional benefits such as improvement in inflammatory bowel disease, anti-diarrhoeal properties, lactose metabolism, anti-mutagenic properties and immune system stimulation (Shah, 2000). *Lactococcus lactis* species forms an important part of the group of lactic acid bacteria (LAB) and having GRAS (Generally Recognized as Safe) status. Strains belonging to this species have been featured in dairy industry for decades due to its specific biochemical traits such as lipolysis, proteolysis and citrate breakdown, hence contributing typical taste and flavor to a variety of fermented dairy foods. Furthermore, the production of bacteriocins by some of the *L. lactis* strains is well documented (Hwanhlem *et al.*, 2017; Benkerroum *et al.*, 2000). Hence, it is interesting to further explore on this strain especially its possible application in food products.

Yogurt has been associated with various therapeutic properties, including its potency as an anti-diabetic food through the mechanism of α -amylase and α -glucosidase inhibition (Apostolidis *et al.*, 2006). These functional properties could be enhanced with the addition of natural agents such as fruits, plant and herbs. Recent studies have shown that plant-based foods containing high phenolic and flavonoids compounds are linked to intestinal α -amylase and α -glucosidase inhibitory activities (Abou-arab *et al.*, 2011). To date, many plant and herbal extracts have been reported to efficiently inhibit the enzymatic activity of α -amylase and α -glucosidase (Amirdivani, 2015; Kazeem *et al.*, 2013).

Synsepalum dulcificum (Schumach. & Thonn.) Daniell also known as miracle fruit or miracle berry is an indigenous tropical plant growing in West Africa. The plant can be harvested at least twice a year making the yield stable (He *et al.*, 2016). Miracle fruit is about an inch in length with a bright red colour and known for its ability in converting sour tasting foods to sweet taste. Glycoprotein known as miraculin found in the pulp of this fruit is the compound responsible for this unique taste modifying function (Du *et al.*, 2014; He *et al.*, 2015; He *et al.*, 2016). The binding of miraculin to the receptor cells of the tongue suppresses the response of a sour taste in the central nervous system. The effect would last until the miraculin is diluted and eliminated by saliva. The taste modification function gives a great potential for this fruit to be exploited in the food industry especially as an alternative sweetener or additive to mask the undesirable sour taste in food products such as yogurt (Wong and Kern, 2011; Wilken and Satiroff, 2012). Moreover, miracle fruit's pulp and seed contained high nutrient contents which can be used for dietary supplement in food (Aglekpe *et al.*, 2016). Stem of miracle fruit also contained antioxidant and antityrosinase effects which can be potential applications in food supplementation and medical cosmetology (Wang *et al.*, 2011). Hence, it is interesting for miracle fruit to be formulated into functional foods such as yogurt to improve the nutritional and therapeutic properties.

To date, very little is known about the anti-diabetic properties and health benefits of *S. dulcificum* plant extract. The ability of this plant to inhibit the enzymatic activity of α -amylase and α -glucosidase when incorporated into food product also have yet to be studied and explored. Keeping in view the potential of anti-diabetic properties of *S. dulcificum* plant extracts (Chen *et al.*, 2006), the present study is endeavored to develop functional yogurts fortified with *S. dulcificum* extract and potential probiotic strain, *L. lactis* Gh1. In this regard, the inclusion of the plant extracts and microencapsulated probiotic is expected to enhance the nutritional values of the yogurt and as such functional food that contained sufficient viable probiotic strains and components which are able to inhibit α -amylase and α -glucosidase could be developed.

This study embarks on the following specific objectives:

1. To evaluate the antioxidant and anti-diabetic properties of *Synsepalum dulcificum* via *in-vitro* studies.
2. To access the viability and characteristics of microencapsulated *Lactococcus lactis* Gh1 via extrusion and spray drying methods.
3. To examine the influence of microencapsulated *Lactococcus lactis* Gh1 and *Synsepalum dulcificum* on functional properties of the formulated yogurt.



REFERENCES

- Abou-Arab, A.A., Abu-Salem, F.M and Abou-Arab, E.A. (2011). Physico-chemical properties of natural pigments (anthocyanin) extracted from Roselle calyces (*Hibiscus sabdariffa*). *Journal of American Science* 7:445-456.
- Adhikari, B., Howes, T., Bhandari, B. R., and Langrish, T. A. G. (2009). Effect of addition of proteins on the production of amorphous sucrose powder through spray drying. *Journal of Food Engineering*, 94(2): 144-153
- Adisakwattana, S., Ruengsamran, T., Kampa, P. and Sompong, W. (2012). In vitro inhibitory effect of plant-based foods and their combinations on intestinal α -glucosidase and pancreatic α -amylase. *BMC Complementary Alternative Medicine* 12:110-118.
- Afifi, A.F., Kamel, E.M., Khalil, A.A., Foad, M.A., Fawziand, E.M. and Houseny M. (2008). Purification and characterization of α -amylase from penicillium olsonii under the effect of some antioxidant vitamins. *Global Journal of Biotechnology and Biochemistry* 3(1):14–12.
- Agati, G., Azzarello, E., Pollastri, S. and Tattini, M. (2012). “Flavonoids as Antioxidants in Plants: Location and Functional Significance,” *Plant Science*, 196: 67-76. doi:10.1016/j.plantsci.2012.07.014
- Agblekpe, A. K., Osseyi, E. and Dossou, J. (2016). Potential nutritional values of skin, pulp and seed of miracle fruit (*Synsepalum dulcificum*). *American Journal of Innovative Research and Applied Sciences* 4(1): 1–7.
- Ajiboye, T. O., Iliasu, G. A., Adeleye, A. O., Abdussalam, F. A., Akinpelu, S. A., Ogunbode, S. M., Jimoh, S. O. and Oloyede, O. B. (2014). Nutritional and antioxidant dispositions of sorghum/millet-based beverages indigenous to Nigeria. *Food science and nutrition* 2: 597-604.
- Åkerberg, C., Hofvendahl, K., Zacchi, G. and Hahn-Hägerdal, B. (1998). Modelling the influence of pH, temperature, glucose and lactic acid concentrations on the kinetics of lactic acid production by *Lactococcus lactis* ssp. *lactis* ATCC 19435 in whole-wheat flour. *Applied Microbiology and Biotechnology* 49(6): 682-690.
- Akinmoladun, A.C. and Akinloye, O. (2007). Prevention of the onset of hyperglycaemia by extracts of *Aloe barbadensis* in rabbits treated with alloxan. *African Journal Biotechnology* 6(8).
- Akinmoladun, A.C. (2016). Effect of *synsepalum dulcificum* berry extract on oxidative stress and hepatotoxicity indices, following subacute administration in normal rats. *FUTA Journal of Research in Sciences* 1: 167-177.

- Akoma, O., Elekwa, U. O., Afodunrinbi, A. T., and Onyeukwu, G. C. (2000). Yogurt from coconut and tigernuts. *Journal of Food Technology in Africa* 5(4): 132-134.
- Akoro, S.M., Ogundare, C.O and Oladipupo, O.R. (2017). Phytochemical Study and Alpha-amylase Inhibitory Properties of Leaf Extracts of *Croton zambesicus* (Müll. Arg.). *Biotechnology Journal International* 18(1): 1-8.
- Alrahmany, R. and Tsopmo, A. (2012). Role of carbohydrases on the release of reducing sugar, total phenolics and on antioxidant properties of oat bran. *Food Chemistry* 132: 413–418.
- Amarowicz, R., Carle, R., Dongowski, G., Durazzo, A., Galensa, R., Kammerer, D., Maiani, G., and Piskula, M. K. (2009). Influence of postharvest processing and storage on the content of phenolic acids and flavonoids in foods. *Molecular Nutrition and Food Research* 53(S2).
- American Diabetes Association (2008). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 31 (Supplement 1), S62-S67.
- Amirdivani, S., and Baba, A. S. (2011). Changes in yogurt fermentation characteristics, and antioxidant potential and in vitro inhibition of angiotensin-1 converting enzyme upon the inclusion of peppermint, dill and basil. *LWT-Food Science and Technology* 44(6): 1458-1464.
- Amirdivani, S. (2015). Inclusion of *Allium sativum* in yogurt and its effects on inhibition of diabetes and hypertension-associated by enzymes in vitro. *Applied Food Biotechnology* 2(3): 29-37.
- Anal, A. K., and Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in Food Science and Technology* 18(5): 240-251.
- Ananta, E., Volkert, M., and Knorr, D. (2005). Cellular injuries and storage stability of spray-dried *Lactobacillus rhamnosus* GG. *International Dairy Journal* 15(4): 399–409.
- Ani, V. and Akhilender, N.K. (2008). Antihyperglycemic activity of polyphenolic components of black/ bitter cumin *Centratherum anthelminticum* (L.) Kuntze seeds. *European Food Research Technology* 226: 897-903.
- Anuya, A. A. R. and Abhay S. C. (2014). Evaluation of Alpha-Amylase and Alpha-Glucosidase Inhibitory Activities of *Ocimum sanctum* Linn. *International Journal of Pharmaceutical Sciences* 25(1): 130-133.
- Apostolidis, E., Y. I. Kwon, and K. Shetty. (2006). Potential of select yogurts for diabetes and hypertension management. *Food Biochemistry* 30: 699-717. <https://doi.org/10.1111/j.1745-4514.2006.00091.x>

- Arena, M. P., Caggianiello, G., Russo, P., Albenzio, M., Massa, S., Fiocco, D., ... Spano, G. (2015). *Functional starters for functional yogurt*. *Foods* 4: 15–33.
- Ares, G., Giménez, A., and Gámbaro, A. (2008). Understanding consumers' perception of conventional and functional yogurts using word association and hard laddering. *Food Quality and Preference* 19(7): 636-643.
- Arueya, G.L., and B.O. Akomolafe. (2014). Stability studies of microencapsulated anthocyanins of roselle (*Hibiscus sabdariffa* L.) in native starch and its potential application in jam production. *IOSR Environmental Science Toxicology Food Technology* 8:112-122.
- Arungarinathan, G., McKay, G.A and Fisher, M. (2011). Drugs for diabetes: part 4 acarbose. *British Journal of Cardiology* 18:78–81.
- Aruna M. and Sathapathy. (2013). Effect of fruit and vegetable based probiotic yoghurts and its efficacy in controlling various disease conditions. *International Journal of Food and Nutritional Sciences* 2(3): 58-65.
- Asif M. (2015). Chemistry and antioxidant activity of plants containing some phenolic compounds. *Chemistry International* 1(1):35-52.
- Ashraf, R., and Shah, N. P. (2011). Selective and differential enumerations of *Lactobacillus delbrueckii* subsp. *bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*, *Lactobacillus casei* and *Bifidobacterium* spp. in yoghurt – A review. *International Journal of Food Microbiology* 149: 194–208.
- Aurelia, P., Capursob, L., Castellazzi, A. M., Clerici, M., Giovanninie, M., Morellif, L. and Zuccottil, G. V. (2011). Probiotics and health: An evidence-based review. *Journal of Pharmacological Research* 63: 366–376.
- Azam, E., Ali Mohamadi, S., Mohamad, H. I. (2015). Evaluation of Rheological, Physicochemical, and Sensory properties of *Gundelia tournefortii* yogurt. *Bull. Environment Pharmacology Life Science* 4 (11): 146-159.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., nd Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: a review. *Journal of Food Engineering* 117(4): 426-436.
- Azwanida, N. N. (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Medicinal and Aromatic Plants* 4(196): 2167-0412.
- Bartoshuk, L.M., Gentile, R.L., Moskowitz, H.R. and Meiselman, H.L. (1974). Sweet taste induced by miracle fruit (*Synsepalum dulcificum*). *Physiology & Behaviour* 12(3): 449-456.

- Baltova, K., and Dimitrov, Z. (2014). Probiotic and cultural characteristic of strain *Lactobacillus gas-seri* 4/13 of human origin. *Biotechnology, Biotechnological Equipment* 28: 1084–1088.
- Bazaria, B. And Kumar, P. (2018). Optimization of spray drying parameters for beetroot juice powder using response surface methodology (RSM). *Journal of the Saudi Society of Agricultural Sciences* 17(4): 408-415.
- Bernhoft, A. (2010). A brief review on bioactive compounds in plants. *Bioactive compounds in plants-benefits and risks for man and animals*, Paper presented at The Norwegian Academy of Science and Letters, Oslo, 13-14 November 2008, (pp-11-17). Norway: AIT Otta AS.
- Benkerroum, N., Oubel, H., Zahar, M., Dlia, S. and Filali-Maltouf, A. (2000). Isolation of a bacteriocin-producing *Lactococcus lactis* subsp. *lactis* and application to control *Listeria monocytogenes* in Moroccan jben. *Journal of Applied Microbiology* 89: 960-968.
- Beshkova, D., Simova, E., Frengova, G., Simov, Z.I. and Spasov, Z. (2002). Effect of oxygen on batch yoghurt cultures. *World Journal. Microbiology Biotechnology* 18 (4): 365-369.
- Bezerra, M., Araujo, A., Santos, K. and Correia, R. (2015). Caprine frozen yoghurt produced with fresh and spray dried jambolan fruit pulp (*Eugenia jambolana* Lam) and *Bifidobacterium animalis* subsp. *Lactis* BI-07. *LWT – Food Science and Technology*. 62(2): 1099-1104.
- Bhat, M., Zinjarde, S.S., Bhargava, S.Y., Kumar, A.R. and Joshi, B.N. (2011). Antidiabetic Indian Plants: A Good Source of Potent Amylase Inhibitors. *Evidence-Based Complementary and Alternative Medicine*.:1-6.
- Bhusari, S. N., Muzaffar, K., and Kumar, P. (2014). Effect of carrier agents on physical and microstructural properties of spray dried tamarind pulp powder. *Powder Technology* 266(7): 354–364.
- Bimakr, M., Abdul Rahman, R., Taip, F.S., Ganjloo, A., Md Salleh, L., Selamat, J., Hamid, A. and Zaidul I.S.M. (2011). Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (*Mentha spicata* L.) leaves. *Food and Bioproducts Processing* 89(1): 67-72.
- Bischoff, H., Puls, W., Krause, H.P., Schutt, H and Thomas, G. (1985). Pharmacological properties of the novel glucosidase inhibitors BAY m 1099 (miglitol) and BAY o 1248. *Diabetes Research and Clinical Practice* 1:53–62.
- Bolanos de la Torre A.A.S., Henderson T., Nigam P.S. and Owusu-Apenten R.K. (2014). A universally calibrated microplate ferric reducing antioxidant power (FRAP) assay for foods and applications to Manuka honey. *Food Chemistry* 174: 119-123.

- Bonjour, J.P., Benoit, V., Atkin, S. and Walrand, S. (2015). Fortification of Yogurts with Vitamin D and Calcium Enhances the Inhibition of Serum Parathyroid Hormone and Bone Resorption Markers: A Double Blind Randomized Controlled Trial in Women over 60 Living in a Community Dwelling Home. *Journal of Nutrition, Health and Aging* 19(5):563-569.
- Bonczar, G., Wszolek, M., and Siuta, A. (2002). The effects of certain factors on the properties of yoghurt made from ewe's milk. *Food Chemistry* 79(1): 85-91.
- Borriello, S. P., Hammes, W. P., Holzapfel, W., Marteau, P., Schrezenmeir, J., Vaara, M., and Valtonen, V. (2003). Safety of probiotics that contain lactobacilli or bifidobacteria. *Clinical Infectious Diseases* 36(6): 775-780.
- Brunton, S. (2009). Beyond glyceimic control: treating the entire type 2 diabetes disorder. *Postgraduate medicine* 121(5): 68-81.
- [BSNI] Badan Standardisasi Nasional Indonesia. (2009). SNI. 01-2981-2009: Yogurt. Jakarta (ID). Badan Standardisasi Nasional.
- Buckmire, R.E and Francis, F.J. (1976). Anthocyanins and flavonols of miracle fruit. *Food Science* 41:1363–1365.
- Burgain, J., Gaiani, C., Linder, M., and Scher, J. (2011). Encapsulation of probiotic living cells: From laboratory scale to industrial applications. *Journal of Food Engineering* 104(4): 467–483.
- C Wong. (2018, May 20). *Synsepalum Dulcificum* safety and uses. [Web log comment]. Retrieved from <https://www.verywellhealth.com/miracle-fruit-88638>
- Cai, Y.Z., Sun, M. and Corke, H. (2003) “Antioxidant Activity of Betalains from Plants of the Amaranthaceae,” *Journal of Agricultural and Food Chemistry*, Vol. 51, No. 8, 2003, pp. 2288-2294. doi:10.1021/jf030045
- Cal, K., and Sollohub, K. (2010). Spray drying technique. I: Hardware and process parameters. *Journal of Pharmaceutical Sciences* 99 (2): 575-586.
- Campbell, L.K., Baker, D.E. and Campbell, R.K. (2000). Miglitol: assessment of its role in the treatment of patients with diabetes mellitus. *Annals of Pharmacotherapy* 34:1291–1301.
- Casarotti, S. N., Monteiro, D. A., Moretti, M. M. S., and Penna, A. L. B. (2014). Influence of the combination of probiotic cultures during fermentation and storage of fermented milk. *Food Research International* 59: 67–75.
- Chandan, R. C., and O'Rell, K. R. (2006a). Manufacture of various types of yogurt. In Chandan, R. C., White, C. H., Kilara, A., and Hui, Y. H. (1st ed.), *Manufacturing Yogurt and Fermented Milks* (pp. 211-236). Oxford, UK: Blackwell.

- Chandan, R. C., and O'Rell, K. R. (2006b). Principles of yogurt processing. In Chandan, R. C., White, C. H., Kilara, A., and Hui, Y. H. (1st ed.), *Manufacturing Yogurt and Fermented Milks* (pp. 195-210). Oxford, UK: Blackwell.
- Chang, Y. X., Yang, J. J., Pan, R. Le, Chang, Q., and Liao, Y. H. (2014). Anti-hygroscopic effect of leucine on spray-dried herbal extract powders. *Powder Technology* 266: 388–395.
- Charles, D.J. (2013). *Antioxidant Properties of Spices, Herbs and Other Sources*. Media New York, 2013.
- Chaudhury, A., Duvoor, C., Dendi, V.S.R., Kraleti, S., Chada, A., Ravilla, R., Marco, A., Shekhawat, N.S., Montales, M.T., Kuriakose, K., Sasapu, A., Beebe, A., Patil, N., Musham, C.K., Lohani, G.P. and Mirza, W. (2017). Clinical Review of antidiabetic drugs: Implications for type 2 diabetes mellitus management. *Frontiers in Endocrinology* 8(6): 1-12.
- Chen, M. J., and Chen, K. N. (2007). Applications of probiotic encapsulation in dairy products. In *Encapsulation and Controlled Release Technologies in Food Systems* 83–112.
- Chen, C.C., Liu, I.M. and Cheng, J.T. (2006). Improvement of insulin resistance by miracle fruit (*Synsepalum dulcificum*) in fructose rich chow-fed rats,” *Phytotherapy Research* 20 (11):987–992.
- Chen, C., Zhao, S., Hao, G., Yu, H., Tian, H., and Zhao, G. (2017). Role of lactic acid bacteria on the yogurt flavour: A review. *International Journal of Food Properties*, <https://doi.org/10.1080/10942912.2017.1295988>.
- Cheng, F., Huang, S., Lin, M and Lai, J. (2015). Polyphenol measurement and antioxidant activity of miracle fruit. *International Journal of Chemical Engineering and Applications* 6(3):211–214.
- Chiasson, J.L. and Rabasa-Lhoret, R. (2004) Prevention of type 2 diabetes: insulin resistance and beta-cell function. *Diabetes* 53:34–38.
- Chiang, C.J., Kadouh, H. and Zhou, K.Q. (2012), “Phenolic Compounds and Antioxidant Properties of Gooseberry as Affected by in Vitro Digestion,” *LWT-Food Science and Technology* doi:10.1016/j.lwt.2012.11.014.
- Citta, A., Folda, A. and Scalcon, V. (2017). Oxidative changes in lipids, proteins, and antioxidants in yogurt during the shelf life. *Food Science Nutrition* 5:1079–1087.
- Clarke, G., Ting, K.N., Wiart, C.h. and Fry, J. (2013). High correlation of 2,2-diphenyl-1-picrylhydrazyl (DPPH) radical scavenging, ferric reducing activity potential and total phenolics content indicates redundancy in use of all three assays to screen for antioxidant activity of extracts of plants from the malaysian rainforest. *Antioxidants*. 2:1–10.

- Corcoran, B. M., Ross, R. P., Fitzgerald, G. F., and Stanton, C. (2004). Comparative survival of probiotic lactobacilli spray-dried in the presence of prebiotic substances. *Journal of Applied Microbiology* 96(5): 1024–1039.
- Corradini, E., Foglia, P., Giansanti, P., Gubbiotti, R., Samperi, R. and Lagana, A. (2011). Flavonoids: chemical properties and analytical methodologies of identification and quantitation in foods and plants. *Journal of Natural Product Research* 25(5): 469–495.
- Commonwealth of Australia Gazette. (2015). Australia New Zealand Food Standards Code, Amendment No. 154-2015. Commonwealth of Australia Gazette No. FSC 96.
- Crittenden, R., Weerakkody, R., Sanguansri, L. and Augustin, M. (2006). Synbiotic microcapsules that enhance microbial viability during non-refrigerated storage and gastrointestinal transit. *Applied Environmental Microbiology* 72(3):2280–2282.
- Croteau, R., Kutchan, T. M., and Lewis, N. G. (2000). Natural products (secondary metabolites). *Biochemistry and Molecular Biology of Plants* 24: 1250-1319.
- da Silva Pinto, M., Kwon, Y.I., Apostolidis, E., Lajolo, F.M., Genovese, M.I. and Shetty, K. (2008) Functionality of bioactive compounds in Brazilian strawberry (*Fragaria ananassa* Duch.) cultivars: evaluation of hyperglycemia and hypertension potential using in vitro models. *Journal of Agriculture Food Chemistry* 56:4386–4392.
- Dabija, A., Codin, G.G., Ropciuc, S., Gˆatlan, A. and Rusu, L. (2018). Assessment of the Antioxidant Activity and Quality Attributes of Yogurt Enhanced with Wild Herbs Extracts. *Journal of Food Quality* Vol. 2018, Article ID 5329386 <https://doi.org/10.1155/2018/5329386>
- Dai, J. and Mumper, R. J. (2010). Plant phenolics: extraction, analysis and their antioxidant and anticancer properties. *Molecules* 15(10): 7313-7352.
- Dalling, M.J. (1986). In: Plant Proteolytic Enzymes, vols. I and II. CRC Press, Boca Raton, FL.
- Danaei, G., Finucane, M., Lu, Y., Singh, G., Cowan, M., Paciorek, C. and Stevens, G. (2011). Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Blood Glucose) National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2.7 million participants. *Lancet* 378(9785): 31-40.
- Davoodi, H., Esmaili, S., and Mortazavian, A. M. (2013). Effects of milk and milk products consumption on cancer: A review. *Comprehensive Reviews in Food Science and Food Safety* 12: 249–264.

- de Vos, P., Faas, M. M., Spasojevic, M., and Sikkema, J. (2010). Encapsulation for preservation of functionality and targeted delivery of bioactive food components. *International Dairy Journal* 20(4): 292-302.
- Díaz-de-Cerio, E., Verardo, V., Gómez-Caravaca, A. M., Fernández-Gutiérrez, A., and Segura-Carretero, A. (2017). Health effects of *Psidium guajava* L. Leaves: An overview of the last decade. *International Journal of Molecular Sciences* 18(4): 897.
- Didari, T.; Solki, S.; Mozaffari, S.; Nikfar, S. and Abdollahi, M. (2014). A systematic review of the safety of probiotics. *Expert Opinion Drug Safety*, 13: 227–239.
- Dikit, P., H-Kittikun, A. and Maneerat, S. (2015). Survival of encapsulated potentially probiotic *Lactobacillus plantarum* D6SM3 with bioemulsifier derived from spent yeast in simulated gastrointestinal conditions. *Songklanakarin Journal. Science Technology* 37 (4): 425-432.
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S. and Ju, Y. H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis* 22(3): 296-302.
- Doleyres, Y., and Lacroix, C. (2005). Technologies with free and immobilised cells for probiotic bifidobacteria production and protection. *International Dairy Journal* 15(10): 973-988.
- Donkor, O. N., Henriksson, A., Vasiljevic, T., and Shah, N. P. (2006). Effect of acidification on the activity of probiotics in yoghurt during cold storage. *International Dairy Journal* 16(10): 1181-1189.
- Dorta, E., Rodríguez-Rodríguez, E.M., Jiménez-Quezada, A., Fuentes-Lemus, E., Speisky, H., Lissi, E. and López-Alarcón C. (2017). Use of the Oxygen Radical Absorbance Capacity (ORAC) Assay to Predict the Capacity of Mango (*Mangifera indica* L.) By-Products to Inhibit Meat Protein Oxidation. *Food Analytical Methods* 10: 330-338.
- Doumeche, B., Koppers, M., Stapf, S., Blumich, B., Hartmeier, W. and Ansorge-Schumacher, M.B. (2004). New approaches to the visualization, quantation and explanation of acid-induced water loss from Ca-alginate hydrogel beads. *Journal of Microencapsulation* 21:565-573.
- Du, L., Shen, Y., Zhang, X., Prinyawiwatkul, W., and Xu Z. (2014). Antioxidant-rich phytochemicals in miracle berry (*Synsepalum dulcificum*) and antioxidant activity of its extracts. *Food Chemistry* 153: 279-284.
- EFSA Panel on Dietetic Products Nutrition and Allergies (2010). Scientific opinion on the substantiation of health claims related to live yoghurt cultures and improved lactose digestion. EFSA J.8:1763 10.2903/j.efsa.2010.1763.

- Etchepare, M. D. A., Raddatz, G. C., Cichoski, A. J., Flores, É. M. M., Barin, J. S., Zepka, L. Q., Lopes, E. J., Ferreira, G., and de Menezes, C. R. (2016). Effect of resistant starch (Hi-maize) on the survival of *Lactobacillus acidophilus* microencapsulated with sodium alginate. *Journal of Functional Foods* 21: 321-329.
- Farnworth, E. R., Mainville, I., Desjardins, M. P., Gardner, N., Fliss, I., and Champagne, C. (2007). Growth of probiotic bacteria and bifidobacteria in a soy yogurt formulation. *International Journal of Food Microbiology* 116(1): 174-181.
- Fazilah, N.F.; Ariff, A.B.; Khayat, M.E.; Rios-Solis, L. and Halim, M. (2018). Influence of probiotics, prebiotics, synbiotics and bioactive phytochemicals on the formulation of functional yogurt. *Journal of Functional Foods* 48: 387-399. doi:10.1016/j.jff.2018.07.039
- Federation, I.D. (2013). IDF diabetes atlas. Brussels: International Diabetes Federation.
- Fisher, P., Erich and Windhab, J. (2011). Rheology of food materials, *Current Opinion in Colloid and Interface Science* 16(10): 36-40. Doi:10.1016/j.cocis.2010.07.003
- FAO/WHO (2002). Guidelines for the evaluation of probiotics in food. Report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food, London Ontario, Canada, April 30 and May 1, 2002. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy; World Health Organization (WHO), Geneva, Switzerland.
- Ferrari, C. C., Germer, S. P. M., Alvim, I. D., Vissotto, F. Z., and de Aguirre, J. M. (2012). Influence of carrier agents on the physicochemical properties of blackberry powder produced by spray drying. *International Journal of Food Science and Technology* 47(6): 1237–1245.
- Fernandes, R. V., Borges, S. V., and Botrel, D. A. (2014). Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. *Carbohydrate Polymers* 101(101): 524-532.
- Fritzen-Freire, C. B., Prudêncio, E. S., Amboni, R. D., Pinto, S. S., Negrão-Murakami, A. N., and Murakami, F. S. (2012). Microencapsulation of bifidobacteria by spray drying in the presence of prebiotics. *Food Research International* 45: 306–312.
- Fuller R. (1989) Probiotics in man and animals. *Journal Applied Bacteriology* 66(5):365–378.
- Gahruie, H.H., Eskandari, M.H., Mesbahi, G. and Hanifpour, M.A. (2015). Scientific and technical aspects of yogurt fortification: A review. *Food Science and Human Wellness* 4(1):1-8.

- Goula, A.M. and Adamopoulos, K.G. (2005). Spray drying of tomato pulp in dehumidified air. II. The effect on powder properties. *Journal of Food Engineering* 66, 35–42.
- George, D., and Pamplon-Roger, M.D. (2000). Encyclopedia of medicinal plants. Spain Editorial Safeliz.
- Ghasemzadeh, A., Jaafar, H. Z., and Rahmat, A. (2010). Antioxidant activities, total phenolics and flavonoids content in two varieties of Malaysia young ginger (*Zingiber officinale Roscoe*). *Molecules* 15(6): 4324-4333.
- Gorbach, S., Doron, S., and Magro, F. (2017). *Lactobacillus rhamnosus* GG. In Floch, M. H., Ringel, Y., and Walker, W. A. (Ed.), *The Microbiota in Gastrointestinal Pathophysiology* (pp. 79-88). London, UK: Mica Haley.
- Gouin, S. (2004). Microencapsulation-industrial appraisal of existing technologies and trend. *Trends Food Science Technology* 15: 330-347.
- Granato, D., Branco, G. F., Cruz, A. G., Faria, J. D. A. F., and Shah, N. P. (2010). Probiotic dairy products as functional foods. *Comprehensive Reviews in Food Science and Food Safety* 9: 455–470.
- Haddad, P., Eid, H., Nachar, A., Thong, F. and Sweeney, G. (2015). The molecular basis of the antidiabetic action of quercetin in cultured skeletal muscle cells and hepatocytes. *Pharmacognosy Magazine* 41: 74.
- Haffner, F. B., Diab, R. and Pasc, A. (2016). Encapsulation of probiotics: Insights into academic and industrial approaches. *AIMS Materials Science* 3: 114–136.
- Hajji, M., Masmoudi, O., Souissi, N., Triki, Y., Kammoun, S., and Nasri, M. (2010). Chemical composition, angiotensin I-converting enzyme (ACE) inhibitory, antioxidant and antimicrobial activities of the essential oil from *Periploca laevigata* root barks. *Food Chemistry* 121(3): 724-731.
- Halim, M., Mustafa, N. A. M., Othman, M., Wasoh, W., Kapri, M. R., and Ariff, A. B. (2017). Effect of encapsulant and cryoprotectant on the viability of the probiotic *Pediococcus acidilactici* ATCC 8042 during freeze-drying and exposure to high acidity, bile salts and heat. *LWT- Food Science and Technology* 81: 210-216.
- Handa, S., and Sharma, N. (2016). In vitro study of probiotic properties of *Lactobacillus plantarum* F22 isolated from chhang – a traditional fermented beverage of Himachal Pradesh, India. *Journal of Genetic Engineering and Biotechnology* 14: 91–97.
- Hansen, L. T., Allan-Wojtas, P. M., Jin, Y. L., and Paulson, A. T. (2002). Survival of Calcium-alginate microencapsulated *Bifidobacterium* spp. in milk and simulated gastrointestinal conditions. *Food Microbiology* 19(1): 35-45.

- Hara, Y. and Honda, M. (1990). The inhibition of alpha amylase by tea polyphenols. *International Journal of Agriculture and Biology* 54:1939-45.
- Hashim, I. B., Khalil, A. H., and Habib, H. (2009). Quality and acceptability of a set-type yogurt made from camel milk. *Journal of Dairy Science* 92(3): 857-862.
- Hassan, A. N., and Frank, J. F. (2001). Starter cultures and their use. In Marth, E. H., & Steele, J. L. (2nd ed.), *Applied Dairy Microbiology* (pp. 151-206). Wisconsin, US: University of Wisconsin-Madison.
- Hassan, A., and Amjad, I. (2010). Nutritional Evaluation of yoghurt prepared by different starter cultures and their physiochemical analysis during storage. *African Journal of Biotechnology* 9: 2913–2917.
- Haque, Z.Z. and Aryana, K.J. (2002). Effect of sweeteners on the microstructure of yogurt. *Food Science and Technology Research* 8: 21-23.
- He, Z., Tan, J.S, Abbasiliasi, S., Lai, O.M., Tam, Y.J., Halim, M., and Ariff, A.B. (2015). Primary recovery of miraculin from miracle fruit, *Synsepalum dulcificum* by AOT reverse micellar system. *LWT-Food Science and Technology*. 64: 1243-1250.
- He Z., Tan J.S., Abbasiliasi S., Lai O.M., and Ariff A.B. (2016). Phytochemicals, nutritionals and antioxidant properties of miracle fruit *Synsepalum dulcificum*. *Industrial Crops and Products* 86: 87-94.
- He Z., Tan J.S, Lai O.M.,and Ariff A.B. (2016). Optimization of conditions for the single step IMAC purification of miraculin from *Synsepalum dulcificum*. *Food Chemistry* 181:19-24.
- Heidebach, T., Leeb, E., Forst, P. and Kulozik, U. (2010). Influence of casein based microencapsulation on freeze drying and storage of probiotic cells. *Food Engineering* 98:309–316.
- Hernández-Rodríguez, L., Lobato-Calleros, C., Ramírez-Santiago, C., Rodríguez-Huezo, M.E. and Meraz, M. (2017). Microstructure and rheology of yogurt added with protein-l. Plantarum-polysaccharide coacervate and stevia in substitution of Milk-fat and sucrose. *Revista Mexicana de Ingeniería Química* 16(1): 77-89.
- Ho, V. T. T., Lo, R., Bansal, N., and Turner, M. S. (2018). Characterisation of *Lactococcus lactis* isolates from herbs, fruits and vegetables for use as biopreservatives against *Listeria monocytogenes* in cheese. *Food Control* 85: 472–483.
- Hraš, A. R., Hadolin, M., Knez, Ž., and Bauman, D. (2000). Comparison of antioxidative and synergistic effects of rosemary extract with α -tocopherol, ascorbyl palmitate and citric acid in sunflower oil. *Food Chemistry* 71(2): 229-233.

- Huang, D., Ou, B., and Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry* 53(6): 1841-1856.
- Hummelen, R., Hemsworth, J., Changalucha, J., Butamanya, N.L., Hekmat, S., Habbema J.D.F. and Reid, G. (2011). Effect of Micronutrient and Probiotic Fortified Yogurt on Immune-Function of Anti-Retroviral Therapy Naive HIV Patients. *Nutrients* 3(10): 897-909.
- Hwanhlem, N., Watthanasakphuban, N., Riebroy, S., Benjakul, S., H-Kittikun, A. and Maneerat, S. (2010). Probiotic lactic acid bacteria from Kung-Som: isolation, screening, inhibition of pathogenic bacteria. *International Journal of Food Science and Technology* 45, 594-601.
- Ijaiya, I.S., Arzika, S. and Abdulkadir, M. (2014). Extraction and Phytochemical Screening of the Root and Leave of *Annona senegalesis*(Wild Custard Apple). *Academic Journal of Interdisciplinary Studies* 3(7): 9-15.
- Inglett, G. E., and May, J. F. (1968). Tropical plants with unusual taste properties. *Economic Botany* 22(4): 326-331.
- Inglett, G. E., and Chen, D. (2011). Contents of phenolics and flavonoids and antioxidant activities in skin, pulp, and seeds of miracle fruit. *Journal of Food Science* 76(3).
- Ishnava, K. B. and Motisariya, D.M. (2018). In-vitro Study on α -amylase Inhibitory Activity of Selected Ethnobotanical Plant Extracts and its Herbal Formulations. *Journal of International Pharmacognosy and Chinese Medicine* 2576-4772.
- Isolauri, E., Juntunen, M., Rautanen T., Sillanaukee, P. and Koivula, T. (1991). A human Lactobacillus strain (Lactobacillus casei sp. Strain GG) promotes recovery from acute diarrhea in children. *Alimentary Pharmacology Therapeutics* 11:853-8.
- Jaglan, V., Ojha, A., Singh, A., Singh, R. and Gaur, S. (2018). Development of novel herb supplemented soymilk fortified fruit based dairy yoghurt. *Journal of Pharmacognosy and Phytochemistry* 7(3): 1621-1625.
- Janmey, P. A., and Schliwa, M. (2008). Rheology. *Current Biology* 18(15): 639-641.
- Järvelä, I.Y., Juutinen, J., Koskela, P., Hartikainen, A.L., Kulmala, P., Knip, M. and Tapanainen, J.S. (2006). Gestational diabetes identifies women at risk for permanent type 1 and type 2 diabetes in fertile age: predictive role of autoantibodies. *Diabetes Care* 29(3): 607-612.
- Jawan, R., Abbasiliasi, S., Mustafa, S., Halim, M. and Ariff, A.B. In vitro properties analysis of potential probiotic of isolated lactic acid bacteria from milk by-product. *Borneo Journal of Medical Sciences*. 2018, 1 (Special Issue), 61-62

- Jaya, S. (2009) Microstructure Analysis of Dried Yogurt: Effect of Different Drying Methods. *International Journal of Food Properties* 12(3): 469-481.
- Jian, H., Qiou, F., Chen, J. and He, N. (2017). Physicochemical Characterisation of Polysaccharides from the Seeds and Leaves of Miracle Fruit (*Synsepalum dulcificum*) and Their Antioxidant and α -Glucosidase Inhibitory Activities In Vitro. *Hindawi Journal of Chemistry* Volume 2017, Article ID 8948639, 9 pages <https://doi.org/10.1155/2017/8948639>
- Jittanit, W., Niti-Att, D., and Techanuntachaikul, O. (2010). Study of spray drying of pineapple juice using maltodextrin as an adjunct. *Chiang Mai Journal of Science* 37(3): 498–506.
- Iuliana, A., Masgras, C.E. and Banu, J. (2012). Effect Of Transglutaminase Treatment On Skimmed Yogurt Properties The Annals of the University Dunarea de Jos of Galat Fascicle VI – *Food Technology* 36(2): 20-30.
- Kailasapathy, K. and Chin, J. (2000). Survival and therapeutic potential of probiotic organisms with reference to *Lactobacillus acidophilus* and *Bifidobacterium* sp. *Immunology Cell Biology* 78:80–88.
- Kailasapathy, K. (2002). Microencapsulation of probiotic bacteria: technology and potential applications. *Current Issues in Intestinal Microbiology* 3(2): 39-48.
- Kailasapathy, K. (2006). Survival of free and encapsulated probiotic bacteria and their effect on the sensory properties of yoghurt. *LWT-Food Science and Technology* 39(10): 1221-1227.
- Kailasapathy, K. (2009). Encapsulation technologies for functional foods and nutraceutical product development. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* 4(33): 1-19.
- Kalra, S. (2014). Alpha glucosidase inhibitors. *Journal of the Pakistan Medical Association* 64(4): 474-476.
- Kaki Bale, S., Abd Hadi, S.A., Latif, A. and Zubaidi, A. “*Synsepalum dulcificum* (Miracle fruit); a future potential antihyperglycemic herbal medicine,” in *Proceedings of the Conference in Natural Medicine*, Canada, June 2012.
- Kam, A., Li, K.M., Razmovshi-Naumovshi, V., Nammi, S., Shi, J., Chan, K. and Li, G.Q. (2013). A comparative study on the inhibitory effects of different parts and chemical constituents of pomegranate on α -amylase and α -glucosidase. *Phytotherapy Research* 27: 1614–1620.
- Karaaslan, M., Ozden, M., Vardin, H. and Turkoglu, H. (2011). Phenolic fortification of yogurt using grape and callus extracts. *LWT – Food Science and Technology* 44: 1065-1072.

- Karunamoorthi, K., Jegajeevanram, K., Vijayalakshmi J. and Mengistie, E. (2013). Traditional Medicinal Plants: A Source of Phytotherapeutic Modality in Resource-Constrained Health Care Settings. *Journal of Evidence-Based Complementary Alternative Medicine* 18(1): 67-74.
- Kazeem, M.I., Adamson, J.O., and Ogunwande I.A. (2013). Modes of inhibition of α -amylase and α -glucosidase by aqueous extract of *Morinda lucida* benth leaf. *Biomed Research International* 1-6.
- Khadka, P., Ro, J., Kim, H., Kim, I., Kim, J. T., Kim, H., Cho, J. M., Yun, G., and Lee, J. (2014). Pharmaceutical particle technologies: An approach to improve drug solubility, dissolution and bioavailability. *Asian Journal of Pharmaceutical Sciences* 9(6): 304-316.
- Khan, T., Lawrence, A.J., Azad I, Raza, S. and Khan, A.R. (2018). Molecular Docking Simulation with Special Reference to Flexible Docking Approach. *JSM Chemistry* 6(1): 1053.
- Khelifi, S., El Hachimi, Y., Khalil, A., Es-Safi, N., Belahyan, A., Tellal, R., and El Abbouyi, A. (2006). In vitro antioxidant properties of *Salvia verbenaca* L. hydromethanolic extract. *Indian Journal of Pharmacology* 38(4): 276.
- Kifayatullah, M., Mustapha, M.S., Kaleemullah and Khan M.S. (2017). Anti-diabetic Activity of Compound “2-[(trimethylsilyl) oxy] - Methyl Ester (cas) Methyl-o-trim-ethyl-silylsalicylate” Isolated from *Pericampylus glaucus* (Lam) Merr in STZ-Induced Diabetic Rats. *Journal of Basic and Clinical Pharmacy*. 8(2): 68-73.
- Kim, K.H., Hwang, H.R., Jo, J.E., Lee, S.Y., Kim, N.Y. and Yook, H.S. (2009). Quality characteristics of yogurt prepared with flowering cherry (*Prunus serrulata* L. var. *spontanea* Max. wils.) fruit powder during storage. *Journal of Korean Society of Food Science and Nutrition* 38: 1229-1236.
- Konstantinos, B., Petrotos., Fani, K., Karkanta., Paschalis, E., Gkoutosidis., Ioannis., Giavasis., Konstantinos, N., Papatheodorou., Alexandros, C. and Ntontos. (2012). Production of Novel Bioactive Yogurt Enriched with Olive Fruit Polyphenols. *World Academy of Science, Engineering and Technology* 64.
- Krasaekoopt, W., Bhandari, B. and Deeth, H. (2003). Evaluation of encapsulation techniques of probiotics for yoghurt. *International Dairy Journal* 13(1):3–13.
- Krasaekoopt, W., Bhandari, B., and Deeth, H. (2004). The influence of coating materials on some properties of alginate beads and survivability of microencapsulated probiotic bacteria. *International Dairy Journal* 14(8): 737-743.
- Krasaekoopt, W., Bhandari, B. and Deeth, H. (2006). Survival of probiotics encapsulated in chitosan coated alginate beads in yoghurt from UHT and conventionally treated milk during storage. *Food Science Technology* 39(2):177–183.

- Krentz, A.J. and Bailey, C.J. (2005). Oral antidiabetic agents:current role in type 2 diabetes mellitus. *Drugs* 65:385–411.
- Kruis, W., Schutz, E., Fric, P., Fixa, B., Judmaier, G. and Stolte, M. (1997). Double-blind comparison of an oral *Escherichia coli* preparation and mesalazine in maintaining remission of ulcerative colitis. *Pediatrics* 88:90-97.
- Kuck, L. S., and Noreña, C. P. Z. (2016). Microencapsulation of grape (*Vitis labrusca* var. Bordo) skin phenolic extract using gum Arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents. *Food Chemistry* 194: 569–576.
- Kumar, A. and Kumar, D. (2014). Isolation and characterization of bacteria from dairy samples of Solan in Himachal Pradesh for identification of *Lactobacillus* spp. *International Journal of Pharmaceutical Sciences Review and Research* 25:110–114.
- Kumar, A. and Kumar, D. (2015). Characterization of *Lactobacillus* isolated from dairy samples for probiotic properties. *Anaerobe* 33:117–123.
- Kumar, A. and Kumar, D. (2016). Development of antioxidant rich fruit supplemented probiotic yogurts using free and microencapsulated *Lactobacillus rhamnosus* culture. *Food Science and Technology* 53(1): 667-675.
- Kurozawa, L. E., Morassi, A. G., Vanzo, A. A., Park, K. J., and Hubinger, M. D. (2009). Influence of spray drying conditions on physicochemical properties of chicken meat powder. *Drying Technology* 27: 1248-1257.
- Kwon, Y.I., Vattem, D.A. and Shetty, K. (2007). Evaluation of clonal herbs of Lamiaceae species for management of diabetes and hypertension. *Asian Pacific Journal of Clinical Nutrition* 15:107-118
- Kwon, Y.I., Apostolidis, E. and Shetty, K. (2008). Inhibitory potential of wine and tea against α -amylase and alpha-glucosidase for management of hyperglycemia linked to type 2 diabetes. *Food Biochemistry* 32:15–31.
- Lacroix, I.M. and Li-Chan, E.C.Y. (2013). Inhibition of dipeptidyl peptidase (DPP)-IV and α -glucosidase activities by pep[−]sintreated whey proteins. *Agriculture Food Chemistry* 61:7500–7506.
- Lactobacillus delbrueckii* subs. *bulgaricus*. Image retrieved from <http://phytocode.net/phytoglossary/lactobacillus-bulgaricus/>
- Lakes, R. (2009). Viscoelastic Materials: Viscoelastic stress and deformation analysis (pp. 111-142). New York, NY: Cambridge University Press.
- Lee, W. J., and Lucey, J. A. (2010). Formation and physical properties of yogurt. *Asian-Australasian Journal of Animal Sciences*.

- Levinson, Y., Ish-Shalom, S., Segal, E., and Livney, Y. D. (2016). Bioavailability, rheology and sensory evaluation of fat-free yogurt enriched with VD 3 encapsulated in re-assembled casein micelles. *Food and Function* 7(3): 1477-1482.
- Li, X.Y., Chenb, X.G., Suna, Z.H., Parkc, H.J. and Chac, D.S. (2011). Preparation of alginate/ Chitosan/carboxymethyl chitosan complex microcapsules and application in *Lactobacillus casei* ATCC 393. *Carbohydrate Polymers* 83: 1479–1485.
- Lian, W. C., Hsiao, H. C., and Chou, C. C. (2003). Viability of microencapsulated bifidobacteria in simulated gastric juice and bile solution. *International Journal of Food Microbiology* 86(3): 293–301.
- Lipatova, O. and Campolattaro, M.M. (2016). The miracle fruit: An undergraduate laboratory exercise in taste sensation and perception. *The Journal of Undergraduate Neuroscience Education* (JUNE) 15(1): 56-60.
- Liu, R. H. (2003). Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *The American journal of clinical nutrition* 78: 517-520.
- Liu, R.H. (2004). Potential synergism of phytochemicals in cancer prevention: mechanism of action. *Nutritional* 134: 3479–3485.
- Linh Nguyen and Eun-Sun Hwang. (2016). Quality Characteristics and Antioxidant Activity of Yogurt. Supplemented with Aronia (*Aronia melanocarpa*) Juice. *Preventive Nutrition and Food Science* 21(4):330-337.
- Lotfipour, F., Mirzaeei, S. and Maghsoodi, M. (2012). Preparation and characterization of alginate and psyllium beads containing *Lactobacillus acidophilus*. *Science World Journal* 1-8.
- Lourens-Hattingh, A., and Viljoen, B. C. (2001). Yogurt as probiotic carrier food. *International Dairy Journal* 11: 1–17.
- Lokman, F.E., Gu, H.F., Wan Mohamud, W.N., Yusuff, M.M., Chia, K.L. and Östenson, C-G. (2013). Antidiabetic Effect of Oral Borapetol B Compound, Isolated from the Plant *Tinospora crispa*, by Stimulating Insulin Release. *Evidence-Based Complementary and Alternative Medicine*. doi: 10.1155/2013/727602
- Ma, Y., Xing, Y., Wang, T., Xu, Q., Cai, Y., Che, Z., Wang, Q. and Jiang, L. (2014). Microbiological and Other Characteristics of Microencapsulation Containing *Lactobacillus acidophilus* (CICC 6075). *Journal of Pure Applied Microbiology* 8(2): 1693-1699.
- Magon, N. and Seshiah, V. (2011). Gestational diabetes mellitus: Non-insulin management. *Indian Journal of Endocrinology and Metabolism* 15(4): 284-293.

- Majchrzak, D., Lahm, B. and Duerrschmid, K. (2010). Conventional and probiotic yogurts differ in sensory properties but not in consumers' preferences. *Journal of Sensory Studies* 25(3): 431-446.
- Manohar, V., Talpur, N.A., Echard, B.W., Lieberman, S. and Preuss, H.G. (2002). Effects of a water-soluble extract of maitake mushroom on circulating glucose/insulin concentrations in KK mice. *Diabetes, Obesity and Metabolism*. 4(1):43-48.
- Mandal, S., Puniya, A.K. and Singh, K. (2006). Effect of alginate concentrations on survival of microencapsulated *Lactobacillus casei* NCDC-298. *International Dairy Journal* 16: 1190-1195.
- Mandal, S., Hati, S., Puniya, A.K., Khamruic, K. and Singha, K. (2014). Enhancement of survival of alginate-encapsulated *Lactobacillus casei* NCDC 298. *Science Food Agriculture* 94: 1994-2001.
- Manojlović, V., Nedović, V. A., Kailasapathy, K., and Zuidam, N. J. (2010). Encapsulation of probiotics for use in food products. In *Encapsulation Technologies for Active Food Ingredients and Food Processing* 269-302.
- Mantegazza, C., Molinari, P., D'Auria, E., Sonnino, M., Morelli, L., and Zuccotti, G. V. (2018). Probiotics and antibiotic-associated diarrhea in children: A review and new evidence on *Lactobacillus rhamnosus* GG during and after antibiotic treatment. *Pharmacological Research* 128: 63-72.
- Mathers, C.D. and Loncar, D. (2006). Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Medicine* 3(11): 442.
- Matsui, T., Yoshimoto, C., Osajima, K., Oki, T. and Osajima, Y. (1996). In vitro survey of α -glucosidase inhibitory food components. *Bioscience Biotechnology Biochemistry* 60:2019-2022.
- Mårtensson, O., Öste, R., and Holst, O. (2002). The effect of yoghurt culture on the survival of probiotic bacteria in oat-based, non-dairy products. *Food Research International* 35(8): 775-784.
- Martín, M. J., Lara-Villoslada, F., Ruiz, M. A., and Morales, M. E. (2015). Microencapsulation of bacteria: A review of different technologies and their impact on the probiotic effects. *Innovative Food Science and Emerging Technologies* 2: 15-25.
- Martinez-Gonzalez, M. A., Sayon-Orea, C., Ruiz-Canela, M., de la Fuente, C., Gea, A., and Bes-Rastrollo, M. (2014). Yogurt consumption, weight change and risk of overweight/ obesity: The SUN cohort study. *Nutrition, Metabolism, Cardiovascular Diseases* 11: 1189-1196.

- Masilungan-Manuel, J. T. (2017, Sept 18-19). Moisture content and glass transition temperature of the spray dried natural dye: talisay (*Terminalia catappa*) leaves and mahogany (*Swietenia macrophylla*) bark. International Conference on Advances in Science, Engineering and Technology (ICASET-17), Manila (Philippines).
- McCue, P., Kwon, Y.I. and Shetty, K. (2005). Anti-amylase, anti-glucosidase and anti-angiotensin I-converting enzyme potential of selected foods. *Food Biochemistry* 29:278–294.
- McDougall, G.J., Shpiro, F., Dobson, P., Smith, P., Blake, A. and Stewart, D. (2005). Different polyphenolic components of soft fruits inhibit α -amylase and α -glucosidase. *Agriculture Food Chemistry* 53:2760–2766.
- McFarland, L. V. (2015). From yalks to yogurt: The history, development and current use of probiotics. *Clinical Infectious Diseases* 60: S85–S90.
- McKenna, B. M., and Lyng, J. G. (2003). Introduction to food rheology and its measurement. *Texture in Food* 1: 130-160.
- McKinley, M. C. (2005). The nutrition and health benefits of yogurt. *International Journal of Dairy Technology* 58: 1–12.
- Mehta, J.L., Rasouli, N., Sinha A. K. and Molavi, B. (2006). Oxidative stress in diabetes: a mechanistic overview of its effects on atherogenesis and myocardial dysfunction. *International Journal Biochemistry Cell Biology* 38:794–803.
- Mehriz Abou El Samh, M., Abou Dawood Sherein, A. and Hebeishy Essam, H. (2013). Properties and Antioxident Activity of Probiotic Yoghurt Flavored with Black Carrot, Pumpkin and Strawberry. *International Journal of Dairy Science* 8: 48-57.
- Mensor, L. L., Menezes, F. S., Leitão, G. G., Reis, A. S., Santos, T. C. D., Coube, C. S., and Leitão, S. G. (2001). Screening of Brazilian plant extracts for antioxidant activity by the use of DPPH free radical method. *Phytotherapy Research* 15(2): 127-130.
- Mogale, M.A., Lebelo, S.L., Thovhogi, N., de Freitas A.N. and Shai, L.J. (2011). α -amylase and α -glucosidase inhibitory effects of *Sclerocarya birrea* [(A. Rich.) Hochst.] subspecies *caffra* (Sond) Kokwaro (Anacardiaceae) stem-bark extracts. *African Journal of Biotechnology* 10: 15033-15039.
- Molina-Quijada, D. M. A., Medina-Juárez, L. A., González-Aguilar, G. A., Robles-Sánchez, R. M., and Gámez-Meza, N. (2010). Phenolic compounds and antioxidant activity of table grape (*Vitis vinifera* L.) skin from northwest Mexico. *CyTA–Journal of Food* 8(1): 57-63.

- Muhammad, A., Guerrero-Analco, J.A., Martineau, L.C., Musallam, L., Madiraju, P., Nachar, A., Saleem, A., Haddad, P.S. and Arnason, J.T. (2012). Antidiabetic Compounds from *Sarracenia purpurea* Used Traditionally by the Eeyou Istchee Cree First Nation. *Journal of Natural Products* 75(7): 1284-1288.
- Muniandy, P., Shorib, A.B. and Baba, A.S. (2016). Influence of green, white and black tea addition on the antioxidant activity of probiotic yogurt during refrigerated storage. *Food Packaging and Shelf Life* 8: 1–8.
- Myers, D. (2007). Therapeutic Review: Probiotics. *Journal of Exotic Pet Medicine* 16 (3): 195-197.
- Natarajan, V. and Dhas, A.S.A.G. (2015). Isolation and characterization of anti-diabetic compound from *Leptadenia reticulata* [w&a] leaf. *Integrative Obesity and Diabetes* 1(2): 36-40.
- Nathan, D.M., Buse, J.B., Davidson, M.B., Heine, R.J., Holman, R.R., Sherwin, R., and Zinman, B. (2006). Management of hyperglycaemia in type 2 diabetes: a consensus algorithm for the initiation and adjustment of therapy. A consensus statement from the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetologia* 49:1711–1721.
- National Yogurt Association. (2013). Yogurt varieties. [online] Available at: <<http://aboutyogurt.com/index.asp?bid=27>> [Accessed 29 November 2013].
- Nayaka, M.A.H., Sathisha, U.V., Manohar, M.P., Chandrashekar, K.B. and Dharmesh, S.M. (2009). Cytoprotective and antioxidant activity studies of jaggery sugar. *Food Chemistry* 115: 113–118.
- Ncube, N. S., Afolayan, A. J. and Okoh, A. I. (2008). Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends. *African Journal of Biotechnology* 7(12): 1797-1806.
- Nedovic V., Kalusevic A., Manojlovic V., Levic S. and Bugarski B. (2011). An overview of encapsulation technologies for food applications. *Procedia Food Science* 1: 1806-1815.
- Ni, H., Hayes, H.E., Stead, D. And Raikos, V. (2018). Incorporating salal berry (*Gaultheria shallon*) and blackcurrant (*Ribes nigrum*) pomace in yogurt for the development of a beverage with antidiabetic properties. *Heliyon* 4 (2018) e00875. doi: 10.1016/j.heliyon.2018.
- Nirmali, M., Wickramaratne, J. C., Punchihewa D. B. M. and Wickramaratne, D.B.M. (2016). In-vitro alpha amylase inhibitory activity of the leaf extracts of *Adenantha pavonina*. *BMC Complementary and Alternative Medicine* 16:466
- Njoku, N.E., Ubbaonu, C.N., Alagbaoso, S.O., Eluchie, C.N. and Umelo, M.C. (2015). Amino acid profile and oxidizable vitamin content of *Synsepalum dulcificum* berry (miracle fruit) pulp. *Food Science & Nutrition* 3(3):252-256.

- Nkwocha, C. (2014). Proximate and composition analyses of *Synsepalum dulcificum* pulp. *Scientific Research Journal 2*: 71-74.
- Oak, S. J., and Jha, R. (2018). The effects of probiotics in lactose intolerance: A systematic review. *Critical Reviews in Food Science and Nutrition* 1-9.
- Oakey, H. J., Harty, D. W., and Knox, K. W. (1995). Enzyme production by *Lactobacilli* and the potential link with infective endocarditis. *Application Bacteriology* 78: 142–148.
- Obafemi, T.O., Onasanya, A., Olaoye, O.A., Afolabi, O.B., Awe, O.J., Anadozie, S.O., Ojo, O.A. and Adedeji E. (2016). In Vitro Antioxidant Activity and High Performance Liquid Chromatography (HPLC) Analysis of Methanolic Extract of *Platycerium angolense*. *International Journal of Pharmacognosy and Phytochemical Research* 8(9): 1497-1502.
- Odeyemi, S.W. and Afolayan, A. J. (2018). Identification of Antidiabetic Compounds from Polyphenolic-rich Fractions of *Bulbine abyssinica* A. Rich Leaves. *Pharmacognosy Research* 10(1): 72-80.
- Oliveira, A. C., Moretti, T. S., Boschini, C., Baliero, J. C. C., Freitas, L. A. P., Freitas, O., and Favaro-Trindade, C. S. (2007). Microencapsulation of *B. lactis* (BI 01) and *L. acidophilus* (LAC 4) by complex coacervation followed by spouted-bed drying. *Drying Technology* 25(10): 1687-1693.
- Oliveira, A., Alexandre, E. M., Coelho, M., Lopes, C., Almeida, D. P., and Pintado, M. (2015). Incorporation of strawberries preparation in yoghurt: Impact on phytochemicals and milk proteins. *Food Chemistry* 171: 370-378.
- Ogurtsova, K., da Rocha Fernandes, J., Huang, Y., Linnenkamp, U., Guariguata, L., Cho, N., Cavan, D., Shaw, J. and Makaroff, L. (2017). IDF Diabetes Atlas: Global estimates for the prevalence of diabetes for 2015 and 2040. *Diabetes Research and Clinical Practice* 128: 40-50.
- Oh, H.S. and Kang, S.T. (2015). Quality characteristics and antioxidant activity of yogurt added with *Acanthopanax* powder. *Korean Journal Food Science Technology* 47: 765-771.
- Okuro, P., Thomazini, M., Balieiro, J., Liberal, R. and C. Fávoro-Trindade. (2013). Co-encapsulation of *Lactobacillus acidophilus* with inulin or polydextrose in solid lipid microparticles provides protection and improves stability. *Food Research International* 53: 96–103.
- Organization, W.H., 2016. Global report on diabetes. World Health Organization.
- Ortiz-Andrade, R., Rodríguez-López, V., Garduño-Ramírez, M., Castillo-España, P. and Estrada-Soto, S. (2005). Anti-diabetic effect on alloxanized and normoglycemic rats and some pharmacological evaluations of *Tournefortia hartwegiana*. *Ethnopharmacology* 101(1): 37-42.

- Osabor, V.N., Etiuma, R.A, and Ntinya, M.U. (2016). Chemical Profile of Leaves and Roots of Miracle Fruit (*Synsepalum dulcificum*). *ACSJ.*; 12:1-8.
- O'Sullivan, D. J. (2006). Primary sources of probiotic cultures. In Goktepe, I., Juneja, V. K., & Ahmedna, M. (Ed.), *Probiotics in Food Safety and Human Health* (pp. 91-107). Boca Raton, Fl: Taylor & Francis.
- O'Sullivan, A. M., O'Grady, M. N., O'Callaghan, Y. C., Smyth, T. J., O'Brien, N. M., and Kerry, J. P. (2016). Seaweed extracts as potential functional ingredients in yogurt. *Innovative Food Science and Emerging Technologies* 37: 293-299.
- Ozcan, T. (2013). Determination of yogurt quality by using rheological and textural parameters. In *2013 2nd International Conference on Nutrition and Food Sciences-ICNFS* (pp. 27-28).
- Ouwehand, A. C., Salminen, S., and Isolauri, E. (2002). Probiotics: an overview of beneficial effects. *Antonie Van Leeuwenhoek* 82(1-4): 279-289.
- Pandey, K. B. and Rizvi, S. I. 2009. Plant polyphenols as dietary antioxidants in human health and disease. *Oxidative medicine and cellular longevity* 2: 270-278.
- Park, Y. W. (1994). Nutrient and mineral composition of commercial US goat milk yogurts. *Small Ruminant Research* 13(1): 63-70.
- Park, H. J., Lee, G. H., Jun, J. H., Son, M., Choi, Y. S. and Choi, M. K. (2016). Formulation and in vivo evaluation of probiotics-encapsulated pellets with hydroxypropyl methylcellulose acetate succinate (hpmcas). *Carbohydrate Polymers* 136: 692-699.
- Peanparkdee, M., Iwamoto, S. and Yamauchi, R. (2016). Microencapsulation: A review of applications in the food and pharmaceutical industries. *Reviews in Agricultural Science* 4: 56-65.
- Pereira, D.F., Cazarolli, L.H., Lavado, C.O., Mengatto, V., Figueiredo, M.S., Guedes, A., Pizzolatti, M.G and Silva, F.R. (2011). Effect of flavonoids on α -glucosidase activity: potential targets for glucose homeostasis. *Nutrition* 27: 1161–1167.
- Petrović, T., Nedović, V., Dimitrijević-Branković, S., Bugarski, B., and Lacroix, C. (2007). Protection of probiotic microorganisms by microencapsulation. *Chemical Industry and Chemical Engineering Quarterly* 13(3): 169–174.
- Philips, A., Philips, S., Arul, V., Padmakeerthiga, B., Renju, V., and Santha, S. (2010). Free radical scavenging activity of leaf extracts of *Indigofera aspalathoides*-An in vitro analysis. *Pharmaceutical Sciences and Research* 2(6): 322-328.
- Picot, A. and Lacroix, C. (2004). Encapsulation of bifidobacteria in whey protein-based microcapsules and survival in simulated gastrointestinal conditions and in yoghurt. *International Dairy* 14(6): 505-515.

- Pisoschi, A.M., Cimpeanu, C. and Predoi, G. (2015). Electrochemical methods for total antioxidant capacity and its main contributor's determination: A review. *Open Chemistry* 13: 824-856.
- Ponnusamy, S., Ravindran, R., Zinjarde, S., Bhargava, S. and Kumar, A.R. (2011). Evaluation of traditional Indian antidiabetic medicinal plants for human pancreatic amylase inhibitory effect in vitro. 200, Article ID 515647. doi:10.1155/2011/515647.
- Prasanna, P. H. P., Grandison, A. S., and Charalampopoulos, D. (2014). Bifidobacteria in milk products: An overview of physiological and biochemical properties, exopolysaccharide production, selection criteria of milk products and health benefits. *Food Research International* 55: 247-262.
- Pulok, K.M., Kuntal, M., Kakali, M. and Peter J.H. (2006). Leads from Indian medicinal plants with hypoglycemic potentials. *Ethnopharmacology* 106: 1-28.
- Quek, S. Y., Chok, N. K., and Swedlund, P. (2007). The physicochemical properties of spray-dried watermelon powders. *Chemical Engineering and Processing: Process Intensification* 46(5): 386-392.
- Rahman, M.S.; Labuza, T.P. Water activity and food preservation. In *Handbook of Food Preservation*; Rahman, S., Ed.; CRC Press, Taylor & Francis Group: Boca Raton, FL, USA, 2007; pp. 447-476.
- Rajam, R. and Anandharamakrishnan, C. (2014). Microencapsulation of *Lactobacillus plantarum* (MTCC 5422) with fructooligosaccharide as wall material by spray drying. *Food Science and Technology* 60: 773-780.
- Rao, A. V., Shiwnarain, N., and Maharaj, I. (1989). Survival of Microencapsulated *Bifidobacterium pseudolongum* in Simulated Gastric and Intestinal Juices. *Canadian Institute of Food Science and Technology Journal* 22(4): 345-349.
- Rascón, M. P., Beristain, C. I., García, H. S., and Salgado, M. A. (2011). Carotenoid retention and storage stability of spray-dried encapsulated paprika oleoresin using gum Arabic and Soy protein isolate as wall materials. *LWT - Food Science and Technology* 44(2): 549-557.
- Rodrigues, J. F., Andrade, R. da S., Bastos, S. C., Coelho, S. B., and Pinheiro, A. C. M. (2016). Miracle fruit: An alternative sugar substitute in sour beverages. *Appetite* 107: 645-653.
- Rohn, S., Rawel, H.M and Kroll, J. (2002). Inhibitory effects of plant phenols on the activity of selected enzymes. *Journal of Agriculture Food Chemistry* 50: 3566-3571.

- Romero, M.P.R., Brito, R.E. and Palma, A. (2017). An Electrochemical Method for the Determination of Antioxidant Capacities Applied to Components of Spices and Condiments. *Journal of the Electrochemical Society* 164(4): B97-B102.
- Ross, S.A., Gulve, E.A. and Wang, M. (2004). Chemistry and biochemistry of type 2 diabetes. *Chemistry Review* 104:1255–1282.
- Rosak, C. and Mertes, G. (2012). Critical evaluation of the role of acarbose in the treatment of diabetes: patient considerations. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy* 5, 357-367.
- Rotshteyn, Y. And Zito, S.W. (2004). Application of modified in vitro screening procedure for identifying herbals processing sulfonyleurea-like activity. *Ethnopharmacology* 93: 337-334.
- Rubio, C.P., Hernández-Ruiz, J., Martínez-Subiela, S., Tvarijonaviciute, A. and Ceron, J.J. (2016). Spectrophotometric assays for total antioxidant capacity (TAC) in dog serum: an update. *BMC Veterinary Research* 12 (1); 166.
- Sadeghi, S., Valizadeh, J., Shermeh, O.A. and Akaberi, M. (2015). Antioxidant activity and total phenolic content of *Boerhavia elegans* (choisy) grown in Baluchestan, Iran. *Avicenna Journal of Phytomedicine*. 5(1):1-9.
- Saeidnia, S., Ara, L., Hajimehdipoor, H., Roger, W., Read, R.W., Arshadi, S. and Nikan, M. (2016). Chemical constituents of *Swertia longifolia* Boiss with α -amylase inhibitory activity. *Research Pharmaceutical Sciences* 11 (1): 23-32.
- Sah, B.N.P., Vasiljevic, T., McKechnie, S. and Donkor, O.N. (2016). Physicochemical, textural and rheological properties of probiotic yogurt fortified with fibre-rich pineapple peel powder during refrigerated storage. *LWT-Food Science Technology* 65: 978–986.
- Sanders, M.E., Huis In't. and Veld, J. (1999). Bringing a probiotic-containing functional food to the market: Microbiological, product, regulatory and labeling issues. *Antonie Van Leeuwenhoek* 76(1-4): 293-315.
- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K. M. and Latha, L. Y. (2011). Extraction, isolation and characterization of bioactive compounds from plants' extracts. *African Journal of Traditional, Complementary and Alternative Medicines* 8(1): 1-10.
- Sasikumar, J. M., Patharaj, J., Adithya, E. S., Christabel, P. H., and Shamna, R. (2012). Antioxidant capacity and phenolic content of *Elaeagnus kologa schlecht*. An underexploited fruit from India. *Free Radicals and Antioxidants* 2(3): 28–35.
- Saxena, M., Saxena, J., Nema, R., Singh, D., and Gupta, A. (2013). Phytochemistry of medicinal plants. *Pharmacognosy and Phytochemistry* 1(6).
- Scalbert, A., Johnson, I. T. and Saltmarsh, M. (2005). Polyphenols: antioxidants and beyond. *Am J Clin Nutr.* 81.

- Schleifer, K. H., Kraus, J., Dvorak, C., Kilpper-Bälz, R., Collins, M. D. and Fischer, W. (1985). Transfer of *Streptococcus lactis* and related streptococci to the genus *Lactococcus* gen. nov. *Systematic and Applied Microbiology* 6(2): 183-195.
- Scimat. (2016). *Streptococcus thermophilus* bacteria SEM. Retrieved from <https://pixels.com/featured/1-streptococcus-thermophilus-bacteria-sem-scimat.html>
- Seki, M., Igarashi, T., Fukuda, Y., Simamura, S., Kaswashima, T. and Ogasa, K. (1978). The effect of *Bifidobacterium* cultured milk on the "regularity" among an aged group. *Nutritional Foodstuff*; 31:379-87.
- Selmer-Olsen, E., Sørhaug, T., Birkeland, S. E., and Pehrson, R. (1999). Survival of *Lactobacillus helveticus* entrapped in Ca-alginate in relation to water content, storage and rehydration. *Industrial Microbiology and Biotechnology* 23(2): 79-85.
- Senaka, R.C., Evans, C.A., Adams, M.C. and Baines, S.K. (2012). Probiotic viability and physico-chemical and sensory properties of plain and stirred fruit yogurts made from goat's milk. *Food Chemistry* 135(3): 1411–1418.
- Sendra, E., Kuri, V., Ferná'ndez-Lo'pez, J., Sayas-Barbera, E., Navarro, C. and Pe' rez-Alvarez, J.A. (2010). Viscoelastic properties of orange fiber enriched yogurt as a function of fiber dose, size and thermal treatment. *Food Science and Technology* 43: 708–714.
- Seth, D., Mishra, H. N., & Deka, S. C. (2017). Functional and reconstitution properties of spray-dried sweetened yogurt powder as influenced by processing conditions. *International Journal of Food Properties* 20(7): 1603-161.
- Sezik, E., Aslan, M., Yesilada, E. and Ito, S. (2005). Hypoglycaemic activity of *Gentiana olivieri* and isolation of the active constituent through bioassay-directed fractionation techniques. *Life Science* 76(11): 1223-1238.
- Shabboo, A. (2008). Inclusion of *Mentha piperita*, *Anethum graveolence* and *Ocimum basilicum* in Yogurt and their effect on the Inhibition of Enzyme Relevant to Hypertension and type-2 Diabetes, MSc Thesis, University of Malaya.
- Shah, N. P. (2000). Probiotic bacteria: Selective enumeration and survival in dairy foods. *Dairy Science* 83: 894-907.
- Shah, N. P. (2006). Probiotics and fermented milks. In Chandan, R. C., White, C. H., Kilara, A., and Hui, Y. H. (1st ed.), *Manufacturing Yogurt and Fermented Milks* (pp. 341-354). Oxford, UK: Blackwell.
- Shah, N.P. (2007). Functional cultures and health benefits. *International Dairy Journal* 17: 1262-1277.

- Shalaby, E.A. and Shanab, S.M.M. (2012). Comparison of DPPH and ABTS assays for determining antioxidant potential of water and methanol extracts of *Spirulina platensis*. *Indian Journal of Geo-Marine Sciences* 42(5): 556-564.
- Shakerian, M., Razavi, S.H., Ziai, S.A., Khodaiyan, F., Yarmand, M.S., and Moayedi, A. (2015). Proteolytic and ACE-inhibitory activities of probiotic yogurt containing non-viable bacteria as affected by different levels of fat, inulin and starter culture. *Food Science Technology* 52(4):2428-2433.
- Shetty, K., Clydesdale, F., and Vatter, D. (2005). Clonal screening and sprout based bioprocessing of phenolic phytochemicals for functional foods. In K. Shetty, G. Paliyath, A. Pometto, & R. E. Levin (Eds.). *Food biotechnology* (pp. 603). (2nd ed.). New York: CRC Taylor and Francis.
- Shi, Y. C., Lin, K. S., Jhai, Y. F., Lee, B. H., Han, Y., Cui, Z., Hsu, W. H., and Wu, S. C. (2016). Miracle fruit (*Synsepalum dulcificum*) exhibits as a novel anti-hyperuricaemia agent. *Molecules* 21(2): 140.
- Shim, Y.J., Doo, H.K., Ahn, S.Y., Kim, Y.S., Seong, J.K. and Park, I.S. (2003). Inhibitory effect of aqueous extract from the gal of *Rhizoma chinensis* on α -glucosidase activities and postprandial blood glucose. *Ethnopharmacology* 85: 283– 287.
- Shihata, A., and Shah, N. P. (2000). Proteolytic profiles of yogurt and probiotic bacteria. *International Dairy Journal* 10(5-6): 401-408.
- Shori, A.B. and Baba, A.S. (2011). Comparative antioxidant activity, proteolysis and in vitro α -amylase and α -glucosidase inhibition of *Allium sativum*-yogurts made from cow and camel milk. *Saudi Chemical Society*. doi:10.1016/j.jscs.2011.09.014
- Shori, A. B., and Baba, A. S. (2012). Viability of lactic acid bacteria and sensory evaluation in *Cinnamomum verum* and *Allium sativum*-bio-yogurts made from camel and cow milk. *Journal of the Association of Arab Universities for Basic and Applied Sciences* 11(1): 50-55.
- Shori, A. B. (2013a). Antioxidant activity and viability of lactic acid bacteria in soybean yogurt made from cow and camel milk. *Journal of Taibah University for Science* 7(4):202–208.
- Shori, A.B. and A.S. Baba. (2014). Comparative antioxidant activity, proteolysis and in vitro α -amylase and α -glucosidase inhibition of *Allium sativum*-yogurts made from cow and camel milk. *Journal of Saudi Chemistry Society* 18: 456-463.
- Sia, J., Yee, H.B., Santos, J.H. and Abdurrahman, M.K.A. (2010). Cyclic voltammetric analysis of antioxidant activity in cane sugars and palm sugars from Southeast Asia. *Food Chemistry* 118: 840–846.

- Silva, P. T. D., Fries, L. L. M., Menezes, C. R. D., Holkem, A. T., Schwan, C. L., Wigmann, É. F., Bastos, J. D. O., and Silva, C. D. B. D. (2014). Microencapsulation: concepts, mechanisms, methods and some applications in food technology. *Ciência Rural* 44(7): 1304-1311.
- Sivaraj, C., Abirami, K., Nishanthika, T.K., Nithya Purana, K., Arumugam, P. and Iqbal, S. (2015). Antioxidant Activities and Thin Layer Chromatographic Analysis of Aqueous Extract of Barks of *Cinnamomum zeylanicum* Blume. *American Journal of Phytomedicine and Clinical Therapeutics* 3(10): 654-665.
- Skrovankova, S., Sumczynski, D., Mlcek, J., Jurikova, T. and Sochor, J. (2015). Bioactive compounds and antioxidant activity in different types of berries. *International Journal of Molecular Sciences* 16(10): 24673-24706.
- Smid, E. J., and Lacroix, C. (2013). Microbe–microbe interactions in mixed culture food fermentations. *Current Opinion in Biotechnology* 24(2): 148-154.
- Subramanian, M., (n.d). Newtonian and non-Newtonian Fluids. Retrieved from <http://www.msubbu.in/In/fm/Unit-I/NonNewtonian.htm>
- Subtil, S.F., Rocha-Selmi, G.A., Thomazini, M., Trindade, M.A., Netto, F.M. and Favaro-Trindade, C.S. (2012). Effect of spray drying on the sensory and physical properties of hydrolysed casein using gum arabic as the carrier. *Food Science and Technology*. DOI 10.1007/s13197-012-0722-z
- Sudha, P., Zinjarde, S.S., Bhargava, S. and Kumar, A.R. (2011). Potent α -amylase inhibitory activity of Indian Ayurvedic medicinal plants. *BMC Complementary and Alternative Medicine* 11: 5.
- Sultan, S., Kaur, G., Singh, S., Ashraf, K. and Ashraf, M. (2018). Molecular docking studies of enzyme inhibitors and cytotoxic chemical entities. Open access. <http://dx.doi.org/10.5772/intechopen.76891>
- Sultana, K., Godward, G., Reynolds, N., Arumugaswamy, R., Peiris, P., and Kailasapathy, K. (2000). Encapsulation of probiotic bacteria with alginate-starch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt. *International Journal of Food Microbiology* 62(1-2): 47-55.
- Sundarram, A. and Murthy, T.P.K. (2014). α – Amylase production and applications: A review. *Journal of Applied & Environmental Microbiology* 2(4): 166-175.
- Supavitpatana, P., Wirjantoro, T. I., Apichartsrangkoon, A., and Raviyan, P. (2008). Addition of gelatin enhanced gelation of corn–milk yogurt. *Food Chemistry* 106(1): 211-216.
- Supriyanti, F.M.T., Zackiyah and Azizah, N. (2017). Effect of fruit juice addition to the content of protein fat, lactose and probiotic on soy yogurt. IOP Conf. Series: *Journal of Physics: Conference Series*. 812(2017), 012024. doi:10.1088/1742-6596/812/1/012024

- Swamy, K. B., Hadi, S. A., Sekaran, M., and Pichika, M. R. (2014). The clinical effects of *Synsepalum dulcificum*: a review. *Journal of Medicinal Food* 17(11): 1165-1169.
- Syamaladevi, R. M., Tang, J., Villa-Rojas, R., Sablani, S., Carter, B., and Gaylon, C. (2016). Influence of water activity on thermal resistance of microorganisms in low-moisture foods: A review. *Comprehensive Reviews in Food Science and Food Safety* 15: 353-370.
- Tamime, A. Y., and Deeth, H. C. (1980). Yogurt: technology and biochemistry. *Journal of Food Protection* 43(12): 939-977.
- Teixeira, P., Castro, H., Mohacsi-Farkas, C., and Kirby, R. (1997). Identification of sites of injury in *Lactobacillus bulgaricus* during heat stress. *Journal of Applied Microbiology* 83(2): 219–226.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G. and Kaur, H. (2011). Phytochemical screening and extraction: a review. *Internationale Pharmaceutica Scientia* 1(1): 98-106.
- Tomovska, J., Gjorgievski, N. and Makarijoski, B. (2016). Examination of pH, titrable acidity and antioxidant activity in fermented milk. *Materials Science and Engineering* 6:326-333.
- Tonon, R. V., Brabet, C., Pallet, D., Brat, P., and Hubinger, M. D. (2009). Physicochemical and morphological characterization of açai (*Euterpe oleracea* Mart.) powder produced with different carrier agents. *International Journal of Food Science and Technology* 44: 1950–1958.
- Thirugnanasambandham, K. and Sivakumar, V. (2017). Influence of process conditions on the physicochemical properties of pomegranate juice in spray drying process: Modelling and optimization. *Journal of Saudi Society of Agricultural Sciences* 16(4): 358-366.
- Ullah, M., Zaynab, M., Fatima, M., Abbas, S., Sharif, Y., Farooq, T.H., Zaffar, M.H., Ullah, R., Khan, S. U., Hussain, W., Ullah, I., Shaheen, S. and Ali, M. (2018). Plants as Antidiabetic Agents: Traditional Knowledge to Pharmacological Validation. *PSM Biology Research* 3(3): 111-119.
- Unal, G. and Akalin, S. (2012). Antioxidant and angiotensin-converting enzyme inhibitory activity of yoghurt fortified with sodium calcium caseinate or whey protein concentrate. *Dairy Science & Technology* 92: 627-639.
- Valensi, P., Le Devehat C. and Richard J.-L. (2005). A multicenter, double-blind, safety study of QR-333 for the treatment of symptomatic diabetic peripheral neuropathy: a preliminary report. *Journal of Diabetes and Its Complications* 19:247–253.

- Vandamme, T. F., Gbassi, G. K., Nguyen, T. L., and Li, X. (2016). Microencapsulation of probiotics. In Lakkis, J. M. (2nd ed.), *Encapsulation and Controlled Release Technologies in Food Systems* (pp. 97-121). West Sussex, UK: John Wiley & Sons.
- Vankerckhoven, V., Huys, G., Vancanneyt, M., Vael, C., Klare, I., Romond, M. B., Entenza, J. M., Moreillon, P., Wind, R. D., Knol, J., Pot, B., Vaughan, E. E., Kahlmeter, G., Goossens, H., and Wiertz, E. (2008). Biosafety assessment of probiotics used for human consumption: recommendations from the EU-PROSAFE project. *Trends in Food Science & Technology* 19(2): 102-114.
- Vasiljevic, T., and Shah, N. P. (2008). Probiotics—from Metchnikoff to bioactives. *International Dairy Journal* 18(7): 714-728.
- van Tonder, J.J. (2011). Development of an vitro mechanistic toxicity screening model using cultured hepatocytes [thesis]. University of Pretoria.
- Vemmer, M. and Patel, A.V. (2013). Review of encapsulation methods suitable for microbial biological control agents. *Biological Control* 67(3): 380-389.
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., and Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method. *Industrial Crops and Products* 44: 566-571.
- Waheed, A., Miana, G. and Ahmad, S. (2007). Clinical investigation of hypoglycemic effect of *Eugenia jambolana* in type-ii (niddm) Diabetes mellitus. *Pakistan Pharmacology* 24(1): 13-17.
- Wang, H.M., Chou, Y.T. and Hong, Z.L. (2011). Bioconstituents from stems of *Synsepalum dulcificum* Daniell (Sapotaceae) inhibit human melanoma proliferation, reduce mushroom tyrosinase activity and have antioxidant properties. *Journal of the Taiwan Institute of Chemical Engineers* 42(2): 204–211.
- Walter, S. Yoghurt powder as a flavour and functional ingredient, in *Food Ingredients Europe*. Conference Proceedings, 12–14 November, Porte de Versailles, Paris, 1996, pp 73–75.
- Weerathilake, W. A. D. V., Rasika, D. M. D., Ruwanmali, J. K. U., and Munasinghe, M. A. D.D. (2014). The evolution, processing, varieties and health benefits of yogurt. *International Journal of Scientific and Research Publications* 4: 1–10.
- WHO Fact Sheet 2015. <http://www.who.int/mediacentre/factsheets/fs312>. Accessed 24 Jan 2016.
- Widyastuti, Y., Rohmatussolihat, and Febrisiantosa, A. (2014). The role of lactic acid bacteria in milk fermentation. *Food and Nutrition Sciences* 5: 435–442.

- Wihansaha, R.R.S., Arief, I.I., and Batubarac, I. (2018). Anti-diabetic Potency and Characteristics of Probiotic Goat-Milk Yogurt Supplemented with Roselle Extract during Cold Storage. *Animal Science Journal* 41(3):191-1.
- Wild, S.H., Roglic, G., Green, A., Sicree, R., King, H., 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030: response to Rathman and Giani. *Diabetes Care* 27(10): 2569-2569.
- Wilken, M.K., and Satiroff, B.A. (2012). Pilot study of miracle fruit to improve food palatability for patients receiving chemotherapy. *Clinical Journal of Oncology Nursing* 16:163-166.
- Wong, C.C., Li, H.B., Cheng, K.W. and Chen, F. (2006), "A Systematic Survey of Antioxidant Activity of 30 Chinese Medicinal Plants Using the Ferric Reducing Antioxidant Power Assay," *Food Chemistry* 97(4): 705-711. doi:10.1016/j.foodchem.2005.05.049
- Wong, J.M. and Kern, M. (2011). Miracle fruit improves sweetness of a low-calorie dessert without promoting subsequent energy compensation. *Appetite* 56(1):163-166.
- Xing, Y., Xu, Q., Ma, Y., Che, Z., Cai, Y. and Jiang, L. (2014). Effect of porous starch concentrations on the microbiological characteristics of micro encapsulated *Lactobacillus acidophilus*. *Food Functional* 5(5): 972-98.
- Yamaki, K. (2014). Review: Screening research methods for α -glucosidase inhibitors and angiotensin-converting enzyme inhibitors in fermented soybean products and fermented milk products. 48(1): 41-49.
- Xu, Z. (2012). Analysis methods of phenolic acids. In Z. Xu and L. R. Howard (Eds.), *Analysis of antioxidant-rich phytochemicals* (pp. 69–74). Iowa: John Wiley & Sons. Inc.
- Yina, Z., Zhanga, W., Fenga, F., Zhanga, Y. and Kanga, A. (2014). α -Glucosidase inhibitors isolated from medicinal plants. *Food Science and Human Wellness* 3: 136–174.
- Yu, Z., Yin, Y., Zhao, W., Yu, Y., Liu, B., Liu, J. and Chen, F. (2011). Novel peptides derived from egg white protein inhibiting alpha-glucosidase. *Food Chemistry* 129:1376–1382.
- Yuan, M., Xing, Y., Xu, Q., Wang, T., Cai, Y., Cao, D., and Che. (2015). Preparation and application characteristics of microencapsulated *Lactobacillus acidophilus* as probiotics for dogs. *Pakistan Journal of Pharmaceutical Sciences* 28: 341-347.

- Zanjani, M. A. K., Tarzi, B. G., Sharifan, A., Mohammadi, N., Bakhoda, H., and Madanipour, M. M. (2012). Microencapsulation of *Lactobacillus casei* with calcium alginate-resistant starch and evaluation of survival and sensory properties in cream-filled cake. *African Journal of Microbiology Research* 6(26): 5511-5517.
- Zemel, M. B., Shi, H., Greer, B., Dirienzo, D., and Zemel, P. C. (2000). Regulation of adiposity by dietary calcium. *The FASEB Journal* 14: 1132–1138.
- Zeng, Z., Luo, J., Zuo, F., Zhang, Y., Ma, H. and Chen, S. (2016). Screening for potential novel probiotic *Lactobacillus* strains based on high dipeptidyl peptidase iv and a-glucosidase inhibitory activity. *Functional Food* 20: 486-495.
- Zhang, S., Zhang, L., Jiao, Y., Luo, X., Li, H., Xin, L., Xue, C., Zhang, Y., Yi, H., Han, X. and Ma, C. (2014). Technological characterization of lactic acid bacteria protease isolated from traditional chinese fermented milk. *Food Quality* 37(6):395–402.
- Zhou, K., and Yu, L. (2006). Total phenolic contents and antioxidant properties of commonly consumed vegetables grown in Colorado. *LWT-Food Science and Technology* 39(10): 1155-1162.

BIODATA OF STUDENT

The student of this project paper is Nurul Farhana Binti Fazilah from Kedah, Malaysia. She was born on the 28th of February 1993. She started her primary studies in Sekolah Rendah Kebangsaan Darul Hikmah, Kedah. Then, she furthered her secondary studies in Sekolah Menengah Kebangsaan Sultanah Bahiyah (Form 1 until Form 3) and MRSM PDRM Kulim, Kedah (Form 4 until Form 5). In 2011, she entered Penang Matriculation College on One Year Science Stream Programme (Module 1) with Sijil Pelajaran Malaysia qualification. She continued her study in Universiti Malaysia Perlis (UniMAP) and after 4 years of hard work she finally graduated as Bachelor of Chemical Engineering Technology (Industrial Biotechnology) in 2016. She then proceeded her Master Degree in Industrial Biotechnology in Faculty Biotechnology and Biomolecular Sciences at Universiti Putra Malaysia under the supervision and guidance of Assoc. Prof. Dr. Murni Halim.



LIST OF PUBLICATIONS

Publications

Fazilah, N.F.; Ariff, A.B.; Khayat, M.E.; Rios-Solis, L. and Halim, M*. (2018). Influence of probiotics, prebiotics, synbiotics and bioactive phytochemicals on the formulation of functional yogurt. *Journal of Functional Foods* 48: 387-399. doi:10.1016/j.jff.2018.07.039 (Q1, IF:4.165).

Fazilah, N.F., Hamidon, N.H., Ariff, A.B., Khayat, M.E., Wasoh, H. and Halim*, M. (2019). Microencapsulation of *Lactococcus lactis* Gh1 with gum Arabic and *Synsepalum dulcificum* via spray drying for potential inclusion in functional yogurt. *Molecules* 24: 1422 (Q2, IF:3.098).

Conference Proceeding

Nurul Farhana Fazilah, Arbakariya B. Ariff, Mohd Ezuan Khayat, Murni Halim * (2019). Influence of *Synsepalum dulcificum* and microencapsulated *Lactococcus lactis* Gh1 on the characteristics of functional yogurt. Bioprocessing and Biomanufacturing Symposium. Swiss Garden Beach Resort, Perak, Malaysia. 9 – 10 April 2019 (Poster Presentation)

Awards

Gold Medal, 3rd Educational Project of Innovation (EPIC) 2018, Functional yogurt fortified with *Synsepalum dulcificum* and microencapsulated probiotic *Lactococcus lactis*.

Silver Medal, International EUREKA Innovation Exhibition 2018, Functional yogurt fortified with spray dried *Lactococcus lactis* and miracle fruit.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : Second Semester 2018/2019

TITLE OF THESIS / PROJECT REPORT :

FUNCTIONAL PROPERTIES AND CHARACTERIZATION OF YOGURT FORTIFIED WITH *Synsepalum dulcificum* (SCHUMACH. & THONN.) DANIELL AND MICROENCAPSULATED *Lactococcus lactis* Gh1

NAME OF STUDENT: NURUL FARHANA BINTI FAZILAH

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

Date :

(Signature of Chairman of Supervisory Committee)
Name:

Date :

[Note : If the thesis is **CONFIDENTIAL** or **RESTRICTED**, please attach with the letter from the organization/institution with period and reasons for confidentially or restricted.]