UNIVERSITI PUTRA MALAYSIA

PRODUCTION, PROPERTIES AND APPLICATION OF BLENDS OF PALM STEARIN WITH PALM KERNEL OLEIN, SUNFLOWER OIL OR ANHYDROUS MILKFAT TRANSESTERIFIED BY LIPASES

LAI OI MING

PRODUCTION, PROPERTIES AND APPLICATION OF BLENDS OF PALM STEARIN WITH PALM KERNEL OLEIN, SUNFLOWER OIL OR ANHYDROUS MILKFAT TRANSESTERIFIED BY LIPASES

By

LAI OI MING

Dissertation submitted in fulfilment of the requirements for the Degree of Doctor of Philosophy in the Faculty of Food Science and Biotechnology, Universiti Putra Malaysia

November 1998

ACKNOWLEDGEMENTS

I wish to express my deepest appreciation and gratitude to my supervisor, Assoc. Prof. Dr. Hasanah Mohd. Ghazali of the Department of Biotechnology, Faculty of Food Science and Biotechnology for her invaluable guidance, constructive suggestions and constant encouragement throughout the course of my study. My grateful thanks also to Dr. Chong Chiew Let of PORIM, a member of my supervisory committee, for giving me an opportunity to be exposed to the many aspects of physical and technology of fats and oils. The suggestions and insightful comments on the contents of my thesis given by another member of my supervisory committee, Assoc. Prof. Dr. France Cho, is gratefully acknowledged. My heartfelt appreciation also goes to En. Dzulkifly Mat Hashim for his generous advice on the rheological studies.

Many thanks are also due to the following people: Dr. Chow Mei Chin of PORIM for her technical assistance in the rheology work; Dr. Nor Aini Idris and her panel of sensory staffs for their assistance during the planning and execution of the sensory evaluation tests. The assistance and support rendered by the staffs of the Physics, Processing and Effluent Labs in PORIM are duly acknowledged and appreciated.

Acknowledgement is also due to the Government of Malaysia and Universiti Putra Malaysia for giving me the opportunity to carry out my PhD programme. I am

also grateful to the Head of the Department of Biotechnology, Prof. Mohamed Ismail Karim for granting me leave to carry out my work.

Heartfelt appreciation also go to all faculty members, staffs, technicians, fellow graduate and undergraduate students (they know who they are) for their kind cooperation throughout my study and for taking the time to share their expertise, knowledge and wisdom with me.

Last but not least, I would like to thank my family for their encouragement, understanding and patience in sharing my excitements and frustrations of research.

TABLE OF CONTENTS

LIST OF TABLES

LIST OF FIGURES

LIST OF PLATES

LIST OF ABBREVIATIONS

TG	triglycerides
FFA	free fatty acids
SMP	slip melting point
SFC	solid fat content
PS	palm stearin
PKO	palm kernel olein
SO	sunflower oil
AMF	anhydrous milkfat
XRD	x-ray diffraction
GRAS	Generally Recognised As Safe
E	experimental
C	commercial
PV	peroxide value
CP	cone penetrometry
EM20	experimental table margarine stored at 20°C
EM30	experimental table margarine stored at 30°C
CM20	commercial table margarine stored at 20°C
CM30	commercial table margarine stored at 30°C
VE	viscoelastic
LVE	linear viscoelastic region
FA	fatty acids
MG	monoglycerides
DG	diglycerides
TLC	Thin Layer Chromatography
GC	Gas Chromatography
HPLC	High Performance Liquid Chromatography
AOCS	American Oil Chemist Society
C12:0	lauric acid

C14:0	myristic acid
C16:0	palmitic acid
C16:1	palmitoleic acid
C18:0	stearic acid
C18:1	oleic acid
C18:2	linoleic acid
C18:3	linolenic acid
C22:1	erucic acid
sp.	species
PUFA	polyunsaturated fatty acids
EFA	essential fatty acids
HMG	high melting glycerides
POL	1-palmitoyl-2-oleoyl-linoleoyl glycerol
POP	1,3-dipalmitoyl-2-oleoyl glycerol
SOS	1,3-distearoyl-2-oleoyl glycerol
PLP	1,3-dipalmitoyl-2-linoleoyl glycerol
SOO	1-stearoyl-dioleoyl glycerol
POS	1-palmitoyl-2-oleoyl-stearoyl glycerol
PLL	1-palmitoyl-dilinoleoyl glycerol
SOS	1,3-distearoyl-2-oleoyl glycerol
OOL	1,2-dioleoyl-linoleoyl glycerol
LOO	1-linoleoyl-dioleoyl glycerol
LOP	1-linoleoyl-2-oleoyl-palmitoyl glycerol
PPS	1,2-dipalmitoyl-stearoyl glycerol
PPP	tripalmitin
OOO	triolein
S	saturated
U	unsaturated
DTA	differential thermal analysis
DSC	differential scanning calorimetry

G′	storage modulus
G″	loss modulus
G*	complex shear modulus
tan δ	tan delta
η	shear viscosity
η′	dynamic viscosity
% TGR	percent triglyceride remaining
SFI	solid fat index
NMR	nuclear magnetic resonance
HTST	high temperature short time
UHT	ultra high temperature
CBS	cocoa-butter substitute
$[TGI_t]$	concentration of triglycerides that increase in value at reaction time, t
$[TGI_0]$	concentration of triglycerides that increase in value at the start of reaction
X	rate of transesterification
v/v	volume/volume
w/w	weight/weight
IV	iodine value
MP	melting point
LMF	low melting fraction
MMF	middle melting fraction
HMF	high melting fraction
LMP	last melting peak
PORIM	Palm Oil Research Institute of Malaysia
FAME	fatty acid methyl esters
FID	flame ionisation detector
GLM	general linear model
τ_y	yield stress

k	consistency coefficient
n	shear rate index