



***EFFECTS OF DIETARY OILS DIFFERING IN FATTY ACID PROFILES ON
RUMEN FERMENTATION, MICROBIAL POPULATION AND NUTRIENT
DIGESTIBILITY IN GOATS***

NUR ATIKAH BINTI IBRAHIM

IPTSM 2016 9



**EFFECTS OF DIETARY OILS DIFFERING IN FATTY ACID PROFILES ON
RUMEN FERMENTATION, MICROBIAL POPULATION AND NUTRIENT
DIGESTIBILITY IN GOATS**

By

NUR ATIKAH BINTI IBRAHIM

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in
Fulfilment of the Requirements for the Degree of Master of Science**

March 2015

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

EFFECTS OF DIETARY OILS DIFFERING IN FATTY ACID PROFILES ON RUMEN FERMENTATION, MICROBIAL POPULATION AND NUTRIENT DIGESTIBILITY IN GOATS

By

NUR ATIKAH BINTI IBRAHIM

March 2015

Chairman: Professor Abdul Razak Alimon, PhD

Institute: Institute of Tropical Agriculture and Food Security

Study have been conducted to investigate the effects of oils with different fatty acid profiles on rumen fermentation, microbial population and nutrient digestibility in goats. Sixteen male goats fitted with rumen cannula were randomly assigned to four experimental dietary treatments. The first group acted as control (CNT) and was given basal diet; whereas the second, third and fourth groups were supplemented with 6% of olive oil (OL), palm olein oil (PO) and sunflower oil (SF) respectively. The feed was analysed for proximate analysis. The rumen content was collected for enumeration of protozoa, analysis of fibre degrading bacteria and methanogens using qPCR, and chemical analysis for ammonia and VFA. For the second experiment, sixteen male goats were used for digestibility experiment. Approximately, 10% of total faecal collection was sampled for chemical analysis of nutrient and their digestibility was calculated. The GLM procedure from SAS was used to analyse the parameters. The mean pH of the rumen fluid pH values were significantly affected by day of sampling ($P < 0.01$). Higher mean of ammonia concentrations was observed in CNT (42.6 mg/L) compared to others and was significantly affected by diet ($P < 0.01$), day of sampling ($P < 0.05$) and diet \times day of sampling interaction ($P < 0.05$). The mean of total VFA concentration (mmol) was higher in SF and OL groups and significantly affected by diet treatments ($P < 0.05$). Molar proportion of acetate, propionate and isobutyrate were affected by diet ($P < 0.05$) and day of sampling ($P < 0.05$). Molar proportion of butyrate and valerate were affected by day of sampling ($P < 0.05$). The mean number of protozoa was lower ($P < 0.05$) in treatment groups compared to CNT. There were significant differences in apparent digestibility of CP ($P < 0.05$) and EE ($P < 0.01$) of treatment groups compared to CNT. Real-time PCR have been used to quantify three cellulolytic bacteria species which are, *F. succinogens*, *R. albus* and *R. flavefaciens*, together with protozoa, methanogen archaee and total bacteria for day 0, day 18 and day 30 with significant observed on *R. albus* ($P < 0.05$) and protozoa population ($P < 0.01$). As a conclusion, supplementation of dietary oils improved rumen fermentation as total VFA production increased whereas ammonia and protozoa counts decreased significantly. Therefore, the results suggest that vegetables oil reduced and maintain low level of rumen protozoa population during supplementation in goats and help

savings on protein supplements, reduce the excretion of nitrogen and its negative environmental impact.



Abstrak thesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**KESAN MINYAK DALAM MAKANAN YANG BERLAINAN PROFIL ASID
LEMAK KEPADA PENAPAIAN RUMEN, POPULASI MIKROB DAN
PENGHADAMAN NUTRISI OLEH KAMBING**

Oleh

NUR ATIKAH BINTI IBRAHIM

Mac 2016

Pengerusi: Professor Abdul Razak Alimon, PhD
Institut: Institut Pertanian Tropika dan Sekuriti Makanan

Suplemen minyak sayuran dan minyak bijian dalam makanan boleh mengurangkan bilangan protozoa dalam rumen dan mengekalkan populasi protozoa yang rendah sepanjang tempoh suplementasi, menjimatkan protein tambahan serta mengurangkan penyingkiran nitrogen dan kesan negative terhadap alam sekitar. Enam belas kambing jantan yang dilengkapi dengan rumen kanula dibahagi secara rawak kepada empat rawatan diet eksperimen. Kumpulan pertama adalah kumpulan kawalan (CNT) dan telah diberikan diet asas. Kumpulan kedua, ketiga dan keempat masing-masing menerima diet eksperimen yang ditambah dengan 6% minyak zaitun (OL), minyak olein (PO) dan minyak bunga matahari (SF). Makanan dianalisis untuk analisis proksimat. Kandungan rumen kambing diambil untuk kiraan protozoa, analisis serat degradasi bakteria dan methanogen menggunakan RT-PCR serta analisis kimia untuk ammonia dan asid lemak meruap. Untuk eksperimen kedua, enam belas kambing jantan untuk eksperimen penghadaman. Sekitar 10% daripada jumlah kutipan telah disampel untuk analisis kimia bagi nutrien dan peratus pencernaan telah dikira. Prosedur GLM dari SAS telah digunakan untuk menganalisis semua parameter. Purata pH cecair rumen telah terjejas dengan ketara oleh hari persampelan ($P < 0.01$). Purata kepekatan ammonia yang lebih tinggi diperhatikan dalam CNT (42.6 mg/L) berbanding dengan kumpulan lain dan berkait secara signifikan dengan diet ($P < 0.01$) dan interaksi diet \times hari persampelan ($P < 0.05$). Purata bagi jumlah kepekatan VFA (mmol) adalah lebih tinggi dalam kumpulan OL dan SF dipengaruhi dengan ketara oleh diet ($P < 0.05$). Kadar molar asid asetat, asid propionic dan asid isobutyrik dipengaruhi oleh diet ($P < 0.05$) dan hari persampelan ($P < 0.05$). Kadar molar asid butyrik dan asid valerat dipengaruhi oleh hari persampelan ($P < 0.05$). Purata bilangan protozoa adalah lebih tinggi ($P < 0.05$) dalam CNT berbanding dengan kumpulan lain. Terdapat perbezaan signifikan pada penghadaman CP ($P < 0.05$) dan EE ($P < 0.01$) dalam kumpulan rawatan berbanding CNT. RT-PCR telah digunakan untuk mengkaji tiga spesies bakteria sellulolitik iaitu *Fibrobacter succinogens*, *Ruminococcus Albus* dan *Ruminococcus flavefaciens*, bersama-sama dengan protozoa, methanogen dan jumlah mikrob untuk hari 0, hari 18 dan hari 30 dan terdapat perbezaan yang ketara dalam populasi *R. albus* ($P < 0.05$) dan protozoa ($P < 0.01$). Sebagai konklusi, suplemen

minyak dalam makanan memperbaiki penapaian rumen apabila penghasilan asid lemak meruap meningkat manakala ammonia dan protozoa menurun dengan ketara. Oleh itu, suplemen minyak dalam makanan berpotensi untuk dianggap sebagai suplemen makanan mikrob dalam ruminan.



ACKNOWLEDGEMENTS

The highest gratitude goes to Allah S.T.W for giving me the chance to finish this thesis. I owe my appreciation to all those people who have made this thesis possible and because of whom my graduate experience has been one that I will cherish forever.

I would like to express my uppermost appreciation to my supervisor, Prof. Dr. Abd Razak Alimon, for his guidance, patience and trust in me to carry out this project. I am also genuinely grateful to my co-supervisors, Dr. Anjas Asmara, Dr. Halimatun Yaakub and Prof. Dr. Norhani Abdullah for their supports and suggestions.

I am also indebted to lecturers and staffs of Ruminant Unit Ladang 2, Department of Animal Science and Institute Tropical Agriculture for their advice and assistance. My endless gratitude also goes to my postgraduate comrades whose always be alongside with me not only during the project but for past few years.

My special appreciation dedicated to my friends, Hafizah Hashim, Atikah Kazimah, 'Asma Mustafa, Annas Salleh, Candyrine Su, Faisal Yeob, Aisyah Ismail, Afiq Ismail, Rohaizad Mohd Roduan, Joan Blin, Fadzly Amar, Farhan Adzhar, Husnaliza, Abu Farris and Amirul Hisham for never stop being positive and encouraging through these difficult years. I greatly value their friendship and deeply appreciate their belief in me. Not to forget, a special mention goes to Azhar bin Ahmad (1988-2014) for all his moments and inspirations. His memory will be remain with me always. Al- Fatihah.

Most importantly, none of this would have been possible without the love and patience of my family. To my parent, Ibrahim Salleh and Noridah Katip, brothers - Alif and Adib, and my sister-in-law, Farahan Mohd Suah, I would like to express my deepest gratitude for constant source of love, concern, support and strength for all these years. Lastly, I offer my regards and blessings to all of those who supported me in any respect during the completion of the project.

I certify that a Thesis Examination Committee has met on 6 March 2015 to conduct the final examination of Nur Atikah binti Ibrahim on her thesis entitled “Effects of Dietary Oils Differing Fatty Acid Profiles on Rumen Fermentation, Microbial Population and Nutrient Digestibility in Goats” in accordance with the Universities and University Colleges Act 1971 and the Constitution of the University Putra Malaysia [P.U.(A) 106] 15 March 1998. The committee recommends that the student be awarded the Master of Science.

Member of the Thesis Examination Committee were as follows:

Ismail Bin Idris, PhD

Associate Professor
Faculty of Agriculture
University Putra Malaysia
(Chairman)

Wan Zuhainis Binti Saad, PhD

Senior Lecturer
Faculty of Biotechnology and Biomolecular Sciences
University Putra Malaysia
(Internal Examiner)

Liang Juan Boo, PhD

Senior Lecturer
Institute of Tropical Agriculture
University Putra Malaysia
(Internal Examiner)

Shanmugavelu A/L M Sithambaram, PhD

Senior Lecturer
Malaysian Agriculture Research and Development Institute
Malaysia
(External Examiner)

Zulkarnain Zainal, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 25 May 2016

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of supervisory committee were as follows:

Abdul Razak bin Alimon, PhD

Professor
Institute of Tropical Agriculture
Universiti Putra Malaysia
(Chairman)

Anjas Asmara bin Abdul Hadi, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

Halimatun bt Yaakub, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

Norhani binti Abdullah, PhD

Professor
Institute of Tropical Agriculture
Universiti Putra Malaysia
(Member)

BUJANG KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholar integrity is upheld as according to the University Putra Malaysia (Graduate Studies) Rules 2003 (revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: Nur Atikah binti Ibrahim (GS31367)

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____
Name of Chairman
of Supervisory
Committee: _____

Signature: _____
Name of Member
of Supervisory
Committee: _____

Signature: _____
Name of Member
of Supervisory
Committee: _____

Signature: _____
Name of Member
of Supervisory
Committee: _____

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	viii
LIST OF TABLES	xii
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	xiv
CHAPTER	
1 INTRODUCTION	1
2 LITERATURE REVIEW	3
2.1 Introduction	3
2.2 The digestive system	3
2.3 Rumen microbial population	4
2.3.1 Protozoa	4
2.3.2 Bacteria	5
2.3.3 Other microbes	7
2.3.4 Importance of microbes in rumen	8
2.4 Rumen fermentation and nutrient digestibility	8
2.5 Dietary oil supplementation	10
2.6 Fatty acid composition of vegetables oil	11
2.6.1 Olive oil	11
2.6.2 Palm olein	11
2.6.3 Sunflower oil	12
2.7 Effect of different fatty acid on rumen parameter	13
2.8 Conclusion	13
3 MATERIALS AND METHODS	15
3.1 Study conducted	15
3.2 Animal and dietary treatments	15
3.3 Animal housing and management	16
3.4 Experimental procedure and sampling schedule	17
3.5 Chemical analyses of feed and faeces	20
3.5.1 Dry matter (DM) determination of feed and faeces	20
3.5.2 Organic matter (OM) and ash determination of feed and faeces	20
3.5.3 Crude protein (CP) determination of feed and faeces	21
3.5.4 Determination of Ether Extract (EE) on feed and faeces	21
3.5.5 Determination of Neutral Detergent Fibre (NDF) on feed and faeces	21
3.5.6 Determination of Acid Detergent Fibre (ADF) on feed and faeces	22

3.6	Determination of rumen rumen pH on the effects of dietary oils supplementation	22
3.7	Determination of volatile fatty acids (VFA) on the effects of dietary oils supplementation	22
3.8	Determination of ammonia in rumen fluid on the effects of dietary oils supplementation	23
3.9	Total protozoa count on the effects of dietary oils supplementation	23
3.10	DNA Extraction and Quantification using qPCR	23
3.11	Digestibility of nutrients on the effects of dietary oils supplementation	26
3.12	Statistical analysis	26
4	RESULTS	27
4.1	Effects of dietary oils supplementation on mean of rumen pH	27
4.2	Effects of dietary oils supplementation on mean of ammonia in rumen fluid	27
4.3	Effects of dietary oils supplementation on mean of volatile fatty acid in rumen fluid	29
4.4	Effects of dietary oils supplementation on mean of total protozoa count in rumen fluid	29
4.5	Effects of dietary oils supplementation on mean of microbial population in rumen fluid	30
4.6	Effects of dietary oils supplementation on mean of nutrient digestibility	31
5	DISCUSSION	35
5.1	pH	36
5.2	Ammonia	37
5.3	Volatile fatty acid	37
5.4	Microbial population	39
5.5	Nutrient digestibility	41
6	CONCLUSION	43
	REFERENCES	45
	APPENDICES	53
	BIODATA OF STUDENT	63
	LIST OF PUBLICATION	64

LIST OF TABLES

Table		Page
2.1	Example of rumen bacteria and their preferences	5
3.1	Dietary treatments and their diets	15
3.2	Ingredient and chemical composition of experimental diets	16
3.3	The PCR primer used for quantification of rumen microorganism	25
4.1	Rumen fermentation parameters of local goats fed diet supplemented with different types of dietary oils	28
4.2	Effects of supplementation with different types of oils on microbial population in the rumen of goats	32
4.3	Apparent digestibility (% DM) of nutrient (mean \pm SE) in goats fed diet supplemented with different types of oils	34

LIST OF FIGURES

Figure		Page
2.1	Outlines of carbohydrates metabolism in rumen	9
2.2	Chemical structure of oleic acid (18:1) shows presence of single double bond	11
2.3	Chemical structure of palmitic acid (16:0) shows absence of double bond	12
2.4	Chemical structure of linoleic acid (18:2) shows presence of two double bonds	12
3.1	Flow chart showing the outline of experimental schedule for rumen fermentation and rumen microbial population study	18
3.2	Flow chart of sampling procedure for rumen fermentation and microbial population studies	19
3.3	Flow chart to show the experimental schedule for digestibility study	20
4.1	Mean \pm SE pH in the rumen fluid of goats supplemented with different dietary oils at different days.	27
4.2	Means \pm SE of molar proportion acetic acid in rumen fluid of goats supplemented with different dietary oils at different days	28
4.3	Means \pm SE of molar proportion valeric acid in rumen fluid of goats supplemented with different dietary oils at different days	29
4.4	Means \pm SE of total protozoa number supplemented with different dietary oils at different days	30
4.5	Means \pm SE of <i>R. albus</i> population affected by supplementation with different dietary oils at different days	31
4.6	Microscopic picture of large and small entodiniomorph under 200x magnifications.	33
4.7	Microscopic picture of small entodiniomorph and holotrich under 200x magnifications	33

LIST OF ABBREVIATIONS

ADF	Acid detergent fibre
ANOVA	Analysis of variance
AOAC	Association of analytical community
ATP	Adenosine triphosphate
CO ₂	Carbon dioxide
CP	Crude protein
DM	Dry matter
EE	Ether extract
GLM	General linear model
LCFA	Long-chain fatty acid
N	Nitrogen
NDF	Neutral detergent fibre
OM	Organic matter
qPCR	Quantitative polymerase chain reaction/ real-time polymerase chain reaction
SAS	Statistical analysis system
VFA	Volatile fatty acid

CHAPTER 1

INTRODUCTION

Ruminants have an important role in agriculture because of their unique ability to convert roughages that are unsuitable for man, efficiently. They can effectively utilize all fibrous parts of plant including by-products produced from food for human consumption. As a result, these by-products, for example cereal by-products, stalk and straw can enter human food chain.

Understanding the nature of ruminant nutrition and digestion are essential in order to improve the management and production at farm. Among many approaches, manipulating ruminant nutrition through feed formulation and feeding management is in particular being practiced and researched over the last decade. The used of plant extract, or plant containing secondary compound such as condensed tannins and saponins as well as plant oils supplementation have been reported by researchers (Cowan, 1999; Kamra et al., 2008; Sallam et al., 2009, Bodas et al., 2012).

Digestion in ruminant is characterized by fermentation in the rumen by rumen microbial population, constituting mainly bacteria, protozoa and fungi (Takenaka and Itabashi, 1995). The breakdown of ingested feed in rumen by rumen microbes produces products that are utilized by the host animal such as short chain fatty acid (acetate, propionate, butyrate and others) and ammonia.

Rumen microbes produce enzymes that digest cellulose, hemicellulose and other fibrous components, which are not digested by enzymes of host animals. Proportionately rumen microbe composed of bacteria, protozoa and fungi (Kamra, 2005; Hungate, 1966) with bacteria representing 10^{10} bacteris, 10^7 protozoa, 10^6 fungi and yeast per ml of rumen liqour (Buccioni *et al.*, 2012).

However, protozoa gives negatives effects towards in term of nutrition as they are predator of bacteria and their consumption and digestion of bacteria is a wasteful process that contributes to the undesirable recycling of nitrogen in rumen. Since protozoa are not essential for the animals, numerous chemical and physical methods were applied experimentally to eliminate protozoa from the rumen (Hegarty, 1999).

Oils and fats have 2.25 times higher digestible energy compared to carbohydrates in grains, generating concentrated sources of energy when added to animal feeds. The inclusion of oils and fats in animals' feeds tend to improve the physical characteristics of the feeds such as reducing the dustiness of the feed as well as improving palatability. Plant-based oils that are rich in unsaturated fatty acids are known to modify rumen fermentation, depending on their fatty acids composition, origin and degree of saturation (Szumacher-Strabel *et al.*, 2009), where unsaturated fatty acids are found to

be more toxic than saturated ones and can inhibit rumen fermentation more extensively (Jenkins, 1993).

The majority of dietary vegetable oil supplements reduces protozoa, however also contain medium-chain fatty acids that are known to have a negative effect on cellulolytic bacteria and the consequently, fibre digestion. In recent years some oilseeds crops (for example; safflower, sunflower and flaxseed) have been genetically modified to produce high concentration of one of the C₁₈ fatty acids such as oleic (C18:1), linoleic (C18:2) or linolenic (C18:3) acid in the oil. The C18:2 and C18:3 fatty acids are known to be beneficial to rumen cellulolytic bacteria, mainly the dietary linoleic acid which has increased the concentration of total cellulolytic bacteria species in the rumen by over 80%. Such oils will also become in demand by the ruminant production industry as dietary supplements when their benefits become widely known. However, the effects of the locally produced oils from oil palms such as palm olein on the rumen metabolism and gastrointestinal digestion of dietary fibre is not known.

Currently, the role of livestock production in increasing global warming has been reported. The important issue highlighted was the emission of greenhouse gasses released from livestock industry, in particular methane and carbon dioxide production through fermentation in the rumen. Furthermore, ruminal protozoa have been shown to exert an effect on environmental pollutant by providing hydrogen for ruminal synthesis of methane by methanogens (methane producing organism) and excretion of nitrogen. Thus, improvement and modification of rumen microbial environment through elimination of protozoa was a major concern in this study.

The objectives of this study are to investigate the effects of dietary oils differing in fatty acid composition on rumen fermentation, rumen microbial population and nutrient digestibility in goats. The specific objectives were as follow:

1. to determine the effect of olive oil, palm olein oil and sunflower oil supplementation on rumen fermentation characteristic in goats;
2. to investigate the effect olive oil, palm olein oil and sunflower oil supplementation on digestibility of protein and fiber and other nutrients in goats;
3. to quantify cellulolytic bacteria, total bacteria, total protozoa and total archaea population in the rumen of goats receiving different type of oil supplementation.

REFERENCES

- Abubakr, A. R., Alimon, A. R., Yaakub, H., Abdullah, N., & Ivan, M. (2013). Digestibility, rumen protozoa, and ruminal fermentation in goats receiving dietary palm oil by-products. *Journal of the Saudi Society of Agricultural Sciences*, 12(2), 147-154.
- Allison, M. J., Cook, H. M., & Stahl, D. A. (1987). Characterization of rumen bacteria that degrade dihydroxypyridine compounds produced from mimosine. In *Herbivore Nutrition Research* (pp. 55-56). Australian Society of Animal Production, Brisbane.
- Anantasook, N., Wanapat, M., Cherdthong, A., & Gunun, P. (2013). Effect of plants containing secondary compounds with palm oil on feed intake, digestibility, microbial protein synthesis and microbial population in dairy cows. *Asian Australasian Journal of Animal Sciences*, 26(6), 820-826.
- AOAC (Association of Official Analytical Chemists). (1990). Official methods of analysis. *Association of Analytical Chemist*.
- Bauchart, D., Legay-Carmier, F., & Doreau, M. (1990). Ruminal hydrolysis of dietary triglycerides in dairy cows fed lipid-supplemented diets. *Reproduction, Nutrition, Development*, 187s.
- Bauchart, D. (1993). Lipid absorption and transport in ruminants. *Journal of Dairy Science*, 76(12), 3864-3881.
- Belenguer, A., Toral, P. G., Frutos, P., & Hervás, G. (2010). Changes in the rumen bacterial community in response to sunflower oil and fish oil supplements in the diet of dairy sheep. *Journal of dairy science*, 93(7), 3275-3286.
- Benchaar, C., Romero-Pérez, G. A., Chouinard, P. Y., Hassanat, F., Eugene, M., Petit, H. V., & Côrtes, C. (2012). Supplementation of increasing amounts of linseed oil to dairy cows fed total mixed rations: Effects on digestion, ruminal fermentation characteristics, protozoal populations, and milk fatty acid composition. *Journal of Dairy Science*, 95(8), 4578-4590.
- Bhatt, R. S., Soren, N. M., Tripathi, M. K., & Karim, S. A. (2011). Effects of different levels of coconut oil supplementation on performance, digestibility, rumen fermentation and carcass traits of Malpura lambs. *Animal Feed Science and Technology*, 164(1), 29-37.
- Bodas, R., Prieto, N., García-González, R., Andrés, S., Giráldez, F. J., & López, S. (2012). Manipulation of rumen fermentation and methane production with plant secondary metabolites. *Animal Feed Science and Technology*, 176(1), 78-93.
- Broudiscou, L., Pochet, S., & Poncet, C. (1994). Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep. *Animal Feed Science and Technology*, 49(3), 189-202.
- Buccioni, A., Decandia, M., Minieri, S., Molle, G., & Cabiddu, A. (2012). Lipid metabolism in the rumen: New insights on lipolysis and biohydrogenation with an emphasis on the role of endogenous plant factors. *Animal Feed Science and Technology*, 174(1), 1-25.
- Chanthakhoun, V., Wanapat, M., Kongmun, P., & Cherdthong, A. (2012). Comparison of ruminal fermentation characteristics and microbial population in swamp buffalo and cattle. *Livestock Science*, 143(2), 172-176.

- Chaudhary, L. C., Srivastava, A., & Singh, K. K. (1995). Rumen fermentation pattern and digestion of structural carbohydrates in buffalo (*Bubalus bubalis*) calves as affected by ciliate protozoa. *Animal Feed Science and Technology*, 56(1), 111-117.
- Coleman, G. S. (1964). The metabolism of *Escherichia coli* and other bacteria by *Entodinium caudatum*. *Journal of General Microbiology*, 37(2), 209-223.
- Coleman, G. S. (1979). The role of rumen protozoa in the metabolism of ruminants given tropical feeds. *Tropical Animal Production*, 4(3), 199-213.
- Cottyn, B. G., & Boucque, C. V. (1968). Rapid method for the gas-chromatographic determination of volatile fatty acids in rumen fluid. *Journal of Agricultural and Food Chemistry*, 16(1), 105-107.
- Cowan, M. M. (1999). Plants products as antimicrobial agents. *Clin. Microbiol. Rev.* 12, 564-582.
- Dehority, B. A. (1993). *Laboratory manual for classification and morphology of rumen ciliate protozoa*. CRC Press.
- Dehority, B. A. (2004). *In vitro* determination of generation times for *Entodinium exiguum*, *Ophryoscolex purkynjei* and *Eudiplodinium maggii*. *Journal of Eukaryotic Microbiology*, 51(3), 333-338.
- Demeyer, D. I., & Van Nevel, C. J. (1975). Methanogenesis, an integrated part of carbohydrate fermentation and its control. *Digestion and Metabolism in the Ruminant*, 366-382.
- Denman, S. E., & McSweeney, C. S. (2006). Development of a real-time PCR assay for monitoring anaerobic fungal and cellulolytic bacterial populations within the rumen. *FEMS Microbiology Ecology*, 58(3), 572-582.
- Dijkstra, J. (1994). Production and absorption of volatile fatty acids in the rumen. *Livestock Production Science*, 39(1), 61-69.
- Dirksen, G., & Phillipson, A. T. (1970). Acidosis. In *Physiology of digestion and metabolism in the ruminant. Proceedings of the third international symposium, Cambridge, England; August 1969* (pp. 612-625). Newcastle-upon-Tyne: Oriel Press.
- Dominguez-Bello, M. G., & Stewart, C. S. (1990). Degradation of mimosine, 2, 3-dihydroxy pyridine and 3-hydroxy-4 (1H)-pyridine by bacteria from the rumen of sheep in Venezuela. *FEMS Microbiology Letters*, 73(4), 283-289.
- Doreau, M., & Chilliard, Y. (1997). Digestion and metabolism of dietary fat in farm animals. *British Journal of Nutrition*, 78(01), S15-S35.
- Doreau, M., & Ferlay, A. (1995). Effect of dietary lipids on nitrogen metabolism in the rumen: a review. *Livestock Production Science*, 43(2), 97-110
- Doreau, M., & Ferlay, A. (1994). Digestion and utilisation of fatty acids by ruminants. *Animal Feed Science and Technology*, 45(3), 379-396.
- Doreau, M., Legay, F., & Bauchart, D. (1991). Effect of source and level of supplemental fat on total and ruminal organic matter and nitrogen digestion in dairy cows. *Journal of Dairy Science*, 74(7), 2233-2242.
- Duffield, T., Plaizier, J. C., Fairfield, A., Bagg, R., Vessie, G., Dick, P., Wilson, J., Aramini, J., & McBride, B. (2004). Comparison of techniques for measurement of rumen pH in lactating dairy cows. *Journal of Dairy Science*, 87(1), 59-66.
- Finlay, B. J., Esteban, G., Clarke, K. J., Williams, A. G., Embley, T. M., & Hirt, R. P. (1994). Some rumen ciliates have endosymbiotic methanogens. *FEMS Microbiology Letters*, 117(2), 157-161.
- FAO, 2002. Livestock: intensification and its risks, pp. 58–63. In: World Agriculture: Towards 2015/2030.

- Gerson, T., John, A., & Sinclair, B. R. (1983). The effect of dietary N on *in vitro* lipolysis and fatty acid hydrogenation in rumen digesta from sheep fed diets high in starch. *The Journal of Agricultural Science*, 101(01), 97-101.
- Gerson, T., John, A., & King, A. S. D. (1985). The effects of dietary starch and fibre on the *in vitro* rates of lipolysis and hydrogenation by sheep rumen digesta. *The Journal of Agricultural Science*, 105(01), 27-30.
- Girard, V., & Hawke, J. C. (1978). The role of holotrichs in the metabolism of dietary linoleic acid in the rumen. *Biochimica et Biophysica Acta (BBA)-Lipids and Lipid Metabolism*, 528(1), 17-27.
- Gómez-Cortés, P., Frutos, P., Mantecón, A. R., Juárez, M., De la Fuente, M. A., & Hervás, G. (2008). Milk production, conjugated linoleic acid content, and *in vitro* ruminal fermentation in response to high levels of soybean oil in dairy ewe diet. *Journal of Dairy Science*, 91(4), 1560-1569.
- Harfoot, C. G., & Hazlewood, G. P. (1997). Lipid metabolism in the rumen. In *The Rumen Microbial Ecosystem* (pp. 382-426). Springer Netherlands.
- Harvatine, K. J., & Allen, M. S. (2006). Effects of fatty acid supplements on ruminal and total tract nutrient digestion in lactating dairy cows. *Journal of dairy science*, 89(3), 1092-1103.
- Hecker, J. F. (1969). A simple rapid method for inserting rumen cannulae in sheep. *Australian Veterinary Journal*, 45(6), 293-294.
- Hegarty, R. S. (1999). Reducing rumen methane emissions through elimination of rumen protozoa. *Crop and Pasture Science*, 50(8), 1321-1328.
- Holter, J. B., & Young, A. J. (1992). Methane prediction in dry and lactating Holstein cows. *Journal of Dairy Science*, 75(8), 2165-2175.
- Hook, S. E., Wright, A. D. G., & McBride, B. W. (2010). Methanogens: methane producers of the rumen and mitigation strategies. *Archaea*, 2010.
- Hoover, W. H. (1986). Chemical factors involved in ruminal fiber digestion. *Journal of Dairy Science*, 69(10), 2755-2766.
- Hristov, A. N., Ivan, M., & McAllister, T. A. (2004). *In vitro* effects of individual fatty acids on protozoal numbers and on fermentation products in ruminal fluid from cattle fed a high-concentrate, barley-based diet. *Journal of Animal Science*, 82(9), 2693-2704.
- Hungate, R. E. (1975). Micro-organisms in the rumen of cattle fed a constant ration. *Canadian Journal of Microbiology*, 289-311.
- Hungate, R. E. (1966). *The rumen and its microbes*. Academic Press.
- International Olive Oil Council. 2006. <http://www.internationaloliveoil.org>.
- Ivan, M., Mir, P. S., Koenig, K. M., Rode, L. M., Neill, L., Entz, T., & Mir, Z. (2001). Effects of dietary sunflower seed oil on rumen protozoa population and tissue concentration of conjugated linoleic acid in sheep. *Small Ruminant Research*, 41(3), 215-227.
- Ivan, M., Chiquette, J., Petit, H. V., & Alimon, A. R. (2009). Effects of dietary linoleic and linolenic acids on the rumen population of cellulolytic bacteria and ciliate protozoa in dairy cows. In Y. Chilliard, Y. Faulconnier, I. Veissier, & M. Doreau, *Ruminant Physiology, Digestion, Metabolism and Effects of Nutrition on Reproduction and Welfare. Proceedings of the XIth International Symposium on Ruminant Physiology* (pp. 220-221). Wageningen Academic Publication.
- Ivan, M., Petit, H. V., Chiquette, J., & Wright, A. D. (2013). Rumen fermentation and microbial population in lactating dairy cows receiving diets containing oilseeds rich in C-18 fatty acids. *British Journal of Nutrition*, 109(07), 1211-1218.

- Jalč, D., Certik, M., Kundrikova, K., & Namestkova, P. (2007). Effect of unsaturated C18 fatty acids (oleic, linoleic and α -linolenic acid) on ruminal fermentation and production of fatty acid isomers in an artificial rumen. *Veterinarni Medicina*, 52(3), 87-94.
- Jalč, D., & Čerešňáková, Z. (2002). Effect of plant oils and malate on rumen fermentation *in vitro*. *Czech Journal of Animal Science*, 47, 106-111.
- Jenkins, T. C. (1993). Lipid metabolism in the rumen. *Journal of Dairy Science*, 76(12), 3851-3863.
- Jenkins, T. C., & McGuire, M. A. (2006). Major advances in nutrition: impact on milk composition. *Journal of Dairy Science*, 89(4), 1302-1310.
- Johnson, D. E., Hill, T. M., Carmean, B. R., Lodman, D. W., & Ward, G. M. (1991). New perspectives on ruminant methane emissions. *Energy Metabolism of Farm Animals*. C. Wenk, and M. Boessinger (Eds.). ETH, Zurich, Switzerland, 376-379.
- Jouany, J. P. (1994). Manipulation of microbial activity in the rumen. *Archives of animal Nutrition*, 46(2), 133-153.
- Jouany, J. P. (1996). Effect of rumen protozoa on nitrogen utilization by ruminants. *The Journal of Nutrition*, 126(4 Suppl), 1335S-46S.
- Kamra, D. N. (2005). Rumen microbial ecosystem. *Current Science*, 89(1), 124-135.
- Kamra, D. N., A. K. Patra, P. N. Chatterjee, K. Ravindra, A. Neeta and L. C. Chaudhary. (2008). Effect of plant extract on methanogenesis and microbial profile of the rumen of buffalo. A brief overview. *Aust. J. Exp. Agric.* 48, 175-178.
- Kepler, C. R., Tucker, W. P., & Tove, S. B. (1970). Biohydrogenation of unsaturated fatty acids IV. Substrate specificity and inhibition of linoleate δ 12-cis, δ 11-trans-isomerase from *Butyrivibrio fibrisolvens*. *Journal of Biological Chemistry*, 245(14), 3612-3620.
- Khosla, P (2006). Palm oil: A nutritional overview. *Agro Food Industry Hi-Tech* 17 (3), 21-23.
- Koike, S., & Kobayashi, Y. (2001). Development and use of competitive PCR assays for the rumen cellulolytic bacteria: *Fibrobacter succinogenes*, *Ruminococcus albus* and *Ruminococcus flavefaciens*. *FEMS Microbiology Letters*, 204(2), 361-366.
- Kongmun, P., Wanapat, M., Pakdee, P., Navanukraw, C., & Yu, Z. (2011). Manipulation of rumen fermentation and ecology of swamp buffalo by coconut oil and garlic powder supplementation. *Livestock Science*, 135(1), 84-92.
- Kucuk, O., Hess, B. W., & Rule, D. C. (2008). Fatty acid compositions of mixed ruminal microbes isolated from sheep supplemented with soybean oil. *Research in veterinary science*, 84(2), 215-224.
- Machmüller, A., Soliva, C. R., & Kreuzer, M. (2003). Effect of coconut oil and defaunation treatment on methanogenesis in sheep. *Reproduction Nutrition Development*, 43(1), 41-55.
- Maczulak, A. E., Dehority, B. A., & Palmquist, D. L. (1981). Effects of long-chain fatty acids on growth of rumen bacteria. *Applied and environmental microbiology*, 42(5), 856-862.
- Maia, M. R., Chaudhary, L. C., Figueres, L., & Wallace, R. J. (2007). Metabolism of polyunsaturated fatty acids and their toxicity to the microflora of the rumen. *Antonie van Leeuwenhoek*, 91(4), 303-314.

- Manso, T., Castro, T., Mantecón, A. R., & Jimeno, V. (2006). Effects of palm oil and calcium soaps of palm oil fatty acids in fattening diets on digestibility, performance and chemical body composition of lambs. *Animal Feed Science and Technology*, 127(3), 175-186.
- Mao, H. L., Wang, J. K., Zhou, Y. Y., & Liu, J. X. (2010). Effects of addition of tea saponins and soybean oil on methane production, fermentation and microbial population in the rumen of growing lambs. *Livestock science*, 129(1), 56-62.
- Marín, A. M., Gómez-Cortés, P., Castro, A. G., Juárez, M., Alba, L. P., Hernández, M. P., & de la Fuente, M. A. (2012). Short communication: Linear discriminant analysis and type of oil added to dairy goat diets. *Journal of dairy science*, 95(7), 4045-4049.
- Marín, A. M., Gómez-Cortés, P., Castro, A. G., Juárez, M., Alba, L. P., Hernández, M. P., & De la Fuente, M. A. (2011). Animal performance and milk fatty acid profile of dairy goats fed diets with different unsaturated plant oils. *Journal of dairy science*, 94(11), 5359-5368.
- McDonald P., Edwards R.A., Greenhalgh J.F.D., Morgan C. A., Sinclair L. A., Wilkinson R.G. (2010). *Animal Nutrition 7th Edition*. London. Pearson Education.
- McSweeney, C. S., Denman, S. E., Wright, A., & Yu, Z. (2007). Application of recent DNA/RNA-based techniques in rumen ecology. *Asian-Australasian Journal of Animal Sciences*, 20(2), 283.
- Molina Alcaide, E., Ruiz, D. R., Moumen, A., & García, A. I. (2003). Ruminant degradability and *in vitro* intestinal digestibility of sunflower meal and *in vitro* digestibility of olive by-products supplemented with urea or sunflower meal: comparison between goats and sheep. *Animal Feed Science and Technology*, 110(1), 3-15.
- Molina-Alcaide, E., & Yáñez-Ruiz, D. R. (2008). Potential use of olive by-products in ruminant feeding: A review. *Animal Feed Science and Technology*, 147(1), 247-264.
- Mosoni, P., Chaucheyras-Durand, F., Béra-Maillet, C., & Forano, E. (2007). Quantification by real-time PCR of cellulolytic bacteria in the rumen of sheep after supplementation of a forage diet with readily fermentable carbohydrates: effect of a yeast additive. *Journal of Applied Microbiology*, 103(6), 2676-2685.
- Mould, F. L., & Ørskov, E. R. (1983). Manipulation of rumen fluid pH and its influence on cellulolysis in sacco, dry matter degradation and the rumen microflora of sheep offered either hay or concentrate. *Animal Feed Science and Technology*, 10(1), 1-14.
- Murphy, M.R. (1984). Modelling production of volatile fatty acids in ruminants. In R. L. Baldwin & A. C. Bywater (Eds.), *Modelling Ruminant Digestion and Metabolism. Proc. Second International Workshop* (pp. 59–62).
- Naik, P. K., Saijpal, S., & Rani, N. (2009). Effect of ruminally protected fat on *in vitro* fermentation and apparent nutrient digestibility in buffaloes (*Bubalus bubalis*). *Animal Feed Science and Technology*, 153(1), 68-76.
- Navidshad, B., Liang, J. B., & Jahromi, M. F. (2012). Correlation coefficients between different method of expressing bacterial quantification using Real Time PCR. *International Journal of Molecular Sciences*, 13, 2119-2132.
- Nutrient Requirements of Small Ruminants. (2007). *Nutrient Requirements of Small Ruminants: Sheep, Goats, Cervids, and New World Camelids*.

- Newbold, C. J., & Chamberlain, D. G. (1988). Lipids as rumen-defaunating agents. *Proceeding of Nutrition Society*, 47, 154.
- NRC (1981). *Nutrient requirements of domestic animals. No 15, Nutrient Requirements of Goats*.
- NRC (National Research Council). (2001). *Nutrient requirements of dairy cattle. 7th rev. ed.*.
- Oldick, B. S., & Firkins, J. L. (2000). Effects of degree of fat saturation on fiber digestion and microbial protein synthesis when diets are fed twelve times daily. *Journal of Animal Science*, 78(9), 2412-2420.
- Orpin, C. G. (1975). Studies on the rumen flagellate *Neocallimastix frontalis*. *Journal of General Microbiology*, 91(2), 249-262.
- Ørskov, E. R. (1982). *Protein nutrition in ruminants*. Academic Press Inc.(London) Ltd.
- Ørskov, E. R., & MacLeod, N. A. (1982). The determination of the minimal nitrogen excretion in steers and dairy cows and its physiological and practical implications. *British Journal of Nutrition*, 47(03), 625-636.
- Palmquist, D. L., & Jenkins, T. C. (1980). Fat in Lactation Rations: Review. *Journal of Dairy Science*, 63(1), 1-14.
- Pantoja, J., Firkins, J. L., Eastridge, M. L., & Hull, B. L. (1994). Effects of fat saturation and source of fiber on site of nutrient digestion and milk production by lactating dairy cows. *Journal of Dairy Science*, 77(8), 2341-2356.
- Parsons, T. R., Maita, Y., & Lalli, C. M. (1984). A manual of chemical and biological methods for seawater analysis. *Pergamon Press, Oxford*.
- Patra, A. K., Kamra, D. N., & Agarwal, N. (2006). Effect of plant extracts on *in vitro* methanogenesis, enzyme activities and fermentation of feed in rumen liquor of buffalo. *Animal Feed Science and Technology*, 128(3), 276-291.
- Penner, G. B., Beauchemin, K. A., & Mutsvangwa, T. (2006). An evaluation of the accuracy and precision of a stand-alone submersible continuous ruminal pH measurement system. *Journal of Dairy Science*, 89(6), 2132-2140.
- Pilajun, R., Wanapat, M., Wachirapakorn, C., & Navanukroaw, C. (2010). Effect of coconut oil and sunflower oil ratio on ruminal fermentation, rumen microorganisms, N-balance and digestibility in cattle. *Journal of Animal and Veterinary Advances*, 9(13), 1868-1874.
- Roy, A., Mandal, G. P., & Patra, A. K. (2013). Evaluating the performance, carcass traits and conjugated linoleic acid content in muscle and adipose tissues of Black Bengal goats fed soybean oil and sunflower oil. *Animal Feed Science and Technology*, 185(1), 43-52.
- Ruiz, R., Albrecht, G. L., Tedeschi, L. O., Jarvis, G., Russell, J. B., & Fox, D. G. (2001). Effect of monensin on the performance and nitrogen utilization of lactating dairy cows consuming fresh forage. *Journal of Dairy Science*, 84(7), 1717-1727.
- Ruiz, D. Y., Moumen, A., Garcia, A. M., & Alcaide, E. M. (2004). Ruminal fermentation and degradation patterns, protozoa population, and urinary purine derivatives excretion in goats and wethers fed diets based on two-stage olive cake: Effect of PEG supply. *Journal of Animal Science*, 82(7), 2023-2032.
- Russell, J. B., & Jeraci, J. L. (1984). Effect of carbon monoxide on fermentation of fiber, starch, and amino acids by mixed rumen microorganisms *in vitro*. *Applied and Environmental Microbiology*, 48(1), 211-217.

- Sallam, S. M. A., I. C. S. Bueno, P. Brigide, P. B. Godoy, D. M. S. S. Vitti and A. L. Abdalla., (2009). Efficacy of eucalyptus oil on *in vitro* ruminal fermentation and methane production. *Options Mediterraneennes* 85, 267-272.
- SAS Institute Inc., (2003). *SAS User's Guide, Version 9.1, second ed.* SAS Institute Inc.: Cary, NC.
- Scollan, N. D., Dhanoa, M. S., Choi, N. J., Maeng, W. J., Enser, M., & Wood, J. D. (2001). Biohydrogenation and digestion of long chain fatty acids in steers fed on different sources of lipid. *The Journal of Agricultural Science*, 136(03), 345-355.
- Sirohi, S. K., Pandey, N., Singh, B., & Puniya, A. K. (2010). Rumen methanogens: a review. *Indian Journal of Microbiology*, 50(3), 253-262.
- Shingfield, K. J., Chilliard, Y., Toivonen, V., Kairenius, P., & Givens, D. I. (2008). Trans fatty acids and bioactive lipids in ruminant milk. In *Bioactive Components of Milk* (pp. 3-65). Springer New York.
- Staroscik, A. Retrieved from Calculator for determining the number of copies of a template. <http://cels.uri.edu/gsc/cndna.html>.
- Sutton, J. D., Knight, R., McAllan, A. B., & Smith, R. H. (1983). Digestion and synthesis in the rumen of sheep given diets supplemented with free and protected oils. *British Journal of Nutrition*, 49(03), 419-432.
- Sutton, J. D. (1985). Digestion and absorption of energy substrates in the lactating cow. *Journal of Dairy Science*, 68(12), 3376-3393.
- Szumacher-Strabel, M., Cieślak, A., & Nowakowska, A. (2009). Effect of oils rich in linoleic acid on *in vitro* rumen fermentation parameters of sheep, goats and dairy cows. *Journal of Animal and Feed Sciences*, 18(3), 440-452.
- Tajima, K., Aminov, R. I., Nagamine, T., Matsui, H., Nakamura, M., & Benno, Y. (2001). Diet-dependent shifts in the bacterial population of the rumen revealed with real-time PCR. *Applied and environmental microbiology*, 67(6), 2766-2774.
- Takenaka, A., & Itabashi, H. (1995). Changes in the population of some functional groups of rumen bacteria including methanogenic bacteria by changing the rumen ciliates in calves. *Journal of General and Applied Microbiology*, 41(5), 377-387.
- Tripoli, E., Giammanco, M., Tabacchi, G., Di Majo, D., Giammanco, S., & La Guardia, M. (2005). The phenolic compounds of olive oil: structure, biological activity and beneficial effects on human health. *Nutrition Research Reviews*, 18(01), 98-112.
- Van Houtert, M. F. J. (1993). The production and metabolism of volatile fatty acids by ruminants fed roughages: A review. *Animal Feed Science and Technology*, 43(3), 189-225.
- Van Nevel, C. J., & Demeyer, D. I. (1996). Control of rumen methanogenesis. *Environmental Monitoring and Assessment*, 42(1-2), 73-97.
- Van Soest, P. V., Robertson, J. B., & Lewis, B. A. (1991). Methods for dietary fiber, neutral detergent fiber, and nonstarch polysaccharides in relation to animal nutrition. *Journal of Dairy Science*, 74(10), 3583-3597.
- Varga, G. A., & Kolver, E. S. (1997). Microbial and animal limitations to fiber digestion and utilization. *The Journal of Nutrition*, 127(5), 819S-823S.
- Veira, D. M., Ivan, M., & Jui, P. Y. (1983). Rumen ciliate protozoa: effects on digestion in the stomach of sheep. *Journal of Dairy Science*, 66(5), 1015-1022.
- Visioli, F., & Galli, C. (2002). Biological properties of olive oil phytochemicals. *Critical Reviews in Food Science and Nutrition*, 42(3), 209-221.

- Voigt, J., Kuhla, S., Gaafar, K., Derno, M., & Hagemester, H. (2006). Digestibility of rumen protected fat in cattle. *Slovak J. Anim. Sci*, 39, 16-19.
- Wachira, A. M., Sinclair, L. A., Wilkinson, R. G., Hallett, K., Enser, M., & Wood, J. D. (2000). Rumen biohydrogenation of n-3 polyunsaturated fatty acids and their effects on microbial efficiency and nutrient digestibility in sheep. *The Journal of Agricultural Science*, 135(04), 419-428.
- Wales, W. J., Kolver, E. S., Thorne, P. L., & Egan, A. R. (2004). Diurnal variation in ruminal pH on the digestibility of highly digestible perennial ryegrass during continuous culture fermentation. *Journal of Dairy Science*, 87(6), 1864-1871.
- Wallace, R. J., Broderick, G. A., & Brummell, M. L. (1987). Microbial protein and peptide metabolism in rumen fluid from faunated and ciliate-free sheep. *British Journal of Nutrition*, 58(01), 87-93.
- Wallace, R. J., McEwan, N. R., McIntosh, F. M., Teferedegne, B., & Newbold, C. J. (2002). Natural products as manipulators of rumen fermentation. *Asian Australasian Journal of Animal Sciences*, 15(10), 1458-1468.
- Wanapat, M., & Khampa, S. (2006). Effect of Mineralized Solid Palm Fat and Feeding Pattern on Ruminal Ecology and Digestibility of Nutrients in Dairy Steers Fed on Urea-Treated Rice Straw. *Pakistan Journal of Nutrition*, 5(4), 319-324.
- Wanapat, M., Mapato, C., Pilajun, R., & Toburan, W. (2011). Effects of vegetable oil supplementation on feed intake, rumen fermentation, growth performance, and carcass characteristic of growing swamp buffaloes. *Livestock Science*, 135(1), 32-37.
- Wang, J., & Fung, D. Y. (1996). Alkaline-fermented foods: A review with emphasis on pidan fermentation. *Critical Reviews in Microbiology*, 22(2), 101-138.
- Williams, A. G. (1986). Rumen holotrich ciliate protozoa. *Microbiological Reviews*, 50(1), 25.
- Williams, A. G. (1989). Metabolic activities of rumen protozoa. In *The Roles of Protozoa and Fungi in Ruminant Digestion* (pp. 97-126). Penambul Books, Armidale, Australia.
- Williams, A. G., & Coleman, G. S. (1997). The rumen protozoa. In *The Rumen Microbial Ecosystem* (pp. 73-139). Springer Netherlands.
- Williams, V. J., & Mackenzie, D. D. S. (1965). The absorption of lactic acid from the reticulo-rumen of the sheep. *Australian Journal of Biological Sciences*, 18(4), 917-934.
- Wolin, M. J., Miller, T. L., & Stewart, C. S. (1997). Microbe-microbe interactions. In *The Rumen Microbial Ecosystem* (pp. 467-491). Springer Netherlands.
- Yabuuchi, Y., Tani, M., Matsushita, Y., Otsuka, H., & Kobayashi, Y. (2007). Effects of lauric acid on physical, chemical and microbial characteristics in the rumen of steers on a high grain diet. *Animal Science Journal*, 78(4), 387-394.
- Zhang, C. M., Guo, Y. Q., Yuan, Z. P., Wu, Y. M., Wang, J. K., Liu, J. X., & Zhu, W. Y. (2008). Effect of octadeca carbon fatty acids on microbial fermentation, methanogenesis and microbial flora *in vitro*. *Animal Feed Science and Technology*, 146(3), 259-269.

LIST OF PUBLICATION

- Ibrahim, N. A.**, Alimon, A. R., Yaakub, H., Abdullah, N., & Samsudin, A. A. (2016, March). Effects of Dietary Oil Supplementation with Different Fatty Acid Profiles on Rumen Fibre Degrading Bacteria Population in Goats. In *Proceedings of International Seminar on Livestock Production and Veterinary Technology* (pp. 271-275).
- Nur Atikah, I.**, Alimon, A.R., Samsudin, A.A., Yaakub, H., Abdullah, N., & (2016). Effect of Dietary Oils on Nutrient Digestibility in Goats. *Proc. 37th MSAP Ann. Conf.*, 144-145.
- Ibrahim, A.**, Alimon, A. R., Samsudin, A. A., Yaakub, H., Abdullah, N., & Ivan, M. (2014). Effects of Dietary Oils on Rumen Fermentation in Goats. The 16th AAAP Congress
- Atikah, N. I.**, Alimon, A. R., Samsudin, A. A., Yaakub, H., Abdullah, N., & Ivan, M. (2013). Effect of Dietary Oils on Rumen Protozoa. *Proc. 34th MSAP Ann. Conf.*, 41-42.