

*Review Article*

## A Review of Distribution Network Expansion Planning

**Wan Yusrizal Wan Yusoff<sup>1,2\*</sup>, Mohammad Lutfi Othman<sup>1,2</sup>, Mohd Zainal Abidin Ab Kadir<sup>1</sup>, Noor Izzri Abdul Wahab<sup>1</sup> and Aidil Azwin Zainul Abidin<sup>3</sup>**

<sup>1</sup>Department of Electrical and Electronics Engineering, Faculty of Engineering, Universiti Putra Malaysia, 43400 UPM, Serdang, Selangor, Malaysia

<sup>2</sup>Advanced Lightning, Power and Energy Research (ALPER), Faculty of Engineering, Universiti Putra Malaysia, 43400 UPM, Serdang, Selangor, Malaysia

<sup>3</sup>Engineering College, Universiti Tenaga Nasional, 43000 Kajang, Selangor, Malaysia

### ABSTRACT

Distribution Networks Expansion Planning (DNEP) is very complex and involves improving the system to meet the increasing demand using the most cost-effective strategy. Among the planned choices are the extension of substations, upgrade of distribution feeders, installation of additional Distributed Energy Resources (DERs), installation of Capacitor Banks (CBs) and many other methods. Distribution planners in contemporary networks must have faith in the reversibility of investments where Renewable Energy Resources (RERs) inject clean and cost-effective for DNEP to meet growing demand and environmental requirements. The comprehensive review of DNEP carried out in this paper covers all possible objective functions and problem constraints. With the rise of electric vehicles (EVs), there is a growing need to assess the impact of EV charging on distribution networks. Understanding how EV loads affect the network helps plan future expansions to efficiently accommodate the charging infrastructure. Integrating DERs, such as solar panels, wind turbines, and energy storage systems, is changing how electricity is generated, distributed, and consumed. Assessing the integration of DERs into distribution networks is crucial for optimal network planning and operation. In addition, CBs are essential for power factor correction and voltage regulation in distribution networks. Including CBs in expansion planning helps improve network efficiency, reliability, and overall power quality.

#### ARTICLE INFO

*Article history:*

Received: 22 December 2023

Accepted: 19 August 2024

Published: 27 January 2025

DOI: <https://doi.org/10.47836/pjst.33.1.03>

*E-mail addresses:*

yusrizaly@tnb.com.my (Wan Yusrizal Wan Yusoff)

lutfi@upm.edu.my (Mohammad Lutfi Othman)

mzk@upm.edu.my (Mohd Zainal Abidin Ab Kadir)

izzri@upm.edu.my (Noor Izzri Abdul Wahab)

aidilazwin@uniten.edu.my (Aidil Azwin Zainul Abidin)

\* Corresponding author

By analyzing the impact of EV loads, DERs, and CBs in DNEP, researchers and planners can develop more accurate models and strategies for designing sustainable and resilient power systems to efficiently meet the growing energy demands.

**Keywords:** Capacitor banks, distributed energy resources, distribution networks, electric vehicles load, expansion planning

## INTRODUCTION

According to the World Energy Transitions Outlook published by the International Renewable Energy Agency (IRENA) in 2021, significant cuts in greenhouse gas emissions are required to achieve the Paris Agreement's aim of keeping the rise in global temperature well below 2°C. Reducing emissions over the coming decades will need more energy transition expenditures, such as expanding renewable energy sources and enhancing the energy infrastructure. Plans for the national and regional energy transformation are provided, together with projections for 2030 and 2050, by the IRENA program Renewable Energy Map (REmap), which creates roadmaps for renewable energy. Developing regional studies aims to comprehend how a region can support an energy transition pathway that respects countries' unique energy resources, socioeconomic status, and institutional and regulatory endowments. It also contributes to the global emission reduction goal and leverages opportunities to meet regional energy and investment goals. A roadmap for the REmap has been developed for the Association of Southeast Asian Nations (ASEAN) to meet its target of 23% renewable energy in the energy mix by 2025 (IRENA, 2023).

Over the past few decades, carbon dioxide (CO<sub>2</sub>) emissions have gradually increased. In 2018, the transportation industry contributed more than one-fourth of all Global Greenhouse Gas (GHG) emissions (Francisco et al., 2020). As a signatory to the Paris Agreement, Malaysia is dedicated to establishing a low-carbon society. The Malaysian government wants to cut greenhouse gas emissions by 45% by 2030 compared to GDP (gross domestic product) in 2005 (UNFCCC, 2015). The most recent National Transport Policy (NTP 2019–2030), with the goal of “Advance Toward Green Transport Ecosystem,” reflects this aim (MOT, 2019). As a result, the Malaysian government is encouraging the use of Energy Efficient Vehicles (EEV), which includes Electric Vehicles (EVs), with the goal of having all EEVs on the road by 2030 (KeTTHA, 2017). In order to solve this problem, it has been shown that EVs are a cleaner, quieter and more energy-efficient alternative to Internal Combustion Engine Vehicle (ICEV). The benefits of EVs to the environment and economy are particularly strong (Francisco et al., 2020).

Protecting the reliability of the power distribution network is an ongoing problem. Higher expectations for supply stability and resilience, increasing energy prices, supporting demand growth, ensuring environmental sustainability and keeping up with new distributed generating technologies are all obstacles (Pinto et al., 2019). Also, the reform of the energy supply business and the increase in market competitiveness need greater efficiency and the introduction of new, cutting-edge consumer goods and services. Utilities may change the conventional network distribution system as a result of the increased user engagement made possible by the development of smart and digital technologies. However, this necessitates a new set of network design requirements and disturbs established methods of grid management. Smart developing technologies like renewable energy resources, battery energy system storage, and Volt-VAR optimization are gaining traction as potential

alternatives to expanding existing networks to improve system dependability. Using non-network solutions to lower network demand and postpone network investment may be the most cost-effective option when the price of conventional network solutions is prohibitive (Liu et al., 2017).

One of the topics that must be investigated is the expansion planning of the Active Distribution Network (ADN). The planning studies for this expansion model consider the consequences of ideal operating circumstances. Through active management of these resources, the network’s Distributed Energy Resources (DERs) are utilized in accordance with each operational situation. Investment in distribution network assets, such as feeders, substations, and DERs systems combining traditional gas turbines and renewable wind generators, is jointly considered at the planning level (Kabirifar et al., 2019). In Figure 1, the numbers of published relevant and significant literature from 2014 to 2022 emphasize the significance of research in this area. Research regarding expansion planning of distribution networks considering electric vehicle loads has been increasing, and the trend shows it will keep increasing due to market sentiments. Figure 2 shows the number of published relevant and significant literature in different countries to infer the global application of this study.




Figure 1. Number of relevant research published by years




Figure 2. Number of relevant research published by country

## **DISTRIBUTION NETWORK EXPANSION PLANNING OVERVIEW**

The primary objective of distribution planning is to provide a steady supply of energy to meet customer demand at the lowest cost feasible considering the load, in accordance with asset management best practices and in an ecologically conscious way. The main planning difficulties are determining the most economical expenditure in proportion to the expected risk of supply dependability or the frequency and impact of breakdowns. Planning methodology is evolving to align with the growth of active control in smart-grid applications. Through multi-objective, probabilistic and risk-oriented planning, the innovative approach to distribution network planning that integrates active distribution network capabilities offers more affordable solutions (Aghaei et al., 2014; Esmacili et al., 2016; Hemmati et al., 2015).

### **Distribution Network Expansion Planning Objectives**

An objective function is a mathematical expression that describes the current state of a multivariate system. Depending on the problem or intended value, changing these variables will result in the biggest or smallest optimal value. The goal functions can be maximized or minimized to get that value (Verma et al., 2019). Many objectives and functions need to be considered during the execution of the distribution network expansion planning, which can be categorized into financial, income-related, technical, optimal size and location, as well as social and economic. The objectives functions of design and planning criteria of DNEP shall take into consideration the following:

- (i) Minimization of total emissions (Esmacili et al., 2016; Ehsan & Yang, 2019a, 2019b).
- (ii) Feeder, substation and Distributed Energy Resources investment cost (Esmacili et al., 2016; Aghaei et al., 2014; Hemmati et al., 2015).
- (iii) Volt-VAR optimization by Capacitor Banks (Ameli et al., 2017; Ayoubi et al., 2017).
- (iv) Battery Energy Storage System (BESS) investment and operation cost (Masoumi-Amiri et al., 2021; Cossi et al., 2012; Ehsan & Yang, 2019a, 2019b).
- (v) Energy loss minimization (Aghaei et al., 2014; Dumbrava et al., 2011).
- (vi) Voltage Stability & Voltage Profile Improvement (Esmacili et al., 2016; Lin et al., 2019; Poornazaryan et al., 2016).
- (vii) Reliability Improvement (Aghaei et al., 2014; Dumbrara et al., 2011).
- (viii) Minimize Line Loading (Gallano & Nerves 2014).
- (ix) Optimal Power Flow (OPF) solution (Hemmati et al., 2015).
- (x) Load variations and purchased energy (Bagheri et al., 2015).
- (xi) Asset investment cost (Mazhari et al., 2015).

Thirty-five (35) relevant and significant review papers have been summarized to map out the current trends of the research and important criteria of Distribution Network

Expansion Planning, Distributed Energy Resources (DERs), Capacitor Banks, and Electric Vehicle Loads worldwide. Table 1 shows a comparison of the review papers based on the potential areas by types of network systems that previous research has covered in each paper. Table 2 shows a summary of research areas related to electric vehicles. Table 3 summarizes research areas related to integration with distribution systems. Meanwhile, Table 4 shows a summary of research areas related to objective functions and constraints that have been taken into consideration related to DNEP research. Objective function selection clearly shows increasing penetration of DERs, adoption of capacitor banks and expansion cost optimization. However, the research regarding the adoption of the integration of EVs load as the objective is still limited. Hence, this creates the motivation to execute research toward integrating EV load into DNEP. Furthermore, Table 5 summarizes the optimization methods researchers in previous research have adopted. Several scholars suggested using heuristics to directly optimize complicated optimization problems. It is difficult to ensure that the solution is globally optimum despite its simplicity of implementation. Many heuristic evolutionary algorithms, such as Tabu Search, Ant Colony, Particle Swarm Optimization, Genetic Algorithm, and Monte Carlo, have been introduced.

### **Distribution Network Expansion Planning Constraints**

Any technological problem's effectiveness and applicability rely on the precise definition of an objective function, and the selection of constraints constricts the available options. DNEP challenges have a similar characteristic. To find the best solution for every site, the proper technological, social and economic factors must constrain the objective functions of DNEP issues. Constraints are the requirements on various objective functions in DNEP to arrive at the most optimal, consistent, and economical solution. Therefore, efficiently solving DNEP issues depends greatly on the selection of suitable constraints. The current study tries to compile the restrictions considered in more than eighty original publications published throughout ten years. The limitations taken into consideration by several distinguished scholars have been explored by grouping them into technical, non-technical, time and financial and other limitations. Concerning the assimilation of DERs and BESS, special considerations necessary for choosing limitations for DNEP have also been highlighted.

According to Figure 3, most researchers consider uncertainties, reliability, load growth, and asset investment minimization their objective functions and constraints.

The EV load is yet to be considered in most research regarding DNEP. Hence, this situation leads to the motivation to further study the impact of the EV load on the existing distribution networks. Many constraints need to be considered during the execution of the distribution network expansion plan. The constraints of design and planning criteria of the distribution network shall take into consideration the following:

Table 1  
*Research areas by types of network system*

| Reference paper                     | Research areas by types of network system |                   |                     |                             |
|-------------------------------------|-------------------------------------------|-------------------|---------------------|-----------------------------|
|                                     | Expansion Planning                        | Generation System | Transmission System | Distribution Network System |
| Arasteh et al., 2016                | ✓                                         |                   | ✓                   | ✓                           |
| Muñoz-Delgado et al., 2015          | ✓                                         | ✓                 | ✓                   | ✓                           |
| Cossi et al., 2012                  | ✓                                         |                   | ✓                   | ✓                           |
| Ramirez & Bernal, 2001              | ✓                                         |                   | ✓                   |                             |
| Dumbrava et al., 2011               | ✓                                         |                   | ✓                   | ✓                           |
| Nejadfard-Jahromi et al., 2015      | ✓                                         |                   | ✓                   |                             |
| Mazhari et al., 2015                | ✓                                         |                   | ✓                   | ✓                           |
| Georgilakis & Hatzigargyriou., 2015 | ✓                                         |                   | ✓                   |                             |
| Jeddi et al., 2019                  |                                           |                   |                     |                             |
| Moradijoz et al., 2017              | ✓                                         |                   |                     | ✓                           |
| Ehsan & Yang, 2019b                 | ✓                                         |                   |                     | ✓                           |
| Ehsan & Yang, 2019a                 | ✓                                         |                   |                     | ✓                           |
| Melgar-Dominguez et al., 2021       | ✓                                         |                   |                     | ✓                           |
| El-Ela et al., 2019                 |                                           |                   |                     | ✓                           |
| Lopez et al., 2021                  |                                           |                   |                     | ✓                           |
| KC & Regmi, 2019                    |                                           |                   |                     | ✓                           |
| Sirjani, 2017                       |                                           |                   |                     | ✓                           |
| Eid et al., 2022                    |                                           |                   |                     | ✓                           |
| Rangarajan et al., 2017             |                                           |                   |                     | ✓                           |
| Ayalew et al., 2022                 | ✓                                         |                   |                     | ✓                           |
| Moazzami et al., 2019               | ✓                                         |                   |                     | ✓                           |
| Amjady et al., 2017                 | ✓                                         |                   |                     | ✓                           |
| Srinivasan & Visalakshi, 2017       |                                           |                   |                     | ✓                           |
| Hoog et al., 2015                   |                                           |                   |                     | ✓                           |
| Bagheri et al., 2015                | ✓                                         |                   |                     | ✓                           |
| Lin et al., 2019                    | ✓                                         |                   |                     | ✓                           |
| Poornazaryan et al., 2016           |                                           |                   |                     | ✓                           |
| Masoumi-Amiri et al., 2021)         | ✓                                         |                   |                     | ✓                           |
| Ayoubi et al., 2017                 |                                           |                   |                     | ✓                           |
| Hemmati et al., 2015                | ✓                                         |                   |                     | ✓                           |
| Aghaei et al., 2014                 | ✓                                         |                   |                     | ✓                           |
| Esmacili et al., 2016               |                                           |                   |                     | ✓                           |
| Kabirifar et al., 2019              | ✓                                         |                   |                     | ✓                           |
| Manríquez et al., 2020              | ✓                                         | ✓                 | ✓                   |                             |
| Pinto et al., 2021                  | ✓                                         |                   |                     | ✓                           |

Table 2  
*Research areas related to electric vehicles*

| Reference paper                     | Research areas related to electric vehicles |                   |                     |
|-------------------------------------|---------------------------------------------|-------------------|---------------------|
|                                     | Electric Vehicles                           | EV Smart Charging | EV Optimal Charging |
| Arasteh et al., 2016)               |                                             |                   |                     |
| Muñoz-Delgado et al., 2015          |                                             |                   |                     |
| Cossi et al., 2012                  |                                             |                   |                     |
| Ramirez & Bernal, 2001              |                                             |                   |                     |
| Dumbrava et al., 2011               |                                             |                   |                     |
| Nejadfard-Jahromi et al., 2015      |                                             |                   |                     |
| Mazhari et al., 2015                |                                             |                   |                     |
| Georgilakis & Hatzigargyriou., 2015 |                                             |                   |                     |
| Jeddi et al., 2019                  |                                             |                   |                     |
| Moradijoz et al., 2017              |                                             | ✓                 |                     |
| Ehsan & Yang, 2019b                 |                                             | ✓                 |                     |
| Ehsan & Yang, 2019a                 |                                             | ✓                 |                     |
| Melgar-Dominguez et al., 2021       |                                             |                   |                     |
| El-Ela et al., 2019                 |                                             |                   |                     |
| Lopez et al., 2021                  |                                             |                   |                     |
| KC & Regmi, 2019                    |                                             |                   |                     |
| Sirjani, 2017                       |                                             |                   |                     |
| Eid et al., 2022                    |                                             |                   |                     |
| Rangarajan et al., 2017             |                                             |                   |                     |
| Ayalew et al., 2022                 |                                             |                   |                     |
| Moazzami et al., 2019               |                                             |                   |                     |
| Amjady et al., 2017                 |                                             |                   |                     |
| Srinivasan & Visalakshi, 2017       |                                             |                   |                     |
| Hoog et al., 2015                   | ✓                                           |                   | ✓                   |
| Bagheri et al., 2015                |                                             |                   |                     |
| Lin et al., 2019                    |                                             |                   |                     |
| Poornazaryan et al., 2016           |                                             |                   |                     |
| Masoumi-Amiri et al., 2021          |                                             |                   |                     |
| Ayoubi et al., 2017                 |                                             |                   |                     |
| Hemmati et al., 2015                |                                             |                   |                     |
| Aghaei et al., 2014                 |                                             |                   |                     |
| Esmacili et al., 2016               |                                             |                   |                     |
| Kabirifar et al., 2019              |                                             |                   |                     |
| Manríquez et al., 2020              | ✓                                           | ✓                 |                     |
| Pinto et al., 2021                  |                                             |                   |                     |

Table 3

Research areas related to integration with distribution network system

| Reference paper                    | Research areas related to integration with distribution network system |                 |            |  |
|------------------------------------|------------------------------------------------------------------------|-----------------|------------|--|
|                                    | Distributed Energy Resources (DER) / DG                                | Capacitor Banks | Micro Grid |  |
| Arasteh et al., 2016               | ✓                                                                      | ✓               |            |  |
| Muñoz-Delgado et al., 2015         | ✓                                                                      | ✓               |            |  |
| Cossi et al., 2012                 |                                                                        |                 | ✓          |  |
| Ramirez & Bernal, 2001             |                                                                        | ✓               |            |  |
| Dumbrava et al., 2011              |                                                                        | ✓               |            |  |
| Nejadfard-Jahromi et al., 2015     | ✓                                                                      | ✓               |            |  |
| Mazhari et al., 2015               |                                                                        |                 | ✓          |  |
| Georgilakis & Hatziargyriou., 2015 | ✓                                                                      | ✓               |            |  |
| Jeddi et al., 2019                 |                                                                        |                 |            |  |
| Moradijooz et al., 2017            |                                                                        |                 |            |  |
| Ehsan & Yang, 2019b                | ✓                                                                      |                 |            |  |
| Ehsan & Yang, 2019a                | ✓                                                                      |                 |            |  |
| Melgar-Dominguez et al., 2021      | ✓                                                                      | ✓               |            |  |
| El-Ela et al., 2019                | ✓                                                                      | ✓               |            |  |
| Lopez et al., 2021                 |                                                                        | ✓               |            |  |
| KC & Regmi, 2019                   |                                                                        | ✓               |            |  |
| Sirjani, 2017                      | ✓                                                                      | ✓               |            |  |
| Eid et al., 2022                   | ✓                                                                      |                 |            |  |
| Rangarajan et al., 2017            | ✓                                                                      |                 |            |  |
| Ayalew et al., 2022                | ✓                                                                      |                 |            |  |
| Moazzami et al., 2019              | ✓                                                                      |                 |            |  |
| Amjady et al., 2017                | ✓                                                                      |                 |            |  |
| Srinivasan & Visalakshi, 2017      | ✓                                                                      | ✓               |            |  |
| Hoog et al., 2015                  |                                                                        |                 |            |  |
| Bagheri et al., 2015               | ✓                                                                      |                 |            |  |
| Lin et al., 2019                   |                                                                        |                 |            |  |
| Poornazaryan et al., 2016          | ✓                                                                      |                 |            |  |
| Masoumi-Amiri et al., 2021         |                                                                        |                 | ✓          |  |
| Ayoubi et al., 2017                |                                                                        |                 | ✓          |  |
| Hemmati et al., 2015               | ✓                                                                      |                 |            |  |
| Aghaei et al., 2014                | ✓                                                                      | ✓               |            |  |
| Esmacili et al., 2016              | ✓                                                                      |                 |            |  |
| Kabirifar et al., 2019             | ✓                                                                      |                 |            |  |
| Manríquez et al., 2020             | ✓                                                                      |                 |            |  |
| Pinto et al., 2021                 | ✓                                                                      | ✓               |            |  |

Table 4

Potential research areas related to objective functions and constraints

| Reference paper                    | Potential research areas related to objective functions and constraints |                 |             |               |
|------------------------------------|-------------------------------------------------------------------------|-----------------|-------------|---------------|
|                                    | Multi-Period                                                            | Multi-Objective | Reliability | AC power flow |
| Arasteh et al., 2016               | ✓                                                                       | ✓               | ✓           | ✓             |
| Muñoz-Delgado et al., 2015         | ✓                                                                       | ✓               | ✓           | ✓             |
| Cossi et al., 2012                 | ✓                                                                       |                 | ✓           |               |
| Ramirez & Bernal, 2001             | ✓                                                                       | ✓               | ✓           |               |
| Dumbrava et al., 2011              | ✓                                                                       |                 | ✓           |               |
| Nejadfard-Jahromi et al., 2015     | ✓                                                                       | ✓               | ✓           | ✓             |
| Mazhari et al., 2015               | ✓                                                                       | ✓               | ✓           | ✓             |
| Georgilakis & Hatziargyriou., 2015 | ✓                                                                       | ✓               | ✓           | ✓             |
| Jeddi et al., 2019                 |                                                                         |                 |             |               |
| Moradijooz et al., 2017            |                                                                         |                 | ✓           |               |
| Ehsan & Yang, 2019b                | ✓                                                                       |                 | ✓           |               |
| Ehsan & Yang, 2019a                | ✓                                                                       |                 | ✓           | ✓             |
| Melgar-Dominguez et al., 2021      | ✓                                                                       | ✓               | ✓           | ✓             |
| El-Ela et al., 2019                |                                                                         | ✓               | ✓           | ✓             |
| Lopez et al., 2021                 |                                                                         | ✓               | ✓           | ✓             |
| KC & Regmi, 2019                   |                                                                         |                 | ✓           | ✓             |
| Sirjani, 2017                      |                                                                         | ✓               | ✓           | ✓             |
| Eid et al., 2022                   | ✓                                                                       | ✓               | ✓           | ✓             |
| Rangarajan et al., 2017            |                                                                         |                 | ✓           | ✓             |
| Ayalew et al., 2022                | ✓                                                                       | ✓               | ✓           | ✓             |
| Moazzami et al., 2019              | ✓                                                                       | ✓               | ✓           | ✓             |
| Amjady et al., 2017                | ✓                                                                       | ✓               | ✓           | ✓             |
| Srinivasan & Visalakshi, 2017      |                                                                         | ✓               | ✓           | ✓             |
| Hoog et al., 2015                  |                                                                         | ✓               | ✓           | ✓             |
| Bagheri et al., 2015               | ✓                                                                       | ✓               | ✓           | ✓             |
| Lin et al., 2019                   | ✓                                                                       | ✓               | ✓           | ✓             |
| Poornazaryan et al., 2016          |                                                                         | ✓               | ✓           | ✓             |
| Masoumi-Amiri et al., 2021         | ✓                                                                       | ✓               | ✓           |               |
| Ayoubi et al., 2017                |                                                                         | ✓               | ✓           | ✓             |
| Hemmati et al., 2015               | ✓                                                                       | ✓               | ✓           | ✓             |
| Aghaei et al., 2014                | ✓                                                                       | ✓               | ✓           | ✓             |
| Esmacili et al., 2016              |                                                                         | ✓               | ✓           | ✓             |
| Kabirifar et al., 2019             | ✓                                                                       | ✓               | ✓           | ✓             |
| Manríquez et al., 2020             | ✓                                                                       | ✓               | ✓           | ✓             |
| Pinto et al., 2021                 | ✓                                                                       | ✓               | ✓           | ✓             |

Table 4 (continue)

| Reference paper                      |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
|--------------------------------------|--------------------------------|----------------|------------|-----------------------|------------------|-------------|---------|-----------------|-----------------------------|------------------|--------------|-------------------|--------------|------------------|--------------------------------------|-----------------|--------------------------|-------------------------|-----------------------|--|
|                                      | Demand & Transmission Capacity | Energy Balance | Constraint | Generation Constraint | switch placement | Load Growth | Network | Reconfiguration | Optimal operating condition | Asset Investment | Minimization | Voltage Stability | Power Losses | Operational Cost | Thermal Limit of Feeder & Substation | Demand Response | Harmonic / Power Quality | Cost of Energy Purchase | Carbon Emission Taxes |  |
| Arasteh et al., 2016                 |                                |                |            |                       |                  |             | ✓       |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Muñoz-Delgado et al., 2015           |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Cossi et al., 2012                   |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Ramirez & Bernal, 2001               |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Dumbrava et al., 2011                |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Nejadfard-Jahromi et al., 2015       |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Mazhari et al., 2015                 |                                |                |            |                       |                  |             | ✓       |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Georgilakis & Hatzigiargyriou., 2015 |                                |                |            |                       |                  |             | ✓       |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Jeddi et al., 2019                   |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Moradijoz et al., 2017               |                                |                |            |                       |                  |             |         |                 |                             |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Ehsan & Yang, 2019b                  |                                |                |            |                       |                  |             |         |                 | ✓                           |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Ehsan & Yang, 2019a                  |                                |                |            |                       |                  |             |         |                 | ✓                           |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Melgar-Dominguez et al., 2021        |                                |                |            |                       | ✓                |             |         |                 | ✓                           |                  | ✓            |                   |              | ✓                |                                      |                 |                          | ✓                       | ✓                     |  |
| El-Ela et al., 2019                  |                                |                |            |                       |                  |             |         |                 |                             |                  | ✓            |                   | ✓            |                  |                                      | ✓               |                          |                         |                       |  |
| Lopez et al., 2021                   |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   | ✓            |                  |                                      |                 |                          |                         |                       |  |
| KC & Regmi, 2019                     |                                |                |            |                       |                  |             |         |                 |                             |                  | ✓            |                   | ✓            |                  |                                      |                 |                          |                         |                       |  |
| Sirjani, 2017                        |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 | ✓                        |                         |                       |  |
| Eid et al., 2022                     |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   | ✓            | ✓                |                                      |                 |                          |                         |                       |  |
| Rangarajan et al., 2017              |                                |                |            |                       | ✓                |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 | ✓                        |                         |                       |  |
| Ayalew et al., 2022                  |                                |                |            |                       | ✓                |             |         |                 |                             |                  |              |                   | ✓            | ✓                |                                      |                 |                          |                         |                       |  |
| Moazzami et al., 2019                |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   | ✓            |                  |                                      |                 |                          |                         |                       |  |
| Amjady et al., 2017                  |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Srinivasan & Visalakshi, 2017        |                                |                |            |                       |                  |             | ✓       |                 |                             |                  |              |                   |              | ✓                |                                      |                 |                          |                         |                       |  |
| Hoog et al., 2015                    |                                |                |            |                       |                  |             |         |                 |                             |                  |              |                   | ✓            |                  |                                      | ✓               |                          |                         |                       |  |
| Bagheri et al., 2015                 |                                |                |            |                       | ✓                |             |         |                 |                             |                  |              |                   | ✓            |                  |                                      |                 |                          |                         |                       |  |
| Lin et al., 2019                     |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   |              | ✓                |                                      |                 |                          |                         |                       |  |
| Poornazaryan et al., 2016            |                                |                |            |                       | ✓                |             |         |                 |                             |                  |              |                   | ✓            | ✓                |                                      |                 |                          |                         |                       |  |
| Masoumi-Amiri et al., 2021           |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   |              | ✓                |                                      |                 |                          |                         |                       |  |
| Ayoubi et al., 2017                  |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   | ✓            | ✓                |                                      | ✓               |                          |                         |                       |  |
| Hemmati et al., 2015                 |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   |              | ✓                |                                      |                 |                          |                         |                       |  |
| Aghaei et al., 2014                  |                                |                |            |                       | ✓                |             |         |                 |                             |                  | ✓            |                   | ✓            |                  |                                      |                 |                          |                         |                       |  |
| Esmacili et al., 2016                |                                |                |            |                       |                  | ✓           |         | ✓               |                             |                  |              | ✓                 | ✓            | ✓                |                                      |                 |                          |                         |                       |  |
| Kabirifar et al., 2019               |                                |                |            |                       | ✓                |             |         |                 | ✓                           |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Manríquez et al., 2020               | ✓                              | ✓              | ✓          | ✓                     | ✓                |             |         |                 |                             |                  | ✓            |                   |              |                  |                                      |                 |                          |                         |                       |  |
| Pinto et al., 2021                   |                                |                |            | ✓                     |                  |             |         |                 |                             |                  |              |                   |              |                  |                                      |                 |                          |                         |                       |  |

Table 4 (continue)

|                                      |   |   |   |
|--------------------------------------|---|---|---|
| Arasteh et al., 2016                 |   |   |   |
| Muñoz-Delgado et al., 2015           |   |   |   |
| Cossi et al., 2012                   |   |   |   |
| Ramirez & Bernal, 2001               |   |   |   |
| Dumbrava et al., 2011                |   |   |   |
| Nejadfard-Jahromi et al., 2015       |   |   |   |
| Mazhari et al., 2015                 |   |   |   |
| Georgilakis & Hatziaargyriou., 2015  |   |   |   |
| Jeddi et al., 2019                   |   |   |   |
| Moradijoz et al., 2017               |   | ✓ | ✓ |
| Ehsan & Yang, 2019b                  |   |   |   |
| Ehsan & Yang, 2019a                  |   |   |   |
| Melgar-Dominguez et al., 2021        | ✓ |   |   |
| El-Ela et al., 2019                  |   |   |   |
| Lopez et al., 2021                   |   |   |   |
| KC & Regmi, 2019                     |   |   |   |
| Sirjani, 2017                        |   |   |   |
| Eid et al., 2022                     |   |   |   |
| Rangarajan et al., 2017              |   |   |   |
| Ayalew et al., 2022                  |   |   |   |
| Moazzami et al., 2019                |   |   |   |
| Amjady et al., 2017                  |   |   |   |
| Srinivasan & Visalakshi, 2017        |   |   |   |
| Hoog et al., 2015                    |   |   |   |
| Bagheri et al., 2015                 |   |   |   |
| Lin et al., 2019                     |   |   |   |
| Poornazaryan et al., 2016            |   |   |   |
| Masoumi-Amiri et al., 2021           |   |   |   |
| Ayoubi et al., 2017                  |   |   |   |
| Hemmati et al., 2015                 |   |   |   |
| Aghaei et al., 2014                  |   |   |   |
| Esmacili et al., 2016                |   | ✓ |   |
| Kabirifar et al., 2019               |   |   |   |
| Manríquez et al., 2020               |   |   |   |
| Pinto et al., 2021                   |   |   |   |
| Reference paper                      |   |   |   |
| Allocation of Voltage                |   |   |   |
| Regulators                           |   |   |   |
| pollutant Gas Emission               |   |   |   |
| Power injection                      |   |   |   |
| capability of grindable parking lots |   |   |   |
| Economic Risk                        |   |   |   |

Table 5  
Potential research areas related to optimization method

|                                       |   |   |
|---------------------------------------|---|---|
| Arasteh et al., 2016                  | ✓ | ✓ |
| Muñoz-Delgado et al., 2015            | ✓ | ✓ |
| Cossi et al., 2012                    | ✓ |   |
| Ramirez & Bernal, 2001                | ✓ | ✓ |
| Dumbrava et al., 2011                 |   | ✓ |
| Nejadfard-Jahromi et al., 2015        | ✓ | ✓ |
| Mazhari et al., 2015                  | ✓ |   |
| Georgilakis & Hatziaargyriou., 2015   | ✓ | ✓ |
| Jeddi et al., 2019                    |   |   |
| Moradijoz et al., 2017                |   | ✓ |
| Ehsan & Yang, 2019b                   |   |   |
| Ehsan & Yang, 2019a                   |   |   |
| Melgar-Dominguez et al., 2021         |   |   |
| El-Ela et al., 2019                   | ✓ |   |
| Lopez et al., 2021                    | ✓ |   |
| KC & Regmi, 2019                      |   |   |
| Sirjani, 2017                         | ✓ |   |
| Eid et al., 2022                      |   |   |
| Rangarajan et al., 2017               |   |   |
| Ayalew et al., 2022                   |   |   |
| Moazzami et al., 2019                 | ✓ |   |
| Amjady et al., 2017                   |   | ✓ |
| Srinivasan & Visalakshi, 2017         | ✓ |   |
| Hoog et al., 2015                     | ✓ |   |
| Bagheri et al., 2015                  | ✓ |   |
| Lin et al., 2019                      | ✓ |   |
| Poornazaryan et al., 2016             | ✓ |   |
| Masoumi-Amiri et al., 2021            |   |   |
| Ayoubi et al., 2017                   | ✓ |   |
| Hemmati et al., 2015                  | ✓ | ✓ |
| Aghaei et al., 2014                   | ✓ |   |
| Esmacili et al., 2016                 | ✓ |   |
| Kabirifar et al., 2019                |   |   |
| Manríquez et al., 2020                |   | ✓ |
| Pinto et al., 2021                    | ✓ | ✓ |
| Reference paper                       |   |   |
| Heuristic                             |   |   |
| Monte Carlo Simulation (MCS)          | ✓ |   |
| Mix Integer Linear Programming (MILP) |   | ✓ |

[illegible]




Figure 3. A Summary of objective functions and constraints in DNEP

1. Voltage drops (Bagheri et al., 2015; Hoog et al., 2015).
2. Substation loading and branch current limit (Bagheri et al., 2015; Liu et al., 2017; Ehsan & Yang, 2019a, 2019b).
3. Network radiality constraint (Ameli et al., 2017; Pathak & Prakash, 2018).
4. Demand response (Pinto et al., 2021; Muñoz-Delgado et al., 2015).
5. Microgrid (Masoumi-Amiri et al., 2021; Pinto et al., 2019; Twaisan & Barisci, 2022).
6. DGs reactive power capacity, DGs active power capacity and DGs penetration (Arasteh et al., 2016; Esmaili et., 2016; Kumar & Kumar, 2020; Pinto et al., 2019; Srinivasan & Visalakshi, 2017).
7. Network loss (Srinivasan & Visalakshi, 2017).
8. Nominal power rating of transformers (Hoog et al., 2015).
9. Nominal current ratings of lines (Pinto et al., 2019).
10. Phase unbalance (Hoog et al., 2015).

### **Distribution Network Expansion Planning Integration with Electric Vehicle Loads, Distributed Energy Resources and Capacitor Banks**

Due to several key factors, research related to Distribution Network Expansion Planning and integration with EV load, DERs, and CBs is gaining more prominence than previous research. With the increasing adoption of electric vehicles, there is a rising demand for efficient integration of these loads into the existing distribution network. This necessitates the need for advanced planning strategies to accommodate the charging infrastructure and

Table 6  
*Summary of research related to Distribution Network Expansion Planning and integration with EVs load, DERs and CBs*

| References                    | Year | Contribution                                                                                                                                                                                                                                   | EVs Load | DERs | CBs |
|-------------------------------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|
| Aghaei et al., 2014           | 2014 | The objective functions of Multi-Stage Distribution Expansion Planning include cost reduction, voltage stability index, active power losses, and Energy Not Distributed.                                                                       | No       | Yes  | No  |
| Hemmati et al., 2015          | 2015 | The results revealed that using DG increased system performance, improved the voltage profile, decreased planning expenses, and reduced losses.                                                                                                | No       | Yes  | No  |
| Bagheri et al., 2015          | 2015 | DERs have been considered as the expansion planning options that verified the efficiency of the proposed method in decreasing the total cost of environmental pollution                                                                        | No       | Yes  | No  |
| Esmacili et al.2016           | 2016 | A multi-objective framework is suggested for simultaneous network reconfiguration and DER power allocation in distribution networks.                                                                                                           | No       | Yes  | No  |
| Poornazaryan et al., 2016     | 2016 | A new index has been developed to evaluate the ideal size and position of DG units, taking into consideration load fluctuation, to reduce active power losses and improve the voltage stability margin.                                        | No       | Yes  | No  |
| Rangarajan, et al., 2017      | 2017 | The proposal of a unique notion of leveraging smart PV inverters as virtual detuners for removing network resonances sets the basis for further study.                                                                                         | No       | Yes  | No  |
| Ameli et al., 2017            | 2017 | This framework may accept various cooperative behaviors among decision-makers. The stochastic behavior of a gridable parking lot is being examined as an alternative supply resource to improve the dependability of the distribution network. | Yes      | No   | No  |
| Srinivasan & Visalakshi, 2017 | 2017 | An application to reduce power loss in distribution networks by allocating and sizing DGs units and capacitors as efficiently as possible, both with and without reconfiguring the network                                                     | No       | Yes  | Yes |
| Sirjani, 2017                 | 2017 | The best position and size of capacitors were chosen based on system equivalent circuits, predicted wind speed, and harmonics to minimize energy losses, optimize reactive power, and lower management costs.                                  | No       | No   | Yes |
| Ameli et al. 2017             | 2017 | A unique technique for concurrent dynamic scheduling of feeder reconfiguration and CB switching is presented in DG units with unknown and variable generations over time.                                                                      | No       | Yes  | Yes |
| Ayoubi, et al. 2017           | 2017 | A novel method for placing capacitors in the presence of harmonic distortion is described, along with a suggested resonance index.                                                                                                             | No       | No   | Yes |

Table 6 (*continue*)

| References             | Year | Contribution                                                                                                                                                                                                          | EVs Load | DERs | CBs |
|------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|
| Quevedo et al., 2017   | 2017 | BESS can contribute to the coordinated DNEP by integrating renewable energy and EV charging demand, minimizing investment and operating expenses, and eliminating the need to extend existing substations.            | Yes      | Yes  | No  |
| Kabirifar et al., 2019 | 2019 | The investment, maintenance, operation, and unsupplied energy expenses' net present value (NPV) is reduced.                                                                                                           | No       | Yes  | No  |
| Moazzami et al. 2019   | 2019 | Deploy DERs as candidate equipment for distribution system growth to meet operational and economic needs while avoiding feeder extension and substation concerns.                                                     | No       | Yes  | No  |
| Jeddi et al., 2019     | 2019 | The suggested optimization model calculates the size, placement, and power factor of DERs. Other selection criteria include the transformer or line improvements requirement and the ideal year for DER installation. | No       | Yes  | No  |
| Yu et al., 2019        | 2019 | In conjunction with the various incremental distribution service pricing supervision mechanisms, incremental power distribution planning models that suit the appropriate demands are proposed.                       | No       | No   | No  |
| KC & Regmi, 2019       | 2019 | This study employs an analytical technique. The distribution system's load flow is performed using a backward/forward sweep algorithm.                                                                                | No       | No   | Yes |
| El-Ela et al., 2019    | 2019 | Various goal functions are used in the allocation issue under consideration to optimize the voltage profile, maximize operational loss savings, reduce overall investment costs, and increase loading capacity.       | No       | Yes  | Yes |
| Pinto et al., 2019     | 2019 | Coordinated operation and expansion planning reduce the problem's total cost, and demand response and DERs coordination results are more consistent.                                                                  | No       | Yes  | Yes |
| Kumar & Kumar, 2020    | 2020 | A novel multi-objective function model is devised to tackle the Multistage Distribution System Planning problem with planning and operational limitations.                                                            | No       | No   | No  |
| He et al., 2022        | 2021 | The expansion site selection and capacity plan of EVCSs are obtained to lower the total yearly societal cost of charging stations.                                                                                    | Yes      | No   | No  |
| Lopez et al., 2021     | 2021 | The goal function uses three-phase capacitor banks dispersed across the distribution network and sized to produce minimum power loss values.                                                                          | No       | No   | Yes |
| Pinto et al., 2021     | 2021 | The suggested computational model is described as a mixed integer nonlinear optimization problem, which is addressed using a combination of Monte-Carlo simulation and optimum power flow.                            | No       | Yes  | No  |

Table 6 (continue)

| References                    | Year | Contribution                                                                                                                                                                                                                | EVs Load | DERs | CBs |
|-------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|-----|
| Masoumi-Amiri et al., 2021    | 2021 | The inclusion of a microgrid structure in distribution network development plans improves operational conditions and encourages investor engagement in the electricity system.                                              | No       | Yes  | No  |
| Zhang et al., 2021            | 2021 | A multi-objective planning model for the sizing and placement of EVSEs and the extension of a power distribution network with significant wind power penetration.                                                           | Yes      | No   | No  |
| Melgar-Dominguez et al., 2021 | 2021 | The goal function of this optimization model is to reduce the predicted cost of energy acquired from the market, as well as charges related to carbon emission levies while maximizing energy purchased from DG developers. | No       | Yes  | Yes |
| Ayalew et al., 2022           | 2022 | The performance of the existing and improved networks is evaluated using current and expected load demand for the year 2030.                                                                                                | No       | Yes  | No  |
| Borozan et al., 2022          | 2022 | For large-scale and long-term, DNEP suggests Grid-to-Vehicle (G2V), Vehicle-to-Grid (V2G), and Vehicle-to-Building (V2B) investment and operation models under multi-dimensional uncertainty.                               | Yes      | No   | No  |
| Gholami et al., 2022          | 2022 | This article aims to arrange EV charging stations and smart PV inverters in distribution networks simultaneously to minimize power loss, voltage deviation, and voltage imbalance.                                          | Yes      | Yes  | No  |

manage the additional load effectively. The proliferation of DERs, such as solar PV systems and energy storage, adds complexity to the distribution network. Research focusing on the optimal integration of DERs along with EV loads can help enhance system reliability, flexibility, and efficiency. Meanwhile, CBs are crucial in improving power factors, reducing losses, and enhancing voltage stability in distribution networks. By incorporating CBs into expansion planning alongside EVs and DERs, researchers can explore holistic approaches to enhance grid resilience and stability. The focus on integrating EVs load, DERs, and CBs into DNEP research reflects a shift towards addressing the evolving challenges and opportunities in modern power systems, aiming to facilitate a more sustainable, efficient, and reliable energy infrastructure. Table 6 summarizes relevant research articles on Distribution Network Expansion Planning and integration with EV load, DERs and CBs. According to Table 6, the comparison of reviewed research has been focused on EV load, DERs and CBs and shows that no previous research considered EV load, DERs and CBs in the DNEP research.

The primary issue with DNEP is the intricacy of the distribution networks. Power balance, voltage profiles, branch capacity, DG restrictions, radiality constraints, network loss and pollutant emissions are just a few requirements that must be met. As a result, the

researchers broke the DNEP challenges into smaller components and offered a range of methods to address different issues. In any event, to arrive at a workable solution, we need sufficient information on the DNEP models. As the trend indicates, future optimization challenges should consider power supply, Volt-VAR optimization by CBs, the integration of RERs, and the load of EVs can all lead to more optimum solutions.

## **IMPACT OF ELECTRIC VEHICLES (EVS) LOAD TOWARD DISTRIBUTION NETWORK**

It is widely acknowledged that the most effective way to address pollution, global warming and energy sustainability issues is to electrify the transportation industry. The EV adoption and distribution level is expected to see a range of growth rates worldwide, depending on the accessibility of charging infrastructure, user desire, and income. With a low number of EVs and charging stations, the distribution network is not expected to encounter any technological problems. However, as the penetration of EVs increases, several technological problems surface. Violations of voltage limits, harmonic distortion, and higher losses might result from these problems. To enable demand response and provide different operating reserves using the energy stored in EVs, vehicle-to-grid operation (V2G) may also be taken into consideration.

As one of the possible energy solutions to lower system peak demand, the V2G operates on Smart Grid infrastructures that provide effective network and EV communication. EVs require a connection to the electrical grid to obtain charging for propulsion. EVs are dynamic loads that might disperse throughout the power grid. The reliability and quality of the power supply will be put at risk by the connectivity of a sizable fleet of EVs to the power grid. As a result, the technical effects of EV charging will be discussed and considered when all Electric Vehicles Supply Equipment is planned, installed and operated (Fan et al., 2021; Francisco et al., 2020; Zhou et al., 2014). Some of the impacts of electric vehicles (EVs) load on distribution network systems are as follows:

1. Increase in peak demand (Gallo, 2016).
2. Increase in power losses (Veldman & Verzijlbergh, 2014).
3. Voltage drop/Voltage profiles (Energy Commission, 2017).
4. Overloading of system components (Francisco et al., 2020).
5. Phase unbalanced (Veldman & Verzijlbergh, 2014).
6. Harmonics (Lucas et al., 2015).
7. Electric Vehicles (EVs) load massive penetration (Francisco et al., 2020; Taljegard et al., 2019).

When modeling a DNEP problem, the interaction between transportation and distribution networks, as well as various charging facilities like parking spaces, private charging locations at houses and quick charging stations, may be considered. If the Distribution

Network Operator is authorized to invest in RERs, the illiquidity of these resources must be considered. Because Grid Parking Lot storage capacity is an excellent tool for encouraging RER integration, the cooperative interaction between Distribution Network Operator and Grid Parking Lot Operator should be reflected in the operational phase as well as the planning level (Moradijiz et al., 2017). Researchers can also incorporate further, more thorough modeling of the interactions between park visitors and the effect of renewable energy on incremental planning (Yu et al., 2019). The operational problem's accuracy might be improved by modeling short-term uncertainty in EV availability and the effects of smart charging on battery deterioration but at the price of the problem's scale and tractability.

Future research will examine the effects of including smart charging investment options in distribution expansion planning under uncertainty, as well as the influence of various EV fleets on their option values (Boroza et al., 2022). Real-world transportation and distribution network data might be included in the optimization to produce more practical planning outcomes. One may also examine EVCS real-time functioning concerns, such as missing data, data delay, and sensor failure. In certain circumstances, data processing techniques such as deep learning may be able to ease these concerns (Zhang et al., 2021).

For distribution systems with realistic load models, the following are possible combinations of variables for DGs with EV planning: (a) Size, location, and types of DGs with EVs and (b) The types, placement, and synchronization of DGs and EVs. The location, size, and management of various types of DGs with EVs in distribution networks with varied load situations may be improved using realistic approaches. Future distribution systems with diverse, dynamic loads may utilize hybrid optimization methods to improve placement, scalability, and coordinated control over different types of DGs with EVs (Singh & Dubey, 2022). There are several unresolved concerns, such as how to mitigate power quality problems caused by electric vehicles and imbalanced networks, simultaneously reconfiguring the network and allocating renewable energy to increase the capacity of EVCSs (Gholami et al., 2022). The EV charging station extension planning study can take into account the foreign mature ancillary services market, traffic light location, quantity, and the real driving patterns of electric car users influence on forecasting charging demand, and the EV charging and discharging power adjustable to its participation in the influence of peak regulation, among other factors (He et al., 2022).

Researchers can consider the potential that when EVs are not in use, they may pump power into the network. Additionally, the model will incorporate additional generational technology (Quevedo et al., 2017). The analysis of electric vehicle charging and discharging methods should pay attention to the percentage of various electric vehicle users (operating and non-operating cars) willing to engage in aggregation regulation under various compensation price incentives (Zou et al., 2022). In addition to enhancing network stability, BESS may be utilized to mitigate the stochastic nature of renewable generating

and EV charging demand. The optimization model could consider BESS’s position and size in later rounds. To provide planning outcomes that are more realistically applicable, the optimization process might make use of data from actual distribution and transportation networks. Charging station real-time operating problems, including missing data, delays, and sensor failure, could also be taken into account. Sometimes, data processing methods like deep learning can help to solve these problems (Zhang et al., 2021). Figure 4 shows a tree diagram for DNEP, together with the impact of EV load penetration and integration with DERs and CBs.




Figure 4. Tree diagram for DNEP

**INTEGRATED DISTRIBUTION NETWORK EXPANSION PLANNING WITH DERs**

The planning problem for the ADN differs from standard DNEP problems in how DERs are integrated. The distribution system known as the ADN can manage a variety of DERs, including loads, storage, and generators. It is important to note that ADN enhances network performance at the planning and operation levels by reducing the influence of renewable resources’ unpredictability. A paradigm for ADN planning that considers active

resource management was put out. Reference (Al-Kaabi et al., 2013) put out a multi-configuration, multi-period optimum power flow approach to assess the effect of various DG configurations. A long-term dynamic planning of DGs taking active management into account has been given (Abapour et al., 2015). These studies have produced separate DNEPs. To manage the output power of DGs, Karagiannopoulos et al. (2017) initially increased the network's assets before introducing a real-time tractable iterative AC OPF.

The utility planning approach for the DNEP was proposed (Mansor & Levi, 2017). The two-step strategy that has been presented extends network assets in the first stage and takes network operation into account in the second. These two articles examine planning and operation levels separately, but an integrated framework is necessary. ADN planning models for multiple-stage, multiple-load scenarios have been proposed (Shen et al., 2016). While network reconfiguration and DGs dispatch are dealt with in the operating problem, the network assets are enlarged in planning. The ambiguity of resources is not addressed, however. The planning of a cooperative multistage distribution network that takes into account active resource management is presented (Kabirifar et al., 2019). The distribution system operator (DSO) seeks to reduce investment and operational expenses related to the proposed planning and operation levels.

When electricity is produced from sources, frequently renewable energy sources, close to the point of consumption rather than centralized generating sources from power plants, the process is referred to as distributed generation (Ayalew et al., 2022). Several types of DGs can be integrated into distribution network expansion planning as follows:

1. Solar (Rangarajan et al., 2017)
2. Biogas (Freitas et al., 2019)
3. Biomass (Ferreira et al., 2018)
4. Hydro Power (Raza et al., 2013)
5. Fuel Cells (Pinto et al., 2021; Veldman & Verzijlbergh, 2014)
6. Wind (Amjady et al., 2017)
7. Cogeneration (Cogeneration Technologies, 2022)
8. Energy storage (Comodi et al., 2017)
9. Flywheel Energy Storage Systems (Technologies of Energy Storage, 2022)
10. Batteries (Technologies of Energy Storage, 2022)
11. Superconducting Magnetic Storage Systems (SMES) (Carnegie et al., 2013).

Many benefits of distributed energy resources, such as installing DER units, may enable them to lower their power costs or achieve higher levels of dependability. Additionally, DERs may lower the price of enhancing the power system, lowering the overall cost of supply that customers must pay. By replacing other, more emissions-intensive generations, increased DER penetration may also aid in lowering the total emissions intensity (Twaisan & Barisci, 2022). Over the last ten years, the liberalization of energy markets, rising fuel

prices, environmental concerns, and the high cost of constructing a new big power plant have all contributed to the drive for small-scale distributed generation (DG) units to be installed in the distribution network (DN) to fulfill the increasing demand for electricity. However, the network becomes active and bi-directional when DG units are connected to the DN. The role of DGs in modern DN is progressively growing. Predictions state that about 20% of the next generations will be implanted. It is widely established from earlier research that distributing DG units inside the DN optimally leads to a decrease in power loss, an increase in voltage and dependability, an improvement in power quality, and the postponement of network upgrades (Amjady et al., 2017; Energy Commission, 2017; Moazzami et al., 2019; Srinivasan & Visalakshi, 2017).

Rapid load growth rates cause the distribution equipment to become overloaded, and because replacing overloaded power system components is expensive, it is not a simple task. To lower peak demand, novel incentive schemes, including permanent demand reduction, load curtailment/shifting, distributed generation (DGs), and others, have been created in response to growing economic pressure to fully utilize the capacity of present power equipment. The electrical utilities must plan appropriately if they want to see an improvement in consumer satisfaction with electric energy. This development has been noticed by utilities, who have taken DGs into account while building and running distribution networks. When placed in the best possible position, distributed generation (DG) may reduce power losses, improve supply quality and reliability, and save construction costs associated with transmission and distribution (Ahmed et al., 2022; Ayalew et al., 2022). DG units have been distributed into distribution networks using hybrid Harmony Search and Particle Artificial Bee Colony methods to lower power loss and improve the voltage profile (Muthukumar & Jayalalitha, 2016; Jeddi et al., 2019).

## **INTEGRATED DISTRIBUTION NETWORK EXPANSION PLANNING WITH CAPACITOR BANKS**

To provide reactive power compensation, maintain security and reliability, and raise bus voltage, capacitors are positioned along the Radial Distribution Network (RDN). To improve voltage control and boost power factors at the sub-station bus, capacitors of the proper size should be installed along the feeders. A review of the literature revealed many artificial intelligence strategies that may be used to address the problem of the ideal placement of capacitors. A differential search method Eid et al. (2022) has been used to optimize the DGs unit in the presence of the static VARs compensator to minimize power loss in distribution systems.

Capacitors are positioned along the RDN to provide reactive power compensation, preserve security and dependability, and increase bus voltage. However, installing capacitors of the right size along the feeders will enhance voltage control and increase

power factors at the substation bus. According to a literature survey, several artificial intelligence approaches might be used to tackle the optimum capacitor placement problem. Reactive power assistance is necessary for distribution networks. Shunt capacitor banks that are able to provide power factor correction and voltage control can offer this support or appropriate compensation. The inductive characteristics of distribution lines, including line charging capacitances and other inductive elements, like transformer impedances and loads, cause network resonances (Rangarajan et al., 2017).

Capacitors are frequently placed in distribution systems for reactive power compensation to reduce power and energy loss. Size and placement are important considerations when using a capacitor to minimize loss. Additionally, the proper positioning of capacitors is crucial to minimizing system power losses and overall capacitor costs. This paper compared the voltage dips and power losses before and after the capacitor installation. The results indicated that the suggested solution may enhance the distribution system's voltage performance and power losses, which would be advantageous for the distribution networks (KC & Regmi, 2019). A heuristic-based optimization technique is investigated Lopez et al. (2021) to improve the voltage profile and reduce power loss in a medium voltage distribution network. The goal function uses three-phase capacitor banks dispersed across the distribution network and sized to produce minimum values for the losses. Ant colony and genetic optimization algorithms were used as two heuristic techniques for this localization and dimensioning. An Improved Grey Wolf Optimizer has been put out in this study to address the coordinated allocation of DGs and CBs in distribution systems.

## CONCLUSION

DNEP is very complex and involves improving the system to meet the increasing demand using the most cost-effective strategy. Among the planned choices are the extension of substations, upgrade of distribution feeders, the installation of additional DERs facilities, installation of CBs and many other methods. Distribution planners in contemporary networks must have faith in the reversibility of investments where Renewable Energy Resources (RERs) inject clean and cost-effective for DNEP to meet growing demand and environmental requirements. In addition, the increasing adoption of EVs poses challenges for DNEP. EV loads have the potential to strain existing infrastructure due to increased demand for electricity, especially during peak charging times. It could require utilities to invest in upgrading and expanding distribution networks to accommodate the additional load from EV charging. Hence, careful planning and integration of EVs into distribution network expansion plans are essential to ensure grid reliability and cost-effectiveness. A comprehensive review of DNEP has been carried out in this paper, which covered all possible objective functions, problem constraints, various horizon times as well as problem variables, the optimization model (single/multi-objective), utilization of DERs,

utilization of CBs, and problem uncertainties. The examined literature demonstrates that several notable researchers have taken distinct objective functions into consideration to accomplish comparable DNEP goals.

In summary, a holistic approach to DNEP that considers EV loads, DERs integration, and Capacitor Banks installation is essential for designing sustainable power systems that are resilient, efficient, and capable of supporting the transition to a cleaner energy future. When it comes to EV loads, a holistic approach would involve forecasting future demand from EV charging stations and strategically planning network upgrades to accommodate this load without compromising grid stability. Combining this with integrating DERs can help balance supply and demand, maximize renewable energy utilization, and enhance grid resilience. Moreover, installing Capacitor Banks strategically along the distribution network can help improve power factor correction, reduce losses, and enhance voltage regulation. By considering all these components together, utilities can optimize their investments, minimize system inefficiencies, and create a more sustainable power system capable of effectively meeting future needs.

There are several key areas for further research in DNEP to address emerging challenges and optimize the integration of renewable resources. First, advanced modeling and simulation can accurately capture the dynamic behavior of distribution networks with high penetrations of renewable energy sources, energy storage systems, and electric vehicles. Second, researching and developing optimization algorithms that effectively manage distributed energy resources, demand response programs, and other grid-edge technologies to improve grid reliability, efficiency, and cost-effectiveness. Next, investigate strategies to enhance grid resilience and flexibility by integrating microgrids, smart grid technologies, and automated control systems. By focusing on these research areas, stakeholders can improve DNEP practices, accelerate the transition to sustainable energy systems, and contribute to a more resilient and efficient grid infrastructure for the future.

## ACKNOWLEDGEMENT

This work was supported by the Geran Putra Berimpak-Universiti Putra Malaysia (GPB-UPM) under Grant UPM.RMC.800-2/1/2022/GP-GPB/9732300

## REFERENCES

- Abapour, S., Zare, K., & Mohammadi-Ivatloo, B. (2015). Dynamic planning of distributed generation units in active distribution network. *IET Generation, Transmission & Distribution*, 9(12), 1455-1463. <https://doi.org/10.1049/iet-gtd.2014.1143>
- Aghaei, J., Muttaqi, K. M., Azizivahed, A., & Gitizadeh, M. (2014). Distribution expansion planning considering reliability and security of energy using modified PSO (Particle swarm optimization) algorithm. *Energy*, 65, 398-411. <https://doi.org/10.1016/j.energy.2013.10.082>

- Ahmed, E. M., Rakočević, S., Čalasan, M., Ali, Z. M., Hasanien, H. M., Turkey, R. A., & Aleem, S. H. A. (2022). BONMIN solver-based coordination of distributed FACTS compensators and distributed generation units in modern distribution networks. *Ain Shams Engineering Journal*, 13(4), Article 101664. <https://doi.org/10.1016/j.asej.2021.101664>
- Al-Kaabi, S. S., Zeineldin, H. H., & Khadkikar, V. (2013). Planning active distribution networks considering multi-DG configurations. *IEEE Transactions on Power Systems*, 29(2), 785-793. <https://doi.org/10.1109/TPWRS.2013.2282343>
- Ameli, A., Ahmadifar, A., Shariatkhah, M. H., Vakilian, M., & Haghifam, M. R. (2017). A dynamic method for feeder reconfiguration and capacitor switching in smart distribution systems. *International Journal of Electrical Power & Energy Systems*, 85, 200-211. <https://doi.org/10.1016/j.ijepes.2016.09.008>
- Amjady, N., Attarha, A., Dehghan, S., & Conejo, A. J. (2017). Adaptive robust expansion planning for a distribution network with DERs. *IEEE Transactions on Power Systems*, 33(2), 1698-1715. <https://doi.org/10.1109/TPWRS.2017.2741443>
- Arasteh, H., Sepasian, M. S., Vahidinasab, V., & Siano, P. (2016). SoS-based multiobjective distribution system expansion planning. *Electric Power Systems Research*, 141, 392-406. <https://doi.org/10.1016/j.epsr.2016.08.016>
- Ayalew, M., Khan, B., Giday, I., Mahela, O. P., Khosravy, M., Gupta, N., & Senjyu, T. (2022). Integration of renewable based distributed generation for distribution network expansion planning. *Energies*, 15(4), Article 1378. <https://doi.org/10.3390/en15041378>
- Ayoubi, M., Hooshmand, R. A., & Esfahani, M. T. (2017). Optimal capacitor placement in distorted distribution systems considering resonance constraint using multi-swarm particle swarm optimisation algorithm. *IET Generation, Transmission & Distribution*, 11(13), 3210-3221. <https://doi.org/10.1049/iet-gtd.2016.0989>
- Bagheri, A., Monsef, H., & Lesani, H. (2015). Integrated distribution network expansion planning incorporating distributed generation considering uncertainties, reliability, and operational conditions. *International Journal of Electrical Power & Energy Systems*, 73, 56-70. <https://doi.org/10.1016/j.ijepes.2015.03.010>
- Borozaan, S., Giannelos, S., & Strbac, G. (2022). Strategic network expansion planning with electric vehicle smart charging concepts as investment options. *Advances in Applied Energy*, 5, Article 100077. <https://doi.org/10.1016/j.adapen.2021.100077>
- Carnegie, R., Gotham, D., Nderitu, D., & Preckel, P. V. (2013). *Utility Scale Energy Storage Systems*. Purdue University
- Cogeneration technologies. (2022). Retrieved from *Combined heat and power*. Cogeneration technologies. <https://www.ge.com/gas-power/applications/chp>
- Comodi, G., Carducci, F., Sze, J. Y., Balamurugan, N., & Romagnoli, A. (2017). Storing energy for cooling demand management in tropical climates: A techno-economic comparison between different energy storage technologies. *Energy*, 121, 676-694. <https://doi.org/10.1016/j.energy.2017.01.038>
- Cossi, A. M., Silva, L. G. W. D., Lazaro, R. A. R., & Mantovani, J. R. S. (2012). Primary power distribution systems planning taking into account reliability, operation and expansion costs. *IET Generation, Transmission & Distribution*, 6(3), 274-284. <https://doi.org/10.1049/iet-gtd.2010.0666>

- Dumbrava, V., Lazaroiu, C., Roscia, C., & Zaninelli, D. (2011, May 8-11). *Expansion planning and reliability evaluation of distribution networks by heuristic algorithms*. [Paper presentation]. 10th International Conference on Environment and Electrical Engineering, Rome, Italy. <https://doi.org/10.1109/EEEIC.2011.5874766>
- Ehsan, A., & Yang, Q. (2019a). Active distribution system reinforcement planning with EV charging stations—Part I: Uncertainty modeling and problem formulation. *IEEE Transactions on Sustainable Energy*, 11(2), 970-978. <https://doi.org/10.1109/TSTE.2019.2915338>
- Ehsan, A., & Yang, Q. (2019b). Active distribution system reinforcement planning with EV charging stations—Part II: Numerical results. *IEEE Transactions on Sustainable Energy*, 11(2), 979-987. <https://doi.org/10.1109/TSTE.2019.2915383>
- Eid, A., Kamel, S., Zawbaa, H. M., & Dardeer, M. (2022). Improvement of active distribution systems with high penetration capacities of shunt reactive compensators and distributed generators using Bald Eagle Search. *Ain Shams Engineering Journal*, 13(6), Article 101792. <https://doi.org/10.1016/j.asej.2022.101792>
- El-Ela, A. A. A., El-Seheimy, R. A., Shaheen, A. M., & Eissa, I. A. (2019, December 17-19). *Optimal allocation of DGs and capacitor devices using improved grey wolf optimizer*. [Paper presentation]. 21st International Middle East Power Systems Conference (MEPCON), Cairo, Egypt. <https://doi.org/10.1109/MEPCON47431.2019.9008228>
- Energy Commission. (2017). *Distribution code for Peninsular Malaysia, Sabah & F.T. Labuan* (Kod/ST/No.1/2016 Pin. 2017). Energy Commission. [chrome-extension://efaidnbmninnibpecajpcglclefindmkaj/https://www.st.gov.my/contents/publications/guidelines\\_electricity/2017/Distribution%20Code%20For%20Peninsular%20Malaysia%20Sabah%20%20F.T.%20Labuan%20Amendments%202017\\_V5.pdf](https://www.st.gov.my/contents/publications/guidelines_electricity/2017/Distribution%20Code%20For%20Peninsular%20Malaysia%20Sabah%20%20F.T.%20Labuan%20Amendments%202017_V5.pdf)
- Esmacili, M., Sedighizadeh, M., & Esmaili, M. (2016). Multi-objective optimal reconfiguration and DG (Distributed Generation) power allocation in distribution networks using Big Bang-Big Crunch algorithm considering load uncertainty. *Energy*, 103, 86-99. <https://doi.org/10.1016/j.energy.2016.02.152>
- Fan, V. H., Meng, K., & Dong, Z. (2021, June 21-25). *Integration of electric vehicle load and charging infrastructure in distribution network*. [Paper presentation]. IEEE Transportation Electrification Conference & Expo (ITEC), Chicago, USA. <https://doi.org/10.1109/ITEC51675.2021.9490169>
- Ferreira, L. R. A., Otto, R. B., Silva, F. P., De Souza, S. N. M., De Souza, S. S., & Junior, O. A. (2018). Review of the energy potential of the residual biomass for the distributed generation in Brazil. *Renewable and Sustainable Energy Reviews*, 94, 440-455. <https://doi.org/10.1016/j.rser.2018.06.034>
- Francisco, M., Saumaa, E., Aguadob, J., Torreb, S. d., & Contreras, J. (2020). The impact of electric vehicle charging schemes in power system expansion planning. *Applied Energy*, 262, Article 114527. <https://doi.org/10.1016/j.apenergy.2020.114527>
- Freitas, F. F., De Souza, S. S., Ferreira, L. R. A., Otto, R. B., Alessio, F. J., De Souza, S. N. M. & Junior, O. A. (2019). The Brazilian market of distributed biogas generation: Overview, technological development and case study. *Renewable and Sustainable Energy Reviews*, 101, 146-157. <https://doi.org/10.1016/j.rser.2018.11.007>
- Gallano, R. J. C., & Nerves, A. C. (2014, October 22-25). *Multi-objective optimization of distribution network reconfiguration with capacitor and distributed generator placement*. [Paper presentation]. TENCON 2014-2014 IEEE region 10 conference, Bangkok Thailand. <https://doi.org/10.1109/TENCON.2014.7022365>

- Gallo, J. B. (2016). Electric truck & bus grid integration, opportunities, challenges & recommendations. *World Electric Vehicle Journal*, 8(1), 45-56. <https://doi.org/10.3390/wevj8010045>
- Georgilakis, P. S., & Hatziargyriou, N. D. (2015). A review of power distribution planning in the modern power systems era: Models, methods and future research. *Electric Power Systems Research*, 121, 89-100. <https://doi.org/10.1016/j.epsr.2014.12.010>
- Gholami, K., Karimi, S., & Anvari-Moghaddam, A. (2022). Multi-objective stochastic planning of electric vehicle charging stations in unbalanced distribution networks supported by smart photovoltaic inverters. *Sustainable Cities and Society*, 84, Article 104029. <https://doi.org/10.1016/j.scs.2022.104029>
- He, J., Yang, X. L., Deng, C., Liu, G., Huang, W., & Zhu, L. (2022). Expansion planning of electric vehicle charging stations considering the benefits of peak-regulation frequency modulation. *IET Generation, Transmission & Distribution*, 16(7), 1400-1415. <https://doi.org/10.1049/gtd.2.12376>
- Hemmati, R., Hooshmand, R. A., & Taheri, N. (2015). Distribution network expansion planning and DG placement in the presence of uncertainties. *International Journal of Electrical Power & Energy Systems*, 73, 665-673. <https://doi.org/10.1016/j.ijepes.2015.05.024>
- Hoog, J. D., Alpcan, T., Brazil, M., Thomas, D. A., & Mareels, I. (2014). Optimal charging of electric vehicles taking distribution network constraints into account. *IEEE Transactions on Power Systems*, 30(1), 365-375. <https://doi.org/10.1109/TPWRS.2014.2318293>
- IRENA. (2023). *Malaysia Energy Transition Outlook*. International Renewable Energy Agency.
- Jeddi, B., Vahidinasab, V., Ramezanpour, P., Aghaei, J., Shafie-khah, M., & Catalão, J. P. (2019). Robust optimization framework for dynamic distributed energy resources planning in distribution networks. *International Journal of Electrical Power & Energy Systems*, 110, 419-433. <https://doi.org/10.1016/j.ijepes.2019.03.026>
- Kabirifar, M., Fotuhi-Firuzabad, M., Moeini-Aghtaie, M., & Pourghaderia, N. (2019, April 30 - May 2). *Joint distributed generation and active distribution network expansion planning considering active management of network*. [Paper presentation]. 27th Iranian Conference on Electrical Engineering (ICEE), Yazd, Iran. <https://doi.org/10.1109/IranianCEE.2019.8786665>
- Karagiannopoulos, S., Aristidou, P., & Hug, G. (2017, June 18-22). *Co-optimisation of planning and operation for active distribution grids*. [Paper presentation]. IEEE Manchester PowerTech, Manchester, United Kingdom. <https://doi.org/10.1109/PTC.2017.7981112>
- KC, A. K., & Regmi, T. R. (2019). Optimal allocation of capacitor bank for loss minimization and voltage improvement using analytical method. *SCITECH Nepal*, 14(1), 1-7. <https://doi.org/10.3390/wevj3020214>
- KeTTHA. (2017). *Green Technology Master Plan Malaysia 2017-2030*. Ministry of Energy, Green Technology and Water Malaysia.
- Kumar, C. R., & Kumar, M. S. (2020). An approach of multistage distribution system network expansion planning considering investment, operational cost and reliability of system. *Indian Journal of Science and Technology*, 13(30), 2125-2140. <https://doi.org/10.17485/IJST/v13i30.678>
- Lin, Z., Hu, Z., & Song, Y. (2019). Distribution network expansion planning considering \$ N-1\$ criterion. *IEEE Transactions on Power Systems*, 34(3), 2476-2478. <https://doi.org/10.1109/TPWRS.2019.2896841>

- Liu, J., Cheng, H., Xu, Q., Lan, Z., Zeng, P., & Yao, L. (2017). Stochastic expansion planning of interconnected distribution networks with renewable sources considering uncertainties and power transfer capability. *The Journal of Engineering*, 2017(13), 1600-1604. <https://doi.org/10.1049/joe.2017.0602>
- Lopez, K., Mariscal, W., Plazarte, J., & Urquiza, J. (2021, March 10-12). *Allocation and optimal sizing of flexible capacitor banks for the minimization of active power losses in long unbalanced rural medium voltage distribution feeders using heuristic algorithms*. [Paper presentation]. 22nd IEEE International Conference on Industrial Technology (ICIT), Valencia, Spain. <https://doi.org/10.1109/ICIT46573.2021.9453500>
- Lucas, A., Bonavitacola, F., Kotsakis, E., & Fulli, G. (2015). Grid harmonic impact of multiple electric vehicle fast charging. *Electric Power Systems Research*, 127, 13-21. <https://doi.org/10.1016/j.epsr.2015.05.012>
- Manríquez, F., Sauma, E., Aguado, J., Torre, S. D. L., & Contreras, J. (2020). The impact of electric vehicle charging schemes in power system expansion planning. *Applied Energy*, 262, Article 114527. <https://doi.org/10.1016/j.apenergy.2020.114527>
- Mansor, N. N., & Levi, V. (2017). Integrated planning of distribution networks considering utility planning concepts. *IEEE Transactions on Power Systems*, 32(6), 4656-4672. <https://doi.org/10.1109/TPWRS.2017.2687099>
- Masoumi-Amiri, S. M., Shahabi, M., & Barforoushi, T. (2021). Interactive framework development for microgrid expansion strategy and distribution network expansion planning. *Sustainable Energy, Grids and Networks*, 27, Article 100512. <https://doi.org/10.1016/j.segan.2021.100512>
- Mazhari, S. M., Monsef, H., & Romero, R. (2015). A multi-objective distribution system expansion planning incorporating customer choices on reliability. *IEEE Transactions on Power Systems*, 31(2), 1330-1340. <https://doi.org/10.1109/TPWRS.2015.2430278>
- Melgar-Dominguez, O. D., Salas, R. W., & Mantovani, J. R. S. (2021). Short-term distribution system planning using a system reduction technique. *IEEE Access*, 9, 153586-153598. <https://doi.org/10.1109/ACCESS.2021.3128052>
- Moazzami, M., Bagherzadeh, L., Barzandeh, A., Shahinzadeh, H., & Gharehpetian, G. B. (2019). Active distribution system expansion planning using lion pride optimization algorithm. *International Journal of Renewable Energy Research (IJRER)*, 9(3), 1548-1559. <https://doi.org/10.20508/ijer.v9i3.9745.g7744>
- Moradijoz, M., Moghaddam, M. P., & Haghifam, M. R. (2017). A flexible distribution system expansion planning model: A dynamic bi-level approach. *IEEE Transactions on Smart Grid*, 9(6), 5867-5877. <https://doi.org/10.1109/TSG.2017.2697917>
- MOT. (2019). *National Transport Policy 2019- 2030*. Ministry of Transportation Malaysia.
- Muñoz-Delgado, G., Contreras, J., & Arroyo, J. M. (2015). Multistage generation and network expansion planning in distribution systems considering uncertainty and reliability. *IEEE Transactions on Power Systems*, 31(5), 3715-3728. <https://doi.org/DOI:10.1109/TPWRS.2015.2503604>
- Muthukumar, K., & Jayalalitha, S. (2016). Optimal placement and sizing of distributed generators and shunt capacitors for power loss minimization in radial distribution networks using hybrid heuristic search optimization technique. *International Journal of Electrical Power & Energy Systems*, 78, 299-319. <https://doi.org/10.1016/j.ijepes.2015.11.019>

- Nejadfard-Jahromi, S., Rashidinejad, M., & Abdollahi, A. (2015). Multistage distribution network expansion planning under smart grids environment. *International Journal of Electrical Power & Energy Systems*, 71, 222-230. <https://doi.org/10.1016/j.ijepes.2015.02.021>
- Pathak, O., & Prakash, P. (2018, October 22-24). *Load flow solution for radial distribution network*. [Paper presentation]. 2nd IEEE International Conference on Power Electronics, Intelligent Control and Energy Systems (ICPEICES), Delhi, India. <https://doi.org/10.1109/ICPEICES.2018.8897305>
- Pinto, R. S., Unsihuay-Vila, C., & Fernandes, T. S. (2019). Multi-objective and multi-period distribution expansion planning considering reliability, distributed generation and self-healing. *IET Generation, Transmission & Distribution*, 13(2), 219-228. <https://doi.org/10.1049/iet-gtd.2018.5037>
- Pinto, R. S., Unsihuay-Vila, C., & Tabarro, F. H. (2021). Coordinated operation and expansion planning for multiple microgrids and active distribution networks under uncertainties. *Applied Energy*, 297, Article 117108. <https://doi.org/10.1016/j.apenergy.2021.117108>
- Poornazaryan, B., Karimyan, P., Gharehpetian, G. B., & Abedi, M. (2016). Optimal allocation and sizing of DG units considering voltage stability, losses and load variations. *International Journal of Electrical Power & Energy Systems*, 79, 42-52. <https://doi.org/10.1016/j.ijepes.2015.12.034>
- Quevedo, P. M. D., Muñoz-Delgado, G., & Contreras, J. (2017). Impact of electric vehicles on the expansion planning of distribution systems considering renewable energy, storage, and charging stations. *IEEE Transactions on Smart Grid*, 10(1), 794-804. <https://doi.org/10.1109/TSG.2017.2752303>
- Ramírez-Rosado, I. J., & Bernal-Aguistin, J. L. (2001). Reliability and costs optimization for distribution networks expansion using an evolutionary algorithm. *IEEE Transactions on Power Systems*, 16(1), 111-118. <https://doi.org/10.1109/59.910788>
- Rangarajan, S. S., Collins, E. R., & Fox, J. C. (2017, November 5-8). *Interactive impacts of elements of distribution systems and PV on network harmonic resonance*. [Paper presentation]. IEEE 6th International Conference on Renewable Energy Research and Applications (ICRERA), San Diego, USA. <https://doi.org/10.1109/ICRERA.2017.8191149>
- Raza, A., Xu, D., Mian, M. S., & Ahmed, J. (2013, December 19-20). *A micro hydro power plant for distributed generation using municipal water waste with Archimedes screw*. [Paper presentation]. IEEE International Conference on Multi Topic (INMIC), Lahore, Pakistan. <https://doi.org/10.1109/INMIC.2013.6731326>
- Shen, X., Shahidehpour, M., Zhu, S., Han, Y., & Zheng, J. (2016). Multi-stage planning of active distribution networks considering the co-optimization of operation strategies. *IEEE Transactions on Smart Grid*, 9(2), 1425-1433. <https://doi.org/10.1109/TSG.2016.2591586>
- Singh, B., & Dubey, P. K. (2022). Distributed power generation planning for distribution networks using electric vehicles: Systematic attention to challenges and opportunities. *Journal of Energy Storage*, 48, Article 104030. <https://doi.org/10.1016/j.est.2022.104030>
- Sirjani, R. (2017). Optimal capacitor placement in wind farms by considering harmonics using discrete lightning search algorithm. *Sustainability*, 9(9), Article 1669. <https://doi.org/10.3390/su9091669>
- Srinivasan, G., & Visalakshi, S. J. E. P. (2017). Application of AGPSO for power loss minimization in radial distribution network via DG units, capacitors and NR. *Energy Procedia*, 117, 190-200. <https://doi.org/10.1016/j.egypro.2017.05.122>

- Taljegard, M., Göransson, L., Odenberger, M., & Johnsson, F. (2019). Impacts of electric vehicles on the electricity generation portfolio—A Scandinavian-German case study. *Applied Energy*, 235, 1637-1650. <https://doi.org/10.1016/j.apenergy.2018.10.133>
- Technologies of Energy Storage. (2022). Retrieved from *energy storage*. Technologies of Energy Storage. <http://energystorage.org/why-energy-storage/technologies/>
- Twaisan, K., & Barışçi, N. (2022). Integrated distributed energy resources (DER) and microgrids: Modeling and optimization of DERs. *Electronics*, 11(18), Article 2816. <https://doi.org/10.3390/electronics11182816>
- UNFCCC. (2015). *The Paris Agreement*. United Nations Framework Convention on Climate Change.
- Veldman, E., & Verzijlbergh, R. A. (2014). Distribution grid impacts of smart electric vehicle charging from different perspectives. *IEEE Transactions on Smart Grid*, 6(1), 333-342. <https://doi.org/10.1109/TSG.2014.2355494>
- Verma, M. K., Yadav, V. K., & Mukherjee, V. (2019, August). Objective functions of distribution network expansion planning-a comprehensive and exhaustive review. *IOP Conference Series: Materials Science and Engineering*, 594(1), Article 012016. <https://doi.org/10.1088/1757-899X/594/1/012016>
- Yu, C., Ye, B., Wang, X., & Zhao, F. (2019, December). Method for electricity distribution network expansion planning considering opening incremental distribution network. *IOP Conference Series: Materials Science and Engineering*, 677(4), Article 042081. <https://doi.org/10.1088/1757-899X/677/4/042081>
- Zhang, J., Wang, S., Zhang, C., Luo, F., Dong, Z. Y., & Li, Y. (2021). Planning of electric vehicle charging stations and distribution system with highly renewable penetrations. *IET Electrical Systems in Transportation*, 11(3), 256-268. <https://doi.org/10.1049/els2.12022>
- Zhou, N., Wang, J., Wang, Q., & Wei, N. (2014). Measurement-based harmonic modeling of an electric vehicle charging station using a three-phase uncontrolled rectifier. *IEEE Transactions on Smart Grid*, 6(3), 1332-1340. <https://doi.org/10.1109/TSG.2014.2374675>
- Zou, M., Yang, Y., Liu, M., Wang, W., Jia, H., Peng, X., & Liu, D. (2022). Optimization model of electric vehicles charging and discharging strategy considering the safe operation of distribution network. *World Electric Vehicle Journal*, 13(7), Article 117. <https://doi.org/10.3390/wevj13070117>

