

SRJ09, a promising anticancer drug lead: elucidation of mechanisms of antiproliferative and apoptogenic effects and assessment of in vivo antitumor efficacy

ABSTRACT

SRJ09 (3,19-(2-bromobenzylidene)andrographolide), a semisynthetic andrographolide (AGP) derivative, was shown to induce G₁ cell cycle arrest and eventually apoptosis in breast and colon cancer cell lines. The present investigation was carried out to elucidate the mechanisms cell cycle arrest and apoptosis and evaluate the *in vivo* antitumor activity of SRJ09. The *in vitro* growth inhibitory properties of compounds were assessed in colon (HCT-116) and breast (MCF-7) cancer cell lines. Immunoblotting was utilized to quantitate the protein levels in cells. The gene expressions were determined using reverse transcriptase PCR (RT-PCR). Pharmacokinetic investigation was carried out by determining SRJ09 levels in plasma of Balb/C mice using HPLC. *In vivo* antitumor activity was evaluated in athymic mice carrying HCT-116 colon tumor xenografts. SRJ09 displayed improved *in vitro* activity when compared with AGP by producing rapid cell killing effect *in vitro*. Its activity was not compromised in MES-SA/Dx5 multidrug resistant (MDR) cells expressing p-glycoprotein. Cells treated with SRJ09 (0.1–10 μM) displayed increased p21 protein level, which corresponded with gene expression. Whereas CDK4 protein level and gene expression was suppressed. The treatment did not affect cyclin D1. Changes of these proteins paralleled G₁ cell cycle arrest in both cell lines as determined by flow cytometry. Induction of apoptosis by SRJ09 in HCT-116 cells which occurred independent of p53 and bcl-2 was inhibited in the presence of caspase 8 inhibitor, implicating the extrinsic apoptotic pathway. A single dose (100 mg/kg, i.p) of SRJ09 produced a plasma concentration range of 12–30.4 μM. At 400 mg/kg (q4dX3), it significantly retarded growth of tumor xenografts. The antitumor activity of SRJ09 is suggested mediated *via* the induction of p21 expression and suppression of CDK-4 expression without affecting cyclin D1 to trigger G₁ arrest leading to apoptosis.

Keyword: Andrographolide derivatives; p21; CDK-4; Apoptosis; Cell cycle arrest; Pharmacokinetics