

## **Optimized medium via statistical approach enhanced threonine production by *Pediococcus pentosaceus* TL-3 isolated from Malaysian food**

### **ABSTRACT**

Background: Threonine is an essential amino acid that is extensively used in livestock industry as feed supplement due to its pronounced effect in improving the growth performance of animals. Application of genetically engineered bacteria for amino acid production has its share of controversies after eosinophils myalgia syndrome outbreak in 1980s. This has urged for continuous search for a food grade producer as a safer alternative for industrial amino acid production. Lactic acid bacteria (LAB) appear as an exceptional candidate owing to their non-pathogenic nature and reputation of Generally Recognized as Safe (GRAS) status. Recently, we have identified a LAB, *Pediococcus pentosaceus* TL-3, isolated from Malaysian food as a potential threonine producer. Thus, the objective of this study was to enhance the threonine production by *P. pentosaceus* TL-3 via optimized medium developed by using Plackett–Burman design (PBD) and central composite design (CCD). Results: Molasses, meat extract, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, and MnSO<sub>4</sub> were identified as the main medium components for threonine production by *P. pentosaceus* TL-3. The optimum concentration of molasses, meat extract, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> and MnSO<sub>4</sub> were found to be 30.79 g/L, 25.30 g/L, 8.59 g/L, and 0.098 g/L respectively based on model obtained in CCD with a predicted net threonine production of 123.07 mg/L. The net threonine production by *P. pentosaceus* TL-3 in the optimized medium was enhanced approximately 2 folds compared to the control. Conclusions: This study has revealed the potential of *P. pentosaceus* TL-3 as a safer alternative to produce threonine. Additionally, the current study has identified the key medium components affecting the production of threonine by *P. pentosaceus* TL-3, followed by optimization of their concentrations by means of statistical approach. The findings of this study could act as a guideline for the future exploration of amino acid production by LAB.

**Keyword:** Central composite design; *Pediococcus pentosaceus* TL-3; Plackett–Burman design; Statistical optimization; Threonine production